







KLEENGUARD* A30 Breathable Splash & Particle Protection Coveralls

Product Information

Zipper Front with 1" Flap & Elastic Back	Code	Size	Quantity
	35738*	S	25
	46002	M	25
	46003	L	25
	46004	XL	25
	46005	2XL	25
	46006	3XL	21
	46007	4XL	21
	35688*	5XL/6XL combo	21

Zipper Front with 1" Flap, Elastic Back, Wrists & Ankles	Code	Size	Quantity
	30931*	S	25
	46102	M	25
	46103	L	25
	46104	XL	25
	46105	2XL	25
	46106	3XL	21
	46107	4XL	21
	30917*	5XL	21
	30918*	6XL	21
	35737*	5XL/6XL combo	21

Zipper Front with 1" Flap, Elastic Back, Wrist, Ankles & Hood	Code	Size	Quantity
	30909*	S	25
	46112	M	25
	46113	L	25
	46114	XL	25
	46115	2XL	25
	46116	3XL	21
	46117	4XL	21
	30936*	5XL	21
	30932*	6XL	21

Zipper Front with 1" Flap, Elastic Back, Wrists, Ankles, Hood & Boots	Code	Size	Quantity
	30908*	S	25
	46122	M	25
	46123	L	25
	46124	XL	25
	46125	2XL	25
	46126	3XL	21
	46127	4XL	21
	27238*	5XL	21
	27239*	6XL	21

*Made-to-Order Codes

Workmanship Requirements

Coveralls shall be made in accordance with reasonable industry practice with respect to holes, tears, wrinkles, cleanliness, and foreign materials or dirt. For additional information: 1-888-346-4652 or kimtech@kcc.com

Kimberly-Clark warrants that its products (1) comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers and are warranted for the following periods from end user's date of purchase (verified by valid sales receipt): (a) five years for Balder Technology auto darkening filters; (b) two years for all other auto darkening filters; and (c) one year for powered air purifying respirators; (2) comply with all K-C labeling representations; and (3) are manufactured in compliance with all applicable federal, state, and local laws in effect at the time and place of manufacture of the products. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. K-C is not liable for any kind of special, incidental, or consequential damages. K-C's liability for breach of contract, tort or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms by verbal agreement or by any writing not signed by K-C. To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.

Fabric Properties

Physical Properties	Results	Test Method
Tensile Strength – MD	29.7 lbs	ASTM D5034
Tensile Strength – CD	20.8 lbs	ASTM D5034
Trapezoidal Tear – MD	6.9 lbs	INDA IST 100.2
Trapezoidal Tear – CD	9.9 lbs	INDA IST 100.2
Elongation – MD	41%	ASTM D5034
Elongation – CD	53%	ASTM D5034
Mullen Burst	42.5 psi	ISO 13938-1
Static Decay (<0.5sec)	Pass	NFPA 99
Flammability	Class 1	CPSC 1610
Barrier Properties	Results	Test Method
Hydrohead	88.2cm	AATCC 127-1998
Particle Holdout (1.0-2.0 microns)	96.7%	Independent Lab
Comfort Properties	Results	Test Method
Air Permeability	29.5 cfm	ASTM D737
Moisture Vapor Transport	4506 g/m ² /24 hr	ASTM E96

Additional Attributes

Breathable MICROFORCE* Barrier SMS Fabric
 Non-latex polyisoprene elastic
 No silicone
 No BHT preservative
 REFLEX* Design – see catalog for sizing chart
 Seamless front
 1" Zipper flap
 NFPA 99 Compliant Antistatic material

