

## SHOWA



# S-TEX 581

Durability meets comfort with SHOWA's cut-resistant S-TEX 581. Engineered with our revolutionary Hagane Coil® technology, every glove delivers excellent cut resistance and naturally fits the anatomy of your hand for maximum precision.

## **FEATURES**

- 13 gauge engineered Hagane Coil® liner with Kevlar®
- ANSI cut level A5
- EN 388 cut level 5
- ISO 13997 cut level E
- Embossed microporous nitrile palm finish
- Ergonomic design hand mold that replicates the natural curves
- Seamless knit



- Lightweight glove with high cut protection performance
- Excellent cut resistance performance due to engineered fibre
- Embossed nitrile palm finish disperses oil to increase grip and longevity in light oily environments
- Foam nitrile coating provides an abrasion resistance level of 4 and extended usage
- Microporous nitrile coating grants exceptional grip while allowing warm air and moisture from inside to escape, thus keeping your hands dry
- Breathable back of hand to reduce perspiration
- Designed for easy movement and continuous wear
- Seamless knit designed to prevent irritation

# **INDUSTRY**



**Automotive** 



Construction



Glass



Mechanical



Metallurgy



Utilities



Warehousing and Distribution

# **IDEAL APPLICATIONS**

- Automotive repairs and maintenance
- Light assembly of oil-coated pieces
- Mechanical and engineering
- HVAC
- Install electrical wiring
- Screw and nail setting
- Steel fixing
- Handling glass and windows



#### **MATERIAL**

- Kevlar
- Nvlon
- Polyester
- Seamless knit

## COATING

• Foam nitrile

### **GRIP**

N/A

#### **STANDARDS**











# SHOWA



# **S-TEX 581**



### **PACKAGING**

- 12 Pair per polybag6 Polybags per case
- 72 Pair per case

## **SIZES**



- S
- M
- XI
- XXI

## **COLOUR**



Grey/black





Do not use where there are chemical, electrical, thermal or entanglement risks. Wash at 40°C max. Performance levels as per standard EN388 retained after 3 washes, subject to variations linked to actual usage conditions. The performance levels apply to the coated surface only. Store in a dry place, away from the light.

# DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.



