

PIG® Build-A-Berm® Heavy-Duty Barrier Straight Section

#PLR283 - 5.5" x 12' x 2"



Heavy-duty barrier springs back into shape when heavy vehicles pass. Custom containment berm helps you control liquids in high-traffic areas.

- The PIG Build-A-Berm Heavy-Duty Barrier provides permanent or semi-permanent containment in high-traffic areas on concrete, asphalt or most sealed surfaces
- Constructed of 40-ounce, vinyl-coated fabric with an open-cell foam core; berm compresses to approximately 1/4" when driven over; springs back to shape when vehicles pass
- Durable enough to withstand indoor or outdoor traffic from trucks, loaded tow motors and other heavy vehicles with sufficient ground clearance
- Secure to floor with Sili-Thane sealant (PTY340) and reinforce with predrilled aluminum mounting strips and steel anchors; seal seams with Industrial-Strength Vinyl Cement (PTY105)
- Create any configuration by combining with other Build-A-Berm components; ends overlap and can be sealed together for liquid-proof containment
- When used with standard Build-A-Berm Barriers, orange color indicates area where drivers can enter and exit



New Pig

By Phone:
1-855-493-HOGS

Online:
newpig.com

Email:
hothogs@newpig.com

One Pork Avenue • Tipton PA 16684-0304

© 2014 New Pig Corporation. All rights reserved.
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PLR283 - Pg 1 of 2

PLR283 Specifications

Style:	Drive-over
Color:	Orange
Dimensions:	5.5" W x 12' L x 2" H
Intended For:	Smooth Surface
Temperature Limit:	-22 °F to 160 °F
Sold as:	1 each
Weight:	10.3 lbs.
New Pig Patent:	5,820,297
# per Pallet:	32
Composition:	Cover - 40-oz. Vinyl-Coated Fabric Insert - Open-Cell Polyurethane Foam Insert Strips - Aluminum Galvanized Steel Anchors
Includes:	6 - 4' L x 1/8" H x 1" W Mounting Strips 33 - 1/4" x 1 5/8" Anchors
UNSPSC:	24101907

PLR283 Metric Equivalent

Dimensions:	14cm W x 3.7m L x 5.1cm H
Weight:	4.7 kg

Technical Information

Warnings & Restrictions:

There are no known warnings and restrictions for this product.

Regulations and Compliance:

40 CFR 122.26 - When applying for a National Pollutant Discharge Elimination System (NPDES) permit, facilities must have a plan in place that describes actions, procedures, control techniques, management practices and equipment available to prevent illegal discharge of pollutants into waterways.

40 CFR 112.7 - SPCC planning requirements state that facilities subject to these regulations must have written plans in place discussing the products, countermeasures and procedures that are in place, or will be taken by the facility to prevent discharge of oil into waters of the United States.

Technical Documents:

(Available at newpig.com)

Product Data Sheet (PDS)

Chemical Compatibility (CCG)



By Phone:
1-855-493-HOGS

Online:
newpig.com

Email:
hothogs@newpig.com

New Pig

One Pork Avenue • Tipton PA 16684-0304
© 2014 New Pig Corporation. All rights reserved.
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PLR283 - Pg 2 of 2