



Table of Contents

Section	Page
Abrasives	7-129
Abrasive Accessories	9-21
Discs, Disc Rolls and Stems	
Fibre Discs and Cutoff Wheels	69-75
Hand and File Sheets	75-104
Sanding Sponges	
Scotch-Brite™ Products	
Utility Cloth Rolls & Belts	
Adhesives	131-161
Adhesive Removers, Cleaners & Strippers	
Applicators and Accessories	
General/Miscellaneous Bonding Products	
Glass Installation Products	
Panel Bonding Adhesives	
Plastic Repair Products	
SMC/Fiberglass & Composite Repair Adhesives	
Attachment & Specialty Tapes	163-197
Transfer Tapes & Guns	165
Attachment Tape	166-169
Cloth Duct Tape	
Conspicuity Marking	
Filament Tape	
Foam Tape	
Packaging Tape and Dispensers	
Specialty Tape	
Body Fillers, Glazes & Related Products	
Applicators & Accessories	
Fillers	
3M [™] Hardeners & Activators	
3M TM Glazes	
3M TM Putties	
Dynamic Mixing System	
Fiberglass Repair Products	
Coatings	
Applicators & Accessories	
Aerosols	
Body Schutz	
Undercoatings	227-229

Section	Page
Corrosion Protection	229-231
No Cleanup	
Rocker Panel/Stone Chip Guard	
Truck Bed Liner & Accessories	
Coating & Paint Removers	
Primers	
Compounds, Polishes & Buffing Pads	247-261
Accessories	
Headlight Lens Restoration	
Rubbing Compounds	
Polishes	
Buffing Pads	
Denibbing System	
Spray Detailer	
Detailing Cloths	
Consumer & Retail Products	265-305
Abrasives and Sanding	265-277
Adhesives and Sealants	277-283
Appearance Products	283-285
Body Repair	285-291
Headlight Restoration	291
Miscellaneous Repair	
Performance Chemicals	
Scratch Removers	
Tapes	
Tools and Accessories	302-305
Detailing System	307-316
Accessories	309
Waxes & Polishes	310
Interior Cleaners	311
Interior Dressings	312
Exterior Cleaners	312-314
Exterior Dressings	314-315
Sponges & Scrubbers	316
Electrical Connectors, Terminals, Ties & Tape	317-337
Crimping Tools	319
Cable Ties	
Electrical Connectors	323-325

Table of Contents

Section	Page
Electrical Tapes	325-330
Electrical Terminals	
Heat Shrink Tubing	
ScotchCode™ Wire Marker Products	
Filler, Adhesive and Coating - Applicators & Accessories	341-355
Adhesives Applicators & Accessories	
Body Fillers, Glazes and Related Products - Applicators & Accessories	
Coatings - Applicators & Accessories	
Seam Sealers - Applicators & Accessories	
Sound Deadening & NVH - Applicators & Accessories	
Health & Safety	
3M™ Personal Air Monitoring Systems	359
3M™ Environmental Safety	
Personal Care	
3M [™] Automotive Respirators	
3M [™] Automotive Welding Personal Protective Products	
3M [™] Automotive Eye, Head and Face Protection Products	
3M [™] Automotive Hearing Protection Products	
Masking Products	413-431
Masking Tapes	413-417
Jamb Masking Tapes	418
Specialty Tapes	
Plastic Sheeting & Pre-folded Film	
Masking Paper	
Masking Machines	
Liquid Masking	
Paint Booth Protection Products	
Interior Protection Products	
Paint Protection Film	433-436
Door Edge Guards	435
Rolls	435
Strips	436
PPS™ & Spray Equipment	439-458
PPS™ Paint Preparation System Products	439-449
Spray Equipment Products	
Reclosable Fasteners	
3M™ Dual Lock™ Reclosable Fasteners	461-464

Section	Page
3M™ Hook and Loop Fasteners	464-471
Miscellaneous Fasteners	
Seam Sealers	476-484
Applicators & Accessories	476-478
Single-Component Moisture Cure Seam Sealers	
Single-Component Solvent Based Seam Sealers	
Two-Component Reactive Seam Sealers	481
Silicone Sealants	
Seam Sealer Tape	
Ribbon Sealers & Strip Caulk	
Sound Deadening & NVH	487-491
Accessories	487
Coatings	
Expandable Foams	
Vibration Isolation	
Striping Tape	494-550
Accessories	494
Graphic Removal	495
3M [™] Scotchcal [™] High Performance Custom Striping Tape	
3M™ Scotchcal™ Signwriter Film	
3M™ Scotchlite™ Reflective Film Series 680	
Tools	553-564
Adhesive Applicators	553
3M™ Sanders & Buffers	554-556
Pistol Grip Tools	557
Denibbing Tools	558
Tool Accessories	
Traction & Matting Products	567-573
Accessories	567
Bathtub Strips	
Coarse Tread	568
Conformable Tread	
Fine Resillient Tread	
General Purpose Tread	
Heavy Duty Tread	
Home and Recreation Tread	
Medium Resilient Tread	
3M [™] Nomad [™] Heavy Traffic Carpet Matting	5/3

Table of Contents

Section	Page
3M™ Nomad™ Carpet Matting	573
Welding & Spark Protection	
Accessories	576
3M [™] Automotive Welding Personal Protective Products	576-586
Wheel Weight System	589-590
Wheel Weight System	589-590

Abrasives

Abrasives

Cabinets and Dispensers

Packaging 1 per case

·	iging 1 por oaso			
	02500	02504	02510	02514
	3M 3M			
Description	Features 3 shelves with locking clasp for use with padlock. Has 2 hinged doors and is constructed of 24 gauge steel. Can be hung on a wall or placed on a shelf.	Super multi angle repair tool. Easy to use plastic bumper repair stand. Rotates 90 degrees with 5 locking positions. Allows the user to mount the bumper to repair and paint it at the proper position.	Three-Shelf body shop cart has eighteen gauge sturdy metal construction, fourteen gauge uprights, three large storage areas and 5 in rubber caster wheels. Epoxy powder coated for lasting durability and has a cart capacity of 400 pounds.	Rounded Corners on Shelf and Legs has Sixteen Gauge Steel Tubular Frame Construction. Easily Adjustable to Four Positions. Maximum Weight Limit in Tabletop Form is 200 Pounds.
Part Number	02500	02504	02510	02514
UPC	0-00-51131-02500-4	0-00-51131-02504-2	0-00-51131-02510-3	0-00-51131-02514-1
Product Name	3M [™] Abrasive Organizer	3M [™] S.M.A.R.T. Bumper Stand	3M™ C.A.R.T.S.	3M™ P.A.R.T.S.
Color	Red	Red	Red	Silver
Width	33 Inch	55 Inch	33 Inch	36 Inch
Height	31 Inch	66 Inch	32 Inch	35 Inch
	02570	05450	05452	07909
			19 01	256
Description	3M™ Wheeled Utility Cart with 3 shelves.	Sturdy metal dispenser providing convenient means of storage and single disc dispensing of 5 or 6 in Stikit™ Disc Rolls. Portable or can be wall or bench mounted. Holds two rolls.	A portable, sturdy dispenser which holds two 2-3/4 inch wide 3M TM Stikit TM Sheet Rolls for quick and easy dispensing. Keeps abrasive flat while protecting the adhesive backing.	Wall mountable dispenser easily dispenses 3M™ Tack Pads and ideally keeps tack pads clean. It conveniently stores up to 14 pads and has an additional compartment to store any used tack pads.
Part Number	02570	05450	05452	07909
UPC	0-00-51131-02570-7	0-00-51144-05450-3	0-00-51144-05452-7	0-00-51131-07909-0
			3M™ Stikit™ Double Roll	
Product Name	3M™ Utility Cart	3M™ Stikit™ Disc Roll Dispenser	Dispenser	3M™ Tack Pad Dispenser
Product Name Color	3M™ Utility Cart Red	3M™ Stikit™ Disc Roll Dispenser Red		3M™ Tack Pad Dispenser Red
		·	Dispenser	·

Roloc™ and Grinding Disc Pads

	05533	05538	05539	05540
Description	2 Adapters per package, Use with hand held and pneumatic grinders (7/16 in - 20 thread) and a 1/4 in hex mandrel for use with automotive drills. Provides backup Support for 3M™ Kut-Down™ Discs.	Backup pad designed to support 3M™ Roloc™ 1 inch diameter abrasive discs. This pad has a 1/4-20 INT thread which allows it to be mounted directly to tools with 1/4-20 EXT threaded shafts. Assembly also includes a Roloc™ shank and adaptor.	Backup pad designed to support 3M™ Roloc™ 2 inch diameter abrasive discs. This pad has a 1/4-20 INT thread which allows it to be mounted directly to tools with 1/4-20 EXT threaded shafts. Assembly also includes a Roloc™ shank and adaptor.	Backup pad designed to support 3M™ Roloc™ 3 inch diameter abrasive discs. This pad has a 1/4-20 INT thread which allows it to be mounted directly to tools with 1/4-20 EXT threaded shafts. Assembly also includes a Roloc™ shank and adaptor.
Part Number	05533	05538	05539	05540
UPC	0-00-51131-05533-9	0-00-51131-05538-4	0-00-51144-05539-5	0-00-51144-05540-1
Product Name	3M™ Kut-Down Disc Adapter	3M™ Roloc™ Disc Pad Assembly	3M™ Roloc™ Disc Pad Assembly	3M™ Roloc™ Disc Pad Assembly
Color	Black	Black	Black	Black
Diameter	3 Inch	1 Inch	2 Inch	3 Inch
Max RPM	20000	30000	25000	20000
Packaging	10 per case	10 per case	10 per case	10 per case
	05541	05637	05924	07491
	-26		Transactor Today Proposition Prod Transactor Today Transactor T	
Description	Backup pad designed to support 3M TM Roloc TM 4 inch diameter abrasive discs. This pad has a 1/4-20 INT thread which allows it to be mounted directly to tools with 1/4-20 EXT threaded shafts. Assembly also includes a Roloc TM shank and adaptor.	Backup pad designed for support- ing 5 inch diameter x 7/8 center hole Fibre Discs on pistol grip sanders. Uses retainer nut supplied with the sander.	For use with standard 3M [™] Roloc [™] Disc Pads and slow speed air or electric drills for fine grade sanding (3000 RPM). The face is designed for the 3 inch 3M [™] Finesse-it [™] Buffing Pad, part num- ber 05925.	Use with Scotch-Brite™ Clean and Strip Disc, part number 07460.
Part Number	05541	05637	05924	07491
UPC	0-00-51131-05541-4	0-00-51131-05637-4	0-00-51131-05924-5	0-00-48011-07491-7
Product Name	3M™ Roloc™ Disc Pad	3M [™] Fibre Disc Backup Pad	3M™ Finesse-it™ Roloc™ Finishing Pad	3M™ Wheel Mandrel 938
Color	Black	Black	Black	
Diameter	4 Inch	5 Inch	3 Inch	
Max RPM	12000	18000		
Packaging	10 per case	10 per case	12 per bag 5 bags per case	1 per case

Roloc™ and Grinding Disc Pads (continued)

	07500	13441	13442	14736
		68		
Description	1 inch Roloc™ + Holder allows use of Scotch-Brite™ Molding Adhesive and Stripe Removal Discs (PN07501, PN07502) or Roloc™ Unitized Wheels on your tool. The 1/4 inch shank fits into any recommended standard tool. Quick and easy to use.	Red rubber hand sanding pad 1-1/4 inch diameter. Both ends of this pad can be used to hold PSA sanding discs. Removes dust and dirt nibs	For use if a sanding tool is pre- ferred over hand sanding. The Roloc™ Sanding Pad can be used with a 1 inch Roloc™ disc pad or with tools equipped with the Roloc™ attachment system. Has a smooth foam face.	Pad is made with soft foam, Roloc™ button, and mushroom headed hooks. Use with 3 inch soft Roloc™ Disc Pad. Holds the Finesse-it™ Buffing Pad (red and white) firmly in place. Soft foam provides good conformability.
Part Number	07500	13441	13442	14736
UPC	0-00-51131-07500-9	0-00-51144-13441-0	0-00-51144-13442-7	0-00-51144-14736-6
Product Name	3M™ Roloc™+ Holder	3M [™] Finesse-it [™] Hand Sanding Pad	3M™ Finesse-it™ Roloc™ Sanding Pad	3M [™] Finesse-it [™] Roloc [™] Finishing Disc Pad
Color	Black	Red	Black/White	Yellow
Diameter	1 Inch	1-1/4 Inch	1-1/4 Inch	3 Inch
Max RPM	25000		10000	10000
Packaging	1 per case	20 per case	10 per inner 100 per case	12 per inner 120 per case
	18696	45090	45091	82900
Description	Convenient introductory pack contains a variety of grades of Roloc™ Bristle Discs 2 inch diameter x 5/8 inch trim with a disc pad holder for an optimized finish.	Backup pad designed to support 3M™ Roloc™ 3 inch diameter abrasive discs. This pad has a 1/4-20 INT thread which allows it to be mounted directly to tools with 1/4-20 EXT threaded shafts or use with Roloc™ shank to fit collet chuck tools.	Backup pad designed to support 3M™ Roloc™ 3 inch diameter abrasive discs. This pad has a 1/4-20 INT thread which allows it to be mounted directly to tools with 1/4-20 EXT threaded shafts or use with Roloc™ shank to fit collet chuck tools.	Introductory pack for high performance jobs includes 3 inch diameter Roloc™ surface conditioning discs, 3M coated abrasive discs and Roloc™ disc pad. Provides an easy way to evaluate the right product, size and grade for your application.
Part Number	18696	45090	45091	82900
UPC	0-00-48011-18696-2	0-00-51144-45090-9	0-00-51144-45091-6	0-00-51144-82900-2
Product Name	3M™ Roloc™ Bristle Disc Kit	3M™ Roloc™ Disc Pad	3M™ Roloc™ Disc Pad	3M™ Roloc™ Disc Pack
		Black	Black	
Color		Didok		
Color Diameter	2 Inch	3 Inch	3 Inch	3 Inch
	2 Inch 25000	***	3 Inch 20000	3 Inch

Surface Conditioning Disc Pads

	07492	07493	07494	07910
	2		Co	
Description	Use with 4 inch diameter hook and loop discs. Has 1/16 inch thick foam and 3M™ Dual Lock™ Hooks. 1/4 inch shank.	Disc pad connects quickly and easily to any power tool for 3 in discs while holding Scotch-Brite™ surface conditioning discs securely and safely through the use of 3M™ Dual Lock hooks. Has 1/4 inch shank.	Use with 2 inch diameter hook and loop discs. Has 1/16 inch thick foam and 3M™ Dual-Lok™ Hooks. 1/4 inch shaft.	Surface preparation for spraying primers, base coat or clear coat paints is a smooth transition as dust is drawn into the tack pad leaving a drag-free surface. Hands are less sticky due to the reduction of adhesive transfer.
Part Number	07492	07493	07494	07910
UPC	0-00-48011-07492-4	0-00-51131-07493-4	0-00-48011-07494-8	0-00-51131-07910-6
Product Name	Scotch-Brite™ Surface Conditioning Disc Pad 924	Scotch-Brite™ Surface Conditioning Disc Pad Holder 7493	3M™ Disc Pad Holder 922	3M™ Tack Pad
Color	Black	Black	Black	White
Max RPM	13000	20000	23000	
Size	4 Inch Diameter	3 Inch Diameter	2 Inch Diameter	175 mm x 235 mm
Packaging	5 per case	10 per case	10 per case	60 per case

Wetordry[™] and Dry Sandpaper Accessories

	02513	05517	05518
	3M	V/ETC/BDAY Robber Servenges and to costs	VISTO FD RY Problem Schledge On training
Description	Durable 3M [™] Bucket Designed for Use When Wet Sanding. Each Bucket has a Tray Packed Inside to Store 3M [™] Wetordry [™] Paper, Squeegees and Blocks.	Flexible, sturdy rubber used for removing slush created when sanding or applying glazing putty and plastic filler.	Flexible, sturdy rubber used for removing slush created when sanding or applying glazing putty and plastic filler.
Part Number	02513	05517	05518
UPC	0-00-51131-02513-4	0-00-51144-05517-3	0-00-51144-05518-0
Product Name	3M™ Wetordry™ Bucket	3M™ Wetordry™ Rubber Squeegee	3M™ Wetordry™ Rubber Squeegee
Color	Red	Black	Black
Size	12.5 in. x 12.5 in. x 9.75 in.	2-3/4 in. x 4-1/4 in.	2 in. x 3 in.
Packaging	10 per case	50 per case	50 per case

Wetordry[™] and Dry Sandpaper Accessories (continued)

	05519	05520	05526
			NO. 20 WETOSIGHY SCONGE PAD DITY
Description	A pliable rubber block which holds sandpaper securely during wet or dry sanding operations. Uses a 2-3/4 inch x 9 inch sheet.	A pliable rubber block which holds sandpaper securely during wet or dry sanding operations. Uses a 3 inch x 11 inch sheet.	Firm hand sanding pad to be used with a three- fold wrap of 3M™ Silicon Carbide Paper Sheets, Wetordry™ Color Sanding Paper Sheets or Production™ Gold Paper Sheets to make hand sanding easier and more efficient.
Part Number	05519	05520	05526
UPC	0-00-51144-05519-7	0-00-51131-05520-9	0-00-51131-05526-1
Product Name	3M™ Sanding Block	3M™ Sanding Block	3M™ Wetordry™ Sponge Pad 20
Color	Red	Black	Black
Size	2-3/4 in. x 5 in.	3 in. x 8 in.	5-1/2 in x 2-3/4 in
Packaging	10 per case	10 per case	50 per case

Abrasive Accessories: Hookit™ Disc Pads and Hand Blocks

Hookit™ Disc Pads

	05551	05755	05756	05768
	M. R. S.	M Hodi Marian	William Hooking and the second	
Description	3M [™] Hookit [™] dust free soft painter's backup pad for primer, color and clear coat sanding appli- cations.	Specially designed for use with 5 inch Hookit™ discs. Low profile design provides better leveling and faster removal rates when flat sanding. Pad is made with a medium density foam and has a blunt edge for edge durability.	Specially designed for use with 6 in. Hookit™ discs. Low profile design provides better leveling and faster removal rates when flat sanding. Pad is made with a medium density foam and has a blunt edge for edge durability. Has 5/16-24 EXT threads.	Use with slow speed polisher/grinder. Ideal for use with fine grade abrasives for sanding primer on conformable surfaces. MOS: 3000 RPM.
Part Number	05551	05755	05756	05768
UPC	0-00-51131-05551-3	0-00-51131-05755-5	0-00-51131-05756-2	0-00-51131-05768-5
Product Name	3M™ Hookit™ Clean Sanding Painter`s Backup Pad	3M™ Hookit™ Low Profile Disc Pad	3M™ Hookit™ Low Profile Disc Pad	3M™ Hookit™ Soft Disc Pad
Color	Yellow	Yellow	Yellow	Orange
Diameter	6 Inch	5 Inch	6 Inch	8 Inch
Max RPM	12000	12000	12000	3000
Packaging	10 per case	10 per case	10 per case	1 per case

Hookit™ Disc Pads (continued)

HOOKIT D	ioo i aao (oonanaoa)			
	05771	05775	05776	05777
		The state of the s	SMI redained in the second of	
Description	Used with standard Hookit™ Back- Up Pad, increases conformability, allowing the technician to follow contours and get in closer to most edges. Constructed of a soft durable foam, with 6 dust holes. Used with clean sanding, and non- dust free discs.	For use with 5 inch diameter Hookit™ discs. Made with a resilient backing plate assembly and a medium density foam for durability. Fits random orbital sanders with 5/16-24 internal thread.	Designed with a tough durable foam body for long pad life. Pad has tapered edge for ease of sanding on contoured surfaces. Max 12,000 RPM.	Designed for 3M [™] Hookit [™] abrasives. Improves abrasive cut and finish. Reduces vibration on dual action random orbital sanders using 3M [™] Hookit [™] disc pads. For use with all 3M [™] Hookit [™] disc pads.
Part Number	05771	05775	05776	05777
UPC	0-00-51131-05771-5	0-00-51131-05775-3	0-00-51131-05776-0	0-00-51131-05777-7
Product Name	3M™ Hookit™ Soft Interface Pad	3M™ Hookit™ Disc Pad	3M™ Hookit™ Disc Pad	3M™ Hookit™ Soft Interface Pad
Color	Gray	Yellow	Yellow	Gray
Diameter	3 Inch	5 Inch	6 Inch	6 Inch
Max RPM	15000	12000	12000	12000
Packaging	10 per case	10 per case	10 per case	10 per case
	05778	05779	05781	05782
		SM SM	SM CLL	3M
Description	Soft backup pad with Hookit attachment to be used primarily in the paint department.	Use with slow speed polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. MOS: 3000 RPM.	For use with 8 inch diameter Hookit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max 1,500 RPM.	Shape plastic filler. Attaches with 6 mounting holes. Fits Chicago Pneumatic 777 sander. Max 1,500 RPM. For use with 8 inch diameter 3M™ Hookit™ discs.
Description Part Number	ment to be used primarily in the	polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. MOS:	Hookit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max	mounting holes. Fits Chicago Pneumatic 777 sander. Max 1,500 RPM. For use with 8 inch diameter
· 	ment to be used primarily in the paint department.	polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. MOS: 3000 RPM.	Hookit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max 1,500 RPM.	mounting holes. Fits Chicago Pneumatic 777 sander. Max 1,500 RPM. For use with 8 inch diameter 3M™ Hookit™ discs.
Part Number	ment to be used primarily in the paint department. 05778	polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. MOS: 3000 RPM.	Hookit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max 1,500 RPM.	mounting holes. Fits Chicago Pneumatic 777 sander. Max 1,500 RPM. For use with 8 inch diameter 3M™ Hookit™ discs. 05782
Part Number UPC	ment to be used primarily in the paint department. 05778 0-00-51131-05778-4 3M™ Painter's Disc Pad with	polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. MOS: 3000 RPM. 05779 0-00-51131-05779-1	Hookit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max 1,500 RPM. 05781 0-00-51131-05781-4	mounting holes. Fits Chicago Pneumatic 777 sander. Max 1,500 RPM. For use with 8 inch diameter 3M™ Hookit™ discs. 05782 0-00-51131-05782-1
Part Number UPC Product Name	ment to be used primarily in the paint department. 05778 0-00-51131-05778-4 3M™ Painter`s Disc Pad with Hookit™	polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. MOS: 3000 RPM. 05779 0-00-51131-05779-1 3M™ Hookit™ Disc Pad	Hookit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max 1,500 RPM. 05781 0-00-51131-05781-4 3M™ Hookit™ Disc Pad Dust Free	mounting holes. Fits Chicago Pneumatic 777 sander. Max 1,500 RPM. For use with 8 inch diameter 3M™ Hookit™ discs. 05782 0-00-51131-05782-1 3M™ Hookit™ Disc Pad Dust Free
Part Number UPC Product Name Color	ment to be used primarily in the paint department. 05778 0-00-51131-05778-4 3M™ Painter's Disc Pad with Hookit™ Black	polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. MOS: 3000 RPM. 05779 0-00-51131-05779-1 3M™ Hookit™ Disc Pad Yellow	Hookit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max 1,500 RPM. 05781 0-00-51131-05781-4 3M™ Hookit™ Disc Pad Dust Free Yellow	mounting holes. Fits Chicago Pneumatic 777 sander. Max 1,500 RPM. For use with 8 inch diameter 3M™ Hookit™ discs. 05782 0-00-51131-05782-1 3M™ Hookit™ Disc Pad Dust Free Yellow

Hookit™ Disc Pads (continued)

	05783	05855	05858	05865
	30	Date of the state		
Description	An 8 inch pad to be used with Hookit™ abrasives for multiple sanding applications.	Use with 5 inch diameter Hookit™ D/F discs. Medium foam density and blunt 15 degree edge for good edge durability. Used for coarse grades and where good leveling is needed. Fits Random Orbital sanders with 5/16-24 internal thread.	Dust Free painter's backup pad with Hookit™ Attachment. 31 hole pad, to be used with 5 inch 3M™ Clean Sand abrasive or other 6 hole 5 inch dust free abrasive products.	Designed for 6 inch 3M [™] Dust Free discs with Hook-it [™] . Designed for use with 6 hole, 7 hole, or other hole configuration dust free discs.
Part Number	05783	05855	05858	05865
UPC	0-00-51131-05783-8	0-00-51131-05855-2	0-00-51131-05858-3	0-00-51131-05865-1
Product Name	3M™ Hookit™ Pad D/F	3M™ Hookit™ D/F Low Profile Backup Pad	3M [™] Clean Sand Painter`s Pad with Hookit [™]	3M [™] Clean Sanding Dust Free Disc Pad with Hook-it™
Color	Yellow	Yellow	Purple	Yellow
Diameter	8 Inch	5 Inch	5 Inch	6 Inch
Max RPM	1500	12000	12000	12000
Packaging	1 per case	10 per case	10 per case	10 per case
	20206	20278	20350	20352
Description	Dust extraction back up pad with 31 holes (including 3/4 in. CH). Constructed with a durable fiber glass plate and foam material. Primary Market: AOEM	For use with 5 in Hookit™ Clean Sanding discs, 5 in. Hookit™ Dust Free Discs, and 5 in Hookit™ Discs.	For use with 3 in diameter Hookit TM Clean Sanding discs. Use with ran- dom orbital sanders with 1/4 - 20 internal threads. Made with Red Foam.	For use with 5 in diameter Hookit TM discs. Use with random orbital sanders with 5/16-24 internal threads. Made with Red Foam.
Part Number	20206	20278	20350	20352
UPC	0-00-51141-20206-8	0-00-51141-20278-5	0-00-51141-20350-8	0-00-51141-20352-2
Product Name	3M [™] Clean Sanding Back Up Pad	3M [™] Clean Sanding Soft Interface Disc Pad	3M™ Hookit™ Clean Sanding Low Profile Disc Pad	3M™ Hookit™ Low Profile Disc Pad
Color	Yellow	Black	Red	Red
Diameter	5 Inch	5 Inch	3 Inch	5 Inch
Max RPM	12000	12000	15000	12000
Packaging	10 per case	10 per case	10 per case	10 per case

Hookit™ Disc Pads (continued)

	20353	20355	20356	20427
		E CONTRACTOR DE LA CONT		55 1
Description	For use with 5 in diameter Hookit TM Clean Sanding discs or Hookit TM D/F discs. Use with random orbital sanders with 5/16-24 internal threads. Made with Red Foam.	For use with 6 in diameter Hookit™ discs. Use with random orbital sanders with 5/16-24 internal threads. Made with Red Foam.	For use with 6 in diameter Hookit TM Clean Sanding discs or Hookit TM D/F discs. Use with random orbital sanders with 5/16-24 internal threads. Made with Red Foam.	Dust extraction Hookit™ back up pad (Clean Sanding) constructed on foam material. Includes 5 adaptors: 1/4-20 EXT X 5/16-24 EXT, 1/4-20 INT X 5/16-24 EXT, 1/4-28 EXT X 5/16-24 EXT, 5/16-24 EXT X 5/16- 24 EXT, 5/16-24 EXT X 6mm-1.0 EXT
Part Number	20353	20355	20356	20427
UPC	0-00-51141-20353-9	0-00-51141-20355-3	0-00-51141-20356-0	0-00-51141-20427-7
Product Name	3M [™] Hookit [™] Clean Sanding Low Profile Disc Pad	3M [™] Hookit [™] Low Profile Disc Pad	3M [™] Hookit [™] Clean Sanding Low Profile Disc Pad	3M™ Clean Sanding Disc Pad Kit
Color	Red	Red	Red	Yellow
Diameter	5 Inch	6 Inch	6 Inch	3 Inch
Max RPM	12000	12000	12000	15000
Packaging	10 per case	10 per case	10 per case	5 per case
	55764			
	For use with 3 inch diameter Hookit™ Discs or 3 inch through 3-			
Description	3/4 inch Finesse-it Buffing Pads. Fits random orbital sanders or other tools with 5/16-24 Internal thread.			
Part Number	55764			
UPC	0-00-51111-55764-8			
Product Name	3M™ Hookit™ Disc Pad			
Color	Yellow			
Diameter	3 Inch			
Max RPM	15000			
Packaging	5 per case			

Hookit™ Hand Sanding

	05207	05208	05209	05215
			200	
Description	Dust free block used for sanding applications.	Dust free block used for sanding applications.	Dust free block used for sanding applications.	Whip hose extension kit, to be used with dust free blocks
Part Number	05207	05208	05209	05215
UPC	0-00-51131-05207-9	0-00-51131-05208-6	0-00-51131-05209-3	0-00-51131-05215-4
Product Name	3M™ Hookit™ Sanding Block D/F	3M™ Hookit™ Sanding Block D/F	3M [™] Hookit [™] Sanding Block D/F	3M [™] Dust Free Hose Extension Kit
Color	Purple	Purple	Purple	Black
Size	70 mm x 127 mm	70 mm x 198 mm	70 mm x 396 mm	
Packaging	5 per case	5 per case	1 per case	1 kit per case
	05216	05740	05741	05742
Description	Dust free block used for sanding applications.	Firm plastic block with easy release hook face. Use with Hookit™ abrasives sheets 2-3/4 inch x 5 inch for leveling of repair area. Produces true flat surface.	Firm plastic block with easy release hook face. Use with Hookit™ abrasives sheets 2-3/4 inch x 7 3/4 inch for leveling of repair area. Produces true flat surface.	Soft molded foam block with easy release hook face. Use with Hookit™ abrasives sheets 2 3/4 inch x 5 inch for leveling of repair area or following contours.
Part Number	05216	05740	05741	05742
UPC	0-00-51131-05216-1	0-00-51131-05740-1	0-00-51131-05741-8	0-00-51131-05742-5
Product Name	3M™ Hookit™ Sanding Block D/F	3M™ Hookit™ Hand Block	3M™ Hookit™ Hand Block	3M™ Hookit™ Soft Hand Block
Color	Purple	Yellow	Yellow	Yellow
Size	115 mm x 225 mm	2-3/4 in x 5 in	2-3/4 in x 7-3/4 in	2-3/4 in x 5 in
Packaging	3 per case	10 per case	10 per case	10 per case
	05744	05746	05748	05750
	Firm plastic hand file board with			
Description	easy release hook face. Use with Hookit™ abrasives sheets 2-3/4 inch x 16 inch for leveling of repair area. Has 3 handles. Provides true flat surface.	An orbital file shoe to be used with Hookit™ abrasives for multiple sanding applications.	A straight line file shoe to be used with Hookit™ abrasives for multiple sanding applications.	A straight line file shoe to be used with Hookit™ abrasives for multiple sanding applications.
Part Number	05744	05746	05748	05750
UPC	0-00-51131-05744-9	0-00-51131-05746-3	0-00-51131-05748-7	0-00-51131-05750-0
Product Name	3M [™] Hookit [™] Hand File Board	3M™ Hookit™ Orbital Air File Shoe	3M [™] Hookit [™] Straightline Air File Shoe	3M™ Hookit™ Short Air File Shoe
Color	Yellow	Aluminum	Aluminum	Aluminum
Size	2-3/4 in x 16 in	2-3/4 in x 16 in	2-3/4 in x 16 in	2-3/4 in x 11 in
Packaging	1 per case	5 per case	5 per case	5 per case

Hookit™ Hand Sanding (continued)

	05780	05791	05792	05848
	200 - 100 			
Description	A rotary 8 inch pad to be used with Hookit™ abrasives for multiple sanding applications.	Use with 6 inch diameter Hookit™ discs. Made with soft foam for conformability and spreading out finger pressure. Has 1 inch wide strap for holding the pad to the operator's hand.	Half round construction. Use with 6 inch diameter Hookit TM discs. With the disc wrapped around the pad the 1/4 inch radius edge allows for sanding in hard-to-reach areas. Made with medium density foam for conformability.	A straight line file shoe to be used with Hookit TM abrasives for multiple sanding applications.
Part Number	05780	05791	05792	05848
UPC	0-00-51131-05780-7	0-00-51131-05791-3	0-00-51131-05792-0	0-00-51131-05848-4
Product Name	3M™ Hookit™ Eliminator Pad D/F	3M™ Hookit™ Disc Hand Pad	3M™ Hookit™ Half Round Pad	3M™ Hookit™ Straightline File Shoe D/F
Color	Black	Black	Black	Aluminum
Size	8 Inch Diameter	6 Inch Diameter	6 Inch Diameter	2-3/4 in x 16 in
Packaging	1 per case	20 per case	20 per case	5 per case
	05898	05899		
Description	An base plate to be used for mounting orbital file shoes, used in multiple sanding applications. Fits Hutchins tool model 3800, 3804 and 4932.	An orbital dust free file shoe to be used with Hookit™ abrasives for multiple sanding applications.		
Part Number	05898	05899		
UPC	0-00-51131-05898-9	0-00-51131-05899-6		
Product Name	3M [™] Orbital File Shoe Base Plate	3M [™] Hookit [™] Orbital Air File Shoe D/F		
Color	Aluminum	Aluminum		
Size	2-3/4 in x 10 in	2-3/4 in x 16 in		
Packaging	5 per case	5 per case		

Stikit™ Disc Pads

	05546	05555	05556	05568
	SM MAN The state of the state		OM NAID TO THE PART OF THE PAR	
Description	Specially designed for use with 6 inch Stikit™ discs. Has a soft foam face (brown) construction for conformability and improved surface finish on sanded parts. Use with grade 220 and finer abrasive discs. Has 5/16 in-24 external thread.	For use with 5 inch diameter Stikit™ discs. Has blue pad face which allows easy disc removal in low heat generating applications. Has a blunt 15 degree taper on the pad edge for durability and better leveling of sanded surface.	Disc Pad that provides support on dual action sanders for 3M™ Stikit™ discs. A thinner low profile pad provides better edge support for block sanding. Lightweight, sands flat. 10,000 Max RPM.	Use with slow speed polisher/grinder. Ideal for use with fine grade abrasives for sanding primer on conformable surfaces. MOS: 3000 RPM.
Part Number	05546	05555	05556	05568
UPC	0-00-51131-05546-9	0-00-51131-05555-1	0-00-51131-05556-8	0-00-51131-05568-1
Product Name	3M [™] Stikit [™] Low Profile Finishing Disc Pad	3M™ Stikit™ Low Profile Disc Pad	3M™ Stikit™ Low Profile Disc Pad	3M™ Stikit™ Soft Disc Pad
Color	Beige	Yellow	Yellow	Orange
Diameter	6 Inch	5 Inch	8 Inch	8 Inch
Max RPM	12000	12000	10,000	3000
Packaging	10 per case	10 per case	10 per case	1 per case
Packaging	10 per case 05575	10 per case 05576	10 per case 05579	1 per case 05581
Packaging	·	·	·	•
Packaging Description	·	·	·	
	These shock-resistant pads have a blue vinyl face that provides excellent disc adhesion yet allows quick, easy removal. It has a medium density foam and a 45 degree tapered edge for flexibility. Use with 5 in	Designed with a tough durable foam body for long pad life. Pad has 45 degree tapered edge for ease of sanding on contoured surfaces.	Use with slow speed polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. Max	For use with 8 inch diameter Stikit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max
Description	These shock-resistant pads have a blue vinyl face that provides excellent disc adhesion yet allows quick, easy removal. It has a medium density foam and a 45 degree tapered edge for flexibility. Use with 5 in dia. Stikit TM discs. Bulk quantity.	Designed with a tough durable foam body for long pad life. Pad has 45 degree tapered edge for ease of sanding on contoured surfaces. Max 10,000 RPM.	Use with slow speed polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. Max 3,000 RPM	For use with 8 inch diameter Stikit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max 1,500 RPM.
Description Part Number	These shock-resistant pads have a blue vinyl face that provides excellent disc adhesion yet allows quick, easy removal. It has a medium density foam and a 45 degree tapered edge for flexibility. Use with 5 in dia. Stikit TM discs. Bulk quantity.	Designed with a tough durable foam body for long pad life. Pad has 45 degree tapered edge for ease of sanding on contoured surfaces. Max 10,000 RPM. 05576	Use with slow speed polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. Max 3,000 RPM	For use with 8 inch diameter Stikit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max 1,500 RPM.
Description Part Number UPC	These shock-resistant pads have a blue vinyl face that provides excellent disc adhesion yet allows quick, easy removal. It has a medium density foam and a 45 degree tapered edge for flexibility. Use with 5 in dia. Stikit TM discs. Bulk quantity. 05575 0-00-51144-05575-3	Designed with a tough durable foam body for long pad life. Pad has 45 degree tapered edge for ease of sanding on contoured surfaces. Max 10,000 RPM. 05576 0-00-51144-05576-0	Use with slow speed polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. Max 3,000 RPM 05579 0-00-51144-05579-1	For use with 8 inch diameter Stikit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max 1,500 RPM. 05581 0-00-51131-05581-0
Description Part Number UPC Product Name	These shock-resistant pads have a blue vinyl face that provides excellent disc adhesion yet allows quick, easy removal. It has a medium density foam and a 45 degree tapered edge for flexibility. Use with 5 in dia. Stikit TM discs. Bulk quantity. 05575 0-00-51144-05575-3 3M TM Stikit TM Disc Pad	Designed with a tough durable foam body for long pad life. Pad has 45 degree tapered edge for ease of sanding on contoured surfaces. Max 10,000 RPM. 05576 0-00-51144-05576-0 3M™ Stikit™ Disc Pad	Use with slow speed polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. Max 3,000 RPM 05579 0-00-51144-05579-1 3M™ Stikit™ Disc Pad	For use with 8 inch diameter Stikit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max 1,500 RPM. 05581 0-00-51131-05581-0 3M™ Stikit™ Disc Pad Dust Free
Description Part Number UPC Product Name Color	These shock-resistant pads have a blue vinyl face that provides excellent disc adhesion yet allows quick, easy removal. It has a medium density foam and a 45 degree tapered edge for flexibility. Use with 5 in dia. Stikit TM discs. Bulk quantity. 05575 0-00-51144-05575-3 3M TM Stikit TM Disc Pad Yellow	Designed with a tough durable foam body for long pad life. Pad has 45 degree tapered edge for ease of sanding on contoured surfaces. Max 10,000 RPM. 05576 0-00-51144-05576-0 3MTM StikitTM Disc Pad Yellow	Use with slow speed polisher/grinder. Ideal for use with medium to fine grade abrasives for paint stripping and sanding primer on conformable surfaces. Max 3,000 RPM 05579 0-00-51144-05579-1 3MTM StikitTM Disc Pad Yellow	For use with 8 inch diameter Stikit™ discs to shape plastic filler. Attaches with 5 mounting holes. Fits National Detroit 900 and Dynabrade Model 57700. Max 1,500 RPM. 05581 0-00-51131-05581-0 3M™ Stikit™ Disc Pad Dust Free Yellow

Stikit™ Disc Pads (continued)

	05582	05646	05655	05656
		C. C	The state of the s	M Value The state of the state
Description	For use with 8 inch diameter Stikit™ discs to shape plastic filler. Attaches with 6 mounting holes. Fits Chicago Pneumatic 777 sander. Max 1,500 RPM.	Specially designed for use with 6 inch Stikit TM D/F discs. Has a soft foam face (brown) construction for conformability and improved surface finish on sanded parts. Use with grade 220 and finer abrasive discs. Has 5/16 in-24 external thread.	Use with 5 inch diameter Stikit™ D/F Discs. Medium foam density and blunt 15 degree edge for good edge durability. Used for coarse grades and where good leveling is needed. Fits Random Orbital sanders with 5/16-24 internal thread. Blue face.	Standard 6 hole pattern for D/F sanding. A thinner low profile pad provides better support for block sanding. MOS: 10000 RPM.
Part Number	05582	05646	05655	05656
UPC	0-00-51131-05582-7	0-00-51131-05646-6	0-00-51131-05655-8	0-00-51131-05656-5
Product Name	3M™ Stikit™ Disc Pad Dust Free	3M™ Stikit™ D/F Low Profile Finishing Disc Pad	3M [™] Stikit [™] D/F Low Profile Disc Pad	3M [™] Stikit [™] Low Profile Disc Pad D/F
Color	Yellow	Beige	Yellow	Yellow
Diameter	8 Inch	6 Inch	5 Inch	6 Inch
Max RPM	1500	12000	12000	12000
Packaging	1 per case	10 per case	10 per case	10 per case
	35576			
	SIM MANAGEMENT AND ADDRESS OF THE PARTY AND AD			
Description	Specifically made to use with the 3MTM StikitTM Discs. Pad face securely holds the discs yet allows for easy change and re-attachment of discs. Lightweight, shock-resistant and well-balanced.			
Part Number	35576			
UPC	0-00-51131-35576-7			
Product Name	3M™ Stikit™ Disc Pad			
Color	Yellow			
Diameter	6 Inch			
Max RPM	12000			
Packaging	5 per case			

Stikit™ Hand Sanding

	05440	05441	05442	05444
				Quanta and
Description	Made of a sturdy, durable, high strength material. These blocks have an embossed rubber face which allows good adhesion for Stikit™ Sheet-Rolls and Stikit™ sheets.	Made of a sturdy, durable, high strength material. These blocks have an embossed rubber face which allows good adhesion for Stikit™ Sheet-Rolls and Stikit™ sheets.	Soft molded foam block with easy release blue vinyl face. Use with Stikit™ Sheet Rolls 2-3/4 inch wide or abrasives sheets 2-3/4 inch x 5 inch for leveling of repair area or following contours.	Sturdy design that provides a non- twisting, flat sanding surface. Can be used single or double handed. Has an blue vinyl face that allows good adhesion and release when used with Stikit™ sheets.
Part Number	05440	05441	05442	05444
UPC	0-00-51144-05440-4	0-00-51144-05441-1	0-00-51144-05442-8	0-00-51144-05444-2
Product Name	3M™ Stikit™ Hand Block	3M™ Stikit™ Hand Block	3M™ Stikit™ Soft Hand Block	3M™ Stikit™ Hand File Board
Color	Yellow	Yellow	Yellow	Yellow
Size	2-3/4 in x 5 in	2-3/4 in x 7-3/4 in	2-3/4 in x 5 in	2-3/4 in x 16 in
Packaging	10 per case	10 per case	10 per case	1 per case
	05448	05530	05585	05586
		Set Note: Set Need Pel	Stikit 3W America Will-05585	SUKIT SWI Parts For any Control of the Control of t
Description	Air file shoe features a leading edge tuck-in clip for easy insertion and removal for quick application. Designed for use on all straight air files and for use with Stikit™ file sheets.	For use with Stikit™ Sheet Rolls and Imperial color sanding paper sheets. This pad provides a soft controlled touch. Eliminates finger marks and edge cutting into primer and paint. Ideal for contour and light scuff sanding.	For use with all grades of 5 inch diameter Stikit™ discs, these pads are firm yet conformable and lightweight. Makes corner and contour sanding easier.	For use with all grades of 6 inch diameter Stikit TM discs, these pads are firm yet conformable and lightweight. Makes corner and contour sanding easier.
Part Number	05448	05530	05585	05586
UPC	0-00-51144-05448-0	0-00-51144-05530-2	0-00-51144-05585-2	0-00-51144-05586-9
Product Name	3M [™] Stikit [™] Air File Shoe	3M™ Stikit™ Soft Hand Pad	3M™ Stikit™ Hand Pad	3M™ Stikit™ Hand Pad
Color	Aluminum	Black	Black	Black
Size	2-3/4 in x 16 in	2-3/4 in x 5-1/2 in	2-3/4 in x 5 in	2-3/4 in x 6 in
Packaging	5 per case	5 pads per box 10 boxes per case	10 per case	10 per case
	05591	05924	13441	
		Francisco de Todos Franci	68	
Description	1/4 inch neoprene rubber with a nylon cloth face and an elastic hand band on the back. Eliminates finger marks. Designed to securely hold fine grade discs, but allow easy removal.	For use with standard 3M™ Roloc™ Disc Pads and slow speed air or electric drills for fine grade sanding (3000 RPM). The face is designed for the 3 inch 3M™ Finesse-it™ Buffing Pad, part num- ber 05925.	Red rubber hand sanding pad 1-1/4 inch diameter. Both ends of this pad can be used to hold PSA sanding discs. Removes dust and dirt nibs	
Part Number	05591	05924	13441	
UPC	0-00-51131-05591-9	0-00-51131-05924-5	0-00-51144-13441-0	
Product Name	3M™ Stikit™ Disc Hand Pad	3M™ Finesse-it™ Roloc™ Finishing Pad	3M™ Finesse-it™ Hand Sanding Pad	
Color	Black	Black	Red	
Size	6 Inch Diameter	3 Inch Diameter	1-1/4 Inch Diameter	
Packaging	20 per case	12 per bag 5 bags per case	20 per case	

Discs, Disc Rolls and Stems

3M[™] Red Abrasive PSA Disc

Diameter 5 Inch



Part Number	Description	UPC	Product Name	Grade	Packaging
01602	An abrasive disc used for primer sanding, blend panel and paint preparation.	0-00-51131-01602-6	3M [™] Red Abrasive PSA Disc	P400	100 discs per roll 6 rolls per case
01603	An abrasive disc used for primer sanding, blend panel and paint preparation.	0-00-51131-01603-3	3M [™] Red Abrasive PSA Disc	P320	100 discs per roll 6 rolls per case
01604	An abrasive disc used for putty and filler sanding.	0-00-51131-01604-0	3M [™] Red Abrasive PSA Disc	P240	100 discs per roll 6 rolls per case
01605	An abrasive disc used for putty and filler sanding.	0-00-51131-01605-7	3M [™] Red Abrasive PSA Disc	P220	100 discs per roll 6 rolls per case
01606	An abrasive disc used for putty and filler sanding.	0-00-51131-01606-4	3M [™] Red Abrasive PSA Disc	P180	100 discs per roll 6 rolls per case
01607	An abrasive disc used for putty and filler sanding.	0-00-51131-01607-1	3M [™] Red Abrasive PSA Disc	P150	100 discs per roll 6 rolls per case
01608	An abrasive disc used for putty and filler sanding.	0-00-51131-01608-8	3M [™] Red Abrasive PSA Disc	P120	100 discs per roll 6 rolls per case
01609	An abrasive disc used for filler sanding.	0-00-51131-01609-5	3M [™] Red Abrasive PSA Disc	P100	100 discs per roll 6 rolls per case
01610	An abrasive disc used for filler sanding.	0-00-51131-01610-1	3M [™] Red Abrasive PSA Disc	P80	100 discs per roll 6 rolls per case
01611	An abrasive disc used for filler shaping and paint stripping.	0-00-51131-01611-8	3M [™] Red Abrasive PSA Disc	40	25 discs per box 5 boxes per case

Stems

Packaging 20 stems per box 4 boxes per case

	02047	02080
Description	1000 Grit Trizact™ abrasive designed to remove small dust nibs from newly painted vehicles. For use with 3M™ Perfect-It™ Denibbing Tool (PN 07650).	1500 grit Trizact™ abrasive designed to remove small dust nibs from newly painted vehicles. For use with 3M™ Perfect-It™ Denibbing Tool (PN 07650).
Part Number	02047	02080
UPC	0-00-51131-02047-4	0-00-51131-02080-1
Product Name	3M [™] Perfect-It [™] Denibbing Abrasive	3M™ Perfect-It™ Denibbing Abrasive
Color	Black	Grey
Grade	1000	1500

3M[™] Hookit[™] Finishing Film Disc Dust Free

Color White

Packaging 100 discs per box 4 boxes per case



Part Number	Description	UPC	Product Name	Diameter	Grade
01050	7 Holes for dust free sanding. Use to level minor dust nibs and light sanding of mismatched orange peel for all types of automotive paint. Recomended disc pad PN 05865 with soft interface pad PN 05777.	0-00-51131-01050-5	3M TM Hookit TM Finishing Film Disc D/F	6 Inch	P1500
01055	5 holes for dust-free sanding. Use for scuffing the blend area prior to painting. Suggested backup pad 05855 and 05773 interface pad.	0-00-51131-01055-0	3M TM Hookit TM Finishing Film Disc D/F	5 Inch	P600
01068	7 Holes for dust free sanding. Use to level orange peel, dust nibs, and paint runs in all types of automotive paints. Recomended disc pad PN 05865 with soft interface pad PN 05777.	0-00-51131-01068-0	3M TM Hookit TM Finishing Film Disc D/F	6 Inch	P1200
01069	7 Holes for dust free sanding. Levels orange peel, dust nibs, paint runs in refinish paint. Recomended disc pad PN 05865 with soft interface pad PN 05777.	0-00-51131-01069-7	3M TM Hookit TM Finishing Film Disc D/F	6 Inch	P1000
01070	7 Holes for dust free sanding. Use for scuffing the blend area prior to painting. Recomended disc pad PN 05865 with soft interface pad PN 05777.	0-00-51131-01070-3	3M TM Hookit TM Finishing Film Disc D/F	6 Inch	P800
01071	7 Holes for dust free sanding. Use for scuffing the blend area prior to painting. Recomended disc pad PN05865 with soft interface pad PN05777.	0-00-51131-01071-0	3M TM Hookit TM Finishing Film Disc D/F	6 Inch	P600

3M™ Imperial™ Hookit™ Dust-Free Disc

Cubitron™ Hookit™ Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Primary markets: metalworking,woodworking.

Color Purple
Diameter 8 Inch

Packaging 25 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
01850	0-00-51131-01850-1	3M™ Imperial™ Hookit™ Dust-Free Disc 745I	P80
01852	0-00-51131-01852-5	3M™ Imperial™ Hookit™ Dust-Free Disc 740I	40
01853	0-00-51131-01853-2	3M™ Imperial™ Hookit™ Dust-Free Disc 740I	36

3M™ Purple Abrasive Disc Dust Free

7 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN 05865, or PN 05551.

Color Purple
Diameter 6 Inch

Packaging 25 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
30784	0-00-51131-30784-1	3M [™] Purple Abrasive Disc D/F	P80
30785	0-00-51131-30785-8	3M [™] Purple Abrasive Disc D/F	60
30786	0-00-51131-30786-5	3M™ Purple Abrasive Disc D/F	40
30787	0-00-51131-30787-2	3M [™] Purple Abrasive Disc D/F	36

3M[™] Purple Abrasive Hookit[™] Disc D/F, 8 in

Color Purple
Diameter 8 Inch

Packaging 25 discs per box 4 boxes per case



Part Number	Description	UPC	Product Name	Grade
01844	Use for fine featheredging or last final sanding step before priming. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN05779.	0-00-51131-01844-0	3M [™] Purple Abrasive Hookit [™] D/F Disc	P320
01845	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN05779.	0-00-51131-01845-7	3M [™] Purple Abrasive Hookit [™] D/F Disc	P220
01848	High-performance discs designed to cut faster and last longer enabling the user to obtain maximum usage from each disc. Excellent for use on tough marine gelcoat, paint and primer systems. Use with disc pads Part Number 05881.	0-00-51131-01848-8	3M [™] Purple Abrasive Hookit [™] Disc D/F	P120

3M[™] Purple Finishing Film Hookit[™] Disc Dust-Free

Levels orange peel, dust nibs or paint runs in all types of automotive paints. Appropriate for light sanding on refinish lacquer. Suggested backup pad (part number 05551) and interface pad (part number 05777).

Color Purple
Diameter 6 Inch

Packaging 50 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
30767	0-00-51131-30767-4	3M™ Purple Finishing Film Hookit™ Disc Dust-Free	P1500
30768	0-00-51131-30768-1	3M™ Purple Finishing Film Hookit™ Disc Dust-Free	P1200
30769	0-00-51131-30769-8	3M [™] Purple Finishing Film Hookit [™] Disc Dust-Free	P1000
30770	0-00-51131-30770-4	3M [™] Purple Finishing Film Hookit [™] Disc Dust-Free	P800
30771	0-00-51131-30771-1	3M™ Purple Finishing Film Hookit™ Disc Dust-Free	P600

3M™ Red Abrasive Finishing Film Hookit™ Disc Dust Free

Reattacheable abrasive disc designed for use in sanding before painting, as well as to remove runs, dust nibs and excess orange peel from paint and gelcoat prior to compounding.

Color White
Diameter 6 Inch

Packaging 25 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
01133	0-00-51131-01133-5	3M™ Red Abrasive Finishing Film Hookit™ Disc D/F	P1500
01134	0-00-51131-01134-2	3M [™] Red Abrasive Finishing Film Hookit [™] Disc D/F	P1200
01135	0-00-51131-01135-9	3M [™] Red Abrasive Finishing Film Hookit [™] Disc D/F	P1000

3M™ Red Abrasive Hookit™ Disc Dust Free

A reattacheable abrasive disc used for blend panel and paint preparation. 7 Hole construction allows for dust free or non-dust free use.

Color Red
Diameter 6 Inch



Part Number	UPC	Product Name	Grade	Packaging
01136	0-00-51131-01136-6	3M™ Red Abrasive Hookit™ Disc D/F	P800	50 discs per box 6 boxes per case
01137	0-00-51131-01137-3	3M™ Red Abrasive Hookit™ Disc D/F	P600	50 discs per box 6 boxes per case
01138	0-00-51131-01138-0	3M™ Red Abrasive Hookit™ Disc D/F	P500	50 discs per box 6 boxes per case
01139	0-00-51131-01139-7	3M™ Red Abrasive Hookit™ Disc D/F	P400	50 discs per box 6 boxes per case
01140	0-00-51131-01140-3	3M™ Red Abrasive Hookit™ Disc D/F	P320	50 discs per box 6 boxes per case
01141	0-00-51131-01141-0	3M™ Red Abrasive Hookit™ Disc D/F	P240	50 discs per box 6 boxes per case
01142	0-00-51131-01142-7	3M™ Red Abrasive Hookit™ Disc D/F	P220	50 discs per box 6 boxes per case
01143	0-00-51131-01143-4	3M™ Red Abrasive Hookit™ Disc D/F	P180	50 discs per box 6 boxes per case
01144	0-00-51131-01144-1	3M™ Red Abrasive Hookit™ Disc D/F	P150	50 discs per box 6 boxes per case
01145	0-00-51131-01145-8	3M™ Red Abrasive Hookit™ Disc D/F	P120	50 discs per box 6 boxes per case
01146	0-00-51131-01146-5	3M™ Red Abrasive Hookit™ Disc D/F	P100	50 discs per box 6 boxes per case
01147	0-00-51131-01147-2	3M™ Red Abrasive Hookit™ Disc D/F	P80	50 discs per box 6 boxes per case
01148	0-00-51131-01148-9	3M™ Red Abrasive Hookit™ Disc D/F	40	25 discs per box 6 boxes per case

Discs, Disc Rolls and Stems: HookitTM Discs: HookitTM Dust Free Discs: $3M^{TM}$ Green CorpsTM HookitTM RegaliteTM Disc Dust Free

6 Inch

Used for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pad Part No. 05865.

Color Green

Packaging 25 discs per box 5 boxes per case



Part Number	UPC	Product Name	Diameter	Grade
00612	0-00-51131-00612-6	3M™ Green Corps™ Hookit™ Disc D/F	6 Inch	80
00615	0-00-51131-00615-7	3M™ Green Corps™ Hookit™ Disc D/F	6 Inch	40
00616	0-00-51131-00616-4	3M™ Green Corps™ Hookit™ Disc D/F	6 Inch	36

8 Inch

8 hole pattern for dust-free sanding. Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.

Color Green

Packaging 25 discs per box 5 boxes per case



Part Number	UPC	Product Name	Diameter	Grade
00621	0-00-51131-00621-8	3M [™] Green Corps [™] Hookit [™] Regalite [™] Disc D/F	8 Inch	80
00624	0-00-51131-00624-9	3M [™] Green Corps [™] Hookit [™] Regalite [™] Disc D/F	8 Inch	40
00625	0-00-51131-00625-6	3M™ Green Corps™ Hookit™ Regalite™ Disc D/F	8 Inch	36


Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ Dust Free Discs: 3M™ Hookit™ Gold Disc Dust Free

Film Gold Disc Dust Free, 5 in

An aluminum oxide disc constructed on a film backing. Resin bonded for heat resistance. Primary markets: metalworking, woodworking.

Color Gold

Diameter 5 Inch



Part Number	UPC	Product Name	Grade	Packaging
01057	0-00-51131-01057-4	3M™ Hookit™ Gold Film D/F Disc 255L	P400	100 discs per box 4 boxes per case
01059	0-00-51131-01059-8	3M™ Hookit™ Gold Film D/F Disc 255L	P320	100 discs per box 4 boxes per case
01062	0-00-51131-01062-8	3M™ Hookit™ Gold Film D/F Disc 255L	P220	100 discs per box 4 boxes per case
01063	0-00-51131-01063-5	3M™ Hookit™ Gold Film D/F Disc 255L	P180	100 discs per box 4 boxes per case
01064	0-00-51131-01064-2	3M™ Hookit™ Gold Film D/F Disc 255L	P150	100 discs per box 4 boxes per case
01065	0-00-51131-01065-9	3M™ Hookit™ Gold Film D/F Disc 255L	P120	100 discs per box 4 boxes per case
01067	0-00-51131-01067-3	3M™ Hookit™ Gold Film D/F Disc 255L	P80	75 discs per box 4 boxes per case

Gold Disc Dust Free, 6 in

6 holes for dust-free sanding. Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05856.

Color Gold

Diameter 6 Inch



Part Number	UPC	Product Name	Grade	Packaging
01072	0-00-51131-01072-7	3M™ Hookit™ Gold Disc D/F 216U	P500	100 discs per box 4 boxes per case
01073	0-00-51131-01073-4	3M™ Hookit™ Gold Disc D/F 216U	P400	100 discs per box 4 boxes per case
01075	0-00-51131-01075-8	3M™ Hookit™ Gold Disc D/F 216U	P320	100 discs per box 4 boxes per case
01076	0-00-51131-01076-5	3M™ Hookit™ Gold Disc D/F 216U	P280	100 discs per box 4 boxes per case
01077	0-00-51131-01077-2	3M™ Hookit™ Gold Disc D/F 216U	P240	100 discs per box 4 boxes per case
01078	0-00-51131-01078-9	3M™ Hookit™ Gold Disc D/F 216U	P220	100 discs per box 4 boxes per case
01079	0-00-51131-01079-6	3M™ Hookit™ Gold Disc D/F 236U	P180	100 discs per box 4 boxes per case
01080	0-00-51131-01080-2	3M™ Hookit™ Gold Disc D/F 236U	P150	100 discs per box 4 boxes per case
01081	0-00-51131-01081-9	3M™ Hookit™ Gold Disc D/F 236U	P120	100 discs per box 4 boxes per case
01082	0-00-51131-01082-6	3M™ Hookit™ Gold Disc D/F 236U	P100	100 discs per box 4 boxes per case
01083	0-00-51131-01083-3	3M™ Hookit™ Gold Disc D/F 236U	P80	75 discs per box 4 boxes per case

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ Dust Free Discs: 3M™ Hookit™ Gold Disc Dust Free

Gold Paper Disc Dust Free, 6 in

7 Holes for dust free sanding. Use for scuffing the blend area prior to painting. Suggested backup pad 05865 and 05777 interface pad

Color Gold

Diameter 6 Inch

Packaging 50 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
01090	0-00-51131-01090-1	3M™ Hookit™ Gold Paper Disc D/F	P800
01091	0-00-51131-01091-8	3M™ Hookit™ Gold Paper Disc D/F	P600

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ No Hole (Non D/F) Discs

3M™ Hookit™ E-Coat Discs

	30695
	Static Court but Well Court but To a static
Description	Used for difficult sanding applications like scuffing Hard E-Coat panels, featheredging hard OEM clears,. Use with PN 05865 DA Pad & 05777 Interface Pad
Part Number	30695
UPC	0-00-51131-30695-0
Product Name	3M™ Hookit™ Hard E-Coat Disc
Diameter	6 Inch
Grade	320
Packaging	10 discs per box 4 boxes per case

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ No Hole (Non D/F) Discs

3M™ Hookit™ Gold Film Discs

An aluminum oxide disc constructed on a film backing. Resin bonded for heat resistance. Primary markets: metalworking, woodworking.

Color Gold



Part Number	UPC	Product Name	Diameter	Grade	Packaging
00956	0-00-51131-00956-1	3M™ Hookit™ Gold Film Disc 255L	5 Inch	P500	100 discs per box 4 boxes per case
00957	0-00-51131-00957-8	3M™ Hookit™ Gold Film Disc 255L	5 Inch	P400	100 discs per box 4 boxes per case
00959	0-00-51131-00959-2	3M™ Hookit™ Gold Film Disc 255L	5 Inch	P320	100 discs per box 4 boxes per case
00961	0-00-51131-00961-5	3M™ Hookit™ Gold Film Disc 255L	5 Inch	P240	100 discs per box 4 boxes per case
00962	0-00-51131-00962-2	3M™ Hookit™ Gold Film Disc 255L	5 Inch	P220	100 discs per box 4 boxes per case
00963	0-00-51131-00963-9	3M™ Hookit™ Gold Film Disc 255L	5 Inch	P180	100 discs per box 4 boxes per case
00964	0-00-51131-00964-6	3M™ Hookit™ Gold Film Disc 255L	5 Inch	P150	100 discs per box 4 boxes per case
00965	0-00-51131-00965-3	3M™ Hookit™ Gold Film Disc 255L	5 Inch	P120	100 discs per box 4 boxes per case
00966	0-00-51131-00966-0	3M™ Hookit™ Gold Film Disc 255L	5 Inch	P100	100 discs per box 4 boxes per case
00967	0-00-51131-00967-7	3M™ Hookit™ Gold Film Disc 255L	5 Inch	P80	75 discs per box 4 boxes per case
69615	0-00-51111-69615-6	3M™ Hookit™ Gold Film Disc 255L	3 Inch	P80	50 discs per box 4 boxes per case
69619	0-00-51111-69619-4	3M™ Hookit™ Gold Film Disc 255L	3 Inch	P180	50 discs per box 4 boxes per case

3M™ Purple Abrasive Disc

Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads PN 05776 or PN 05865

Color Purple
Diameter 6 Inch

Packaging 25 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
30684	0-00-51131-30684-4	3M™ Purple Abrasive Disc	P80
30685	0-00-51131-30685-1	3M™ Purple Abrasive Disc	60
30686	0-00-51131-30686-8	3M™ Purple Abrasive Disc	40
30687	0-00-51131-30687-5	3M™ Purple Abrasive Disc	36

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ No Hole (Non D/F) Discs

3M™ Purple Abrasive Hookit™ Discs

Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN05779.

Color Purple
Diameter 8 Inch

Packaging 25 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
01838	0-00-51131-01838-9	3M [™] Purple Abrasive Hookit [™] Disc	P320
01839	0-00-51131-01839-6	3M™ Purple Abrasive Hookit™ Disc	P220
01840	0-00-51131-01840-2	3M™ Purple Abrasive Hookit™ Disc	P180
01841	0-00-51131-01841-9	3M™ Purple Abrasive Hookit™ Disc	P150
01842	0-00-51131-01842-6	3M™ Purple Abrasive Hookit™ Disc	P120

3M™ Trizact™ Hookit™ Blending Discs

Color Purple

Packaging 15 discs per box 4 boxes per case

	02090	02091
	To Depte Dep	No company of the com
Description	Foam Trizact [™] disc for use in scuff sanding blend panels prior to painting. Use with Hookit [™] 6 inch Pad - PN 05551 and Hookit [™] Soft Interface Pad - PN 05777.	Foam Trizact™ disc for use in scuff sanding blend panels prior to paint- ing. Use with Hookit™ 3 inch Pad - PN 20427 and Hookit™ Soft Interface Pad - PN 05771.
Part Number	02090	02091
UPC	0-00-51131-02090-0	0-00-51131-02091-7
Product Name	3M™ Trizact™ Hookit™ Blending Disc	3M™ Trizact™ Hookit™ Blending Disc
Diameter	6 Inch	3 Inch
Grade	P1000	P1000

Abrasives

Discs, Disc Rolls and Stems: Hookit $^{\text{TM}}$ Discs: Hookit $^{\text{TM}}$ No Hole (Non D/F) Discs

3M™ Trizact™ Hookit™ Clear Coat Sanding Disc

Color Purple Grade P1500

Packaging 25 discs per box 4 boxes per case



Part Number	Description	UPC	Product Name	Diameter
02088	Incorporates Trizact™ technology for uniform and consistent finish. Use damp to level minor dust nibs and for light sanding of mismatched orange peel on all automotive paints. Suggested backup pad PN05551 and PN05777 soft interface pad.	0-00-51131-02088-7	3M™ Trizact™ Hookit™ Clear Coat Sanding Disc	6 Inch
02094	Incorporates Trizact™ technology for uniform and consistent finish. Use damp to level minor dust nibs and for light sanding of mismatched orange peel on all automotive paints. Suggested backup pad Part Number 20427 and Part Number 05771 soft interface pad.	0-00-51131-02094-8	3M [™] Trizact [™] Hookit [™] Clear Coat Sanding Disc	3 Inch
02095	Incorporates Trizact [™] technology for uniform and consistent finish. Use damp to level minor dust nibs and for light sanding of mismatched orange peel on all automotive paints.	0-00-51131-02095-5	3M™ Trizact™ Hookit™ Clear Coat Sanding Disc	5 Inch

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ No Hole (Non D/F) Discs

3M™ Trizact™ Hookit™ Foam Discs

Color Gray Grade P3000

Packaging 15 discs per box 4 boxes per case

	02085	02087	02096
Description	Foam disc used in a spot repair system for removing P1200-P1500 grade sand scratches prior to using 3M [™] Perfect-It [™] 3000 Panel Repair System. When work on coutour surface, use interface pad Part Number 05777.	Foam disc used in a spot repair system for removing P1200-P1500 grade sand scratches prior to using 3M [™] Perfect-It [™] 3000 Panel Repair System. When work on coutour surface, use interface pad Part Number 05771.	Foam disc used in a spot repair system for removing P1200-P1500 grade sand scratches prior to using 3M™ Perfect-It™ Rubbing Compound. When working on coutour surface, use interface pad Part Number 05773.
Part Number	02085	02087	02096
UPC	0-00-51131-02085-6	0-00-51131-02087-0	0-00-51131-02096-2
Product Name	3M™ Trizact™ Hookit™ Foam Discs	3M™ Trizact™ Hookit™ Foam Discs	3M™ Trizact™ Hookit™ Foam Discs
Diameter	6 Inch	3 Inch	5 Inch

Discs, Disc Rolls and Stems: HookitTM Discs: HookitTM No Hole (Non D/F) Discs: 3MTM Green CorpsTM HookitTM RegaliteTM Discs

Green Corps™ 6 Inch

Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05776.

Color Green
Packaging 25 discs per box 5 boxes per case

	00512	00513	00515	00516
		20 000 000 000 000 000 000 000 000 000	₩ mm	
UPC	0-00-51131-00512-9	0-00-51131-00513-6	0-00-51131-00515-0	0-00-51131-00516-7
Product Name	3M™ Green Corps™ Hookit™ Regalite™ Disc			
Diameter	6 Inch	6 Inch	6 Inch	6 Inch
Grade	80	60	40	36

Discs, Disc Rolls and Stems: HookitTM Discs: HookitTM No Hole (Non D/F) Discs: 3MTM Green CorpsTM HookitTM RegaliteTM Discs

Green Corps™ 8 Inch

Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05768 and 05779.

Color Green

Packaging 25 discs per box 5 boxes per case



Part Number	UPC	Product Name	Diameter	Grade
00520	0-00-51131-00520-4	3M [™] Green Corps [™] Hookit [™] Regalite [™] Disc	8 Inch	100
00521	0-00-51131-00521-1	3M™ Green Corps™ Hookit™ Regalite™ Disc	8 Inch	80
00522	0-00-51131-00522-8	3M™ Green Corps™ Hookit™ Regalite™ Disc	8 Inch	60
00524	0-00-51131-00524-2	3M™ Green Corps™ Hookit™ Regalite™ Disc	8 Inch	40
00525	0-00-51131-00525-9	3M™ Green Corps™ Hookit™ Regalite™ Disc	8 Inch	36

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ No Hole (Non D/F) Discs: 3M™ Hookit™ Finishing Film Discs

Finishing Film Discs, 3 in

Levels orange peel, dust nibs or paint runs in all types of automotive paints. Appropriate for light sanding on refinish lacquer. Suggested backup pad 05769 and Interface Pad 05771.

Color White Diameter 3 Inch

Packaging 50 discs per box 4 boxes per case

	00907	00908	00909
	Market of the state of the stat	30 Habit on C	Market Company
UPC	0-00-51131-00907-3	0-00-51131-00908-0	0-00-51131-00909-7
Product Name	3M™ Hookit™ Finishing Film Disc	3M™ Hookit™ Finishing Film Disc	3M™ Hookit™ Finishing Film Disc
Grade	P1500	P1200	P1000

Discs, Disc Rolls and Stems: HookitTM Discs: HookitTM No Hole (Non D/F) Discs: $3M^{TM}$ HookitTM Finishing Film Discs

Finishing Film Discs, 3 in (continued)

	00910	00911	
	San Baha san	Ma basis of Co	
UPC	0-00-51131-00910-3	0-00-51131-00911-0	
Product Name	3M™ Hookit™ Finishing Film Disc	3M™ Hookit™ Finishing Film Disc	
Grade	P800	P600	

Finishing Film Discs, 5 in

Levels orange peel, dust nibs or paint runs in all types of automotive paints. Appropriate for light sanding on refinish lacquer. Suggested backup pad 05775 and Interface pad 05773.

Color White
Diameter 5 Inch
Packaging 100 discs per box 4 boxes per case

	00951	00952	00953
	20 Half In	and the second s	Ma Baka su C
UPC	0-00-51131-00951-6	0-00-51131-00952-3	0-00-51131-00953-0
Product Name	3M™ Hookit™ Finishing Film Disc	3M™ Hookit™ Finishing Film Disc	3M™ Hookit™ Finishing Film Disc
Grade	P1500	P1200	P1000
	00954	00955	
	20 Habit III	The state of the s	
UPC	0-00-51131-00954-7	0-00-51131-00955-4	
Product Name	3M™ Hookit™ Finishing Film Disc	3M™ Hookit™ Finishing Film Disc	
Grade	P800	P600	

Abrasives

Discs, Disc Rolls and Stems: HookitTM Discs: HookitTM No Hole (Non D/F) Discs: $3M^{TM}$ HookitTM Finishing Film Discs

Finishing Film Discs, 6 in

Levels orange peel, dust nibs or paint runs in all types of automotive paints. Appropriate for light sanding on refinish lacquer. Suggested backup pad 05776 and Interface pad 05774.

Color White
Diameter 6 Inch

Packaging 100 discs per box 4 boxes per case

	00950	00968	00969
	30 Habit to	Market State of State	Manual and Control of the Control of
UPC	0-00-51131-00950-9	0-00-51131-00968-4	0-00-51131-00969-1
Product Name	3M™ Hookit™ Finishing Film Disc	3M™ Hookit™ Finishing Film Disc	3M™ Hookit™ Finishing Film Disc
Grade	P1500	P1200	P1000
	00970	00971	
	00970	00971	
UPC	00970 0-00-51131-00970-7	0-00-51131-00971-4	
UPC Product Name	100 Hall 100		

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ No Hole (Non D/F) Discs: 3M™ Hookit™ Gold Discs

3M™ Hookit™ Gold Discs, 3 in

Color Gold

Diameter 3 Inch

Packaging 50 discs per box 4 boxes per case



Part Number	Description	UPC	Product Name	Grade
00912	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M™ Hookit™ Disc Pad, 3 in (PN 05769) with the 3M™ Hookit™ Soft Interface Disc Pad, 3 in (PN 05771).	0-00-51131-00912-7	3M™ Hookit™ Gold Disc	P500
00913	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M [™] Hookit [™] Disc Pad, 3 in (PN 05769) with the 3M [™] Hookit [™] Soft Interface Disc Pad, 3 in (PN 05771).	0-00-51131-00913-4	3M [™] Hookit [™] Gold Disc	P400
00914	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M [™] Hookit [™] Disc Pad, 3 in (PN 05769) with the 3M [™] Hookit [™] Soft Interface Disc Pad, 3 in (PN 05771).	0-00-51131-00914-1	3M [™] Hookit [™] Gold Disc	P320
00915	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M [™] Hookit [™] Disc Pad, 3 in (PN 05769) with the 3M [™] Hookit [™] Soft Interface Disc Pad, 3 in (PN 05771).	0-00-51131-00915-8	3M [™] Hookit [™] Gold Disc	P240
00916	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M [™] Hookit [™] Disc Pad, 3 in (PN 05769) with the 3M [™] Hookit [™] Soft Interface Disc Pad, 3 in (PN 05771).	0-00-51131-00916-5	3M [™] Hookit [™] Gold Disc	P220
00917	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty.	0-00-51131-00917-2	3M [™] Hookit [™] Gold Disc	P180
00918	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty.	0-00-51131-00918-9	3M [™] Hookit [™] Gold Disc	P150
00919	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	0-00-51131-00919-6	3M [™] Hookit [™] Gold Disc	P120
00920	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	0-00-51131-00920-2	3M [™] Hookit [™] Gold Disc	P100
00921	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	0-00-51131-00921-9	3M [™] Hookit [™] Gold Disc	P80
01010	Use for fine featheredging, last final sanding step before priming, or scuffing blend area prior to painting. Suggested backup pad 3M [™] Hookit [™] Disc Pad, 3 in (PN 20427) with the 3M [™] Hookit [™] Soft Interface Disc Pad, 3 in (PN 05771).	0-00-51131-01010-9	3M™ Hookit™ Gold Disc	P800
01011	Use for fine featheredging, last final sanding step before priming, or prepping for blen. Suggested backup pad 3M™ Hookit™ Disc Pad, 3 in (PN 20247) with the 3M™ Hookit™ Soft Interface Disc Pad, 3 in (PN 05771).	0-00-51131-01011-6	3M [™] Hookit [™] Gold Disc	P600

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ No Hole (Non D/F) Discs: 3M™ Hookit™ Gold Discs

3M™ Hookit™ Gold Discs, 5 in

Color Gold

Diameter 5 Inch

Packaging 50 discs per box 4 boxes per case

	01014	01015
	Section 1	The state of the s
Description	Use for fine featheredging, last final sanding step before priming, or preping before blending. Suggested backup pads (PN 05858 and PN 05775).	Use for fine featheredging, last final sanding step before priming, or preping before blending. Suggested backup pads (PN 05858 and PN 05775).
Part Number	01014	01015
UPC	0-00-51131-01014-7	0-00-51131-01015-4
Product Name	3M™ Hookit™ Gold Disc	3M™ Hookit™ Gold Disc
Grade	P800	P600

3M™ Hookit™ Gold Discs, 6 in

Color Gold

Diameter 6 Inch



Part Number	Description	UPC	Product Name	Grade	Packaging
00922	Use for scuffing the blend area prior to painting. Suggested backup pad 05776 and 05777 interface pad	0-00-51131-00922-6	3M TM Hookit TM Gold Paper Disc 216U	P800	50 discs per box 4 boxes per case
00923	Use for scuffing the blend area prior to painting. Suggested backup pad 05776 and 05777 interface pad	0-00-51131-00923-3	3M [™] Hookit [™] Gold Paper Disc 216U	P600	50 discs per box 4 boxes per case
00972	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Hookit™ Low Profile Disc Pad, 6 in (PN 05756) or 3M™ Hookit™ Disc Pad, 6 in (PN 05776) and 3M™ Hookit™ Soft Interface Disc Pad, 6 in (PN 05774).	0-00-51131-00972-1	3M [™] Hookit [™] Gold Disc 216U	P500	100 discs per box 4 boxes per case
00973	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M™ Hookit™ Disc Pad, 3 in (PN 05769) with the 3M™ Hookit™ Soft Interface Disc Pad, 3 in (PN 05771).	0-00-51131-00973-8	3M [™] Hookit [™] Gold Disc 216U	P400	100 discs per box 4 boxes per case
00974	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 3M™ Hookit™ Disc Pad, 3 in (PN 05769) with the 3M™ Hookit™ Soft Interface Disc Pad, 3 in (PN 05771).	0-00-51131-00974-5	3M TM Hookit TM Gold Disc 216U	P360	100 discs per box 4 boxes per case

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ No Hole (Non D/F) Discs: 3M™ Hookit™ Gold Discs

3M[™] Hookit[™] Gold Discs, 6 in (continued)

Part Number	Description	UPC	Product Name	Grade	Packaging
00975	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Hookit™ Low Profile Disc Pad, 6 in (PN 05756) or 3M™ Hookit™ Disc Pad, 6 in (PN 05776).	0-00-51131-00975-2	3M TM Hookit TM Gold Disc 216U	P320	100 discs per box 4 boxes per case
00976	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Hookit™ Low Profile Disc Pad, 6 in (PN 05756) or 3M™ Hookit™ Disc Pad, 6 in (PN 05776) and 3M™ Hookit™ Soft Interface Disc Pad (PN 05774).	0-00-51131-00976-9	3M TM Hookit TM Gold Disc 216U	P280	100 discs per box 4 boxes per case
00977	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Hookit™ Low Profile Disc Pad, 6 in (PN 05756) or 3M™ Hookit™ Disc Pad, 6 in (PN 05776) and 3M™ Hookit™ Soft Interface Disc Pad (PN 05274).	0-00-51131-00977-6	3M TM Hookit TM Gold Disc 216U	P240	100 discs per box 4 boxes per case
00978	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Hookit™ Low Profile Disc Pad, 6 in (PN 05756) or 3M™ Hookit™ Disc Pad, 6 in (PN 05776) and 3M™ Hookit™ Soft Interface Disc Pad, 6 in (PN 05774).	0-00-51131-00978-3	3M [™] Hookit [™] Gold Disc 216U	P220	100 discs per box 4 boxes per case
00979	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads PN 05756 or PN 05776.	0-00-51131-00979-0	3M [™] Hookit [™] Gold Disc 236U	P180	100 discs per box 4 boxes per case
00980	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads PN 05756 or PN 05776.	0-00-51131-00980-6	3M [™] Hookit [™] Gold Disc 236U	P150	100 discs per box 4 boxes per case
00981	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads PN 05756 or PN 05776.	0-00-51131-00981-3	3M [™] Hookit [™] Gold Disc 236U	P120	100 discs per box 4 boxes per case
00982	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads PN 05756 or PN 05776.	0-00-51131-00982-0	3M [™] Hookit [™] Gold Disc 236U	P100	100 discs per box 4 boxes per case
00983	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	0-00-51131-00983-7	3M TM Hookit TM Gold Disc 236U	P80	75 discs per box 4 boxes per case

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ No Hole (Non D/F) Discs: 3M™ Imperial™ Hookit™ Discs

Disc, 5 in

Cubitron™ Hookit™ Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Primary markets: metalworking,woodworking.

Color Purple
Diameter 5 Inch

Packaging 25 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
01728	0-00-51131-01728-3	3M™ Imperial™ Hookit™ Disc 745I	P80
01729	0-00-51131-01729-0	3M™ Imperial™ Hookit™ Disc 740I	40
01730	0-00-51131-01730-6	3M™ Imperial™ Hookit™ Disc 740I	36

Disc, 8 in

Cubitron™ Hookit™ Abrasive Grain product constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Primary markets: metalworking,woodworking.

Color Purple
Diameter 8 Inch

Packaging 25 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
01743	0-00-51131-01743-6	3M™ Imperial™ Hookit™ Disc 745I	P80
01744	0-00-51131-01744-3	3M™ Imperial™ Hookit™ Disc 740I	40
01745	0-00-51131-01745-0	3M™ Imperial™ Hookit™ Disc 740I	36

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ No Hole (Non D/F) Discs: 3M™ Purple Clean Sanding Hookit™ Discs

Purple Clean Sanding Disc, 3 in

Disc with precise hole design for improved life and dust extraction. Use for fine featheredging or last final sanding step before priming. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 20427 and part number 05771 soft interface pad.

Color Purple
Diameter 3 Inch

Packaging 50 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
30260	0-00-51131-30260-0	3M™ Purple Clean Sanding Hookit™ Disc	P800
30261	0-00-51131-30261-7	3M™ Purple Clean Sanding Hookit™ Disc	P600
30272	0-00-51131-30272-3	3M™ Purple Clean Sanding Hookit™ Disc	P500
30273	0-00-51131-30273-0	3M™ Purple Clean Sanding Hookit™ Disc	P400
30275	0-00-51131-30275-4	3M™ Purple Clean Sanding Hookit™ Disc	P320
30277	0-00-51131-30277-8	3M™ Purple Clean Sanding Hookit™ Disc	P240
30278	0-00-51131-30278-5	3M™ Purple Clean Sanding Hookit™ Disc	P220
30279	0-00-51131-30279-2	3M™ Purple Clean Sanding Hookit™ Disc	P180
30280	0-00-51131-30280-8	3M™ Purple Clean Sanding Hookit™ Disc	P150
30281	0-00-51131-30281-5	3M™ Purple Clean Sanding Hookit™ Disc	P120
30282	0-00-51131-30282-2	3M™ Purple Clean Sanding Hookit™ Disc	P100
30283	0-00-51131-30283-9	3M™ Purple Clean Sanding Hookit™ Disc	P80

Purple Clean Sanding Disc, 5 in

Disc with precise hole design for improved life and dust extraction. Coarsest grade available for fine featheredging. Would require finer featheredging. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad part number 05855, part number 05858, soft interface pad part number 05773.

Color Purple
Diameter 5 Inch

Packaging 50 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
30460	0-00-51131-30460-4	3M™ Purple Clean Sanding Hookit™ Disc	P800
30461	0-00-51131-30461-1	3M [™] Purple Clean Sanding Hookit [™] Disc	P600
30472	0-00-51131-30472-7	3M [™] Purple Clean Sanding Hookit [™] Disc	P500
30473	0-00-51131-30473-4	3M [™] Purple Clean Sanding Hookit [™] Disc	P400
30475	0-00-51131-30475-8	3M [™] Purple Clean Sanding Hookit [™] Disc	P320
30477	0-00-51131-30477-2	3M [™] Purple Clean Sanding Hookit [™] Disc	P240
30478	0-00-51131-30478-9	3M [™] Purple Clean Sanding Hookit [™] Disc	P220

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ No Hole (Non D/F) Discs: 3M™ Purple Clean Sanding Hookit™ Discs

Purple Clean Sanding Disc, 5 in (continued)

Part Number	UPC	Product Name	Grade
30479	0-00-51131-30479-6	3M™ Purple Clean Sanding Hookit™ Disc	P180
30480	0-00-51131-30480-2	3M [™] Purple Clean Sanding Hookit [™] Disc	P150
30481	0-00-51131-30481-9	3M [™] Purple Clean Sanding Hookit [™] Disc	P120
30482	0-00-51131-30482-6	3M [™] Purple Clean Sanding Hookit [™] Disc	P100
30483	0-00-51131-30483-3	3M [™] Purple Clean Sanding Hookit [™] Disc	P80

Purple Clean Sanding Disc, 6 in

Disc with precise hole design for improved life and dust extraction. Use for fine featheredging or last final sanding step before priming. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.

Color Purple
Diameter 6 Inch
Packaging 50 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
01810	0-00-51131-01810-5	3M™ Purple Clean Sanding Hookit™ Disc 334U	P500
01811	0-00-51131-01811-2	3M [™] Purple Clean Sanding Hookit [™] Disc	P400
01812	0-00-51131-01812-9	3M™ Purple Clean Sanding Hookit™ Disc 334U	P320
01813	0-00-51131-01813-6	3M™ Purple Clean Sanding Hookit™ Disc 334U	P280
01814	0-00-51131-01814-3	3M™ Purple Clean Sanding Hookit™ Disc	P240
01815	0-00-51131-01815-0	3M™ Purple Clean Sanding Hookit™ Disc 734U	P220
01816	0-00-51131-01816-7	3M [™] Purple Clean Sanding Hookit [™] Disc 734U	P180
01817	0-00-51131-01817-4	3M™ Purple Clean Sanding Hookit™ Disc	P150
01818	0-00-51131-01818-1	3M™ Purple Clean Sanding Hookit™ Disc 734U	P120
01819	0-00-51131-01819-8	3M™ Purple Clean Sanding Hookit™ Disc 734U	P100
01820	0-00-51131-01820-4	3M [™] Purple Clean Sanding Hookit [™] Disc	P80
30760	0-00-51131-30760-5	3M [™] Purple Clean Sanding Hookit [™] Disc 334U	P800
30761	0-00-51131-30761-2	3M [™] Purple Clean Sanding Hookit [™] Disc 334U	P600

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ No Hole (Non D/F) Discs: 3M™ Purple Finishing Film Discs

3M[™] Purple Finishing Film Discs, 5 in

Use for scuffing the blend area prior to painting. Remove runs, dust nibs and excess orange peel from paint and gelcoat prior to compounding. Suggested backup pad (part number 05858) and interface pad (part number 05773).

Color Purple
Diameter 5 Inch
Packaging 50 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
30567	0-00-51131-30567-0	3M [™] Purple Finishing Film Hookit [™] Disc	P1500
30568	0-00-51131-30568-7	3M [™] Purple Finishing Film Hookit [™] Disc	P1200
30569	0-00-51131-30569-4	3M [™] Purple Finishing Film Hookit [™] Disc	P1000
30570	0-00-51131-30570-0	3M [™] Purple Finishing Film Hookit [™] Disc	P800
30571	0-00-51131-30571-7	3M™ Purple Finishing Film Hookit™ Disc	P600

3M™ Purple Finishing Film Discs, 6 in

Use for scuffing the blend area prior to painting. Remove runs, dust nibs and excess orange peel from paint and gelcoat prior to compounding. Suggested backup pad (part number 05778) and interface pad (part number 05777).

Color Purple
Diameter 6 Inch
Packaging 50 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
30667	0-00-51131-30667-7	3M [™] Purple Finishing Film Hookit [™] Disc	P1500
30668	0-00-51131-30668-4	3M™ Purple Finishing Film Hookit™ Disc	P1200
30669	0-00-51131-30669-1	3M™ Purple Finishing Film Hookit™ Disc	P1000
30670	0-00-51131-30670-7	3M [™] Purple Finishing Film Hookit [™] Disc	P800
30671	0-00-51131-30671-4	3M [™] Purple Finishing Film Hookit [™] Disc	P600

Discs, Disc Rolls and Stems: Hookit $^{\text{TM}}$ Discs: Hookit $^{\text{TM}}$ No Hole (Non D/F) Discs: $3M^{\text{TM}}$ Red Abrasive Discs

$3M^{\mbox{\tiny TM}}$ Red Abrasive Hookit $^{\mbox{\tiny TM}}$ Disc, 5 in

Color Red
Diameter 5 Inch



Part Number	Description	UPC	Product Name	Grade	Packaging
01291	An abrasive disc. Used for topcoat sanding.	0-00-51131-01291-2	3M [™] Red Abrasive Hookit [™] Disc	P800	50 discs per box 6 boxes per case
01292	An abrasive disc. Used for topcoat sanding.	0-00-51131-01292-9	3M [™] Red Abrasive Hookit [™] Disc	P600	50 discs per box 6 boxes per case
01293	An abrasive disc. Used for primer and topcoat sanding.	0-00-51131-01293-6	3M [™] Red Abrasive Hookit [™] Disc	P500	50 discs per box 6 boxes per case
01294	An abrasive disc. Used for primer and topcoat sanding.	0-00-51131-01294-3	3M [™] Red Abrasive Hookit [™] Disc	P400	50 discs per box 6 boxes per case
01295	An abrasive disc. Used for putty and primer sanding.	0-00-51131-01295-0	3M [™] Red Abrasive Hookit [™] Disc	P320	50 discs per box 6 boxes per case
01296	An abrasive disc. Used for putty sanding.	0-00-51131-01296-7	3M [™] Red Abrasive Hookit [™] Disc	P240	50 discs per box 6 boxes per case
01297	An abrasive disc. Used for filler shaping and putty sanding.	0-00-51131-01297-4	3M [™] Red Abrasive Hookit [™] Disc	P220	50 discs per box 6 boxes per case
01298	An abrasive disc. Used for filler shaping and putty sanding.	0-00-51131-01298-1	3M [™] Red Abrasive Hookit [™] Disc	P180	50 discs per box 6 boxes per case
01299	An abrasive disc. Used for filler shaping and putty sanding.	0-00-51131-01299-8	3M [™] Red Abrasive Hookit [™] Disc	P150	50 discs per box 6 boxes per case
01300	An abrasive disc. Used for paint stripping, filler shaping and metal prep.	0-00-51131-01300-1	3M [™] Red Abrasive Hookit [™] Disc	P120	50 discs per box 6 boxes per case
01301	An abrasive disc. Used for paint stripping, filler shaping and metal prep.	0-00-51131-01301-8	3M [™] Red Abrasive Hookit [™] Disc	P100	50 discs per box 6 boxes per case
01302	An abrasive disc. Used for paint stripping, filler shaping and metal prep.	0-00-51131-01302-5	3M [™] Red Abrasive Hookit [™] Disc	P80	50 discs per box 6 boxes per case
01303	An abrasive disc used for paint stripping, filler shaping and metal prep.	0-00-51131-01303-2	3M [™] Red Abrasive Hookit [™] Disc	40	25 discs per box 6 boxes per case

Discs, Disc Rolls and Stems: Hookit $^{\text{TM}}$ Discs: Hookit $^{\text{TM}}$ No Hole (Non D/F) Discs: $3M^{\text{TM}}$ Red Abrasive Discs

3M™ Red Abrasive Hookit™ Disc, 6 in

Color Red
Diameter 6 Inch



Part Number	Description	UPC	Product Name	Grade	Packaging
01184	A reattacheable abrasive disc used for color sanding and paint finishing.	0-00-51131-01184-7	3M [™] Red Abrasive Hookit [™] Film Disc	P1500	25 discs per box 4 boxes per case
01185	A reattacheable abrasive disc used for color sanding and paint finishing.	0-00-51131-01185-4	3M [™] Red Abrasive Hookit [™] Film Disc	P1200	25 discs per box 4 boxes per case
01186	A reattacheable abrasive disc used for color sanding, paint finishing and blend panel prep.	0-00-51131-01186-1	3M [™] Red Abrasive Hookit [™] Film Disc	P1000	25 discs per box 4 boxes per case
01187	A reattacheable abrasive disc used for blend panel and paint preparation.	0-00-51131-01187-8	3M [™] Red Abrasive Hookit [™] Disc 316U	P800	50 discs per box 6 boxes per case
01189	A reattacheable abrasive disc used for blend panel and paint preparation.	0-00-51131-01189-2	3M [™] Red Abrasive Hookit [™] Disc	P600	50 discs per box 6 boxes per case
01191	A reattacheable abrasive disc used for primer sanding, blend panel and paint preparation.	0-00-51131-01191-5	3M [™] Red Abrasive Hookit [™] Disc	P500	50 discs per box 6 boxes per case
01218	A reattacheable abrasive disc used for primer sanding and paint preparation.	0-00-51131-01218-9	3M [™] Red Abrasive Hookit [™] Disc	P400	50 discs per box 6 boxes per case
01219	A reattacheable abrasive disc used for primer sanding and paint preparation.	0-00-51131-01219-6	3M [™] Red Abrasive Hookit [™] Disc	P320	50 discs per box 6 boxes per case
01220	A reattacheable abrasive disc used for fine featheredging and paint preparation.	0-00-51131-01220-2	3M [™] Red Abrasive Hookit [™] Disc	P240	50 discs per box 6 boxes per case
01221	A reattacheable abrasive disc used for fine featheredging and paint preparation.	0-00-51131-01221-9	3M [™] Red Abrasive Hookit [™] Disc	P220	50 discs per box 6 boxes per case
01222	A reattacheable abrasive disc used for fine featheredging and paint preparation.	0-00-51131-01222-6	3M [™] Red Abrasive Hookit [™] Disc	P180	50 discs per box 6 boxes per case
01223	A reattacheable abrasive disc used for fine featheredging and paint preparation.	0-00-51131-01223-3	3M [™] Red Abrasive Hookit [™] Disc	P150	50 discs per box 6 boxes per case
01224	A reattacheable abrasive disc used for rough featheredging and panel preparation.	0-00-51131-01224-0	3M [™] Red Abrasive Hookit [™] Disc	P120	50 discs per box 6 boxes per case
01225	A reattacheable abrasive disc used for rough featheredging and panel preparation.	0-00-51131-01225-7	3M [™] Red Abrasive Hookit [™] Disc	P100	50 discs per box 6 boxes per case

Discs, Disc Rolls and Stems: Hookit™ Discs: Hookit™ No Hole (Non D/F) Discs: 3M™ Red Abrasive Discs

3M[™] Red Abrasive Hookit[™] Disc, 6 in (continued)

Part Number	Description	UPC	Product Name	Grade	Packaging
01261	A reattacheable abrasive disc used for rough featheredging, paint stripping and filler shaping.	0-00-51131-01261-5	3M [™] Red Abrasive Hookit [™] Disc	P80	50 discs per box 6 boxes per case
01262	A reattacheable abrasive disc used for paint stripping and filler shaping.	0-00-51131-01262-2	3M [™] Red Abrasive Hookit [™] Disc	40	25 discs per box 6 boxes per case
01263	A reattacheable abrasive disc used for paint stripping and filler shaping.	0-00-51131-01263-9	3M [™] Red Abrasive Hookit [™] Disc	36D	25 discs per box 6 boxes per case

3M™ Red Abrasive Hookit™ Disc, 8 in

A Re-attachable abrasive disc used for sanding and shaping plastic filler, and for stripping paint.

Diameter 8 Inch

Packaging 25 discs per box 5 boxes per case




Part Number	UPC	Product Name	Grade
01677	0-00-51131-01677-4	3M™ Red Abrasive Hookit™ Disc	P80
01678	0-00-51131-01678-1	3M™ Red Abrasive Hookit™ Disc	40

Discs, Disc Rolls and Stems: Stikit™ Attachment: Stikit™ Dust Free

3M[™] Green Corps[™] Stikit[™] Production[™] Disc Dust Free

Color Green




Part Number	Description	UPC	Product Name	Diameter	Grade	Packaging
01569	8 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	0-00-51131-01569-2	3M™ Green Corps™ Stikit™ Production Disc D/F	8 Inch	80	50 discs per box 5 boxes per case
01660	8 holes for dust-free sanding. Use for stripping paint to metal, shaping and sanding plastic filler.	0-00-51131-01660-6	3M™ Green Corps™ Stikit™ Production Disc D/F	8 Inch	40	50 discs per box 5 boxes per case
01661	8 holes for dust-free sanding. Use for stripping paint to metal, shaping and sanding plastic filler.	0-00-51131-01661-3	3M™ Green Corps™ Stikit™ Production Disc D/F	8 Inch	36	50 discs per box 5 boxes per case
01665	5 holes for dust-free sanding. Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pad 05655.	0-00-51131-01665-1	3M™ Green Corps™ Stikit™ Production Disc D/F	5 Inch	40	100 discs per box 5 boxes per case
01667	6 holes for dust-free sanding. Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pad 05656.	0-00-51131-01667-5	3M™ Green Corps™ Stikit™ Production Disc D/F	6 Inch	40	100 discs per box 5 boxes per case
01668	6 holes for dust-free sanding. Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pad 05656.	0-00-51131-01668-2	3M™ Green Corps™ Stikit™ Production Disc D/F	6 Inch	36	100 discs per box 5 boxes per case

Discs, Disc Rolls and Stems: Stikit™ Attachment: Stikit™ Dust Free

3M™ Stikit™ Green Disc Roll Dust Free

Color Green

Packaging 100 discs per roll 10 rolls per case



Part Number	Description	UPC	Product Name	Diameter	Grade
01561	5 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05655.	0-00-51131-01561-6	3M TM Stikit TM Green Disc Roll D/F	5 Inch	80
01566	6 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05656.	0-00-51131-01566-1	3M TM Stikit TM Green Disc Roll D/F	6 Inch	80

Discs, Disc Rolls and Stems: Stikit™ Attachment: Stikit™ Dust Free: 3M™ Stikit™ Gold Disc Roll Dust Free

5 Inch (125 Disc Roll)

An aluminum oxide disc roll constructed on an A weight light paper backing. Primary markets: metalworking, woodworking.

Color Gold

Diameter 5 Inch

Packaging 125 discs per roll 10 rolls per case



Part Number	UPC	Product Name	Grade
01626	0-00-51131-01626-2	3M™ Stikit™ Gold Paper D/F Disc Roll 216U	P120
01628	0-00-51131-01628-6	3M™ Stikit™ Gold Paper D/F Disc Roll 216U	P80

Discs, Disc Rolls and Stems: Stikit™ Attachment: Stikit™ Dust Free: 3M™ Stikit™ Gold Disc Roll Dust Free

5 Inch (175 Disc Roll)

An aluminum oxide disc roll constructed on an A weight light paper backing. Primary markets: metalworking, woodworking.

Color Gold

Diameter 5 Inch

Packaging 175 discs per roll 6 rolls per case



Part Number	UPC	Product Name	Grade
01619	0-00-51131-01619-4	3M™ Stikit™ Gold Paper D/F Disc Roll 216U	P400
01620	0-00-51131-01620-0	3M™ Stikit™ Gold Paper D/F Disc Roll 216U	P320
01622	0-00-51131-01622-4	3M™ Stikit™ Gold Paper D/F Disc Roll 216U	P240
01623	0-00-51131-01623-1	3M™ Stikit™ Gold Paper D/F Disc Roll 216U	P220
01624	0-00-51131-01624-8	3M™ Stikit™ Gold Paper D/F Disc Roll 216U	P180
01625	0-00-51131-01625-5	3M™ Stikit™ Gold Paper D/F Disc Roll 216U	P150

6 Inch (125 Disc Roll)

6 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad Part Number 05656.

Color Gold

Diameter 6 Inch

Packaging 125 discs per roll 10 rolls per case



Part Number	UPC	Product Name	Grade
01641	0-00-51131-01641-5	3M™ Stikit™ Gold Disc Roll D/F	P120
01642	0-00-51131-01642-2	3M™ Stikit™ Gold Disc Roll D/F	P100
01643	0-00-51131-01643-9	3M™ Stikit™ Gold Disc Roll D/F	P80

Discs, Disc Rolls and Stems: Stikit™ Attachment: Stikit™ Dust Free: 3M™ Stikit™ Gold Disc Roll Dust Free

6 Inch (175 Disc Roll)

Color Gold

Diameter 6 Inch

Packaging 175 discs per roll 6 rolls per case



Part Number	Description	UPC	Product Name	Grade
01633	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M [™] Stikit [™] Low Profile Disc Pad (PN 05556) or 3M [™] Stikit [™] Disc Pad (PN 05576).	0-00-51131-01633-0	3M [™] Stikit [™] Gold Disc Roll D/F	P500
01634	6 holes for dust-free sanding. Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05656.	0-00-51131-01634-7	3M™ Stikit™ Gold Disc Roll D/F	P400
01635	6 holes for dust-free sanding. Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05656.	0-00-51131-01635-4	3M™ Stikit™ Gold Disc Roll D/F	P320
01636	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M [™] Stikit [™] Low Profile Disc Pad (PN 05556) or 3M [™] Stikit [™] Disc Pad (PN 05576).	0-00-51131-01636-1	3M™ Stikit™ Gold Disc Roll D/F	P280
01637	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M [™] Stikit [™] Low Profile Disc Pad (PN 05556) or 3M [™] Stikit [™] Disc Pad (PN 05576).	0-00-51131-01637-8	3M™ Stikit™ Gold Disc Roll D/F	P240
01638	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M [™] Stikit [™] Low Profile Disc Pad (PN 05556) or 3M [™] Stikit [™] Disc Pad (PN 05576).	0-00-51131-01638-5	3M™ Stikit™ Gold Disc Roll D/F	P220
01639	6 holes for dust-free sanding. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pad Part Number 05656.	0-00-51131-01639-2	3M [™] Stikit [™] Gold Disc Roll D/F	P180
01640	6 holes for dust-free sanding. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pad Part Number 05656.	0-00-51131-01640-8	3M™ Stikit™ Gold Disc Roll D/F	P150

Discs, Disc Rolls and Stems: Stikit™ Attachment: Stikit™ Dust Free: 3M™ Stikit™ Gold Film Disc Roll Dust Free

6 Inch - 100 Disc Roll

6 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05656.



Part Number	UPC	Product Name	Color	Diameter	Grade	Packaging
01383	0-00-51131-01383-4	3M™ Stikit™ Gold Film Disc Roll D/F	Gold	6 Inch	P80	100 discs per roll 4 rolls per case

6 Inch - 125 Disc Roll

Color Gold

Diameter 6 Inch

Packaging 125 discs per roll 4 rolls per case



Part Number	Description	UPC	Product Name	Grade
01372	6 holes for dust-free sanding. Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05656.	0-00-51131-01372-8	3M™ Stikit™ Gold Film Disc Roll D/F	P500
01373	6 holes for dust-free sanding. Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05656.	0-00-51131-01373-5	3M™ Stikit™ Gold Film Disc Roll D/F	P400
01375	6 holes for dust-free sanding. Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05656.	0-00-51131-01375-9	3M™ Stikit™ Gold Film Disc Roll D/F	P320
01377	6 holes for dust-free sanding. Finest grade available for rough featheredging. Suggested backup pad 05656.	0-00-51131-01377-3	3M™ Stikit™ Gold Film Disc Roll D/F	P240
01378	6 holes for dust-free sanding. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pad 05656.	0-00-51131-01378-0	3M™ Stikit™ Gold Film Disc Roll D/F	P220
01379	6 holes for dust-free sanding. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pad 05656.	0-00-51131-01379-7	3M™ Stikit™ Gold Film Disc Roll D/F	P180
01380	6 holes for dust-free sanding. Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pad 05656.	0-00-51131-01380-3	3M™ Stikit™ Gold Film Disc Roll D/F	P150
01381	6 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05656.	0-00-51131-01381-0	3M™ Stikit™ Gold Film Disc Roll D/F	P120
01382	6 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05656.	0-00-51131-01382-7	3M™ Stikit™ Gold Film Disc Roll D/F	P100

Discs, Disc Rolls and Stems: Stikit $^{\text{TM}}$ Attachment: Stikit $^{\text{TM}}$ No Hole (Non D/F) Discs

3M[™] Green Corps[™] Stikit[™] Production[™] Discs

Color Green



Part Number	Description	UPC	Product Name	Grade	Diameter	Packaging
01545	Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pads 05555 or 05575.	0-00-51131-01545-6	3M™ Green Corps™ Stikit™ Production™ Disc	40	5 Inch	100 discs per box 5 boxes per case
01546	Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pads 05555 or 05575.	0-00-51131-01546-3	3M [™] Green Corps [™] Stikit [™] Production [™] Disc	36	5 Inch	100 discs per box 5 boxes per case
01547	Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pads 05556 or 05576.	0-00-51131-01547-0	3M™ Green Corps™ Stikit™ Production™ Disc	40	6 Inch	100 discs per box 5 boxes per case
01548	Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pads 05556 or 05576.	0-00-51131-01548-7	3M™ Green Corps™ Stikit™ Production™ Disc	36	6 Inch	100 discs per box 5 boxes per case
01549	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05579.	0-00-51131-01549-4	3M [™] Green Corps [™] Stikit [™] Production [™] Disc	80	8 Inch	50 discs per box 5 boxes per case
01550	Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pad 05579.	0-00-51131-01550-0	3M TM Green Corps TM Stikit TM Production TM Disc	40	8 Inch	50 discs per box 5 boxes per case
01551	Use for stripping paint to metal, shaping and sanding plastic filler. Suggested backup pad 05579.	0-00-51131-01551-7	3M TM Green Corps TM Stikit TM Production TM Disc	36	8 Inch	50 discs per box 5 boxes per case
01552	An aluminum oxide disc constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Features an anti-loading stearate coating. Grade: 24. Primary markets: metalworking,woodworking.	0-00-51131-01552-4	3M™ Green Corps™ Stikit™ Disc 255U	24	8 Inch	20 discs per box 5 boxes per case

Discs, Disc Rolls and Stems: Stikit $^{\text{TM}}$ Attachment: Stikit $^{\text{TM}}$ No Hole (Non D/F) Discs

3M[™] Imperial[™] Stikit[™] Disc Roll (E Weight)

Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's Performance Class Abrasive. Suggested backup pads 05556 and 05576.



Part Number	UPC	Product Name	Color	Diameter	Grade	Packaging
00371	0-00-51131-00371-2	3M™ Imperial™ Stikit™ Disc Roll	Purple	6 Inch	P80	100 discs per roll 4 rolls per case

3M™ Imperial™ Stikit™ Discs

Color Purple



Part Number	Description	UPC	Product Name	Diameter	Grade	Packaging
00367	Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads 05555 and 05575.	0-00-51131-00367-5	3M TM Imperial TM Stikit TM Disc	5 Inch	40	50 discs per box 4 boxes per case
00368	Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads 05555 and 05575.	0-00-51131-00368-2	3M TM Imperial TM Stikit TM Disc	5 Inch	36	50 discs per box 4 boxes per case
00373	Used for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads 05556 and 05576.	0-00-51131-00373-6	3M TM Imperial TM Stikit TM Disc	6 Inch	40	50 discs per box 4 boxes per case
00374	Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads 05556 and 05576.	0-00-51131-00374-3	3M TM Imperial TM Stikit TM Disc	6 Inch	36	50 discs per box 4 boxes per case
00377	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pads 05568 and 05579.	0-00-51131-00377-4	3M TM Imperial TM Stikit TM Disc	8 Inch	P80	25 discs per box 4 boxes per case

Discs, Disc Rolls and Stems: Stikit $^{\text{TM}}$ Attachment: Stikit $^{\text{TM}}$ No Hole (Non D/F) Discs

3M[™] Imperial[™] Stikit[™] Discs (continued)

Part Number	Description	UPC	Product Name	Diameter	Grade	Packaging
00379	Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad 05579.	0-00-51131-00379-8	3M [™] Imperial [™] Stikit [™] Disc	8 Inch	40	25 discs per box 4 boxes per case
00380	Used for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad 05579.	0-00-51131-00380-4	3M [™] Imperial [™] Stikit [™] Disc	8 Inch	36	25 discs per box 4 boxes per case

3M™ Stikit™ Green Disc Rolls

Color Green Grade 80

Packaging 100 discs per roll 10 rolls per case



Part Number	Description	UPC	Product Name	Diameter
01501	Used for shaping plastic filler, removing paint around damaged areas and scratch refinement of bare metal. Suggested backup pads 05555 or 05575.	0-00-51144-01501-6	3M [™] Stikit [™] Green Fre-Cut [™] Disc Roll	5 Inch
01506	Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad 05576.	0-00-51144-01506-1	3M [™] Stikit [™] Green Fre-Cut [™] Disc Roll	6 Inch

Discs, Disc Rolls and Stems: Stikit™ Attachment: Stikit™ No Hole (Non D/F) Discs: 3M™ Red Abrasive Stikit™ Discs

3M[™] Red Abrasive Disc Value Pack

Color Red
Diameter 6 Inch

Packaging 25 discs per pack 4 packs per case



Part Number	Description	UPC	Product Name	Grade
01251	An abrasive disc used for primer sanding and topcoat preparation.	0-00-51131-01251-6	3M™ Red Abrasive Stikit™ Disc Value Pack	P400
01252	An abrasive disc used for primer sanding and topcoat preparation.	0-00-51131-01252-3	3M [™] Red Abrasive Stikit [™] Disc Value Pack	P320
01253	An abrasive disc used for featheredge sanding and sanding for topcoat preparation.	0-00-51131-01253-0	3M [™] Red Abrasive Stikit [™] Disc Value Pack	P220
01254	An abrasive disc used for featheredge sanding and sanding for topcoat preparation.	0-00-51131-01254-7	3M [™] Red Abrasive Stikit [™] Disc Value Pack	P180
01260	An abrasive disc used for paint stripping, filler and putty sanding and for rough featheredging.	0-00-51131-01260-8	3M [™] Red Abrasive Stikit [™] Disc Value Pack	P80

3M™ Red Abrasive Finishing Film Stikit™ Disc, 6 in

Abrasive disc designed for use in sanding before painting, as well as to remove runs, dust nibs and excess orange peel from paint and gelcoat prior to compounding.

Color White Diameter 6 Inch

Packaging 25 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
01103	0-00-51131-01103-8	3M™ Red Abrasive Finishing Film Stikit™ Disc	P1200
01104	0-00-51131-01104-5	3M [™] Red Abrasive Finishing Film Stikit [™] Disc	P1000

Discs, Disc Rolls and Stems: Stikit™ Attachment: Stikit™ No Hole (Non D/F) Discs: 3M™ Red Abrasive Stikit™ Discs

3M[™] Red Abrasive Stikit[™] Disc, 6 in (100 discs per roll)

Color Red
Diameter 6 Inch

Packaging 100 discs per roll 6 rolls per case



Part Number	Description	UPC	Product Name	Grade
01105	Abrasive disc used for blend panel sanding and paint preparation.	0-00-51131-01105-2	3M [™] Red Abrasive Stikit [™] Disc	P800
01106	Abrasive disc used for blend panel sanding and paint preparation.	0-00-51131-01106-9	3M [™] Red Abrasive Stikit [™] Disc	P600
01107	Abrasive disc used for paint preparation and primer sanding.	0-00-51131-01107-6	3M [™] Red Abrasive Stikit [™] Disc	P500
01108	Abrasive disc used for paint preparation, primer sanding and fine featheredging.	0-00-51131-01108-3	3M [™] Red Abrasive Stikit [™] Disc	P400
01109	Abrasive disc used for paint preparation, primer sanding and fine featheredging.	0-00-51131-01109-0	3M [™] Red Abrasive Stikit [™] Disc	P320
01110	Abrasive disc used for rough featheredging.	0-00-51131-01110-6	3M [™] Red Abrasive Stikit [™] Disc	P240
01111	Abrasive disc used for rough featheredging.	0-00-51131-01111-3	3M [™] Red Abrasive Stikit [™] Disc	P220
01112	Abrasive disc used for rough featheredging.	0-00-51131-01112-0	3M [™] Red Abrasive Stikit [™] Disc	P180
01113	Abrasive disc used for rough featheredging and filler shaping.	0-00-51131-01113-7	3M [™] Red Abrasive Stikit [™] Disc	P150
01114	Abrasive disc used for rough featheredging and filler shaping.	0-00-51131-01114-4	3M [™] Red Abrasive Stikit [™] Disc	P120
01115	Abrasive disc used for rough featheredging, metal prep and filler shaping.	0-00-51131-01115-1	3M [™] Red Abrasive Stikit [™] Disc	P100
01116	Abrasive disc used for rough featheredging, metal prep and filler shaping.	0-00-51131-01116-8	3M [™] Red Abrasive Stikit [™] Disc	P80

3M[™] Red Abrasive Stikit[™] Disc, 6 in (25 discs per box)

Abrasive disc used for stripping paint to metal, shaping and sanding plastic filler.

Color Red

Packaging 25 discs per box 5 boxes per case



Part Number	UPC	Product Name	Diameter	Grade
01117	0-00-51131-01117-5	3M™ Red Abrasive Stikit™ Disc	6 Inch	40

Discs, Disc Rolls and Stems: Stikit™ Attachment: Stikit™ No Hole (Non D/F) Discs: 3M™ Red Abrasive Stikit™ Discs

3M[™] Red Abrasive Stikit[™] Disc, 8 in (25 discs per box)

Abrasive disc used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.

Color Red
Packaging 25 discs per box 5 boxes per case



Part Number	UPC	Product Name	Diameter	Grade
01100	0-00-51131-01100-7	3M™ Red Abrasive Stikit™ Disc	8 Inch	P80
01101	0-00-51131-01101-4	3M™ Red Abrasive Stikit™ Disc	8 Inch	40

Discs, Disc Rolls and Stems: Stikit™ Attachment: Stikit™ No Hole (Non D/F) Discs: 3M™ Stikit™ Finishing Film Discs

3M™ Stikit™ Finishing Film Discs, 5 in

An aluminum oxide disc constructed on a film backing. Resin bonded for heat resistance. Features an anti-loading stearate coating. Grade: P600. Primary markets: metalworking, woodworking.



Part Number	UPC	Product Name	Color	Diameter	Grade	Packaging
83678	0-00-51144-83678-9	3M™ Stikit™ Finishing Film Disc	White	5 Inch	P600	100 discs per box 4 boxes per case

3M™ Stikit™ Finishing Film Discs, 6 in

Levels orange peel, dust nibs or paint runs in all types of automotive paints. Appropriate for light sanding on refinish lacquer. Suggested backup pads 05546, 05556 or 05576.

Color White Diameter 6 Inch

Packaging 100 discs per box 4 boxes per case



Part Number	UPC	Product Name	Grade
01318	0-00-51131-01318-6	3M™ Stikit™ Finishing Film Disc	P1200
01319	0-00-51131-01319-3	3M™ Stikit™ Finishing Film Disc	P1000
01320	0-00-51131-01320-9	3M™ Stikit™ Finishing Film Disc	P800
01321	0-00-51131-01321-6	3M™ Stikit™ Finishing Film Disc	P600

Discs, Disc Rolls and Stems: Stikit™ Attachment: Stikit™ No Hole (Non D/F) Discs: 3M™ Stikit™ Gold Disc Rolls

3M[™] Stikit[™] Gold Disc Roll, 5 in (125 Discs per Roll)

Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05555 or 05575.

Color Gold

Diameter 5 Inch

Packaging 125 discs per roll 10 rolls per case



Part Number	UPC	Product Name	Grade
01426	0-00-51144-01426-2	3M™ Stikit™ Gold Disc Roll	P120
01427	0-00-51144-01427-9	3M™ Stikit™ Gold Disc Roll	P100
01428	0-00-51144-01428-6	3M™ Stikit™ Gold Disc Roll	P80

3M[™] Stikit[™] Gold Disc Roll, 5 in (175 Discs per Roll)

Color Gold

Diameter 5 Inch

Packaging 175 discs per roll 6 rolls per case

	01417	01419	01420
	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -		
Description	An aluminum oxide disc roll constructed on an A weight light paper backing. Grade: P500. Primary markets: metalworking, woodworking.	An aluminum oxide disc roll constructed on an A weight light paper backing. Grade: P400. Primary markets: metalworking,woodworking.	An aluminum oxide disc roll constructed on an A weight light paper backing. Grade: P320. Primary markets: metalworking,woodworking.
Part Number	01417	01419	01420
UPC	0-00-51131-01417-6	0-00-51131-01419-0	0-00-51144-01420-0
Product Name	3M™ Stikit™ Gold Paper Disc Roll 216U	3M™ Stikit™ Gold Paper Disc Roll 216U	3M™ Stikit™ Gold Paper Disc Roll 216U
Grade	P500	P400	P320
	01421	01422	01423
Description	An aluminum oxide disc roll constructed on an A weight light paper backing. Grade: P280. Primary markets: metalworking,woodworking.	An aluminum oxide disc roll constructed on an A weight light paper backing. Grade: P240. Primary markets: metalworking,woodworking.	An aluminum oxide disc roll constructed on an A weight light paper backing. Grade: P220. Primary markets: metalworking,woodworking.
Part Number	01421	01422	01423
UPC	0-00-51144-01421-7	0-00-51144-01422-4	0-00-51144-01423-1
Product Name	3M™ Stikit™ Gold Paper Disc Roll 216U	3M™ Stikit™ Gold Paper Disc Roll 216U	3M™ Stikit™ Gold Paper Disc Roll 216U
Grade	P280	P240	P220
	01424	01425	49912
	Medical Table 1 Section 1	MSSIRIT 236U MSSIRIT 236U Was the Residual Section of the Company	
Description	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05555 or 05575. There is an available hand pad 05585.	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05555 or 05575. There is an available hand pad 05585.	An aluminum oxide disc roll constructed on an A weight light paper backing. Grade: P150. Primary markets: metalworking,woodworking.
Part Number	01424	01425	49912
UPC	0-00-51144-01424-8	0-00-51144-01425-5	0-00-51111-49912-2
Product Name	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Disc Roll	3M™ Stikit™ Gold Paper Disc Roll 216U
Grade	P180	P150	P150

3M[™] Stikit[™] Gold Disc Roll, 5 in (75 Discs per Roll)

Color Gold

Diameter 5 Inch



Part Number	Description	UPC	Product Name	Grade	Packaging
01188	An aluminum oxide disc roll constructed on an A weight light paper backing. Grade: P400. Primary markets: metalworking,woodworking.	0-00-51131-01188-5	3M™ Stikit™ Gold Disc Roll 216U	P400	75 discs per roll 6 rolls per case
01190	An aluminum oxide disc roll constructed on an A weight light paper backing. Grade: P320. Primary markets: metalworking,woodworking.	0-00-51131-01190-8	3M [™] Stikit [™] Gold Disc Roll 216U	P320	75 discs per roll 12 rolls per case
01193	An aluminum oxide disc roll constructed on an A weight light paper backing. Grade: P220. Primary markets: metalworking,woodworking.	0-00-51131-01193-9	3M [™] Stikit [™] Gold Disc Roll 216U	P220	75 discs per roll 12 rolls per case
01194	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05555 or 05575.	0-00-51131-01194-6	3M™ Stikit™ Gold Disc Roll	P180	75 discs per roll 12 rolls per case
01195	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05555 or 05575.	0-00-51131-01195-3	3M [™] Stikit [™] Gold Disc Roll	P150	75 discs per roll 6 rolls per case
01196	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05555 or 05575.	0-00-51131-01196-0	3M™ Stikit™ Gold Disc Roll	P120	75 discs per roll 6 rolls per case
01197	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05555 or 05575.	0-00-51131-01197-7	3M TM Stikit TM Gold Disc Roll	P100	75 discs per roll 6 rolls per case
01198	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05555 or 05575.	0-00-51131-01198-4	3M™ Stikit™ Gold Disc Roll	P80	75 discs per roll 12 rolls per case

3M[™] Stikit[™] Gold Disc Roll, 6 in (125 Discs per Roll)

Color Gold



Part Number	Description	UPC	Product Name	Diameter	Grade	Packaging
01441	Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.	0-00-51144-01441-5	3M™ Stikit™ Gold Disc Roll	6 Inch	P120	125 discs per rolls 10 rolls per case
01442	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.	0-00-51144-01442-2	3M [™] Stikit [™] Gold Disc Roll	6 Inch	P100	125 discs per rolls 10 rolls per case
01443	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.	0-00-51144-01443-9	3M [™] Stikit [™] Gold Disc Roll	6 Inch	P80	125 discs per rolls 10 rolls per case
01487	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	0-00-51131-01487-9	3M [™] Stikit [™] Gold Disc Roll	8 Inch	P240	125 discs per roll 4 rolls per case

Abrasives

Discs, Disc Rolls and Stems: Stikit™ Attachment: Stikit™ No Hole (Non D/F) Discs: 3M™ Stikit™ Gold Disc Rolls

3M™ Stikit™ Gold Disc Roll, 6 in (175 Discs per Roll)

Color Gold

Diameter 6 Inch

Packaging 175 discs per roll 6 rolls per case



Part Number	Description	UPC	Product Name	Grade
01432	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	0-00-51131-01432-9	3M™ Stikit™ Gold Disc Roll	P500
01433	An aluminum oxide Stikit™ gold disc roll constructed on a A weight, light paper backing. Grade: P360. Primary markets: metalworking, woodworking.	0-00-51131-01433-6	3M™ Stikit™ Gold Paper Disc Roll 216U	P360
01434	Used for fine featheredging or last final sanding step before priming. Suggested backup pads 05546, 05556 or 05576.	0-00-51131-01434-3	3M™ Stikit™ Gold Disc Roll	P400
01435	Used for fine featheredging or last final sanding step before priming. Suggested backup pads 05546, 05556 or 05576.	0-00-51144-01435-4	3M™ Stikit™ Gold Disc Roll	P320
01436	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	0-00-51144-01436-1	3M™ Stikit™ Gold Disc Roll	P280
01437	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	0-00-51144-01437-8	3M™ Stikit™ Gold Disc Roll	P240
01438	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	0-00-51144-01438-5	3M™ Stikit™ Gold Disc Roll	P220
01439	Used for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05546, 05556 or 05576.	0-00-51144-01439-2	3M™ Stikit™ Gold Disc Roll	P180
01440	Used for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05556 or 05576.	0-00-51144-01440-8	3M™ Stikit™ Gold Disc Roll	P150

3M[™] Stikit[™] Gold Disc Roll, 6 in (75 Discs per Roll)

Color Gold

Diameter 6 Inch



Part Number	Description	UPC	Product Name	Grade	Packaging
01202	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad, 6 in (PN 05556) or 3M™ Stikit™ Disc Pad, 6 in (PN 05576).	0-00-51131-01202-8	3M TM Stikit TM Gold Disc Roll	P500	75 discs per roll 6 rolls per case
01203	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 05556 or 05576.	0-00-51131-01203-5	3M™ Stikit™ Gold Disc Roll	P400	75 discs per roll 6 rolls per case
01204	An aluminum oxide Stikit TM gold disc roll constructed on a A weight, light paper backing. Grade: P360. Primary markets: metalworking, woodworking.	0-00-51131-01204-2	3M™ Stikit™ Gold Disc Roll 216U	P360	6 rolls per case
01205	Used for fine featheredging or last final sanding step before priming. Suggested backup pads 05556 or 05576.	0-00-51131-01205-9	3M™ Stikit™ Gold Disc Roll	P320	75 discs per roll 12 rolls per case
01206	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	0-00-51131-01206-6	3M™ Stikit™ Gold Disc Roll	P280	75 discs per roll 6 rolls per case
01208	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	0-00-51131-01208-0	3M™ Stikit™ Gold Disc Roll	P220	75 discs per roll 12 rolls per case
01209	Used for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05556 or 05576.	0-00-51131-01209-7	3M™ Stikit™ Gold Disc Roll	P180	75 discs per roll 12 rolls per case
01210	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty.	0-00-51131-01210-3	3M™ Stikit™ Gold Disc Roll	P150	75 discs per roll 6 rolls per case
01211	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.	0-00-51131-01211-0	3M™ Stikit™ Gold Disc Roll	P120	75 discs per roll 6 rolls per case
01212	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.	0-00-51131-01212-7	3M™ Stikit™ Gold Disc Roll	P100	75 discs per roll 6 rolls per case

Discs, Disc Rolls and Stems: StikitTM Attachment: StikitTM No Hole (Non D/F) Discs: $3M^{TM}$ StikitTM Gold Disc Rolls

3M[™] Stikit[™] Gold Disc Roll, 6 in (75 Discs per Roll) (continued)

Part Number	Description	UPC	Product Name	Grade	Packaging
01213	Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.	0-00-51131-01213-4	3M™ Stikit™ Gold Disc Roll	P80	75 discs per roll 12 rolls per case

3M[™] Stikit[™] Gold Disc Roll, 8 in (125 Discs per Roll)

Color Gold
Diameter 8 Inch

Packaging 125 discs per roll 4 rolls per case



Part Number	Description	UPC	Product Name	Grade
01484	An aluminum oxide Stikit™ gold disc roll constructed on a A weight, light paper backing. Grade: P400. Primary markets: metalworking, woodworking.	0-00-51131-01484-8	3M™ Stikit™ Gold Paper Disc Roll 216U	P400
01485	Use for fine featheredging or last final sanding step before priming. Suggested backup pad 05568.	0-00-51131-01485-5	3M™ Stikit™ Gold Disc Roll	P320
01488	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M™ Stikit™ Low Profile Disc Pad (PN 05556) or 3M™ Stikit™ Disc Pad (PN 05576).	0-00-51131-01488-6	3M™ Stikit™ Gold Disc Roll	P220
01489	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pad Part Number 05568.	0-00-51131-01489-3	3M™ Stikit™ Gold Disc Roll	P180
01490	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pad PN 05568.	0-00-51131-01490-9	3M™ Stikit™ Gold Disc Roll	P150
01491	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad PN 05568.	0-00-51131-01491-6	3M™ Stikit™ Gold Disc Roll	P120
01492	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad PN 05568.	0-00-51131-01492-3	3M™ Stikit™ Gold Disc Roll	P100
01493	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad PN 05568.	0-00-51131-01493-0	3M™ Stikit™ Gold Disc Roll	P80

Discs, Disc Rolls and Stems: StikitTM Attachment: StikitTM No Hole (Non D/F) Discs: $3M^{TM}$ StikitTM Gold Film Disc Rolls

3M™ Stikit™ Gold Film Disc Roll, 5 in (100 Disc Roll)

An aluminum oxide Stikit™ gold disc roll constructed on a film backing. Features an anti-loading stearate coating. Grade: P80. Primary markets: metalworking, woodworking.



Part Number	UPC	Product Name	Color	Diameter	Grade	Packaging
82471	0-00-51144-82471-7	3M™ Stikit™ Gold Film Disc Roll 255L	Gold	5 Inch	P80	100 discs per roll 4 rolls per case

3M™ Stikit™ Gold Film Disc Roll, 5 in (125 Disc Roll)

An aluminum oxide StikitTM gold disc roll constructed on a film backing. Features an antiloading stearate coating. Primary markets: metalworking, woodworking.

Color Gold

Diameter 5 Inch

Packaging 125 discs per roll 4 rolls per case



Part Number	UPC	Product Name	Grade
82460	0-00-51144-82460-1	3M™ Stikit™ Gold Film Disc Roll 255L	P500
82461	0-00-51144-82461-8	3M™ Stikit™ Gold Film Disc Roll 255L	P400
82466	0-00-51144-82466-3	3M™ Stikit™ Gold Film Disc Roll 255L	P220
82467	0-00-51144-82467-0	3M™ Stikit™ Gold Film Disc Roll 255L	P180
82468	0-00-51144-82468-7	3M™ Stikit™ Gold Film Disc Roll 255L	P150
82469	0-00-51144-82469-4	3M™ Stikit™ Gold Film Disc Roll 255L	P120

Abrasives

Discs, Disc Rolls and Stems: Stikit™ Attachment: Stikit™ No Hole (Non D/F) Discs: 3M™ Stikit™ Gold Film Disc Rolls

3M™ Stikit™ Gold Film Disc Roll, 6 in (100 Disc Roll)

Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.



Part Number	UPC	Product Name	Color	Diameter	Grade	Packaging
01363	0-00-51131-01363-6	3M™ Stikit™ Gold Film Disc Roll	Gold	6 Inch	P80	100 discs per roll 4 rolls per case

1-877-MMM-CARS www.3MCollision.com

3M™ Stikit™ Gold Film Disc Roll, 6 in (125 Disc Roll)

Color Gold

Diameter 6 Inch

Packaging 125 discs per roll 4 rolls per case



Part Number	Description	UPC	Product Name	Grade
01352	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 05546, 05556 or 05576.	0-00-51131-01352-0	3M™ Stikit™ Gold Film Disc Roll	P500
01353	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 05546, 05556 or 05576.	0-00-51131-01353-7	3M™ Stikit™ Gold Film Disc Roll	P400
01355	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 05546, 05556 or 05576.	0-00-51131-01355-1	3M™ Stikit™ Gold Film Disc Roll	P320
01356	Coarsest grade available for fine featheredging. Would require finer featheredging. Suggested backup pads 05546, 05556 or 05576.	0-00-51131-01356-8	3M™ Stikit™ Gold Film Disc Roll	P280
01357	Finest grade available for rough featheredging. Suggested backup pads 05546, 05556 or 05576.	0-00-51131-01357-5	3M™ Stikit™ Gold Film Disc Roll	P240
01358	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05546, 05556 or 05576.	0-00-51131-01358-2	3M™ Stikit™ Gold Film Disc Roll	P220
01359	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05546, 05556 or 05576.	0-00-51131-01359-9	3M™ Stikit™ Gold Film Disc Roll	P180
01360	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads 05546, 05556 or 05576.	0-00-51131-01360-5	3M™ Stikit™ Gold Film Disc Roll	P150
01361	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.	0-00-51131-01361-2	3M™ Stikit™ Gold Film Disc Roll	P120
01362	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads 05556 or 05576.	0-00-51131-01362-9	3M™ Stikit™ Gold Film Disc Roll	P100

3M[™] Stikit[™] Gold Film Disc Roll, 6 in (75 Disc Roll)

Color Gold

Diameter 6 Inch

Packaging 75 discs per roll 6 rolls per case



Part Number	Description	UPC	Product Name	Grade
01200	Use for scuffing prep area prior to blend work. Use with disc pads PN 05546, PN 05556, or PN 05576.	0-00-51131-01200-4	3M™ Stikit™ Gold Paper Disc	P800
01201	Use for scuffing prep area prior to blend work. Use with disc pads PN 05546, PN 05556, or PN 05576.	0-00-51131-01201-1	3M™ Stikit™ Gold Paper Disc	P600
01322	Use for fine featheredging or last final sanding step before priming. Suggested backup pads PN05546, PN05556 or PN05576.	0-00-51131-01322-3	3M™ Stikit™ Gold Film Disc Roll	P500
01323	Use for fine featheredging or last final sanding step before priming. Suggested backup pads PN05546, PN05556 or PN05576.	0-00-51131-01323-0	3M™ Stikit™ Gold Film Disc Roll	P400
01325	Use for fine featheredging or last final sanding step before priming. Suggested backup pads PN05546, PN05556 or PN05576.	0-00-51131-01325-4	3M™ Stikit™ Gold Film Disc Roll	P320
01326	Coarsest grade available for fine featheredging. Would require finer featheredging. Suggested backup pads 05546, 05556 or 05576.	0-00-51131-01326-1	3M™ Stikit™ Gold Film Disc Roll	P280
01327	Finest grade available. Rough featheredging. Suggested backup pads PN05546, PN05556 or PN05576.	0-00-51131-01327-8	3M™ Stikit™ Gold Film Disc Roll	P240
01328	Finest grade available. Rough featheredging. Suggested backup pads PN05546, PN05556 or PN05576	0-00-51131-01328-5	3M™ Stikit™ Gold Film Disc Roll	P220
01329	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads PN05546, PN05556 or PN05576	0-00-51131-01329-2	3M™ Stikit™ Gold Film Disc Roll	P180
01330	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup pads PN05546, PN05556 or PN05576	0-00-51131-01330-8	3M™ Stikit™ Gold Film Disc Roll	P150
01331	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads PN05556 or PN05576	0-00-51131-01331-5	3M™ Stikit™ Gold Film Disc Roll	P120
01332	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads PN05556 or PN05576	0-00-51131-01332-2	3M™ Stikit™ Gold Film Disc Roll	P100
01333	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pads PN05556 or PN05576	0-00-51131-01333-9	3M™ Stikit™ Gold Film Disc Roll	P80

General Purpose Cut-Off Wheels

	01987	01988	
	Construction of the constr		
Description	Used for cutting autobody sheet metal, frame rails, exhaust pipes, clamps and rusted bolts. For use on utility type cut-off tools. DO NOT USE TOOLS WITHOUT GUARDS.	Used for cutting autobody sheet metal, frame rails, exhaust pipes, clamps and rusted bolts. For use on utility type cut-off tools. DO NOT USE TOOLS WITHOUT GUARDS.	
Part Number	01987	01988	
UPC	0-00-51131-01987-4	0-00-51131-01988-1	
Product Name	3M™ General Purpose Cut-Off Wheel	3M™ General Purpose Cut-Off Wheel	
Center Hole Diameter	3/8 Inch	3/8 Inch	
Color	Brown	Brown	
Diameter	3 Inch	3 Inch	
Max RPM	25000	25000	
Packaging	50 per case	50 per case	

General Purpose Grinding Discs

An aluminum oxide disc constructed on a fibre backing. Grade: 24. Primary market: metalworking.



Part Number	UPC	Product Name	Center Hole Diameter	Color	Diameter	Grade	Max RPM	Packaging
01934	0-00-51131-01934-8	3M [™] Fibre Disc 281C	7/8 Inch	Brown	5 Inch	24	12000	10 per box 10 boxes per case

Green Corps™ Cut-Off Wheels

Wheel is designed to provide high cut rates and long life on most all materials including fiberglass, stainless steel, mild steel and aerospace alloys. Ideal for use on a wide variety of utility type cut-off tools. Do not use on tools without guards.

Color Green



Part Number	UPC	Product Name	Center Hole Diameter	Diameter	Max RPM	Thickness	Packaging
01989	0-00-51131-01989-8	3M [™] Green Corps [™] Cut-Off Wheel	3/8 Inch	3 Inch	35000	1/32 Inch	5 wheels per pack 10 packs per case
01990	0-00-51131-01990-4	3M [™] Green Corps [™] Cut-Off Wheel	3/8 Inch	3 Inch	28000	1/16 Inch	5 wheels per pack 10 packs per case

Green Corps™ Reinforced Weld Grinding Wheel

Ideal for cutting spot welds and grinding hard-to-reach places. Best in class construction. DO NOT USE ON TOOL WITHOUT GUARDS.



Part Number	UPC	Product Name	Center Hole Diameter	Color	Diameter	Max RPM	Packaging
01991	0-00-51131-01991-1	3M [™] Green Corps [™] Reinforced Weld Grinding Wheel	3/8 Inch	Green	3 Inch	20375	5 wheels per pack 10 packs per case

1-877-MMM-CARS www.3MCollision.com

Imperial™ Fibre Discs

Improved construction allows for faster cutting of welds. When stripping paint, the improved construction resists loading while generating less heat. 3M's performance class abrasive.

Center Hole Diameter 7/8 Inch
Color Purple

Packaging 10 discs per bag 5 bags per box



Part Number	UPC	Product Name	Diameter	Grade
01943	0-00-51131-01943-0	3M™ Imperial™ Fibre Disc	5 Inch	50
01944	0-00-51131-01944-7	3M™ Imperial™ Fibre Disc	5 Inch	36
01945	0-00-51131-01945-4	3M™ Imperial™ Fibre Disc	5 Inch	24
01951	0-00-51131-01951-5	3M [™] Imperial [™] Fibre Disc	7 Inch	50
01952	0-00-51131-01952-2	3M™ Imperial™ Fibre Disc	7 Inch	36
01953	0-00-51131-01953-9	3M™ Imperial™ Fibre Disc	7 Inch	24

Imperial™ Roloc™ Discs

Offers a premium mineral for superior performance in metal grinding applications. Also features a one piece molded backing for increased durability and disc life.

Color Purple
Diameter 3 Inch

Packaging 15 discs per box 6 boxes per case



Part Number	UPC	Product Name	Grade
01343	0-00-51131-01343-8	3M™ Imperial™ Roloc™ Disc	24
01344	0-00-51131-01344-5	3M™ Imperial™ Roloc™ Disc	36
01345	0-00-51131-01345-2	3M™ Imperial™ Roloc™ Disc	50
01346	0-00-51131-01346-9	3M™ Imperial™ Roloc™ Disc	80

Kut-Down™ Discs

An aluminum oxide disc constructed on a paper backing.

Diameter 3 Inch
Packaging 4 per case



Part Number	UPC	Product Name	Grade
01429	0-00-51131-01429-9	3M™ Disc KUT	50
01430	0-00-51131-01430-5	3M™ Disc KUT	36
01431	0-00-51131-01431-2	3M™ Disc KUT	24

Roloc™ Brake Rotor Surface Conditioning Discs

Diameter 3 Inch
Packaging 12 per case

	01410	01411
	Training Inc. (C)	Expression Q
Description	Premium 120 grit disc designed to create non-directional scratch pattern on brake rotor surfaces after turning on a lathe. Includes nine discs and one pad. Their use helps to reduce squeal and chatter and improve stopping performance.	Premium 120 grit 3M™ Roloc™ disc designed to create a non-directional scratch pattern on brake rotor surfaces after turning. Refill pack includes twelve Roloc™ Brake Surfacing Discs.
Part Number	01410	01411
UPC	0-00-51131-01410-7	0-00-51131-01411-4
Product Name	3M™ Roloc™ Brake Rotor Surface Conditioning Disc Starter Pack	3M™ Roloc™ Brake Rotor Surface Conditioning Disc Refill Pack
Color	Red	Brown
Grade	120	120

Fibre Discs and Cutoff Wheels: Green Corps™ Fibre Discs

3M™ Green Corps™ Fibre Discs, 5 in x 7/8 in

Used for grinding door skins, MIG welds or any kind of metal or fiberglass grinding. Other applications include paint, rust, and weld removal and metal work. 3Ms highest performing fibre disc

Color Green
Diameter 5 Inch
Center Hole Diameter 7/8 Inch

Packaging 20 discs per box 5 boxes per case



Part Number	UPC	Product Name	Grade
01913	0-00-51131-01913-3	3M™ Green Corps™ Fibre Disc	50
01914	0-00-51131-01914-0	3M [™] Green Corps [™] Fibre Disc	36
01915	0-00-51144-01915-1	3M [™] Green Corps [™] Fibre Disc	24

3M™ Green Corps™ Fibre Discs, 7 in x 7/8 in

Used for grinding door skins, MIG welds or any kind of metal or fiberglass grinding. Other applications include paint, rust, and weld removal and metal work. 3Ms standard class abrasive.

Color Green
Diameter 7 Inch
Center Hole Diameter 7/8 Inch

Packaging 20 discs per box 5 boxes per case



Part Number	UPC	Product Name	Grade
01921	0-00-51131-01921-8	3M™ Green Corps™ Fibre Disc	50
01922	0-00-51131-01922-5	3M™ Green Corps™ Fibre Disc	36
01923	0-00-51144-01923-6	3M™ Green Corps™ Fibre Disc	24

Fibre Discs and Cutoff Wheels: Green Corps™ Fibre Discs

3M™ Green Corps™ Fibre Discs, 9-1/8 in x 7/8 in

Used for grinding door skins, MIG welds or any kind of metal or fiberglass grinding. Other applications include paint, rust, and weld removal and metal work. 3Ms standard class abrasive.

Color Green
Diameter 9.125 Inch
Center Hole Diameter 7/8 Inch

Packaging 20 discs per box 5 boxes per case



Part Number	UPC	Product Name	Grade
01927	0-00-51131-01927-0	3M™ Green Corps™ Fibre Disc	50
01928	0-00-51131-01928-7	3M™ Green Corps™ Fibre Disc	36
01929	0-00-51144-01929-8	3M™ Green Corps™ Fibre Disc	24

Fibre Discs and Cutoff Wheels: Green Corps™ Roloc™ Discs

3M™ Green Corps™ Roloc™ Discs, 2 in

Generally used for hard to reach areas in paint, rust, and weld removal. Handy quick change tool for disc grinding which fits any standard 1/4 in drill or air tool.

Color Green
Diameter 2 Inch



Part Number	UPC	Product Name	Grade	Packaging
01391	0-00-51131-01391-9	3M™ Green Corps™ Roloc™ Disc	36	1000 discs per case
01396	0-00-51131-01396-4	3M™ Green Corps™ Roloc™ Disc	50	25 discs per box 10 boxes per case
01397	0-00-51131-01397-1	3M [™] Green Corps [™] Roloc [™] Disc	36	25 discs per box 10 boxes per case
01398	0-00-51131-01398-8	3M [™] Green Corps [™] Roloc [™] Disc	24	25 discs per box 10 boxes per case

Fibre Discs and Cutoff Wheels: Green Corps™ Roloc™ Discs

3M™ Green Corps™ Roloc™ Discs, 3 in

Generally used for hard to reach areas in paint, rust, and weld removal. Handy quick change tool for disc grinding which fits any standard 1/4 in drill or air tool.

Color Green
Diameter 3 Inch



Part Number	UPC	Product Name	Grade	Packaging
01394	0-00-51131-01394-0	3M™ Green Corps™ Roloc™ Disc	36	1000 discs per case
01406	0-00-51131-01406-0	3M™ Green Corps™ Roloc™ Disc	50	25 discs per box 10 boxes per case
01407	0-00-51131-01407-7	3M™ Green Corps™ Roloc™ Disc	36	25 discs per box 10 boxes per case
01408	0-00-51131-01408-4	3M™ Green Corps™ Roloc™ Disc	24	25 discs per box 10 boxes per case

Hand and File Sheets

3M™ Premium Automotive Sandpaper

	03065	03066	03067	
	SA CONTROL OF THE CON	SAL STATE OF THE SAL ST	Marie de la companya	
Description	Strips paint to metal and shapes and sands body filler. Ideal for body work. Sands faster and lasts longer. Clog resistant.	For fininshing of shaping body filler and begin- ning sanding process. Ideal for body work. Sands faster and lasts longer. Clog resistant.	Perfect for primer, glaze, and putty preparation. Ideal for body work. Sands faster and lasts longer. Clog resistant.	
Part Number	03065	03066	03067	
UPC	0-00-51131-03065-7	0-00-51131-03066-4	0-00-51131-03067-1	
Product Name	3M™ Premium Automotive Sandpaper	3M™ Premium Automotive Sandpaper	3M™ Premium Automotive Sandpaper	
Color	Green	Purple	Gold	
Grade	80	180	320	
Width	9 Inch	9 Inch	9 Inch	
Length	11 Inch	11 Inch	11 Inch	
Packaging	3 sheets per pack 40 packs per case	3 sheets per pack 40 packs per case	3 sheets per pack 40 packs per case	

Hand and File Sheets

3M[™] Premium Automotive Sandpaper (continued)

	03076	03077	03078		
	3M 3M 30 30 30 30 30 30 30 30 30 30 30 30 30	SM SM	OM OM OM OM OM OM OM OM		
Description	Strips paint to metal and shapes and sands body filler. Ideal for body work. Sands faster and lasts longer. Clog resistant.	For fininshing of shaping body filler and begin- ning sanding process. Ideal for body work. Sands faster and lasts longer. Clog resistant.	Perfect for primer, glaze, and putty preparation. Ideal for body work. Sands faster and lasts longer. Clog resistant.		
Part Number	03076	03077	03078		
UPC	0-00-51131-03076-3	0-00-51131-03077-0	0-00-51131-03078-7		
Product Name	3M™ Premium Automotive Sandpaper	3M™ Premium Automotive Sandpaper	3M™ Premium Automotive Sandpaper		
Color	Maroon	Maroon	Gold		
Grade	80	180	320		
Width	3-2/3 Inch	3-2/3 Inch	3-2/3 Inch		
Length	9 Inch	9 Inch	9 Inch		
Packaging	5 sheets per pack 20 packs per case	5 sheets per pack 20 packs per case	5 sheets per pack 20 packs per case		

Hand and File Sheets: Dry (Non PSA) Sheets

3MTM Cloth Sheet 011K

Sheet constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.

Color Black
Width 9 Inch
Length 11 Inch
Packaging 250 per case



Part Number	UPC	Product Name	Grade
02431	0-00-51144-02431-5	3M™ Utility Cloth Sheet 011K	Fine
02432	0-00-51144-02432-2	3M™ Utility Cloth Sheet 011K	Medium
02433	0-00-51144-02433-9	3M™ Utility Cloth Sheet 011K	Coarse

Hand and File Sheets: Dry (Non PSA) Sheets

3M™ Imperial™ Sheets

Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.



Part Number	UPC	Product Name	Color	Grade	Width	Length	Packaging
02258	0-00-51131-02258-4	3M™ Imperial™ Sheet	Purple	40	2-3/4 Inch	17-1/2 Inch	50 sheets per box 4 boxes per case

3M[™] Tri-M-ite[™] Fre-Cut[™] Sheets

A silicon carbide sheet constructed on a C weight intermediate paper backing. Features an anti-loading stearate coating. Grade: 100. Primary markets: metalworking, woodworking.

Part Number	UPC	Product Name	Color	Grade	Width	Length	Packaging
02356	0-00-51144-02356-1	3M™ Paper Sheet 435N	Gray	100	9 Inch	11 Inch	100 per inner 1000 per case

Hand and File Sheets: Dry (Non PSA) Sheets: 3M[™] Green Corps[™] Production[™] Resin Sheets

3M[™] Green Corps[™] Production[™] Resin Sheet, 2-3/4 in x 17-1/2 in

Color Green
Width 2-3/4 Inch
Length 17-1/2 Inch

Packaging 100 sheets per box 5 boxes per case



Part Number	Description	UPC	Product Name	Grade
02220	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	0-00-51131-02220-1	3M [™] Green Corps [™] Production [™] Resin Sheet	80
02221	Use for stripping paint to metal, shaping and sanding plastic filler.		3M [™] Green Corps [™] Production [™] Resin Sheet	40
02222	Use for stripping paint to metal, shaping and sanding plastic filler.	0-00-51144-02222-9	3M [™] Green Corps [™] Production [™] Resin Sheet	36

Hand and File Sheets: Dry (Non PSA) Sheets: 3M[™] Green Corps[™] Production[™] Resin Sheets

3M[™] Green Corps[™] Production[™] Resin Sheet, 3-2/3 in x 9 in

Color Green
Width 3-2/3 Inch
Length 9 Inch

Packaging 100 sheets per box 10 boxes per case



Part Number	Description	UPC	Product Name	Grade
02225	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	0-00-51131-02225-6	3M [™] Green Corps [™] Production [™] Resin Sheet	80
02227	Use for stripping paint to metal, shaping and sanding plastic filler.	0-00-51131-02227-0	3M [™] Green Corps [™] Production [™] Resin Sheet	36

Hand and File Sheets: Dry (Non PSA) Sheets: 3M[™] Production[™] Paper Sheets (Open Coat)

3M[™] Production[™] Paper Sheets, 2-3/4 in x 17-1/2 in

Color Gold Width 2-3/4 Inch Length 17-1/2 Inch



Part Number	Description	UPC	Product Name	Grade	Packaging
02134	An aluminum oxide sheet constructed on a C weight, intermediate paper backing. Resin bonded for heat resistance. Grade: 100. Primary markets: metalworking, woodworking.	0-00-51144-02134-5	3M™ Paper Sheet 336U	100	200 per inner 2000 per case
02135	An aluminum oxide sheet constructed on a D weight, intermediate paper backing. Grade: 80. Primary markets: metalworking, woodworking.	0-00-51144-02135-2	3M™ Paper Sheet 346U	80	100 per inner 1000 per case
02136	An aluminum oxide sheet constructed on a D weight, intermediate paper backing. Grade: 60. Primary markets: metalworking, woodworking.	0-00-51144-02136-9	3M™ Paper Sheet 346U	60	100 per inner 1000 per case

Hand and File Sheets: Dry (Non PSA) Sheets: $3M^{\text{TM}}$ Production Paper Sheets (Open Coat)

3M[™] Production[™] Paper Sheets, 2-3/4 in x 17-1/2 in (continued)

Part Numl	er Description	UPC	Product Name	Grade	Packaging
02138	An aluminum oxide sheet constructed on a D-weight intermediate paper backing. Grade: 40. Primary markets: metalworking, woodworking.	0-00-51144-02138-3	3M [™] Paper Sheet 346U	40	100 sheets per box 5 boxes per case
02139	An aluminum oxide sheet constructed on a D weight intermediate paper backing. Grade: 36. Primary markets: metalworking, woodworking.	0-00-51144-02139-0	3M [™] Paper Sheet 346U	36	100 per box 5 per case

3M™ Production™ Paper Sheets, 3 in x 8 in

An aluminum oxide sheet constructed on a D weight, intermediate paper backing. Grade: 80. Primary markets: metalworking, woodworking.



Part Number	UPC	Product Name	Color	Grade	Width	Length	Packaging
02145	0-00-51144-02145-1	3M™ Paper Sheet 346U	Gold	80	3 Inch	8 Inch	200 per inner 2000 per case

Hand and File Sheets: Dry (Non PSA) Sheets: $3M^{\text{TM}}$ Production Paper Sheets (Open Coat)

3M[™] Production[™] Paper Sheets, 3-2/3 in x 9 in

Color Gold
Width 3-2/3 Inch
Length 9 Inch



Part Number	Description	UPC	Product Name	Grade	Packaging
02172	An aluminum oxide sheet constructed on a C weight, intermediate paper backing. Resin bonded for heat resistance. Grade: 150. Primary markets: metalworking, woodworking.	0-00-51144-02172-7	3M™ Paper Sheet 336U	150	400 per inner 4000 per case
02174	An aluminum oxide sheet constructed on a C weight, intermediate paper backing. Resin bonded for heat resistance. Grade: 100. Primary markets: metalworking, woodworking.	0-00-51144-02174-1	3M™ Paper Sheet 336U	100	400 per inner 4000 per case
02175	An aluminum oxide sheet constructed on a D weight, intermediate paper backing. Grade: 80. Primary markets: metalworking, woodworking.	0-00-51144-02175-8	3M™ Paper Sheet 346U	80	200 per inner 2000 per case

3M[™] Production[™] Paper Sheets, 9 in x 11 in

Width 9 Inch Length 11 Inch



Part Number	Description	UPC	Product Name	Color	Grade	Packaging
02103	An aluminum oxide open coat, non-loading sheet constructed on an A weight, light paper backing. Grade: 220. Primary markets: metalworking, woodworking.	0-00-51144-02103-1	3M [™] Production [™] Sheet 210N	Brown	220	100 per sleeve 1 per inner 10 per case
02104	An aluminum oxide open coat, non-loading sheet constructed on an A weight, light paper backing. Grade: 180. Primary markets: metalworking, woodworking.	0-00-51144-02104-8	3M [™] Production [™] Sheet 210N	Brown	180	100 per sleeve 1 per inner 10 per case
02112	An aluminum oxide sheet constructed on a C weight, intermediate paper backing. Resin bonded for heat resistance. Grade: 150. Primary markets: metalworking, woodworking.	0-00-51144-02112-3	3M™ Paper Sheet 336U	Gold	150	100 per inner 1000 per case

Hand and File Sheets: Dry (Non PSA) Sheets: 3M[™] Production[™] Paper Sheets (Open Coat)

3M[™] Production[™] Paper Sheets, 9 in x 11 in (continued)

Part Number	Description	UPC	Product Name	Color	Grade	Packaging
02113	An aluminum oxide sheet constructed on a C weight, intermediate paper backing. Resin bonded for heat resistance. Grade: 120. Primary markets: metalworking, woodworking.	0-00-51144-02113-0	3M™ Paper Sheet 336U	Gold	36	100 per inner 1000 per case
02114	An aluminum oxide sheet constructed on a C weight, intermediate paper backing. Resin bonded for heat resistance. Grade: 100. Primary markets: metalworking, woodworking.	0-00-51144-02114-7	3M™ Paper Sheet 336U	Gold	100	100 per inner 1000 per case
02115	An aluminum oxide sheet constructed on a D weight, intermediate paper backing. Grade: 80. Primary markets: metalworking, woodworking.	0-00-51144-02115-4	3M™ Paper Sheet 346U	Gold	80	500 per case
02116	An aluminum oxide sheet constructed on a D weight, intermediate paper backing. Grade: 60. Primary markets: metalworking, woodworking.	0-00-51144-02116-1	3M™ Paper Sheet 346U	Gold	60	500 per case
02117	An aluminum oxide sheet constructed on a D weight, intermediate paper backing. Grade: 50. Primary markets: metalworking, woodworking.	0-00-51144-02117-8	3M™ Paper Sheet 346U	Gold	50	500 per case
02118	An aluminum oxide sheet constructed on a D weight intermediate paper backing. Grade: 40. Primary markets: metalworking, woodworking.	0-00-51144-02118-5	3M™ Paper Sheet 346U	Gold	40	50 per inner 250 per case
02119	An aluminum oxide sheet constructed on a D weight intermediate paper backing. Grade: 36. Primary markets: metalworking, woodworking.	0-00-51144-02119-2	3M™ Paper Sheet 346U	Gold	36	50 per inner 250 per case

Hand and File Sheets: Dry (Non PSA) Sheets: 3M[™] Production[™] Resinite[™] Gold Sheets

3M[™] Production[™] Resinite[™] Gold Sheets, 2-3/4 in x 17-1/2 in

Use for for rough featheredging. Could be used for final sanding of plastic filler and putty.

Color Gold
Width 2-3/4 Inch
Length 17-1/2 Inch
Packaging 50 sheets per box 5 boxes per case



Part Number	UPC	Product Name	Grade
02567	0-00-51131-02567-7	3M [™] Production [™] Resinite [™] Gold Sheet	P220
02568	0-00-51131-02568-4	3M™ Production™ Resinite™ Gold Sheet	P180
02569	0-00-51131-02569-1	3M [™] Production [™] Resinite [™] Gold Sheet	P150

Hand and File Sheets: Dry (Non PSA) Sheets: $3M^{\text{TM}}$ Production Resinite Gold Sheets

3M[™] Production[™] Resinite[™] Gold Sheets, 3-2/3 in x 9 in

Color Gold
Width 3-2/3 Inch
Length 9 Inch

Packaging 100 sheets per box 5 boxes per case



Part Number	Description	UPC	Product Name	Grade
02551	Use for fine featheredging or last final sanding step before priming.	0-00-51131-02551-6	3M [™] Production [™] Resinite [™] Gold Sheet	P320
02552	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty.	0-00-51131-02552-3	3M [™] Production [™] Resinite [™] Gold Sheet	P220
02553	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty.	0-00-51131-02553-0	3M [™] Production [™] Resinite [™] Gold Sheet	P180
02554	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty.	0-00-51131-02554-7	3M [™] Production [™] Resinite [™] Gold Sheet	P150

3M[™] Production[™] Resinite[™] Gold Sheets, 9 in x 11 in

Color Gold
Width 9 Inch
Length 11 Inch



Part Number	Description	UPC	Product Name	Grade
02536	Use for scuffing the blend area prior to painting.	0-00-51131-02536-3	3M [™] Production [™] Resinite [™] Gold Sheet	P800
02537	Use for scuffing the blend area prior to painting.	0-00-51131-02537-0	3M [™] Production [™] Resinite [™] Gold Sheet	P600
02538	Use for fine featheredging or last final sanding step before priming.	0-00-51131-02538-7	3M [™] Production [™] Resinite [™] Gold Sheet	P500
02539	Use for fine featheredging or last final sanding step before priming.	0-00-51131-02539-4	3M [™] Production [™] Resinite [™] Gold Sheet	P400
02540	Use for fine featheredging or last final sanding step before priming.	0-00-51131-02540-0	3M [™] Production [™] Resinite [™] Gold Sheet	P360
02541	Use for fine featheredging or last final sanding step before priming.	0-00-51131-02541-7	3M [™] Production [™] Resinite [™] Gold Sheet	P320
02542	Coarsest grade available for fine featheredging. Would require finer featheredging.	0-00-51131-02542-4	3M [™] Production [™] Resinite [™] Gold Sheet	P280
02543	Finest grade available for rough featheredging.	0-00-51131-02543-1	3M [™] Production [™] Resinite [™] Gold Sheet	P240

Hand and File Sheets: Dry (Non PSA) Sheets: $3M^{\text{TM}}$ Production Resinite Gold Sheets

3M[™] Production[™] Resinite[™] Gold Sheets, 9 in x 11 in (continued)

Part Number	Description	UPC	Product Name	Grade
02544	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty.	0-00-51131-02544-8	3M [™] Production [™] Resinite [™] Gold Sheet	P220
02545	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty.	0-00-51131-02545-5	3M [™] Production [™] Resinite [™] Gold Sheet	P180
02546	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty.	0-00-51131-02546-2	3M [™] Production [™] Resinite [™] Gold Sheet	P150
02547	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	0-00-51131-02547-9	3M [™] Production [™] Resinite [™] Gold Sheet	P120
02548	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	0-00-51131-02548-6	3M [™] Production [™] Resinite [™] Gold Sheet	P100
02549	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	0-00-51131-02549-3	3M™ Production™ Resinite™ Gold Sheet	P80

Hand and File Sheets: Hookit™ Sheets

3M[™] Green Corps[™] Hookit[™] Regalite[™] Sheet Dust Free

Color Green Width 2-3/4 Inch Length 16 Inch

Packaging 50 sheets per box 5 boxes per case



Part Number	Description	UPC	Product Name	Grade
00639	18 hole pattern for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	0-00-51131-00639-3	3M [™] Green Corps [™] Hookit [™] Regalite [™] Sheet D/F	80
00642	18 hole pattern for dust-free sanding. Use for stripping paint to metal, shaping and sanding plastic filler.	0-00-51131-00642-3	3M [™] Green Corps [™] Hookit [™] Regalite [™] Sheet D/F	40

Abrasives

Hand and File Sheets: Hookit™ Sheets

3M™ Hookit™ Sheet Dust Free

Color Purple
Width 2-3/4 Inch

Packaging 25 sheets per box 4 boxes per case



Part Number	Description	UPC	Product Name	Grade	Length
02700	Dust free file sheet used for stripping paint to metal, shaping and sanding plastic filler.	0-00-51131-02700-8	3M TM Hookit TM Sheet Dust Free 740I	36	16 Inch
02701	Dust free file sheet used for stripping paint to metal, shaping and sanding plastic filler.	0-00-51131-02701-5	3M [™] Hookit [™] Sheet Dust Free 740I	40	16 Inch
02702	Dust free file sheet used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	0-00-51131-02702-2	3M TM Hookit TM Sheet Dust Free 745I	P80	16 Inch
02704	Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Recommended accessories, PN05744 hand file board, and PN05740, PN05741 and PN05742 blocks.	0-00-51131-02704-6	3M TM Hookit TM Purple Abrasive Sheet D/F	P120	16-1/2 Inch
02705	Dust free file sheet used for rough featheredging and for final sanding/shaping of plastic filler and putty. Recommended blocks PN05207, PN05208, PN05209, PN05210.	0-00-51131-02705-3	3M [™] Purple Hookit [™] Sheet D/F	P150	16-1/2 Inch
02706	Dust free file sheet used for rough featheredging and for final sanding/shaping of plastic filler and putty. Recommended blocks PN05207, PN05208, PN05209, PN05210.	0-00-51131-02706-0	3M [™] Purple Hookit [™] Sheet D/F	P180	16-1/2 Inch
02707	Dust free file sheet used for rough featheredging and for final sanding/shaping of plastic filler and putty. Recommended blocks PN05207, PN05208, PN05209, PN05210.	0-00-51131-02707-7	3M TM Purple Hookit TM Sheet D/F	P220	16 Inch
02708	Dust free file sheet used for fine featheredging and for final sanding of primer. Recommended blocks PN05207, PN05208, PN05209, PN05210.	0-00-51131-02708-4	3M [™] Purple Hookit [™] Sheet D/F	P320	16 Inch

3M[™] Green Corps[™] Hookit[™] Regalite[™] Sheets

Color Green
Width 2-3/4 Inch
Length 16-1/2 Inch


Packaging 50 sheets per box 5 boxes per case



Part Number	Description	UPC	Product Name	Grade
00538	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Use with airfile shoe 05748 or hand file 05744.	0-00-51131-00538-9	3M [™] Green Corps [™] Hookit [™] Regalite [™] Sheet	100
00539	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Use with airfile shoe 05748 or hand file 05744.	0-00-51131-00539-6	3M [™] Green Corps [™] Hookit [™] Regalite [™] Sheet	80
00540	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Use with airfile shoe 05748 or hand file 05744.	0-00-51131-00540-2	3M [™] Green Corps [™] Hookit [™] Regalite [™] Sheet	60
00542	Used for stripping paint to metal, rough shaping and sanding plastic filler. Use with airfile shoe 05748 or hand file 05744.	0-00-51131-00542-6	3M [™] Green Corps [™] Hookit [™] Regalite [™] Sheet	40
00543	Use for stripping paint to metal, rough shaping and sanding plastic filler. Use with airfile shoe 05748 or hand file 05744.	0-00-51131-00543-3	3M [™] Green Corps [™] Hookit [™] Regalite [™] Sheet	36

3M™ Green Corps™ Hookit™ Sheets

An aluminum oxide sheet constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 40. Primary markets: metalworking, woodworking.



Part Number	UPC	Product Name	Color	Grade	Width	Length	Packaging
02640	0-00-51131-02640-7	3M [™] Green Corps [™] Hookit [™] Sheet	Green	40	4-1/2 Inch	30 Linear Yard	10 sheets per sleeve 5 sleeves per case

3M™ Hookit™ Gold Film Sheets

An aluminum oxide sheet constructed on a film backing. Resin bonded for heat resistance. Primary markets: metalworking, woodworking.

Color Gold Width 4-1/2 Inch Length 30 Inch

Packaging 10 per sleeve 5 per case

Part Number	UPC	Product Name	Grade
27500	0-00-51141-27500-0	3M™ Hookit™ Gold Film Sheet 255L	P320
27501	0-00-51141-27501-7	3M™ Hookit™ Gold Film Sheet 255L	P220
27503	0-00-51141-27503-1	3M™ Hookit™ Gold Film Sheet 255L	P180
27504	0-00-51141-27504-8	3M™ Hookit™ Gold Film Sheet 255L	P150
27505	0-00-51141-27505-5	3M™ Hookit™ Gold Film Sheet 255L	P120

3M™ Hookit™ Gold Sheets

Color Gold
Width 2-3/4 Inch
Length 16 Inch

Packaging 50 sheets per box 5 boxes per case



Part Number	Description	UPC	Product Name	Grade
02469	Used for for featheredging. Could also be used for final sanding of plastic filler and putty. Recommended accessory 3M [™] Hookkit [™] Hand File Board (PN 05744).	0-00-51131-02469-4	3M TM Hookit TM Gold Sheet	P220
02470	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Recommended accessories, PN 05744 hand file board, and PN 05740, PN 05741 and PN 05742 blocks.	0-00-51131-02470-0	3M™ Hookit™ Gold Sheet	P180
02472	Used for for rough featheredging. Could also be used for final sanding of plastic filler and putty. Recommended accessories, PN 05744 hand file board, and PN 05740, PN 05741 and PN 05742 blocks.	0-00-51131-02472-4	3M TM Hookit TM Gold Sheet	P150
02473	Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Recommended accessories, PN 05744 hand file board, and PN 05740, PN 05741 and PN 05742 blocks.	0-00-51131-02473-1	3M TM Hookit TM Gold Sheet	P120

Hookit™ Sheet Rolls

Color Purple



Part Number	Description	UPC	Product Name	Grade	Width	Length	Packaging
30700	Dust free file sheet roll used for primer and topcoat sanding applications.	0-00-51131-30700-1	3M™ Hookit™ Purple Clean Sanding Sheet Roll 334U	P800	70 Millimetre	12 Linear Metre	5 boxes per case
30701	Dust free file sheet roll used for primer and topcoat sanding applications.	0-00-51131-30701-8	3M™ Hookit™ Purple Clean Sanding Sheet Roll 334U	P600	70 Millimetre	12 Linear Metre	5 boxes per case
30702	Dust free file sheet roll used for primer and topcoat sanding applications.	0-00-51131-30702-5	3M™ Hookit™ Purple Clean Sanding Sheet Roll 334U	P500	70 Millimetre	12 Linear Metre	5 boxes per case
30703	Dust free file sheet roll used for primer and topcoat sanding applications.	0-00-51131-30703-2	3M™ Hookit™ Purple Clean Sanding Sheet Roll 334U	P400	70 Millimetre	12 Linear Metre	5 boxes per case
30705	Dust free file sheet roll used for primer, putty and topcoat sanding applications.	0-00-51131-30705-6	3M™ Hookit™ Purple Clean Sanding Sheet Roll 334U	P320	70 Millimetre	12 Linear Metre	5 boxes per case
30706	Dust free file sheet roll used for primer, putty and topcoat sanding applications.	0-00-51131-30706-3	3M TM Hookit TM Purple Clean Sanding Sheet Roll 334U	P280	70 Millimetre	12 Linear Metre	5 boxes per case

Abrasives

Hand and File Sheets: Hookit™ Sheets

Hookit™ Sheet Rolls (continued)

Part Number	Description	UPC	Product Name	Grade	Width	Length	Packaging
30707	Dust free file sheet roll used for primer, putty and topcoat sanding applications.	0-00-51131-30707-0	3M TM Hookit TM Purple Clean Sanding Sheet Roll 334U	P240	70 Millimetre	12 Linear Metre	5 boxes per case
30708	Dust free file sheet roll used for primer, putty and topcoat sanding applications.	0-00-51131-30708-7	3M TM Hookit TM Purple Clean Sanding Sheet Roll 334U	P220	70 Millimetre	12 Linear Metre	5 boxes per case
30709	Dust free file sheet roll used for filler and putty sanding applications.	0-00-51131-30709-4	3M TM Hookit TM Purple Clean Sanding Sheet Roll 734U	P180	70 Millimetre	12 Linear Metre	5 boxes per case
30710	Dust free file sheet roll used for filler and putty sanding applications.	0-00-51131-30710-0	3M™ Hookit™ Purple Clean Sanding Sheet Roll 734U	P150	70 Millimetre	12 Linear Metre	5 boxes per case
30711	Dust free file sheet roll used for filler and metal sanding applications.	0-00-51131-30711-7	3M™ Hookit™ Purple Clean Sanding Sheet Roll 734U	P120	70 Millimetre	12 Linear Metre	5 boxes per case
30712	Dust free file sheet roll used for filler shaping and metal sanding applications.	0-00-51131-30712-4	3M [™] Hookit [™] Purple Clean Sanding Sheet Roll 734U	P100	70 Millimetre	12 Linear Metre	5 boxes per case
30713	Dust free file sheet roll used for filler shaping and metal sanding applications.	0-00-51131-30713-1	3M TM Hookit TM Purple Clean Sanding Sheet Roll 745l	P80	70 Millimetre	12 Linear Metre	5 boxes per case
30714	Dust free file sheet roll used for filler shaping and metal sanding applications.	0-00-51131-30714-8	3M TM Hookit TM Purple Clean Sanding Sheet Roll 740l	60	70 Millimetre	12 Linear Metre	5 boxes per case

Hookit™ Sheet Rolls (continued)

Part Number	Description	UPC	Product Name	Grade	Width	Length	Packaging
30715	Dust free file sheet roll used for filler shaping and metal sanding applications.	0-00-51131-30715-5	3M TM Hookit TM Purple Clean Sanding Sheet Roll 740l	40	70 Millimetre	8 Linear Metre	5 boxes per case
30716	Dust free file sheet roll used for filler shaping and metal sanding applications.	0-00-51131-30716-2	3M [™] Hookit [™] Purple Clean Sanding Sheet Roll 740l	36	70 Millimetre	8 Linear Metre	5 boxes per case
30724	Use for for fine featheredging, and for final sanding of topcoat and clearcoat. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30724-7	3M [™] Hookit [™] Purple Clean Sanding Roll 334U	P800	115 Millimetre	12 Linear Metre	3 rolls per case
30725	Use for for fine featheredging, and for final sanding/shaping of primer and topcoat. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30725-4	3M [™] Hookit [™] Purple Clean Sanding Roll 334U	P600	115 Millimetre	12 Linear Metre	3 rolls per case
30726	Use for for fine featheredging, and for final sanding/shaping of putty and primer. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30726-1	3M [™] Hookit [™] Purple Clean Sanding Roll 334U	P500	115 Millimetre	12 Linear Metre	3 rolls per case
30727	Use for for fine featheredging, and for final sanding/shaping of putty and primer. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30727-8	3M [™] Hookit [™] Purple Clean Sanding Roll 334U	P400	115 Millimetre	12 Linear Metre	3 rolls per case
30729	Use for for fine featheredging, and for final sanding/shaping of putty and primer. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30729-2	3M TM Hookit TM Purple Clean Sanding Roll 334U	P320	115 Millimetre	12 Linear Metre	3 rolls per case
30730	Use for for fine featheredging, and for final sanding/shaping of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30730-8	3M [™] Hookit [™] Purple Clean Sanding Roll 334U	P280	115 Millimetre	12 Linear Metre	3 rolls per case
30731	Use for for fine featheredging, and for final sanding/shaping of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30731-5	3M TM Hookit TM Purple Clean Sanding Roll 334U	P240	115 Millimetre	12 Linear Metre	3 rolls per case

Abrasives

Hand and File Sheets: Hookit™ Sheets

Hookit™ Sheet Rolls (continued)

Part Number	Description	UPC	Product Name	Grade	Width	Length	Packaging
30732	Use for for fine featheredging, and for final sanding/shaping of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30732-2	3M™ Hookit™ Purple Clean Sanding Roll 334U	P220	115 Millimetre	12 Linear Metre	3 rolls per case
30733	Use for for fine featheredging, and for final sanding/shaping of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30733-9	3M™ Hookit™ Purple Clean Sanding Roll 734U	P180	115 Millimetre	12 Linear Metre	3 rolls per case
30734	Use for for rough featheredging, and for final sanding/shaping of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30734-6	3M [™] Hookit [™] Purple Clean Sanding Roll 734U	P150	115 Millimetre	12 Linear Metre	3 rolls per case
30735	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30735-3	3M [™] Hookit [™] Purple Clean Sanding Roll 734U	P120	115 Millimetre	12 Linear Metre	3 rolls per case
30736	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30736-0	3M [™] Hookit [™] Purple Clean Sanding Roll 734U	P100	115 Millimetre	12 Linear Metre	3 rolls per case
80737	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30737-7	3M [™] Hookit [™] Purple Clean Sanding Roll 745l	P80	115 Millimetre	12 Linear Metre	3 rolls per case
0738	Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30738-4	3M TM Hookit TM Purple Clean Sanding Roll 740l	60	115 Millimetre	12 Linear Metre	3 rolls per case
0739	Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30739-1	3M [™] Hookit [™] Purple Clean Sanding Roll 740l	40	115 Millimetre	8 Linear Metre	3 rolls per case
30740	Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-30740-7	3M TM Hookit TM Purple Clean Sanding Roll 740l	36	115 Millimetre	8 Linear Metre	3 rolls per case

Hand and File Sheets: Hookit™ Sheets: 3M™ Hookit™ Sheets

3M[™] Hookit[™] Sheets, 2-3/4 in x 16-1/2 in

Color Purple
Width 2-3/4 Inch
Length 16-1/2 Inch

Packaging 50 sheets per box 5 boxes per case



Part Number	Description	UPC	Product Name	Grade
01860	Use for fine featheredging or last final sanding step before priming. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Recommended pads PN05748, PN05741, PN05744, PN05740, PN05742.	0-00-51131-01860-0	3M TM Purple Hookit TM Sheet	P320
01862	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Recommended pads PN05748, PN05741, PN05744, PN05740, PN05742.	0-00-51131-01862-4	3M™ Purple Hookit™ Sheet	P220
01863	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Recommended pads PN05748, PN05741, PN05744, PN05740, PN05742.	0-00-51131-01863-1	3M™ Purple Hookit™ Sheet	P180
01864	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. Recommended pads PN05748, PN05741, PN05744, PN05740, PN05742.	0-00-51131-01864-8	3M™ Purple Hookit™ Sheet	P150
01865	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-01865-5	3M [™] Hookit [™] Sheet 734U	P120

Hand and File Sheets: Hookit™ Sheets: 3M™ Hookit™ Sheets

3M[™] Hookit[™] Sheets, 4-1/2 in x 30 in

Width 4 1/2 Inch Length 30 Inch

	01868	01870	01871	01873
	-	-		
Description	Use for fine featheredging or last final sanding step before priming. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Recommended boards PN83978, PN83497, or PN09082.	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Recommended boards PN83978, PN83497, or PN09082.	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Recommended boards PN83978, PN83497, or PN09082.	High-performance sheets designed to cut faster and last longer enabling the user to obtain maximum usage from each disc. Excellent for use on tough marine gelcoat, paint and primer systems.
Part Number	01868	01870	01871	01873
UPC	0-00-51131-01868-6	0-00-51131-01870-9	0-00-51131-01871-6	0-00-51131-01873-0
Product Name	3M™ Purple Hookit™ Sheet	3M™ Purple Hookit™ Sheet	3M™ Purple Hookit™ Sheet	3M [™] Purple Abrasive Hookit [™] Sheet
Color	Purple	Purple	Purple	Purple
Grade	P320	P220	P180	P120
Packaging	10 sheets per box 5 boxes per case	10 sheets per box 5 boxes per case	10 sheets per box 5 boxes per case	10 sheets per box 5 boxes per case
	02637	02638	02639	02641
			The second second	
Description	Cubitron™ Abrasive Grain sheet constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 100. Primary markets: metalworking, woodworking.	Cubitron™ Abrasive Grain sheet constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 80. Primary markets: metalworking, woodworking.	Cubitron™ Abrasive Grain sheet constructed on an E weight heavy paper backing. Resin bonded for heat resistance. Grade: 60. Primary markets: metalworking, woodworking.	An aluminum oxide sheet construct- ed on an E weight heavy paper back- ing. Resin bonded for heat resist- ance. Grade: 36. Primary markets: metalworking, woodworking.
Part Number	02637	02638	02639	02641
UPC	0-00-51131-02637-7	0-00-51131-02638-4	0-00-51131-02639-1	0-00-51131-02641-4
Product Name	3M™ Hookit™ Sheet	3M™ Hookit™ Sheet	3M™ Hookit™ Sheet	3M™ Hookit™ Sheet
Color	Green	Green	Green	Green
Grade	100	80	60	36
Packaging	10 sheets per sleeve 5 sleeves per case	10 sheets per sleeve 5 sleeves per case	10 sheets per sleeve 5 sleeves per case	10 sheets per sleeve 5 sleeves per case

Hand and File Sheets: Hookit™ Sheets: 3M™ Red Abrasive Hookit™ Sheet

3M[™] Red Abrasive Hookit[™] Sheet, 2-3/4 in x 16-1/2 in

Color Red
Width 2-3/4 Inch
Length 16-1/2 Inch

Packaging 25 sheets per box 5 boxes per case



Part Number	Description	UPC	Product Name	Grade
01177	A re-attachable abrasive sheet used for sanding and shaping putty and sanding primer.	0-00-51131-01177-9	3M [™] Red Abrasive Hookit [™] Sheet	P320
01178	A re-attachable abrasive sheet used for sanding and shaping putty.	0-00-51131-01178-6	3M [™] Red Abrasive Hookit [™] Sheet	P220
01179	A re-attachable abrasive sheet used for sanding and shaping plastic filler and putty.	0-00-51131-01179-3	3M [™] Red Abrasive Hookit [™] Sheet	P180
01180	A re-attachable abrasive sheet used for sanding and shaping plastic filler and putty.	0-00-51131-01180-9	3M [™] Red Abrasive Hookit [™] Sheet	P150
01181	A re-attachable abrasive sheet used for sanding and shaping plastic filler.	0-00-51131-01181-6	3M [™] Red Abrasive Hookit [™] Sheet	P80
01182	A re-attachable abrasive sheet used for sanding and shaping plastic filler.	0-00-51131-01182-3	3M [™] Red Abrasive Hookit [™] Sheet	40

3M[™] Red Abrasive Hookit[™] Sheet, 9 in x 11 in

Color Red
Width 9 Inch
Length 11 Inch



Part Number	Description	UPC	Product Name	Grade	Packaging
01520	An abrasive sheet used for topcoat and clearcoat sanding.	0-00-51131-01520-3	3M [™] Red Abrasive Dry Sheet	P800	50 sheets per sleeve 5 sleeves per case
01521	An abrasive sheet used for topcoat and clearcoat sanding.	0-00-51131-01521-0	3M [™] Red Abrasive Dry Sheet	P600	50 sheets per sleeve 5 sleeves per case
01522	An abrasive sheet used for primer and topcoat sanding.	0-00-51131-01522-7	3M [™] Red Abrasive Dry Sheet	P500	50 sheets per sleeve 5 sleeves per case
01523	An abrasive sheet used for primer and topcoat sanding.	0-00-51131-01523-4	3M [™] Red Abrasive Dry Sheet	P400	50 sheets per sleeve 5 sleeves per case

Hand and File Sheets: Hookit™ Sheets: 3M™ Red Abrasive Hookit™ Sheet

3M[™] Red Abrasive Hookit[™] Sheet, 9 in x 11 in (continued)

Part Number	Description	UPC	Product Name	Grade	Packaging
01524	An abrasive sheet used for putty and primer sanding.	0-00-51131-01524-1	3M [™] Red Abrasive Dry Sheet	P320	50 sheets per sleeve 5 sleeves per case
01525	An abrasive sheet used for putty sanding.	0-00-51131-01525-8	3M [™] Red Abrasive Dry Sheet	P240	50 sheets per sleeve 5 sleeves per case
01526	An abrasive sheet used for filler shaping and putty sanding.	0-00-51131-01526-5	3M [™] Red Abrasive Dry Sheet	P220	50 sheets per sleeve 5 sleeves per case
01527	An abrasive sheet used for paint stripping and filler shaping and putty sanding.	0-00-51131-01527-2	3M [™] Red Abrasive Dry Sheet	P180	50 sheets per sleeve 5 sleeves per case
01528	An abrasive sheet used for paint stripping and filler shaping.	0-00-51131-01528-9	3M [™] Red Abrasive Dry Sheet	P150	50 sheets per sleeve 5 sleeves per case
01529	An abrasive sheet used for paint stripping, filler shaping and metal prep.	0-00-51131-01529-6	3M [™] Red Abrasive Dry Sheet	P120	50 sheets per sleeve 5 sleeves per case
01530	An abrasive sheet used for paint stripping, filler shaping and metal prep.	0-00-51131-01530-2	3M [™] Red Abrasive Dry Sheet	P100	50 sheets per sleeve 5 sleeves per case
01531	An abrasive sheet used for paint stripping, filler shaping and metal prep.	0-00-51131-01531-9	3M [™] Red Abrasive Dry Sheet	P80	25 sheets per sleeve 5 sleeves per case
01532	An abrasive sheet used for paint stripping, filler shaping and metal prep.	0-00-51131-01532-6	3M [™] Red Abrasive Dry Sheet	40	25 sheets per sleeve 5 sleeves per case

Hand and File Sheets: Stikit™ Sheets

3M[™] Green Corps[™] Stikit[™] Production[™] Sheet Dust Free

18 hole pattern for dust-free sanding on the Hutchins 4920, 8620 and 4932 VA/DF and Dynabrade 10102 sanders. Use for stripping paint to metal, shaping and sanding plastic filler.

Color Green
Width 2-3/4 Inch
Length 16 Inch

Packaging 100 sheets per box 5 boxes per case



Part Number	UPC	Product Name	Grade
02260	0-00-51131-02260-7	3M [™] Green Corps [™] Stikit [™] Sheet D/F	80
02261	0-00-51131-02261-4	3M™ Green Corps™ Stikit™ Sheet D/F	40
02262	0-00-51131-02262-1	3M™ Green Corps™ Stikit™ Sheet D/F	36

3M[™] Green Corps[™] Stikit[™] Production[™] Sheets

Color Green
Width 2-3/4 Inch
Length 16-1/2 Inch

Packaging 100 sheets per box 5 boxes per case



Part Number	Description	UPC	Product Name	Grade
02230	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested hand board 05444 or replacement air file shoe 05448.	0-00-51131-02230-0	3M™ Green Corps™ Stikit™ Production™ Sheet	80
02231	Use for stripping paint to metal, shaping and sanding plastic filler. Suggested hand board 05444 or replacement air file shoe 05448.	0-00-51144-02231-1	3M™ Green Corps™ Stikit™ Production™ Sheet	40
02232	Use for stripping paint to metal, shaping and sanding plastic filler. Suggested hand board 05444 or replacement air file shoe 05448.	0-00-51144-02232-8	3M™ Green Corps™ Stikit™ Production™ Sheet	36

3M[™] Imperial[™] Stikit[™] Sheet

Color Purple
Width 2-3/4 Inch
Length 16-1/2 Inch

Packaging 50 sheets per box 4 boxes per case



Part Number	Description	UPC	Product Name	Grade
00391	Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested airfile shoes 05446, or hand file 05444.	0-00-51131-00391-0	3M [™] Imperial [™] Stikit [™] Sheet	P80
00393	Use for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested airfile shoes 05446, or hand file 05444.	0-00-51131-00393-4	3M [™] Imperial [™] Stikit [™] Sheet	40
00394	Used for stripping paint to metal, shaping and sanding plastic filler. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested airfile shoes 05446, or hand file 05444.	0-00-51131-00394-1	3M TM Imperial TM Stikit TM Sheet	36

3M[™] Red Abrasive Stikit[™] Sheet

An abrasive sheet used for sanding and shaping plastic filler.

Color Red
Width 2-3/4 Inch
Length 16-1/2 Inch

Packaging 25 sheets per box 5 boxes per case



Part Number	UPC	Product Name	Grade
01679	0-00-51131-01679-8	3M™ Red Abrasive Stikit™ Sheet	P80
01680	0-00-51131-01680-4	3M™ Red Abrasive Stikit™ Sheet	40

3M™ Red Abrasive Stikit™ Sheet Roll

Color Red
Width 2-3/4 Inch
Length 25 Linear Yard
Packaging 6 rolls per case



Part Number	Description	UPC	Product Name	Grade
01681	An abrasive roll used for primer sanding, blend panel and paint preparation.	0-00-51131-01681-1	3M™ Red Abrasive Stikit™ Sheet Roll	P400
01682	An abrasive roll used for primer sanding, blend panel and paint preparation.	0-00-51131-01682-8	3M™ Red Abrasive Stikit™ Sheet Roll	P320
01683	An abrasive roll used for putty, filler and primer sanding.	0-00-51131-01683-5	3M™ Red Abrasive Stikit™ Sheet Roll	P240
01684	An abrasive roll used for putty and filler sanding.	0-00-51131-01684-2	3M™ Red Abrasive Stikit™ Sheet Roll	P220
01685	An abrasive roll used for putty and filler sanding.	0-00-51131-01685-9	3M™ Red Abrasive Stikit™ Sheet Roll	P180
01686	An abrasive roll used for putty and filler sanding.	0-00-51131-01686-6	3M™ Red Abrasive Stikit™ Sheet Roll	P150
01687	An abrasive roll used for putty and filler sanding.	0-00-51131-01687-3	3M [™] Red Abrasive Stikit [™] Sheet Roll	P120
01688	An abrasive roll used for filler sanding and paint removal.	0-00-51131-01688-0	3M [™] Red Abrasive Stikit [™] Sheet Roll	P80

3M™ Stikit™ Gold Sheet Roll, 2-3/4 in x 25 yd

Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M™ Stikit™ Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.



Part Number	UPC	Product Name	Color	Grade	Width	Length	Packaging
02599	0-00-51131-02599-8	3M™ Stikit™ Gold Sheet Roll	Gold	P80	2-3/4 Inch	25 Linear Yard	10 per case

3M™ Stikit™ Gold Sheet Roll, 2-3/4 in x 30 yd

Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3MTM StikitTM Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.

Color Gold
Width 2-3/4 Inch
Length 30 Linear Yard
Packaging 10 per case



Part Number	UPC	Product Name	Grade
02597	0-00-51131-02597-4	3M™ Stikit™ Gold Sheet Roll	P120
02598	0-00-51131-02598-1	3M™ Stikit™ Gold Sheet Roll	P100

3M™ Stikit™ Gold Sheet Roll, 2-3/4 in x 45 yd

Color Gold
Width 2-3/4 Inch
Length 45 Linear Yard
Packaging 10 per case



Part Number	Description	UPC	Product Name	Grade
02589	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M [™] Stikit [™] Low Profile Disc Pad (PN 05556) or 3M [™] Stikit [™] Disc Pad (PN 05576).	0-00-51131-02589-9	3M [™] Stikit [™] Gold Sheet Roll	P500
02590	Use for fine featheredging or last final sanding step before priming. 3M [™] Stikit [™] Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.	0-00-51131-02590-5	3M TM Stikit TM Gold Sheet Roll	P400
02591	Use for fine featheredging or last final sanding step before priming. 3M™ Stikit™ Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.	0-00-51131-02591-2	3M™ Stikit™ Gold Sheet Roll	P320
02593	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M [™] Stikit [™] Low Profile Disc Pad (PN 05556) or 3M [™] Stikit [™] Disc Pad (PN 05576).	0-00-51131-02593-6	3M™ Stikit™ Gold Sheet Roll	P240
02594	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M [™] Stikit [™] Low Profile Disc Pad (PN 05556) or 3M [™] Stikit [™] Disc Pad (PN 05576).	0-00-51131-02594-3	3M™ Stikit™ Gold Sheet Roll	P220
02595	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M [™] Stikit [™] Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.	0-00-51131-02595-0	3M [™] Stikit [™] Gold Sheet Roll	P180
02596	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M [™] Stikit [™] Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.	0-00-51131-02596-7	3M™ Stikit™ Gold Sheet Roll	P150

3M™ Stikit™ Gold Sheet Roll, 4-1/2 in x 20 yd

An aluminum oxide sheet roll constructed on an A weight light paper backing. Grade: P80. Primary markets: metalworking, woodworking.



Part Number	UPC	Product Name	Color	Grade	Width	Length	Packaging
02698	0-00-51131-02698-8	3M™ Stikit™ Gold Paper Sheet Roll 216U	Gold	P80	4-1/2 Inch	20 Linear Yard	6 rolls per case

3M™ Stikit™ Gold Sheet Roll, 4-1/2 in x 25 yd

Color Gold
Width 4-1/2 Inch
Length 25 Linear Yard
Packaging 6 per case



Part Number	Description	UPC	Product Name	Grade
02689	A pressure-sensitive adhesive backing for quick adhesion to and easy removal from 3M [™] Stikit [™] Finish Sander Conversion Pads (PN 00402).	0-00-51131-02689-6	3M™ Stikit™ Gold Sheet Roll	P400
02691	Use for fine featheredging or last final sanding step before priming. 3M™ Stikit™ Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.	0-00-51131-02691-9	3M™ Stikit™ Gold Sheet Roll	P320
02693	Use for fine featheredging or last final sanding step before priming. Suggested backup pads 3M [™] Stikit [™] Low Profile Disc Pad (PN 05556) or 3M [™] Stikit [™] Disc Pad (PN 05576).	0-00-51131-02693-3	3M TM Stikit TM Gold Paper Sheet Roll	P220
02694	Use for for rough featheredging. Could be used for final sanding of plastic filler and putty. 3M [™] Stikit [™] Sheets in roll form. Eliminates unused portion of torn sheets because nothing is wasted. 100% of the abrasive surface is used.	0-00-51131-02694-0	3M™ Stikit™ Gold Sheet Roll	P180
02695	An aluminum oxide sheet roll constructed on an A weight light paper backing. Grade: P150. Primary markets: metalworking, woodworking.	0-00-51131-02695-7	3M TM Stikit TM Gold Paper Sheet Roll	P150

3M™ Finesse-it™ Imperial™ Wetordry™ Scalloped Discs

Available in 1 3/8 inch discs micro graded 1500 only. Scalloped to eliminate edge cutting. Permits easy application to and removal from our 3M™ Finesse-it™ Hand Sanding Pad, part number 13441.



Part Number	UPC	Product Name	Color	Diameter	Grade	Packaging
05921	0-00-51131-05921-4	3M [™] Finesse-it [™] Imperial [™] Wetordry [™] Scallop Disc	Black	1.375 Inch	1500	100 discs per sleeve 10 sleeves per case

$3M^{TM}$ Imperial TM Wetordry TM Sheets, 5-1/2 in x 9 in, A Weight

Color Black
Width 5-1/2 Inch
Length 9 Inch



Part Number	Description	UPC	Product Name	Grade
02021	Levels orange peel, dust nibs or paint runs in refinish acrylic lacquer paint. 3Ms fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested hand sanding pad 05530.	0-00-51144-02021-8	3M [™] Imperial [™] Wetordry [™] Sheet	1000
02022	Levels orange peel, dust nibs or paint runs in all types of paints and is appropriate for light sanding on refinish lacquer. 3Ms fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested hand sanding pad 05530.	0-00-51131-02022-1	3M [™] Imperial [™] Wetordry [™] Sheet	1200
02023	Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. 3Ms fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested hand sanding pad 05530.	0-00-51131-02023-8	3M [™] Imperial [™] Wetordry [™] Sheet	1500
02044	Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. Most flexible backing with more consistant scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02044-3	3M [™] Imperial [™] Wetordry [™] Sheet	2000
02045	For very light sanding on all automotive paints on areas that require hand compounding and for sanding dark colored paints. Most flexible backing with more consistant scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02045-0	3M [™] Imperial [™] Wetordry [™] Sheet	2500

$3M^{TM}$ Imperial TM Wetordry TM Sheets, 5-1/2 in x 9 in, C Weight

Color Black
Width 5-1/2 Inch
Length 9 Inch



Part Number	Description	UPC	Product Name	Grade
02621	Heavier C weight backing means less curling more durable sheet. Levels orange peel, dust nibs or paint runs in refinish acrylic lacquer paint. 3M's best wet sanding abrasive.	0-00-51131-02621-6	3M [™] Imperial [™] Wetordry [™] Sheet	1000
02622	Heavier C weight backing means less curling more durable sheet. Levels orange peel, dust nibs or paint runs in all types of paints and is appropriate for light sanding on refinish lacquer. 3M's best wet sanding abrasive.	0-00-51131-02622-3	3M [™] Imperial [™] Wetordry [™] Sheet	1200
02623	Heavier C weight backing means less curling more durable sheet. Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. 3M's best wet sanding abrasive.	0-00-51131-02623-0	3M [™] Imperial [™] Wetordry [™] Sheet	1500
02624	Heavier C weight backing means less curling more durable sheet. Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. 3M's best wet sanding abrasive.	0-00-51131-02624-7	3M [™] Imperial [™] Wetordry [™] Sheet	2000
02625	Heavier C weight backing. For very light sanding of automotive paints. Also, for fully cured hard-to-compond clear coat finishes, areas that require hand componding and sanding of dark-colored paints. 3M's best wet sanding abrasive.	0-00-51131-02625-4	3M [™] Imperial [™] Wetordry [™] Sheet	2500

3M[™] Imperial[™] Wetordry[™] Sheets, 9 in x 11 in

Color Black
Width 9 Inch
Length 11 Inch



Part Number	Description	UPC	Product Name	Grade
02019	For very light sanding on all automotive paints on areas that require hand compounding and for sanding dark colored paints. 3Ms fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-02019-1	3M [™] Imperial [™] Wetordry [™] Sheet	2500
02020	Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. 3Ms fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	0-00-51131-02020-7	3M [™] Imperial [™] Wetordry [™] Sheet	2000
02032	Used in wet sanding, to level minor dust nibs and for light sanding of mismatched orange peel on all automotive paints. Most flexible backing with more consistant scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02032-0	3M [™] Imperial [™] Wetordry [™] Sheet	1500
02033	Used in wet sanding, levels orange peel, dust nibs or paint runs in all types of automotive paints. Appropriate for light sanding on refinish lacquer. Flexible backing and consistant scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02033-7	3M [™] Imperial [™] Wetordry [™] Sheet	1200
02034	Used in wet sanding, levels orange peel, dust nibs and paint runs in refinish acrylic lacquer paint. Most flexible backing with more consistant scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02034-4	3M [™] Imperial [™] Wetordry [™] Sheet	1000
02035	Used in wet sanding, use for scuffing the blend area prior to painting. Most flexible backing with more consistant scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02035-1	3M [™] Imperial [™] Wetordry [™] Sheet	P800
02036	Used in wet sanding, use for scuffing the blend area prior to painting. Most flexible backing with more consistant scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02036-8	3M [™] Imperial [™] Wetordry [™] Sheet	P600
02037	Used in wet sanding, fine featheredging or last final sanding step before priming. Most flexible backing with more consistant scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02037-5	3M [™] Imperial [™] Wetordry [™] Sheet	P500
02038	Used in wet sanding, fine featheredging or last final sanding step before priming. Most flexible backing with more consistant scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02038-2	3M [™] Imperial [™] Wetordry [™] Sheet	P400
02039	Used in wet sanding, fine featheredging or last final sanding step before priming. Most flexible backing with more consistant scratch pattern make this 3M's best wet sanding product.	0-00-51131-02039-9	3M [™] Imperial [™] Wetordry [™] Sheet	P360

3M[™] Imperial[™] Wetordry[™] Sheets, 9 in x 11 in (continued)

Part Number	Description	UPC	Product Name	Grade
02040	Used in wet sanding, fine featheredging or last final sanding step before priming. Most flexible backing with more consistant scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02040-5	3M [™] Imperial [™] Wetordry [™] Sheet	P320
02041	Used in wet sanding, coarsest grade available for fine featheredging. Would require finer featheredging. Most flexible backing with more consistant scratch pattern make this 3M's best wet sanding product.	0-00-51131-02041-2	3M [™] Imperial [™] Wetordry [™] Sheet	P280
02042	Used in wet sanding, finest grade available for rough featheredging. Most flexible backing with more consistant scratch pattern make this 3M's best wet sanding product.	0-00-51131-02042-9	3M [™] Imperial [™] Wetordry [™] Sheet	P240
02043	Used in wet sanding, rough featheredging. Could be used for final sanding of plastic filler and putty. Most flexible backing with more consistant scratch pattern make this 3Ms best wet sanding product.	0-00-51131-02043-6	3M [™] Imperial [™] Wetordry [™] Sheet	P220

Hand and File Sheets: Wetordry[™] Sheets: 3M[™] Wetordry[™] Tri-M-ite[™] Sheets

3M[™] Wetordry[™] Tri-M-ite[™] Sheets, 2-3/4 in x 17-1/2 in

Used in wet sanding, finest grade available for rough featheredging.



Part Number	UPC	Product Name	Color	Grade	Width	Length	Packaging
02086	0-00-51144-02086-7	3M [™] Wetordry [™] Tri-M-ite [™] Sheet	Black	240	2-3/4 Inch	17-1/2 Inch	100 sheets per box 10 boxes per case

Hand and File Sheets: Wetordry $^{\text{TM}}$ Sheets: $3M^{\text{TM}}$ Wetordry $^{\text{TM}}$ Tri-Mite $^{\text{TM}}$ Sheets

3M[™] Wetordry[™] Tri-M-ite[™] Sheets, 9 in x 11 in

Color Black
Width 9 Inch
Length 11 Inch



Part Number	Description	UPC	Product Name	Grade	Packaging
02000	Used in wet sanding, prepping and blending surrounding area.	0-00-51144-02000-3	3M [™] Wetordry [™] Tri-M-ite [™] Sheet	600	50 sheets per sleeve 10 sleeves per case
02001	Used in wet sanding, fine featheredging or last final sanding step before priming.	0-00-51144-02001-0	3M [™] Wetordry [™] Tri-M-ite [™] Sheet	500	50 sheets per sleeve 5 sleeves per case
02002	Used in wet sanding, fine featheredging or last final sanding step before priming.	0-00-51144-02002-7	3M [™] Wetordry [™] Tri-M-ite [™] Sheet	400	50 sheets per sleeve 10 sleeves per case
02003	Used in wet sanding, fine featheredging or last final sanding step before priming.	0-00-51144-02003-4	3M [™] Wetordry [™] Tri-M-ite [™] Sheet	360	50 sheets per sleeve 5 sleeves per case
02004	Used in wet sanding, fine featheredging or last final sanding step before priming.	0-00-51144-02004-1	3M [™] Wetordry [™] Sheet	320	50 sheets per sleeve 10 sleeves per case
02005	Used in wet sanding, coarsest grade available for fine featheredging. Would require finer featheredging.	0-00-51144-02005-8	3M [™] Wetordry [™] Tri-M-ite [™] Sheet	280	50 sheets per sleeve 5 sleeves per case
02006	Used in wet sanding, finest grade available for rough featheredging.	0-00-51144-02006-5	3M [™] Wetordry [™] Tri-M-ite [™] Sheet	240	50 sheets per sleeve 5 sleeves per case
02007	Used in wet sanding, rough featheredging. Could be used for final sanding of plastic filler and putty.	0-00-51144-02007-2	3M [™] Wetordry [™] Tri-M-ite [™] Sheet	220	50 sheets per sleeve 10 sleeves per case
02014	A silicon carbide Wetordry™ abrasive product constructed on a C weight, intermediate paper backing. Can be run wet or dry. Grade: 180. Primary markets: metalworking, woodworking.	0-00-51144-02014-0	3M [™] Wetordry [™] Paper Sheet 431Q	180	50 per inner 250 per case
02015	A silicon carbide Wetordry™ abrasive product constructed on a C weight, intermediate paper backing. Can be run wet or dry. Grade: 150. Primary markets: metalworking, woodworking.	0-00-51144-02015-7	3M [™] Wetordry [™] Paper Sheet 431Q	150	50 per inner 250 per case

Hand and File Sheets: Wetordry $^{\text{TM}}$ Sheets: $3M^{\text{TM}}$ Wetordry $^{\text{TM}}$ Tri-M-ite $^{\text{TM}}$ Sheets

3M[™] Wetordry[™] Tri-M-ite[™] Sheets, 9 in x 11 in (continued)

Part Number	Description	UPC	Product Name	Grade	Packaging
02016	A silicon carbide Wetordry™ abrasive product constructed on a C weight, intermediate paper backing. Can be run wet or dry. Grade: 120. Primary markets: metalworking, woodworking.	0-00-51144-02016-4	3M [™] Wetordry [™] Paper Sheet 431Q	120	50 per inner 250 per case
02017	A silicon carbide Wetordry [™] abrasive product constructed on a C weight, intermediate paper backing. Can be run wet or dry. Grade: 100. Primary markets: metalworking, woodworking.	0-00-51144-02017-1	3M [™] Wetordry [™] Paper Sheet 431Q	100	50 per inner 250 per case
02018	A silicon carbide Wetordry [™] abrasive product constructed on a C weight, intermediate paper backing. Can be run wet or dry. Grade: 80. Primary markets: metalworking, woodworking.	0-00-51144-02018-8	3M [™] Wetordry [™] Paper Sheet 431Q	80	50 per inner 250 per case

Sanding Sponges

Sanding Sponges

	02600	02601	02602
Description	Microfine ranges from grade 1200 to 1500. Flexible foam pad enables user to sand hard-to-reach areas such as headlight openings, around door handles, door jambs, etc. Helps to eliminate finger marks and can be used wet or dry.	Ultrafine ranges from grade 800 to 1000. Flexible foam pad enables user to sand hard-to-reach areas such as headlight openings, around door handles, door jambs, etc. Helps to eliminate finger marks and can be used wet or dry.	Superfine ranges from grade 500 to 600. Flexible foam pad enables user to sand hard-to- reach areas such as headlight openings, around door handles, door jambs, etc. Helps to elimi- nate finger marks and can be used wet or dry.
Part Number	02600	02601	02602
UPC	0-00-51131-02600-1	0-00-51131-02601-8	0-00-51131-02602-5
Product Name	3M™ Softback Sanding Sponge	3M™ Softback Sanding Sponge	3M™ Softback Sanding Sponge
Color	Gray	Gray	Gray
Grade	1200/1500	600/800	500/600
Width	4-1/2 Inch	4-1/2 Inch	4-1/2 Inch
Length	5-1/2 Inch	5-1/2 Inch	5-1/2 Inch
Packaging	20 sponges per box 6 boxes per case	20 sponges per box 6 boxes per case	20 sponges per box 6 boxes per case

Sanding Sponges

Sanding Sponges (continued)

	02604	02606
Description	Fine ranges from grade 320 to 400. Flexible foam pad enables user to sand hard-to-reach areas such as headlight openings, around door handles, door jambs, etc. Helps to eliminate finger marks and can be used wet or dry.	Medium ranges from grade 120 to 180. Flexible foam pad enables user to sand hard-to-reach areas such as headlight openings, around door handles, door jambs, etc. Helps to eliminate finger marks and can be used wet or dry.
Part Number	02604	02606
UPC	0-00-51131-02604-9	0-00-51131-02606-3
Product Name	3M™ Softback Sanding Sponge	3M™ Softback Sanding Sponge
Color	Gray	Gray
Grade	320/400	120/280
Width	4-1/2 Inch	4-1/2 Inch
Length	5-1/2 Inch	5-1/2 Inch
Packaging	20 sponges per box 6 boxes per case	20 sponges per box 6 boxes per case

Scotch-Brite™ Products

Hand Pads

	06013	07439	07441	07442
	SCUFF-IT			
Description	Prep gel that is designed to clean, degrease and abrade automotive surfaces prior to painting. White in color.	Scotch-Brite™ non-woven material laminated to both sides of a cellulose sponge is ideal for scuffing and cleaning of auto surfaces, can be used wet or dry, and is the hand held size. (called type T cleaning pad for leather in ford manual).	Use for cleaning, scuffing, deburring and finishing by hand with water or solvents. Will never rust.	Use for cleaning, scuffing, deburring and finishing by hand with water or solvents. Will never rust.
Part Number	06013	07439	07441	07442
UPC	0-00-51131-06013-5	0-00-51131-07439-2	0-00-51131-07441-5	0-00-51131-07442-2
Product Name	3M™ Scuff-It™ Paint Prep Gel	Scotch-Brite™ Clean and Prep Sponge	Scotch-Brite™ General Purpose Scuff Sponge	Scotch-Brite™ Ultra Fine Scuff Sponge
Size	16 Ounce			
Packaging	6 per case	30 per case	10 per inner 30 per case	30 per case

Scotch-Brite™ Products

Hand Pads (continued)

	07445	07447	07448	07745
	ERAS Similar Simila Simila Simila Simila Simila Simila Simila Simila Simila Simila Simila Simila Simila Simila	TOTAL	SM State of State of	
Description	Pad has fine mineral for very light cleaning. Use with liquid detergents for wax mold deflashing, highlighting and top coat rubbing of wood, cleaning of porcelain, stainless steel, chrome, painted surfaces and glass. Superfine. White in color.	For scuffing before applying paint and primer-surfacer. Also used for used car reconditioning. cleaning upholstery, headlines & door pads, chrome & white wall tires. Rinses clean and does not rust. Can be used over and over again. Very fine. Maroon in color.	Use ultra fine hand pad for light cleaning, finishing of metal, plastic, composite and wood surfaces. For final sanding of primer-surfacer. Rinses clean, will not rust an can be used over and over again. Ultra fine. Gray in color	Scotch-Brite™ non-woven abrasive is 4-3/4 in x 15 ft roll perforated into 4-3/4 in x 6 in pads. Second pad in 3 part scuff pad system. Use to prepare color blend areas along with 3M™ Prep and Blend Liquid, PN06014. Color: Gold.
Part Number	07445	07447	07448	07745
UPC	0-00-51131-07445-3	0-00-51131-07447-7	0-00-51131-07448-4	0-00-51131-07745-4
Product Name	Scotch-Brite [™] Light Cleansing Pad	Scotch-Brite™ General Purpose Hand Pad	Scotch-Brite [™] Ultra Fine Hand Pad	Scotch-Brite [™] Clear Blend Prep Scuff
Size	6 in x 9 in	6 in x 9 in	6 in x 9 in	4-3/4 in x 15 ft
Packaging	20 pads per box 3 boxes per case	20 pads per box 3 boxes per case	3 boxes per case	3 per case
	07747	07748	07777	
	2 (2)47 		Scotch 07777	
Description	Scotch-Brite [™] non-woven abrasive is 4-3/4 in x 15 ft roll perforated into 4-3/4 in x 6 in pads. Most aggressive of the 3 part scuff pad system. Used to scuff prior to primer for proper mechanical adhesion. Color: Maroon.	Scotch-Brite [™] non-woven abrasive is 4-3/4 in x 15 ft roll perforated into 4-3/4 in x 6 in pads. Second pad in 3 part scuff pad system. Use to prepare color blend areas along with 3M™ Prep and Blend Liquid, PN06014. Color: Gray.	Pad has fine mineral for very light cleaning. Use with liquid detergents for wax mold deflashing, highlighting and top coat rubbing of wood, cleaning of porcelain, stainless steel, chrome, painted surfaces and glass. Maroon in color.	
Description Part Number	is 4-3/4 in x 15 ft roll perforated into 4-3/4 in x 6 in pads. Most aggressive of the 3 part scuff pad system. Used to scuff prior to primer for proper mechanical adhe-	is 4-3/4 in x 15 ft roll perforated into 4-3/4 in x 6 in pads. Second pad in 3 part scuff pad system. Use to prepare color blend areas along with 3M™ Prep and Blend Liquid,	cleaning. Use with liquid detergents for wax mold deflashing, highlight- ing and top coat rubbing of wood, cleaning of porcelain, stainless steel, chrome, painted surfaces and	
,	is 4-3/4 in x 15 ft roll perforated into 4-3/4 in x 6 in pads. Most aggressive of the 3 part scuff pad system. Used to scuff prior to primer for proper mechanical adhe- sion. Color: Maroon.	is 4-3/4 in x 15 ft roll perforated into 4-3/4 in x 6 in pads. Second pad in 3 part scuff pad system. Use to prepare color blend areas along with 3M™ Prep and Blend Liquid, PN06014. Color: Gray.	cleaning. Use with liquid detergents for wax mold deflashing, highlight- ing and top coat rubbing of wood, cleaning of porcelain, stainless steel, chrome, painted surfaces and glass. Maroon in color.	
Part Number	is 4-3/4 in x 15 ft roll perforated into 4-3/4 in x 6 in pads. Most aggressive of the 3 part scuff pad system. Used to scuff prior to primer for proper mechanical adhe- sion. Color: Maroon.	is 4-3/4 in x 15 ft roll perforated into 4-3/4 in x 6 in pads. Second pad in 3 part scuff pad system. Use to prepare color blend areas along with 3M™ Prep and Blend Liquid, PN06014. Color: Gray. 07748	cleaning. Use with liquid detergents for wax mold deflashing, highlighting and top coat rubbing of wood, cleaning of porcelain, stainless steel, chrome, painted surfaces and glass. Maroon in color. 07777	
Part Number UPC	is 4-3/4 in x 15 ft roll perforated into 4-3/4 in x 6 in pads. Most aggressive of the 3 part scuff pad system. Used to scuff prior to primer for proper mechanical adhesion. Color: Maroon. 07747 0-00-51131-07747-8	is 4-3/4 in x 15 ft roll perforated into 4-3/4 in x 6 in pads. Second pad in 3 part scuff pad system. Use to prepare color blend areas along with 3M TM Prep and Blend Liquid, PN06014. Color: Gray. 07748 0-00-51131-07748-5 Scotch-Brite TM Color Prep Scuff	cleaning. Use with liquid detergents for wax mold deflashing, highlighting and top coat rubbing of wood, cleaning of porcelain, stainless steel, chrome, painted surfaces and glass. Maroon in color. 07777 0-00-51131-07777-5	

Scotch-Brite[™] Products

Multi Flex Sheet Rolls

Width 8 Inch
Length 20 Linear Foot
Packaging 60 sheets per roll 4 rolls per case

	07521	07522	07523
	No. of Marie Was draw Was assessed in Was asse	The state of the s	The first of the control of the cont
Description	Ultra flexible and conformable for cleaning or fine finishing. Convenient dispenser saves time and eliminates waste. Replaces steel wool to eliminate contamination. Abrasive mineral: Very fine grade aluminum oxide. Color: Maroon	Ultra flexible and conformable for cleaning or fine finishing. Convenient dispenser saves time and eliminates waste. Replaces steel wool to eliminate contamination. Abrasive mineral: Ultra fine grade silcon carbide. Color: Gray	Ultra flexible and conformable for cleaning or fine finishing. Convenient perforated sheet roll with center-pull, pop-up dispensing saves time and eliminates waste. Replaces steel wool to eliminate contamination. Abrasive mineral: Ultra fine grade aluminum oxide. Color: Gold
Part Number	07521	07522	07523
UPC	0-00-51131-07521-4	0-00-51131-07522-1	0-00-51131-07523-8
Product Name	Scotch-Brite™ Multi-Flex Abrasive Sheet Roll	Scotch-Brite™ Multi-Flex Abrasive Sheet Roll	Scotch-Brite™ Multi-Flex Abrasive Sheet Roll
Color	Maroon	Gray	Gold
Grade	VFN	ULF	ULF

Scotch-Brite™ Products: Surface Conditioning and Gasket Removal

Scotch-Brite™ Radial Bristle Brush

Durable radial brushes can be used to replace wire brushes. Cleans with minimal pressure. Works on a variety of coatings and is a safe alternative to wire brushes. Abrasive mineral: aluminum oxide and CubitronTM Abrasive grain.

Center Hole Diameter 1 Inch
Diameter 6 Inch
Width 1/2 Inch
Max RPM 6000
Packaging 5 per case



Part Number	UPC	Product Name	Color	Grade
27603	0-00-48011-27603-8	Scotch-Brite™ Radial Bristle Brush	Dark Brown	36
27605	0-00-48011-27605-2	Scotch-Brite™ Radial Bristle Brush	Green	50
27606	0-00-48011-27606-9	Scotch-Brite™ Radial Bristle Brush	Yellow	80

Scotch-Brite™ Products: Surface Conditioning and Gasket Removal

Scotch-Brite™ Wheels

	07443
Description	A durable three-dimensional non-woven material. Flexible and ideal for machine scuffing and cleaning of hard-to-reach areas. The 3M™ Roloc™+ Holder (PN 07500) allows for easy changeover of discs.
Part Number	07443
UPC	0-00-51131-07443-9
Product Name	Scotch-Brite™ Roloc™+ General Purpose Scuffing Wheel
Color	Maroon
Diameter	4 Inch
Grade	VFN
Width	1-1/8 Inch
Max RPM	6000
Packaging	10 wheels per case

Scotch-Brite™ Products: Surface Conditioning and Gasket Removal: Scotch-Brite™ Discs

Scotch-Brite™ Clean & Strip Disc

Color Black Grade XCS

	07460
	The state of the s
Description	Aggressive, open-web disc for cleaning welds, removing rust and paint. May be mounted on a straight shaft tool or bench motor. Abrasive mineral: Extra coarse grade silicon carbide.
Part Number	07460
UPC	0-00-51131-07460-6
Product Name	Scotch-Brite™ Clean and Strip Disc
Center Hole Diameter	1/4 Inch
Diameter	4 Inch
Max RPM	6000
Packaging	3 bags per case

Scotch-Brite[™] Products: Surface Conditioning and Gasket Removal: Scotch-Brite[™] Discs

Scotch-Brite™ Clean & Strip XT Disc

Color Purple Grade XCS

	07471
Description	Durable, rigid, long lasting. Aggressive, open-web disc for cleaning welds, removing rust and paint. May be mounted on a straight shaft tool or bench motor.
Part Number	07471
UPC	0-00-51131-07471-2
Product Name	Scotch-Brite™ Clean and Strip XT Disc
Center Hole Diameter	1/4 Inch
Diameter	4 Inch
Max RPM	6000
Packaging	24 per case

Scotch-Brite™ Rivet Cleaning Disc

Rivet cleaning disc designed to sand and clean around rivets. Use in conjunction with Roloc™ plus holder



Part Number	UPC	Product Name	Center Hole Diameter	Color	Diameter	Grade	Max RPM	Packaging
07410	0-00-51131-07410-1	Scotch-Brite™ Rivet Cleaning Disc 07410	1-1/4 Inch	Brown	4 Inch	MED	6000	10 per case

Scotch-Brite™ Products: Surface Conditioning and Gasket Removal: Scotch-Brite™ Discs

Scotch-Brite[™] Roloc[™] + Clean & Strip Disc

Color Black
Diameter 4 Inch
Grade XCS
Max RPM 8000
Packaging 10 per case

	07466
	Chea 12 Grip Ch
Description	Aggressively removes paint and rust from seams, door jambs, drip moldings, pinchwelds and other difficult-to-reach areas. 3 dimensional abrasive web conforms to work area. Safer than wire bristle tools. Mounts onto 3M™ Roloc™ + Holder 07500.
Part Number	07466
UPC	0-00-51131-07466-8
Product Name	Scotch-Brite™ Roloc™+ Clean and Strip Disc 7466
Width	1/2 Inch

Scotch-Brite[™] Roloc[™] + Clean & Strip XT Disc

Color Purple Grade XCS

	07470	07476
Description	Aggressively removes paint and rust from seams, door jambs, drip moldings, pinchwelds and other difficult-to-reach areas. 3-dimensional abrasive web conforms to work area. Safer than wire bristle tools.	Durable, rigid, long lasting. Aggressive, open-web disc for cleaning welds, removing rust and paint. Roloc [™] TR attachment system. Mineral: Silicon Carbide Extra Coarse *
Part Number	07470	07476
UPC	0-00-51131-07470-5	0-00-51131-07476-7
Product Name	Scotch-Brite™ Roloc™+ Clean and Strip XT Disc	Scotch-Brite™ Roloc™ Clean and Strip XT Disc TR
Diameter	4 Inch	3 Inch
Max RPM	8000	15000
Packaging	10 per case	10 per case

Scotch-Brite™ Products: Surface Conditioning and Gasket Removal: Scotch-Brite™ Discs


Scotch-Brite™ Roloc™ Brake Hub Cleaning Disc

	07545	07546	07547
	GG		
Description	The Brake Hub (Wheel Bearing Hub) cleaning products are specifically designed to remove rust and corrosion from the various metal surfaces that interface in disc brake applications.	The Brake Hub (Wheel Bearing Hub) cleaning products are specifically designed to remove rust and corrosion from the various metal surfaces that interface in disc brake applications. Color: Purple. 1-1/2 Inch Diameter, 5/8 Center Hole Diameter. Grade: Extra Coarse.	This kit contains: (1) 3M™ Brake Hub Cleaning Disc Holder and (5) Scotch-Brite™ Roloc™ Brake Hub Cleaning Discs. 1-1/2 Inch Diameter.
Part Number	07545	07546	07547
UPC	0-00-51131-07545-0	0-00-51131-07546-7	0-00-51131-07547-4
Product Name	3M™ Brake Hub Cleaning Disc Holder	Scotch-Brite™ Roloc™ Brake Hub Cleaning Disc	Scotch-Brite [™] Roloc [™] Brake Hub Cleaning Disc Kit
Color	Black	Purple	Purple
Max RPM	20000	20000	
Packaging	6 per case	10 discs per box 6 boxes per case	5 per case

Scotch-Brite™ Roloc™ Bristle Disc

Disc is a molded, abrasive filled bristle disc instead of wire brushes for automotive use on aluminum and metal. Use for deburring, blending, finishing, polishing, cleaning and for coating, defect, scratch and rust removal.

Center Hole Diameter 5/8 Inch



Part Number	UPC	Product Name	Color	Diameter	Grade	Max RPM	Packaging
18698	0-00-48011-18698-6	Scotch-Brite™ Roloc™ Bristle Disc	Green	1 Inch	50	30000	80 per case
18706	0-00-48011-18706-8	Scotch-Brite™ Roloc™ Bristle Disc	Yellow	1 Inch	80	30000	80 per case
18732	0-00-48011-18732-7	Scotch-Brite [™] Roloc [™] Bristle Disc	Yellow	2 Inch	80	25000	40 per case

Scotch-Brite™ Products: Surface Conditioning and Gasket Removal: Scotch-Brite™ Discs

Scotch-Brite™ Roloc™ Coatings Removal Utility Disc

Color Black Grade XCS

	07461
Description	Tough, open virtually load resistant web makes surface preparation fast and easy. Great for removal of undercoatings, stone guards, seam sealers and rust. Works well under hood webs, in truck beds, door jambs, under carriage and wheel wells.
Part Number	07461
UPC	0-00-51131-07461-3
Product Name	Scotch-Brite™ Roloc™ Coating Removal Disc TR
Diameter	3 Inch
Max RPM	15000
Packaging	10 per case

Scotch-Brite[™] Scuffing Discs

Max RPM 4000

	07467	07468	07749
	The state of the s	The state of the s	1=3
Description	Maroon general purpose 6 in disc, three dimensional Scotch-Brite web resists loading. Offers a quicker way to machine scuff automotive finishes before painting. Hook It attachment system use back-up pad #5776	Maroon general purpose 6 in disc, three dimensional Scotch-Brite web resists loading. Offers a quicker way to machine scuff automotive finishes before painting. Hook It attachment system use back-up pad #5776	Assortment of the Scotch-Brite [™] Three Pad Scuffing System. Each case contains one boxed roll of each of the following products: 07747, 07748, 07745.
Part Number	07467	07468	07749
UPC	0-00-51131-07467-5	0-00-51131-07468-2	0-00-51131-07749-2
Product Name	Scotch-Brite™ Scuffing Disc	Scotch-Brite™ Scuffing Disc	Scotch-Brite™ Three Pad Scuffing System Assortment Kit
Color	Maroon	Gray	Assorted
Diameter	6 Inch	6 Inch	Assorted
Grade	VFN	ULF	Assorted
Packaging	10 per box 4 boxes per case	10 per box 4 boxes per case	1 per case

Scotch-Brite[™] Products: Surface Conditioning and Gasket Removal: Scotch-Brite[™] Discs: Scotch-Brite[™] Roloc[™] Surface Conditioning Disc

Scotch-Brite™ Roloc™ Surface Conditioning Disc, 2 in

Diameter 2 Inch Max RPM 25000



Part Number	Description	UPC	Product Name	Color	Grade	Packaging
05522	A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. A threaded attachment system secures the disc to the holder.	0-00-48011-05522-0	Scotch-Brite TM Roloc TM Surface Conditioning Disc TR	Gray	SFN	50 per inner 200 per case
05523	A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. A threaded attachment system secures the disc to the holder.	0-00-48011-05523-7	Scotch-Brite TM Roloc TM Surface Conditioning Disc TR	Blue	VFN	50 per inner 200 per case
05527	A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. A threaded attachment system secures the disc to the holder.	0-00-48011-05527-5	Scotch-Brite [™] Roloc [™] Surface Conditioning Disc TR	Maroon	MED	50 per inner 200 per case
05528	A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. A threaded attachment system secures the disc to the holder.	0-00-48011-05528-2	Scotch-Brite [™] Roloc [™] Surface Conditioning Disc TR	Brown	CRS	50 per inner 200 per case
07480	Use for cleaning and finishing on all metals for removal of light rust, oxides and coatings.	0-00-51131-07480-4	Scotch-Brite™ Roloc™ Surface Conditioning Disc TR	Brown	CRS	25 per box 4 boxes per case
07481	Use for cleaning and finishing on all metals for removal of light rust, oxides and coatings.	0-00-51131-07481-1	Scotch-Brite™ Roloc™ Surface Conditioning Disc TR	Maroon	MED	25 per box 4 boxes per case
07515	Use for cleaning and finishing on all metals for removal of light rust, oxides and coatings.	0-00-51131-07515-3	Scotch-Brite TM Roloc TM Surface Conditioning Disc TR	Blue	VFN	25 per box 4 boxes per case
07516	Use for cleaning and finishing on all metals for removal of light rust, oxides and coatings.	0-00-51131-07516-0	Scotch-Brite TM Roloc TM Surface Conditioning Disc TR	Gray	SFN	25 per box 4 boxes per case

Scotch-Brite[™] Products: Surface Conditioning and Gasket Removal: Scotch-Brite[™] Discs: Scotch-Brite[™] Roloc[™] Surface Conditioning Disc

Scotch-Brite™ Roloc™ Surface Conditioning Disc, 3 in

Diameter 3 Inch Max RPM 18000

Packaging 25 per box 4 boxes per case



Part Number	Description	UPC	Product Name	Color	Grade
05530	A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. A threaded attachment system secures the disc to the holder.	0-00-48011-05530-5	Scotch-Brite TM Roloc TM Surface Conditioning Disc TR	Blue	VFN
05531	A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. A threaded attachment system secures the disc to the holder.	0-00-48011-05531-2	Scotch-Brite TM Roloc TM Surface Conditioning Disc TR	Maroon	MED
05532	A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. A threaded attachment system secures the disc to the holder.	0-00-48011-05532-9	Scotch-Brite [™] Roloc [™] Surface Conditioning Disc TR	Brown	CRS
07485	Use on 3M [™] Roloc [™] coated abrasive disc holding system with the convenience of a twist-lock and positive centering device. Available from tough grinding to fine finishing.	0-00-51131-07485-9	Scotch-Brite [™] Roloc [™] Surface Conditioning Disc TR	Brown	CRS
07486	Use for cleaning and finishing on all metals for removal of light rust, oxides and coatings.	0-00-51131-07486-6	Scotch-Brite™ Roloc™ Surface Conditioning Disc TR	Maroon	MED
07513	Use for cleaning and finishing on all metals for removal of light rust, oxides and coatings.	0-00-51131-07513-9	Scotch-Brite [™] Roloc [™] Surface Conditioning Disc TR	Blue	VFN
07514	Use for cleaning and finishing on all metals for removal of light rust, oxides and coatings.	0-00-51131-07514-6	Scotch-Brite™ Roloc™ Surface Conditioning Disc TR	Gray	SFN

Scotch-Brite[™] Products: Surface Conditioning and Gasket Removal: Scotch-Brite[™] Discs: Scotch-Brite[™] Roloc[™] Surface Conditioning Disc

Scotch-Brite™ Roloc™ Surface Conditioning Disc, 4 in

Diameter 4 Inch Max RPM 12000



Part Number	Description	UPC	Product Name	Color	Grade	Packaging
07482	Use for cleaning and finishing on all metals for removal of light rust, oxides and coatings.	0-00-51131-07482-8	Scotch-Brite™ Roloc™ Surface Conditioning Disc TR	Brown	CRS	10 per box 10 boxes per case
07483	Use for cleaning and finishing on all metals for removal of light rust, oxides and coatings.	0-00-51131-07483-5	Scotch-Brite™ Roloc™ Surface Conditioning Disc TR	Maroon	MED	10 per box 10 boxes per case
07511	Use for cleaning and finishing on all metals for removal of light rust, oxides and coatings.	0-00-51131-07511-5	Scotch-Brite™ Roloc™ Surface Conditioning Disc TR	Blue	VFN	10 per box 10 boxes per case
07512	Use for cleaning and finishing on all metals for removal of light rust, oxides and coatings.	0-00-51131-07512-2	Scotch-Brite [™] Roloc [™] Surface Conditioning Disc TR	Gray	SFN	10 per box 10 boxes per case

Scotch-Brite™ Roloc™ Surface Conditioning Discs - Bulk

A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. A threaded attachment system secures the disc to the holder.



Part Number	UPC	Product Name	Color	Diameter	Grade	Max RPM	Packaging
07583	0-00-51131-07583-2	Scotch-Brite [™] Roloc [™] Surface Conditioning Disc TR	Brown	4 Inch	CRS	12000	500 per case
07585	0-00-51131-07585-6	Scotch-Brite™ Roloc™ Surface Conditioning Disc TR	Brown	3 Inch	CRS	18000	1000 per case
07586	0-00-51131-07586-3	Scotch-Brite [™] Roloc [™] Surface Conditioning Disc TR	Maroon	3 Inch	MED	18000	1000 per case
07588	0-00-51131-07588-7	Scotch-Brite™ Roloc™ Surface Conditioning Disc TR	Brown	2 Inch	CRS	25000	1000 per case
07589	0-00-51131-07589-4	Scotch-Brite™ Roloc™ Surface Conditioning Disc TR	Maroon	2 Inch	MED	25000	1000 per case

Scotch-Brite[™] Products: Surface Conditioning and Gasket Removal: Scotch-Brite[™] Discs: Scotch-Brite[™] Surface Conditioning Disc

Scotch-Brite™ Surface Conditioning Disc, 2 in

Diameter 2 Inch Max RPM 23000

angle, orbital and dual action power hand tools. Part Number O7453 O7457 O7459 UPC O-0-051131-07453-8 O-00-51131-07457-6 Product Name Scotch-Brite™ Surface Conditioning Disc Surface conditioning Disc Surface Conditioning Disc Surface Conditioning Disc Scotch-Brite™ Surface Conditioning Disc		07453	07457	07459
Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. Part Number Or453 Or00-51131-07453-8 Or00-51131-07457-6 Or00-51131-07453-8 Or00-51131-07457-6 Or00-51131-07459-7 Orduct Name Scotch-Brite™ Surface Conditioning Disc Brown Area A boxes per case Or509 Or508 Or509 Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. Or508 Or509 Or508 Or509 Or508 Or509 Or509 Or508 Or509 Or508 Or509 Or508 Or509 Or508 Or509 Or508 Or509 Or509 Or508 Or509 Or508 Or509 Or508 Or509 Or509 Or508 Or509 Or509 Or508 Or509 Or508 Or509 Or509 Or508 Or509 Or509 Or509 Or508 Or509 Or509		30 South-Hir: 1995	USTFILO7457 mm.25 300 Search-Brie Number Conditioning Name as a search of the searc	
PC 0-00-51131-07453-8 0-00-51131-07457-6 0-00-48011-07459-7 Product Name Scotch-Brite™ Surface Conditioning Disc Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. Part Number O7508 O7509 UPC 0-00-51131-07508-5 O-00-51131-07509-2 Product Name Scotch-Brite™ Surface Conditioning Disc Scotch-Brite™ Surface Con	Description	to adapt to unique holding system. Use on right	to adapt to unique holding system. Use on right	ing, finishing, blending and deburring applications. Contains a backing that mounts to hook
Scotch-Brite™ Surface Conditioning Disc Maroon Maroon MED MED 25 per box 4 boxes per case 200 per case O7509 Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. Part Number O7508 UPC O-00-51131-07508-5 O-00-51131-07509-2 Product Name Scotch-Brite™ Surface Conditioning Disc	Part Number	07453	07457	07459
Color Brown Maroon Maroon Grade CRS MED MED Packaging 4 boxes per case 25 per box 4 boxes per case 200 per case O7508 Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. Part Number O7508 O7509 UPC 0-00-51131-07508-5 O-00-51131-07509-2 Product Name Scotch-Brite™ Surface Conditioning Disc Scotch-Brite™ Surface Conditioning Disc Gray Grade VFN SFN	UPC	0-00-51131-07453-8	0-00-51131-07457-6	0-00-48011-07459-7
Ackaging 4 boxes per case 25 per box 4 boxes per case 200 per case O7508 Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. Part Number O7508 O7509 DPC 0-00-51131-07508-5 O-00-51131-07509-2 Product Name Scotch-Brite™ Surface Conditioning Disc Scotch-Brite™ Surface Conditioning Disc Gray Grade VFN SFN	Product Name	Scotch-Brite™ Surface Conditioning Disc	Scotch-Brite™ Surface Conditioning Disc	Scotch-Brite™ Surface Conditioning Disc
Packaging 4 boxes per case 25 per box 4 boxes per case 200 per case O7508 Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. Part Number 07508 OPC 0-00-51131-07508-5 OPC 0-00-51131-07508-5 OPTOURD SCOTCH-Brite™ Surface Conditioning Disc Scotch-Brite™ Surface Condit	Color	Brown	Maroon	Maroon
Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. Part Number O-00-51131-07508-5 O-00-51131-07509-2 Orduct Name Scotch-Brite TM Surface Conditioning Disc Gray Grade VFN O7509 Gray Grade O7509 Gray Grade O7509 Gray Gray	Grade	CRS		MED
Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. Part Number Or508 Or509 UPC O-00-51131-07508-5 O-00-51131-07509-2 Product Name Scotch-Brite™ Surface Conditioning Disc Scotch-Brite™ Surface Conditioning Disc Gray Grade VFN Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. O-0509 O-00-51131-07509-2 Scotch-Brite™ Surface Conditioning Disc Gray Grade	Packaging	4 boxes per case	25 per box 4 boxes per case	200 per case
to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. Part Number O7508 O-00-51131-07508-5 O-00-51131-07508-5 O-00-51131-07509-2 Product Name Scotch-Brite™ Surface Conditioning Disc Gray Grade VFN to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. O7509 O-00-51131-07509-2 Scotch-Brite™ Surface Conditioning Disc Gray SFN		07508	07509	
to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. Part Number O7508 O-00-51131-07508-5 O-00-51131-07508-5 O-00-51131-07509-2 Product Name Scotch-Brite™ Surface Conditioning Disc Gray Grade VFN to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools. O7509 O-00-51131-07509-2 Scotch-Brite™ Surface Conditioning Disc Gray SFN		**** . 1990 *** . 1990 *** . 1990 ** . 1990 *** .	20 July 20 Jul	
UPC 0-00-51131-07508-5 0-00-51131-07509-2 Product Name Scotch-Brite™ Surface Conditioning Disc Scotch-Brite™ Surface Conditioning Disc Color Blue Gray Grade VFN SFN	Description	to adapt to unique holding system. Use on right	to adapt to unique holding system. Use on right	
Product Name Scotch-Brite™ Surface Conditioning Disc Scotch-Brite™ Surface Conditioning Disc Color Blue Gray Grade VFN SFN	Part Number	07508	07509	
Color Blue Gray Grade VFN SFN	UPC	0-00-51131-07508-5	0-00-51131-07509-2	
Grade VFN SFN	Product Name	Scotch-Brite™ Surface Conditioning Disc	Scotch-Brite™ Surface Conditioning Disc	
	Color	Blue	Gray	
Packaging 25 per box 4 boxes per case 25 per box 4 boxes per case	Grade	VFN	SFN	
	Packaging	25 per box 4 boxes per case	25 per box 4 boxes per case	

Scotch-Brite[™] Products: Surface Conditioning and Gasket Removal: Scotch-Brite[™] Discs: Scotch-Brite[™] Surface Conditioning Disc

Scotch-Brite™ Surface Conditioning Disc, 3 in

Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools.

Diameter 3 Inch Max RPM 20000

Packaging 25 discs per box 4 boxes per case



Part Number	UPC	Product Name	Color	Grade
07455	0-00-51131-07455-2	Scotch-Brite™ Surface Conditioning Disc	Brown	CRS
07456	0-00-51131-07456-9	Scotch-Brite™ Surface Conditioning Disc	Maroon	MED
07506	0-00-51131-07506-1	Scotch-Brite™ Surface Conditioning Disc	Blue	VFN
07507	0-00-51131-07507-8	Scotch-Brite™ Surface Conditioning Disc	Gray	SFN

Scotch-Brite™ Surface Conditioning Disc, 4 in

Max RPM 13000

	07450	07451	07504	07505
		The state of the s	The state of the s	THE STATE OF THE S
Description	A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. Contains a backing that mounts to hook and loop pads. Abrasive mineral: Coarse grade aluminum oxide.	Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools.	Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools.	Surface conditioning discs use a reinforced web to adapt to unique holding system. Use on right angle, orbital and dual action power hand tools.
Part Number	07450	07451	07504	07505
UPC	0-00-48011-07450-4	0-00-51131-07451-4	0-00-51131-07504-7	0-00-51131-07505-4
Product Name	Scotch-Brite™ Surface Conditioning Disc	Scotch-Brite™ Surface Conditioning Disc	Scotch-Brite™ Surface Conditioning Disc	Scotch-Brite™ Surface Conditioning Disc
Color	Brown	Maroon	Blue	Gray
Diameter	4 Inch	4 Inch	4 Inch	4 Inch
Grade	CRS	MED	VFN	SFN
Packaging	100 per case	10 per box 4 boxes per case	10 per box 4 boxes per case	10 per box 4 boxes per case

Scotch-Brite™ Products: Surface Conditioning and Gasket Removal: Scotch-Brite™ Roloc™ Bristle Discs

Scotch-Brite™ Radial Bristle Disc, 3 in

Center Hole Diameter 3/8 Inch
Diameter 3 Inch
Max RPM 25000
Packaging 4 per case

Part Number	Description	UPC	Product Name	Color	Grade
07542	Durable radial plastic disc for deburring or coating removal. Leaves a coarse satin finish. Gang multiple discs to form a brush. Fits portable hand tool or small bench motor. Abrasive mineral: 50 grade Cubitron™ grain.	0-00-51131-07542-9	Scotch-Brite™ Radial Bristle Disc	Green	50
07543	Durable radial plastic disc for deburring or coating removal. Leaves a satin finish. Gang multiple discs to form a brush. Fits portable hand tool or small bench motor. Abrasive mineral: 80 grade Cubitron™ grain.	0-00-51131-07543-6	Scotch-Brite™ Radial Bristle Disc	Yellow	80
07544	Durable radial plastic disc for thin coating removal. Leaves a fine satin finish. Gang multiple discs to form a brush. Fits portable hand tool or small bench motor. Abrasive mineral: 120 grade Cubitron™ grain.	0-00-51131-07544-3	Scotch-Brite™ Radial Bristle Disc	White	120

Scotch-Brite™ Roloc™ Body Man's Bristle Disc

A premium 3M[™] ceramic grain bristle disc constructed of a new bristle design that enables it to remove high loading substrates quickly, while maintaining product life.

Color Purple Grade 36



Part Number	UPC	Product Name	Diameter	Max RPM	Packaging
07536	0-00-51131-07536-8	Scotch-Brite™ Roloc™ Body Man's Bristle Disc	2 Inch	25000	4 per inner 24 per case
07537	0-00-51131-07537-5	Scotch-Brite™ Roloc™ Body Man's Bristle Disc	3 Inch	18000	3 per inner 18 per case
07540	0-00-51131-07540-5	Scotch-Brite™ Roloc™ Body Man's Bristle Disc	1 Inch	30000	6 per inner 36 per case

Scotch-Brite[™] Products: Surface Conditioning and Gasket Removal: Scotch-Brite[™] Roloc[™] Bristle Discs

Scotch-Brite™ Roloc™ Bristle Discs, 1 in

Disc is a molded, abrasive filled bristle disc instead of wire brushes for automotive use on aluminum and metal. Use for deburring, blending, finishing, polishing, cleaning and for coating, defect, scratch and rust removal.

Diameter 1 Inch Max RPM 30000

Packaging 10 per box 4 boxes per case



Part Number	UPC	Product Name	Color	Grade
07530	0-00-51131-07530-6	Scotch-Brite [™] Roloc [™] Bristle Disc	Green	50
07531	0-00-51131-07531-3	Scotch-Brite™ Roloc™ Bristle Disc	Yellow	80
07532	0-00-51131-07532-0	Scotch-Brite [™] Roloc [™] Bristle Disc	White	120

Scotch-Brite™ Roloc™ Bristle Discs, 2 in

Diameter 2 Inch Max RPM 25000

Packaging 4 boxes per case

	07524	07525	07528
			The state of the s
Description	Disc is a molded, abrasive filled bristle disc instead of wire brushes for automotive use on aluminum and metal. Use for deburring, blending, finishing, polishing, cleaning and for coating, defect, scratch and rust removal.	Gen. Purpose Scuffing Wheel(maroon) constructed of a non-woven,durable,3-dimensional material.Flexible and ideal for machine scuffing/cleaning hard-to-reach areas. Use 3M holder #7500 for easy changing of discs.	Disc is a molded, abrasive filled bristle disc instead of wire brushes for automotive use on aluminum and metal. Use for deburring, blending, finishing, polishing, cleaning and for coating, defect, scratch and rust removal.
Part Number	07524	07525	07528
UPC	0-00-51131-07524-5	0-00-51131-07525-2	0-00-51131-07528-3
Product Name	Scotch-Brite™ Roloc™ Bristle Disc	Scotch-Brite™ Roloc™ Bristle Disc	Scotch-Brite™ Roloc™ Bristle Disc
Color	Green	Yellow	White
Grade	50	80	120

Scotch-Brite[™] Products: Surface Conditioning and Gasket Removal: Scotch-Brite[™] Roloc[™] Bristle Discs

Scotch-Brite™ Roloc™ Bristle Discs, 3 in

Diameter 3 Inch Max RPM 18000

	07526	07527	07529
Description	Disc is a molded, abrasive filled bristle disc instead of wire brushes for automotive use on aluminum and metal. Use for deburring, blending, finishing, polishing, cleaning and for coating, defect, scratch and rust removal.	Disc is a molded, abrasive filled bristle disc instead of wire brushes for automotive use on aluminum and metal. Use for deburring, blending, finishing, polishing, cleaning and for coating, defect, scratch and rust removal.	Disc is a molded, abrasive filled bristle disc instead of wire brushes for automotive use on aluminum and metal. Use for deburring, blending, finishing, polishing, cleaning and for coating, defect, scratch and rust removal.
Part Number	07526	07527	07529
UPC	0-00-51131-07526-9	0-00-51131-07527-6	0-00-51131-07529-0
Product Name	Scotch-Brite™ Roloc™ Bristle Disc	Scotch-Brite™ Roloc™ Bristle Disc	Scotch-Brite™ Roloc™ Bristle Disc
Color	Green	Yellow	White
Grade	50	80	120
Packaging	10 brushes per box 4 boxes per case	4 boxes per case	4 boxes per case

Utility Cloth Rolls & Belts

3M™ Cloth Belts

A silicon carbide cloth belt constructed on a XF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Primary markets: metalworking, woodworking.

Color Black Grade 120



Part Number	UPC	Product Name	Width	Length	Packaging
04303	0-00-51144-04303-3	3M™ Cloth Belt 461F	3 Inch	21 Inch	5 per box 10 boxes per case
04319	0-00-51144-04319-4	3M™ Cloth Belt 461F	4 Inch	24 Inch	5 belts per box 5 boxes per case
04351	0-00-51144-04351-4	3M™ Cloth Belt 461F	4 Inch	132 Inch	5 belts per box 5 boxes per case

Utility Cloth Rolls & Belts

3M™ Crankshaft Polishing Belts

An aluminum oxide cloth belt constructed on a J-weight, light and flexible cloth backing. Designed for use in both wood and metal applications. Film Media Splice. Primary markets: metalworking, woodworking.

Color Black
Grade 320
Width 1 Inch

Packaging 25 per inner 100 per case



Part Number	UPC	Product Name	Length
04501	0-00-51144-04501-3	3M™ Cloth Belt 211K	64 Inch
04516	0-00-51144-04516-7	3M™ Cloth Belt 211K	54 Inch
04541	0-00-51144-04541-9	3M™ Cloth Belt 211K	77 Inch
04561	0-00-51144-04561-7	3M™ Cloth Belt 211K	91 Inch

3M™ Wetordry™ Fabricut™ Rolls

An aluminum oxide Wetordry™ roll constructed on a fibre backing. Can be run wet or dry. Primary market: metalworking.

Color Black
Width 1-1/2 Inch
Length 25 Linear Yard
Packaging 5 per case



Part Number	UPC	Product Name	Grade
05071	0-00-51144-05071-0	3M™ Wetordry™ Cloth Roll 281W	180
05072	0-00-51144-05072-7	3M™ Wetordry™ Cloth Roll 281W	120
05073	0-00-51144-05073-4	3M™ Wetordry™ Cloth Roll 281W	80

3M[™] Belts, 3 in x 21 in

Color Black
Width 3 Inch
Length 21 Inch

Packaging 5 per box 10 boxes per case



Part Number	Description	UPC	Product Name	Grade
04301	A silicon carbide cloth belt constructed on a XF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Primary markets: metalworking, woodworking.	0-00-51144-04301-9	3M TM Glass Seaming Cloth Belt 461F	P220
04305	A silicon carbide cloth belt constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Primary markets: metalworking, woodworking.	0-00-51144-04305-7	3M TM Glass Seaming Cloth Belt 461F	P80

3M[™] Belts, 3 in x 24 in

Color Black
Width 3 Inch
Length 24 Inch

Packaging 5 per box 10 boxes per case



Part Number	Description	UPC	Product Name	Grade
04309	A silicon carbide cloth belt constructed on a XF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Grade: P120. Primary markets: metalworking, woodworking.	0-00-51144-04309-5	3M TM Glass Seaming Cloth Belt 461F	P120
04311	A silicon carbide cloth belt constructed on a XF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Grade: P120. Primary markets: metalworking, woodworking.	0-00-51144-04311-8	3M [™] Cloth Belt 461F	P120
04313	A silicon carbide cloth belt constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Grade: P80. Primary markets: metalworking, woodworking.	0-00-51144-04313-2	3M [™] Glass Seaming Cloth Belt 461F	P80

3M™ Belts, 4 in x 24 in

A silicon carbide cloth belt constructed on a XF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Grade: P120. Primary markets: metalworking, woodworking.



Part Number	UPC	Product Name	Color	Grade	Width	Length	Packaging
04319	0-00-51144-04319-4	3M™ Cloth Belt 461F	Black	P120	4 Inch	24 Inch	5 belts per box 5 boxes per case

3M[™] Belts, 4 in x 64 in

A silicon carbide cloth belt specially designed for glass and mirror grinding, finishing and polishing. Constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Grade: P80. Primary markets: metalworking, woodworking.



Part Number	UPC	Product Name	Color	Grade	Width	Length	Packaging
04329	0-00-51144-04329-3	3M™ Glass Seaming Cloth Belt 461F	Black	P80	4 Inch	64 Inch	5 belts per box 5 boxes per case

3M™ Belts, 4 in x 106 in

Color Black
Width 4 Inch
Length 106 Inch

Packaging 5 per box 5 boxes per case



Part Number	Description	UPC	Product Name	Grade
04333	A silicon carbide cloth belt constructed on a XF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Grade: P220. Primary markets: metalworking, woodworking.	0-00-51144-04333-0	3M TM Glass Seaming Cloth Belt 461F	P220
04334	A silicon carbide cloth belt specially designed for glass and mirror grinding, finishing and polishing. Constructed on a XF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Grade: P180. Primary markets: metalworking, woodworking.	0-00-51144-04334-7	3M TM Glass Seaming Cloth Belt 461F	P180
04335	A silicon carbide cloth belt specially designed for glass and mirror grinding, finishing and polishing. Constructed on a XF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Grade: P120. Primary markets: metalworking, woodworking.	0-00-51144-04335-4	3M TM Glass Seaming Cloth Belt 461F	P120
04337	A silicon carbide cloth belt specially designed for glass and mirror grinding, finishing and polishing. Constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Grade: P80. Primary markets: metalworking, woodworking.	0-00-51144-04337-8	3M [™] Glass Seaming Cloth Belt 461F	P80

3M[™] Belts, 4 in x 106 in (continued)

Part Number	Description	UPC	Product Name	Grade
04338	A silicon carbide cloth belt specially designed for glass and mirror grinding, finishing and polishing. Constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Grade: P60. Primary markets: metalworking, woodworking.	0-00-51144-04338-5	3M [™] Glass Seaming Cloth Belt 461F	P60

3M[™] Belts, 4 in x 132 in

A silicon carbide cloth belt specially designed for glass and mirror grinding, finishing and polishing. Constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry. Grade: P80. Primary markets: metalworking, woodworking.



Part Number	UPC	Product Name	Color	Grade	Width	Length	Packaging
04353	0-00-51144-04353-8	3M™ Glass Seaming Cloth Belt 461F	Black	P80	4 Inch	132 Inch	5 belts per box 5 boxes per case

Utility Cloth Rolls & Belts: 3M™ Utility Cloth Rolls

3M™ Utility Cloth Roll, 1 in x 20 yd

An aluminum oxide abrasive product sheet constructed on a J weight, durable cloth backing. Primary market: metalworking.

Color Maroon
Width 1 Inch
Length 20 Linear Yard
Packaging 5 per case



Part Number	UPC	Product Name	Grade
19776	0-00-51115-19776-5	3M [™] Utility Cloth Roll 314D	P400
19777	0-00-51115-19777-2	3M™ Utility Cloth Roll 314D	P320
19778	0-00-51115-19778-9	3M™ Utility Cloth Roll 314D	P240
19779	0-00-51115-19779-6	3M™ Utility Cloth Roll 314D	P180

Utility Cloth Rolls & Belts: 3M™ Utility Cloth Rolls

3M[™] Utility Cloth Roll, 1 in x 20 yd (continued)

Part Number	UPC	Product Name	Grade
19780	0-00-51115-19780-2	3M™ Utility Cloth Roll 314D	P150
19781	0-00-51115-19781-9	3M™ Utility Cloth Roll 314D	P120
19782	0-00-51115-19782-6	3M™ Utility Cloth Roll 314D	P80

3M™ Utility Cloth Roll, 1 in x 50 yd

Color Gray
Width 1 Inch
Length 50 Linear Yard
Packaging 5 per case



Part Number	Description	UPC	Product Name	Grade
05001	An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.	0-00-51144-05001-7	3M TM Utility Cloth Roll 211K	400
05002	An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.	0-00-51144-05002-4	3M TM Utility Cloth Roll 211K	320
05003	An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.	0-00-51144-05003-1	3M TM Utility Cloth Roll 211K	280
05004	An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.	0-00-51144-05004-8	3M TM Utility Cloth Roll 211K	240
05005	An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.	0-00-51144-05005-5	3M™ Utility Cloth Roll 211K	220
05006	An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.	0-00-51144-05006-2	3M TM Utility Cloth Roll 211K	180
05007	An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.	0-00-51144-05007-9	3M [™] Utility Cloth Roll 211K	150
05008	An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.	0-00-51144-05008-6	3M TM Utility Cloth Roll 211K	120

Utility Cloth Rolls & Belts: 3M™ Utility Cloth Rolls

3M[™] Utility Cloth Roll, 1 in x 50 yd (continued)

Part Number	Description	UPC	Product Name	Grade
05009	An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.	0-00-51144-05009-3	3M [™] Utility Cloth Roll 211K	100
05010	An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.	0-00-51144-05010-9	3M TM Utility Cloth Roll 211K	80
19790	An aluminum oxide abrasive product sheet constructed on a J weight, durable cloth backing. Grade: P120. Primary market: metalworking.	0-00-51115-19790-1	3M [™] Utility Cloth Roll 314D	P120
19791	An aluminum oxide abrasive product sheet constructed on a J weight, durable cloth backing. Grade: P100. Primary market: metalworking.	0-00-51115-19791-8	3M [™] Utility Cloth Roll 314D	P100

3M[™] Utility Cloth Roll, 1-1/2 in x 20 yd

An aluminum oxide abrasive product sheet constructed on a J weight, durable cloth backing. Primary market: metalworking.

Color Maroon
Width 1-1/2 Inch
Length 20 Linear Yard
Packaging 5 per case



Part Number	UPC	Product Name	Grade
19798	0-00-51115-19798-7	3M™ Utility Cloth Roll 314D	P180
19799	0-00-51115-19799-4	3M™ Utility Cloth Roll 314D	P150
19800	0-00-51115-19800-7	3M™ Utility Cloth Roll 314D	P120

Utility Cloth Rolls & Belts: 3M™ Utility Cloth Rolls

3M[™] Utility Cloth Roll, 1-1/2 in x 50 yd

An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.

Color Gray
Width 1-1/2 Inch
Length 50 Linear Yard
Packaging 5 per case



Part Number	UPC	Product Name	Grade
05021	0-00-51144-05021-5	3M™ Utility Cloth Roll 211K	400
05022	0-00-51144-05022-2	3M [™] Utility Cloth Roll 211K	320
05024	0-00-51144-05024-6	3M [™] Utility Cloth Roll 211K	240
05025	0-00-51144-05025-3	3M [™] Utility Cloth Roll 211K	220
05026	0-00-51144-05026-0	3M [™] Utility Cloth Roll 211K	180
05027	0-00-51144-05027-7	3M™ Utility Cloth Roll 211K	150
05028	0-00-51144-05028-4	3M™ Utility Cloth Roll 211K	120
05029	0-00-51144-05029-1	3M [™] Utility Cloth Roll 211K	100
05030	0-00-51144-05030-7	3M [™] Utility Cloth Roll 211K	80

3M™ Utility Cloth Roll, 2 in x 50 yd

An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing. Primary markets: metalworking, woodworking.

Color Gray
Width 2 Inch
Length 50 Linear Yard
Packaging 5 per case



Part Number	UPC	Product Name	Grade
05042	0-00-51144-05042-0	3M™ Utility Cloth Roll 211K	320
05044	0-00-51144-05044-4	3M™ Utility Cloth Roll 211K	240
05046	0-00-51144-05046-8	3M™ Utility Cloth Roll 211K	180
05047	0-00-51144-05047-5	3M™ Utility Cloth Roll 211K	150
05048	0-00-51144-05048-2	3M™ Utility Cloth Roll 211K	120
05049	0-00-51144-05049-9	3M™ Utility Cloth Roll 211K	100
05050	0-00-51144-05050-5	3M™ Utility Cloth Roll 211K	80

Abrasives

Adhesives

Adhesives

Adhesive Removers

	08907	08908	08984	08987
	SH Notice	SH recipies re	Ceneral Purpose Adhesive Clement Int. 10054	General Propose Commer
Description	For removing woodgrain vinyl and vinyl stripes from acrylic enamel surfaces. Jelly-like consistency keeps remover in place on vertical surfaces to promote fast action when sprayed from the aerosol can.	Cleans off adhesive residue after woodgrain vinyl or vinyl stripes have been removed. Fast-acting remover can be used on all acrylic enamel painted metal surfaces.	Specially blended solvent for removal of specialty adhesives.	Specially blended solvent for removal of specialty adhesives.
Part Number	08907	08908	08984	08987
UPC	0-00-51135-08907-1	0-00-51135-08908-8	0-00-51135-08984-2	0-00-51135-08987-3
Product Name	3M [™] Woodgrain and Stripe Remover	3M [™] Woodgrain and Stripe Adhesive Remover	3M [™] General Purpose Adhesive Cleaner	3M [™] General Purpose Adhesive Cleaner
Container Volume	18 Fluid Ounce (US)	18 Fluid Ounce (US)	1 Liquid Quart(US)	15 Fluid Ounce (US)
Color	White	White	Clear	Clear
Packaging	6 per case	6 per case	6 per case	12 per case
	35976	38983	38984	38987
		33	30 300 30 300	204 and an annual and an annual and an annual an annual an annual an annual an
	ma bere- III	The state of the s	Marian Marian	
Description	Use for removal of polyurethane protective tapes, neoprene rubber and other tape residues; such as carpet tape from interior cabin composite surfaces.	An aerosol, VOC compliant (20%), solvent-based adhesive remover. Quickly removes wax, grease, oil, sap, bug and adhesive residue. It will not harm most cured automotive paints and is also suitable for vinyl and glass surfaces	A VOC compliant (70%), solvent-based specialty adhesive remover.	An aerosol, VOC compliant (70%), solvent-based specialty adhesive remover.
Description Part Number	protective tapes, neoprene rubber and other tape residues; such as carpet tape from interior cabin	solvent-based adhesive remover. Quickly removes wax, grease, oil, sap, bug and adhesive residue. It will not harm most cured automotive paints and is also suitable for		solvent-based specialty adhesive
·	protective tapes, neoprene rubber and other tape residues; such as carpet tape from interior cabin composite surfaces.	solvent-based adhesive remover. Quickly removes wax, grease, oil, sap, bug and adhesive residue. It will not harm most cured automotive paints and is also suitable for vinyl and glass surfaces 38983 0-00-51131-38983-0	based specialty adhesive remover.	solvent-based specialty adhesive remover.
Part Number	protective tapes, neoprene rubber and other tape residues; such as carpet tape from interior cabin composite surfaces. 35976	solvent-based adhesive remover. Quickly removes wax, grease, oil, sap, bug and adhesive residue. It will not harm most cured automo- tive paints and is also suitable for vinyl and glass surfaces 38983	based specialty adhesive remover. 38984	solvent-based specialty adhesive remover. 38987
Part Number UPC	protective tapes, neoprene rubber and other tape residues; such as carpet tape from interior cabin composite surfaces. 35976 0-00-51131-35976-5	solvent-based adhesive remover. Quickly removes wax, grease, oil, sap, bug and adhesive residue. It will not harm most cured automotive paints and is also suitable for vinyl and glass surfaces 38983 0-00-51131-38983-0 3MTM General Purpose Adhesive	38984 0-00-51131-38984-7	solvent-based specialty adhesive remover. 38987 0-00-51131-38987-8
Part Number UPC Product Name	protective tapes, neoprene rubber and other tape residues; such as carpet tape from interior cabin composite surfaces. 35976 0-00-51131-35976-5 3M™ Tape and Residue Remover	solvent-based adhesive remover. Quickly removes wax, grease, oil, sap, bug and adhesive residue. It will not harm most cured automotive paints and is also suitable for vinyl and glass surfaces 38983 0-00-51131-38983-0 3M TM General Purpose Adhesive Remover	based specialty adhesive remover. 38984 0-00-51131-38984-7 3M™ Specialty Adhesive Remover	solvent-based specialty adhesive remover. 38987 0-00-51131-38987-8 3M™ Specialty Adhesive Remover

Attachment Tape Removers

	03612	07498	07499	07500
		*	07/09	
Description	An easy-to-use tool for removing adhesives and films from painted auto surfaces.	Designed for high-speed removal of vinyl, decals, graphics and double sided molding striping and trim. Use on tools with 4,000 RPM . MOS: optimum speed is 2,000 RPM plus or minus 200. Includes a 3/8 in Mandrel.	Designed for high-speed removal of vinyl, decals, graphics and double sided molding striping and trim. Use on tools with 4,000 RPM . MOS: optimum speed is 2,000 RPM plus or minus 200.	1 inch Roloc™ + Holder allows use of Scotch-Brite™ Molding Adhesive and Stripe Removal Discs (PN07501, PN07502) or Roloc™ Unitized Wheels on your tool. The 1/4 inch shank fits into any recommended standard tool. Quick and easy to use.
Part Number	03612	07498	07499	07500
UPC	0-00-51131-03612-3	0-00-51131-07498-9	0-00-51131-07499-6	0-00-51131-07500-9
Product Name	3M [™] Adhesive Eraser Wheel	3M™ Stripe Off Wheel	3M™ Stripe Off Wheel	3M™ Roloc™+ Holder
Diameter	4 Inch	4 Inch	4 Inch	1 Inch
Color	-	Beige	Beige	Black
Packaging	5 per case	F nor coop	F nor coco	1 nor cocc
. aonaging	5 per case	5 per case	5 per case	1 per case
. aonaging	07501	07502	07517	08978
, acruging	<u>'</u>	·	<u>'</u>	
Description	<u>'</u>	·	<u>'</u>	<u>'</u>
	Used to remove vinyl stripes, numbers, letters and graphics from gel coat and painted marine surfaces	Used to remove vinyl decals, graphics and striping tapes. Will not scratch or damage acrylic enamel or urethane paint. No sharp edges to cause damage to surfaces. Can	O7517 Stacked, solid wafer construction. Use on portable tool for fastest, easiest and most effective removal of tapes and adhesives. Color:	Designed to be used with an air chisel to remove bonded moldings but can be used by hand to remove
Description	Used to remove vinyl stripes, numbers, letters and graphics from gel coat and painted marine surfaces without damaging the finish.	Used to remove vinyl decals, graphics and striping tapes. Will not scratch or damage acrylic enamel or urethane paint. No sharp edges to cause damage to surfaces. Can be mounted on a bench motor.	O7517 Stacked, solid wafer construction. Use on portable tool for fastest, easiest and most effective removal of tapes and adhesives. Color: White	Designed to be used with an air chisel to remove bonded moldings but can be used by hand to remove emblems and scripts.
Description Part Number	Used to remove vinyl stripes, numbers, letters and graphics from gel coat and painted marine surfaces without damaging the finish.	Used to remove vinyl decals, graphics and striping tapes. Will not scratch or damage acrylic enamel or urethane paint. No sharp edges to cause damage to surfaces. Can be mounted on a bench motor. 07502	O7517 Stacked, solid wafer construction. Use on portable tool for fastest, easiest and most effective removal of tapes and adhesives. Color: White 07517	Designed to be used with an air chisel to remove bonded moldings but can be used by hand to remove emblems and scripts. 08978
Description Part Number UPC	Used to remove vinyl stripes, numbers, letters and graphics from gel coat and painted marine surfaces without damaging the finish. 07501 0-00-51131-07501-6 Scotch-Brite™ Molding Adhesive	Used to remove vinyl decals, graphics and striping tapes. Will not scratch or damage acrylic enamel or urethane paint. No sharp edges to cause damage to surfaces. Can be mounted on a bench motor. 07502 0-00-51131-07502-3 Scotch-Brite™ Molding Adhesive	O7517 Stacked, solid wafer construction. Use on portable tool for fastest, easiest and most effective removal of tapes and adhesives. Color: White 07517 0-00-51131-07517-7 Scotch-Brite™ Large Area Stripe	Designed to be used with an air chisel to remove bonded moldings but can be used by hand to remove emblems and scripts. 08978 0-00-51135-08978-1 3M™ Side Molding and Emblem
Description Part Number UPC Product Name	Used to remove vinyl stripes, numbers, letters and graphics from gel coat and painted marine surfaces without damaging the finish. 07501 0-00-51131-07501-6 Scotch-Brite™ Molding Adhesive and Stripe Removal Disc	Used to remove vinyl decals, graphics and striping tapes. Will not scratch or damage acrylic enamel or urethane paint. No sharp edges to cause damage to surfaces. Can be mounted on a bench motor. 07502 0-00-51131-07502-3 Scotch-Brite™ Molding Adhesive and Stripe Removal Disc	O7517 Stacked, solid wafer construction. Use on portable tool for fastest, easiest and most effective removal of tapes and adhesives. Color: White O7517 0-00-51131-07517-7 Scotch-Brite™ Large Area Stripe Removal Disc	Designed to be used with an air chisel to remove bonded moldings but can be used by hand to remove emblems and scripts. 08978 0-00-51135-08978-1 3M™ Side Molding and Emblem

Paint & Coating Strippers

	2811	2812	2813	3711
		Tal-Scip	Tak Strip	14 Supple
Description	Mar-Hyde® Tal-Strip® Extra Strength Paint Remover is a fast- acting, non-caustic paint and coat- ing remover. Removes enamel, lac- quer, epoxy, urethane, varnish, shel- lac, decals, and gaskets from metal, wood, glass, concrete, stone, brick and ceramic tile.	Mar-Hyde® Tal-Strip® Extra Strength Paint Remover is a fast- acting, non-caustic paint and coat- ing remover. Removes enamel, lac- quer, epoxy, urethane, varnish, shel- lac, decals, and gaskets from metal, wood, glass, concrete, stone, brick and ceramic tile.	Mar-Hyde® Tal-Strip® Extra Strength Paint Remover is a fast- acting, non-caustic paint and coat- ing remover. Removes enamel, lac- quer, epoxy, urethane, varnish, shel- lac, decals, and gaskets from metal, wood, glass, concrete, stone, brick and ceramic tile.	Mar-Hyde® Tal-Strip® II Aircraft Coating Remover is especially designed to remove basecoat/clearcoat systems from today's automobiles.
Part Number	2811	2812	2813	3711
UPC	0-00-83463-28111-7	0-00-83463-28122-3	0-00-83463-28133-9	0-00-83463-37111-5
Product Name	Mar-Hyde® Tal-Strip™ Extra Strength Paint Remover Aerosol	Mar-Hyde® Tal-Strip™ Extra Strength Paint Remover	Mar-Hyde® Tal-Strip™ Extra Strength Paint Remover	Mar-Hyde® Tal-Strip™ II Aircraft Coating Remover Aerosol
Container Volume	15 Fluid Ounce (US)	1 Liquid Quart(US)	1 Gallon (US)	12 Fluid Ounce (US)
Packaging	12 per case	6 per case	4 per case	12 per case
Packaging	12 per case 3712	6 per case 3713	4 per case 5611	12 per case
Packaging	·	·		12 per case
Packaging Description	·	·		12 per case
	Mar-Hyde® Tal-Strip® II Aircraft Coating Remover is especially designed to remove basecoat/clearcoat systems from	Mar-Hyde® Tal-Strip® II Aircraft Coating Remover is especially designed to remove basecoat/clearcoat systems from	Mar-Hyde® Tal-Strip® IV Urethane Parts Paint Remover specifically designed to strip paints and coatings from urethane automotive parts without attacking and damaging the urethane substrate. Only	12 per case
Description	Mar-Hyde® Tal-Strip® II Aircraft Coating Remover is especially designed to remove basecoat/clearcoat systems from today's automobiles.	Mar-Hyde® Tal-Strip® II Aircraft Coating Remover is especially designed to remove basecoat/clearcoat systems from today's automobiles.	Mar-Hyde® Tal-Strip® IV Urethane Parts Paint Remover specifically designed to strip paints and coat- ings from urethane automotive parts without attacking and damag- ing the urethane substrate. Only available as an aerosol.	12 per case
Description Part Number	Mar-Hyde® Tal-Strip® II Aircraft Coating Remover is especially designed to remove basecoat/clearcoat systems from today's automobiles.	Mar-Hyde® Tal-Strip® II Aircraft Coating Remover is especially designed to remove basecoat/clearcoat systems from today's automobiles.	Mar-Hyde® Tal-Strip® IV Urethane Parts Paint Remover specifically designed to strip paints and coatings from urethane automotive parts without attacking and damaging the urethane substrate. Only available as an aerosol.	12 per case
Description Part Number UPC	Mar-Hyde® Tal-Strip® II Aircraft Coating Remover is especially designed to remove basecoat/clearcoat systems from today's automobiles. 3712 0-00-83463-37122-1 Mar-Hyde® Tal-Strip™ II Aircraft	Mar-Hyde® Tal-Strip® II Aircraft Coating Remover is especially designed to remove basecoat/clearcoat systems from today's automobiles. 3713 0-00-83463-37133-7 Mar-Hyde® Tal-Strip™ II Aircraft	Mar-Hyde® Tal-Strip® IV Urethane Parts Paint Remover specifically designed to strip paints and coatings from urethane automotive parts without attacking and damaging the urethane substrate. Only available as an aerosol. 5611 0-00-83463-56111-0 Mar-Hyde® Tal-Strip™ IV Urethane	12 per case

Surface Cleaning

	08888	08983	38300	38350
		SIL PROPERTY OF THE PROPERTY O	The first state of the first sta	
Description	An aerosol cleaner for all glass surfaces including windows, windshields, mirrors, and side glass. May also be used to clean automotive vinyl, interior plastic and clear plastic. 3M™ Glass Cleaner is non-flammable, and will not affect painted surfaces.	Low VOC, water based solvent used to remove oils, wax, grease, and silicone from surfaces prior to coating. Effectively cleans metal, primed metal, and painted surfaces prior to the application of primer and paint.	Glass cleaner concentrate that contains no silicone and is body shop safe. Dilution ratio: 1 part concentrate to 14 parts water. Non-streaking formula and ammonia free.	Cleans dirt stains and soils from car- pets, fabric and leather upholstery. For general cleaning, add 1 part con- centrate to 30 parts water. For heavy cleaning or stain pre-spotting, add 1 part product to 15 parts water.
Part Number	08888	08983	38300	38350
UPC	0-00-51135-08888-3	0-00-51135-08983-5	0-00-51131-38300-5	0-00-51131-38350-0
Product Name	3M™ Glass Cleaner	3M™ Prep Solvent-70	3M™ Body Shop Clean-Up™ Glass Cleaner	3M [™] All Purpose Cleaner and Degreaser
Container Volume	19 Fluid Ounce (US)	1 Gallon (US)	5 Gallon (US)	1 Gallon (US)
Color	White		Blue	Yellow/Brown
Packaging	12 cans per case	4 per case	1 per case	4 per case
· acraging	·	·	'	·
- actuaging	38351	38377	38378	38399
, as as as a second	38351	38377	·	38399
Description	Cleaner and degreaser concentrate for exterior and interior cleaning. Use for vinyl, cloth and carpet cleaning. Contains no silicone. Dilution ratio 1:15, concentrate to water for degreasing door jambs and prespotting carpets. Dilution ratio 1:30 concentrate to water for general purpose interior cleaning.	Concentrated car wash soap that safely removes dirt and grime without removing wax protection. Phosphate free and body shop safe, contains no silicones. Dilution ratio: 1 part concentrate to 100 parts water.	·	
Description Part Number	Cleaner and degreaser concentrate for exterior and interior cleaning. Use for vinyl, cloth and carpet cleaning. Contains no silicone. Dilution ratio 1:15, concentrate to water for degreasing door jambs and prespotting carpets. Dilution ratio 1:30 concentrate to water for general purpose interior cleaning. 38351	Concentrated car wash soap that safely removes dirt and grime without removing wax protection. Phosphate free and body shop safe, contains no silicones. Dilution ratio: 1 part concentrate to 100 parts water.	Concentrated car wash soap that safely removes dirt and grime without removing wax protection. Phosphate free and body shop safe, contains no silicones. Dilution ratio: 1 part concentrate to 100 parts water.	Glass cleaner concentrate that contains no silicone and is body shop safe. Dilution ratio: 1 part concentrate to 14 parts water. Non-streaking formula and ammonia free.
Description	Cleaner and degreaser concentrate for exterior and interior cleaning. Use for vinyl, cloth and carpet cleaning. Contains no silicone. Dilution ratio 1:15, concentrate to water for degreasing door jambs and prespotting carpets. Dilution ratio 1:30 concentrate to water for general purpose interior cleaning. 38351 0-00-51131-38351-7	Concentrated car wash soap that safely removes dirt and grime without removing wax protection. Phosphate free and body shop safe, contains no silicones. Dilution ratio: 1 part concentrate to 100 parts water. 38377 0-00-51131-38377-7	Concentrated car wash soap that safely removes dirt and grime without removing wax protection. Phosphate free and body shop safe, contains no silicones. Dilution ratio: 1 part concentrate to 100 parts water. 38378 0-00-51131-38378-4	Glass cleaner concentrate that contains no silicone and is body shop safe. Dilution ratio: 1 part concentrate to 14 parts water. Non-streaking formula and ammonia free. 38399 0-00-51131-38399-9
Description Part Number	Cleaner and degreaser concentrate for exterior and interior cleaning. Use for vinyl, cloth and carpet cleaning. Contains no silicone. Dilution ratio 1:15, concentrate to water for degreasing door jambs and prespotting carpets. Dilution ratio 1:30 concentrate to water for general purpose interior cleaning. 38351	Concentrated car wash soap that safely removes dirt and grime without removing wax protection. Phosphate free and body shop safe, contains no silicones. Dilution ratio: 1 part concentrate to 100 parts water.	Concentrated car wash soap that safely removes dirt and grime without removing wax protection. Phosphate free and body shop safe, contains no silicones. Dilution ratio: 1 part concentrate to 100 parts water.	Glass cleaner concentrate that contains no silicone and is body shop safe. Dilution ratio: 1 part concentrate to 14 parts water. Non-streaking formula and ammonia free.
Description Part Number UPC	Cleaner and degreaser concentrate for exterior and interior cleaning. Use for vinyl, cloth and carpet cleaning. Contains no silicone. Dilution ratio 1:15, concentrate to water for degreasing door jambs and prespotting carpets. Dilution ratio 1:30 concentrate to water for general purpose interior cleaning. 38351 0-00-51131-38351-7 3M™ All Purpose Cleaner and	Concentrated car wash soap that safely removes dirt and grime without removing wax protection. Phosphate free and body shop safe, contains no silicones. Dilution ratio: 1 part concentrate to 100 parts water. 38377 0-00-51131-38377-7 3MTM Body Shop Clean-UpTM Car	Concentrated car wash soap that safely removes dirt and grime without removing wax protection. Phosphate free and body shop safe, contains no silicones. Dilution ratio: 1 part concentrate to 100 parts water. 38378 0-00-51131-38378-4 3MTM Body Shop Clean-UpTM Car Wash Soap 5 Gallon (US)	Glass cleaner concentrate that contains no silicone and is body shop safe. Dilution ratio: 1 part concentrate to 14 parts water. Non-streaking formula and ammonia free. 38399 0-00-51131-38399-9 3M™ Body Shop Clean-Up™ Glass
Description Part Number UPC Product Name	Cleaner and degreaser concentrate for exterior and interior cleaning. Use for vinyl, cloth and carpet cleaning. Contains no silicone. Dilution ratio 1:15, concentrate to water for degreasing door jambs and prespotting carpets. Dilution ratio 1:30 concentrate to water for general purpose interior cleaning. 38351 0-00-51131-38351-7 3M™ All Purpose Cleaner and Degreaser	Concentrated car wash soap that safely removes dirt and grime without removing wax protection. Phosphate free and body shop safe, contains no silicones. Dilution ratio: 1 part concentrate to 100 parts water. 38377 0-00-51131-38377-7 3M TM Body Shop Clean-Up TM Car Wash Soap	Concentrated car wash soap that safely removes dirt and grime without removing wax protection. Phosphate free and body shop safe, contains no silicones. Dilution ratio: 1 part concentrate to 100 parts water. 38378 0-00-51131-38378-4 3MTM Body Shop Clean-UpTM Car Wash Soap	Glass cleaner concentrate that contains no silicone and is body shop safe. Dilution ratio: 1 part concentrate to 14 parts water. Non-streaking formula and ammonia free. 38399 0-00-51131-38399-9 3M™ Body Shop Clean-Up™ Glass Cleaner

Adhesives - 50mL Duo-Pack Syringe Applicators & Accessories

	08190	38191	38193
Description	A manual applicator gun designed for use with 3M's 1:1 50mL and 2:1 37.5mL cartridges	3M [™] Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges.	3M [™] Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges.
Part Number	08190	38191	38193
UPC	0-00-51135-08190-7	0-00-51131-38191-9	0-00-51131-38193-3
Product Name	3M™ Performance Manual Applicator	3M™ Static Mixing Nozzle	3M™ Static Mixing Nozzle
Color	Black/Grey	Opaque/Gold	Opaque/Gold
Packaging	1 per case	12 nozzles per bag 6 bags per case	50 nozzles per bag 6 bags per case

Adhesives - 200mL Duo-Pack Syringe Applicators & Accessories

	02508	02530	02576	08110
Description	Has one door which opens on left. Is lockable. It measures 30-1/8 in high, 14-1/8 in wide and 12-1/8 in deep and is made of sturdy 24 gauge American steel. Weight 26 pounds.	Shop Rack designed to hang on the wall while holding up to 8 open cartridges and 2 applicator guns. Sized to accomodate all 3M 200 mL and 400 mL cartriges.	Rack for holding dispense box of 3M™ Dynamic Mixing Nozzles, PN05847.	Replacement Rachet/Plunger for 3M™ Performance Manual Applicator - 200mL, Part Number 08117.
Part Number	02508	02530	02576	08110
UPC	0-00-51131-02508-0	0-00-51131-02530-1	0-00-51131-02576-9	0-00-51135-08110-5
Product Name	3M [™] Sealers, Coatings and Adhesives Organizer (Right side)	3M™ Shop Rack	3M™ Bulk Nozzle Rack	3M™ Replacement Applicator Plunger
Color	Black	Black	Red	Black
Packaging	1 per case	1 per case	1 per case	1 per case
	08117	08193	08194	08201
			and the second	
Description	Manual applicator designed for use with all 200 mL cartridges in the 3M TM line of products. This product has a 1:1 mixing ratio.	3M™ Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.
Description Part Number	with all 200 mL cartridges in the 3M [™] line of products. This product	with all 3M 200mL and 400mL	with all 3M 200mL and 400mL	OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each
·	with all 200 mL cartridges in the 3M™ line of products. This product has a 1:1 mixing ratio.	with all 3M 200mL and 400mL two-component cartridges.	with all 3M 200mL and 400mL two-component cartridges.	OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.
Part Number	with all 200 mL cartridges in the 3M™ line of products. This product has a 1:1 mixing ratio. 08117	with all 3M 200mL and 400mL two-component cartridges.	with all 3M 200mL and 400mL two-component cartridges.	OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag. 08201
Part Number UPC	with all 200 mL cartridges in the 3M [™] line of products. This product has a 1:1 mixing ratio. 08117 0-00-51135-08117-4 3M [™] Performance Manual	with all 3M 200mL and 400mL two-component cartridges. 08193 0-00-51131-08193-2	with all 3M 200mL and 400mL two-component cartridges. 08194 0-00-51135-08194-5	OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag. 08201 0-00-51135-08201-0 3M TM 1/4 in Rounded OEM Seam

Adhesives - 200mL Duo-Pack Syringe Applicators & Accessories (continued)

	08202	08203	08204	08205
Description	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.
Part Number	08202	08203	08204	08205
UPC	0-00-51135-08202-7	0-00-51135-08203-4	0-00-51135-08204-1	0-00-51135-08205-8
Product Name	3M™ 3/8 in Rounded 0EM Seam Sealer Tip	3M [™] 1/2 in Rounded 0EM Seam Sealer Tip	3M [™] Automix [™] 3/8 in Flat 0EM Seam Sealer Tip	3M [™] 3/8 in Double-Rounded 0EM Seam Sealer Tip
Color	Opaque	Opaque	Opaque	Opaque
Packaging	6 bags per case	6 bags per case	6 bags per case	6 bags per case
	08571	09930		
Description	Dispenses all 3M™ 200 mL cartridges with 1-1 or 2-1 mix ratios. Heavy Duty metal construction. Rod Driven for balanced product dispensing.	A pneumatic applicator gun designed for use with 3M's 200mL cartridges.		
Part Number	08571	09930		
UPC	0-00-51135-08571-4	0-00-51131-09930-2		
Product Name	3M [™] Manual 200 mL Cartridge Applicator Gun	3M [™] Performance Pneumatic Applicator		
Color	Red/Black	Black		
Packaging	1 per case	1 per case		

Adhesives - 400mL Duo-Pack Syringe Applicators & Accessories

	02508	02530	02576	08193
Description	Has one door which opens on left. Is lockable. It measures 30-1/8 in high, 14-1/8 in wide and 12-1/8 in deep and is made of sturdy 24 gauge American steel. Weight 26 pounds.	Shop Rack designed to hang on the wall while holding up to 8 open cartridges and 2 applicator guns. Sized to accomodate all 3M 200 mL and 400 mL cartridges.	Rack for holding dispense box of 3M™ Dynamic Mixing Nozzles, PN05847.	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.
Part Number	02508	02530	02576	08193
UPC	0-00-51131-02508-0	0-00-51131-02530-1	0-00-51131-02576-9	0-00-51131-08193-2
Product Name	3M [™] Sealers, Coatings and Adhesives Organizer (Right side)	3M™ Shop Rack	3M™ Bulk Nozzle Rack	3M™ Mixing Nozzle
Color	Black	Black	Red	Opaque/Gold
Packaging	1 per case	1 per case	1 per case	6 bags per case
	08194	08280	08284	
Description	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	A pneumatic applicator gun designed for use with 3M's 400 mL cartridges.	A manual applicator gun designed for use with 3M's 400 mL cartridges.	
Part Number	08194	08280	08284	
UPC	0-00-51135-08194-5	0-00-51135-08280-5	0-00-51135-08284-3	
Product Name	3M [™] Static Mixing Nozzle	3M™ Performance Pneumatic Applicator	3M™ Performance Manual Applicator	
Color	Opaque	Black	Black	
Packaging	6 Boxes per case	1 per case	1 per case	

Adhesives - Dynamic Mixing System Applicators & Accessories

	02575	02576	05846	05847
	T		7	
Description	Rack for storing 3M™ Dynamic Mixing Pneumatic Applicator, PN05846.	Rack for holding dispense box of 3M™ Dynamic Mixing Nozzles, PN05847.	Professional pneumatic (air-operat- ed) applicator for cartridge-based Body Repair Materials needing dynamic mixing.	This nozzle's active mixing action completely blends materials, and its short length guarantees low waste.
Part Number	02575	02576	05846	05847
UPC	0-00-51131-02575-2	0-00-51131-02576-9	0-00-51131-05846-0	0-00-51131-05847-7
Product Name	3M [™] Dynamic Mixing Gun Shop Rack	3M™ Bulk Nozzle Rack	3M™ Dynamic Mixing Gun - Pneumatic	3M™ Dynamic Mixing Nozzle
Packaging	1 per case	1 per case	1 per case	50 nozzles per box 6 boxes per case

Adhesives - Other Accessories

	05842	05844	05912
Description	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily.	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily. Assortment consists of 1 ea 4 in, 5 in and 6 in spreaders.	Dispenses single rolls of 24 inch 3M [™] Welding and Spark Deflection Paper. Can be wall or table mounted. Very easy to assemble.
Part Number	05842	05844	05912
UPC	0-00-51131-05842-2	0-00-51131-05844-6	0-00-51131-05912-2
Product Name	3M™ Spreaders	3M™ Spreader Assortment	3M [™] Welding and Spark Deflection Paper Dispenser
Color	Yellow	Yellow	
Doolcoging	EO nor coco	04 per 2000	1 nor 0000
Packaging	50 per case	24 per case	1 per case
Packaging	06396	08688	08978
rackaging	·		·
Description	·		·
	06396 3M™ Adhesion Promoter 06396 is a liquid primer used for enhancing adhesion of 3M™ Acrylic Foam Tapes for interior and exterior trim	08688	Designed to be used with an air chisel to remove bonded moldings but can be used by
Description	3M [™] Adhesion Promoter 06396 is a liquid primer used for enhancing adhesion of 3M [™] Acrylic Foam Tapes for interior and exterior trim applications.	08688 Dauber for the application of urethane primers.	Designed to be used with an air chisel to remove bonded moldings but can be used by hand to remove emblems and scripts.
Description Part Number	3M [™] Adhesion Promoter 06396 is a liquid primer used for enhancing adhesion of 3M [™] Acrylic Foam Tapes for interior and exterior trim applications. 06396	Dauber for the application of urethane primers. 08688	Designed to be used with an air chisel to remove bonded moldings but can be used by hand to remove emblems and scripts. 08978
Description Part Number UPC	06396 3M™ Adhesion Promoter 06396 is a liquid primer used for enhancing adhesion of 3M™ Acrylic Foam Tapes for interior and exterior trim applications. 06396 0-00-51131-06396-9	Dauber for the application of urethane primers. 08688 0-00-51135-08688-9	Designed to be used with an air chisel to remove bonded moldings but can be used by hand to remove emblems and scripts. 08978 0-00-51135-08978-1

Adhesives - Single Component Caulking Cartridge Applicators & Accessories

	08187	08398	08399
Description	Threaded cartridge nozzle for use with 10.5 fl. oz. single component cartridges.	Fully enclosed, all metal, rod driven, friction feed applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages. This tool has a 12:1 ratio.	Fully enclosed, pneumatic applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages.
Part Number	08187	08398	08399
UPC	0-00-51135-08187-7	0-00-51135-08398-7	0-00-51135-08399-4
Product Name	3M™ Threaded Cartridge Nozzle	3M™ Flexible Package Applicator Gun	3M™ Flexible Package Applicator Gun - Pneumatic
Container Volume	10.5 fl oz	310 Millilitre	310 Millilitre
Color	Opaque	Metallic/Black	Black/Metallic
Packaging	6 boxes per case	1 per case	1 per case

Adhesives - Single Component Caulking Cartridge Applicators & Accessories (continued)

	08991	08992	08993
Description	Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M™ Windshield Urethanes. This tool has an 18:1 ratio.	For use with 3M 1/10 gallon cartridge adhesives and sealants.	A high-performance gun, designed for the pro- fessional. Used for dispensing material from an 1/10 Gallon cartridge.
Part Number	08991	08992	08993
UPC	0-00-51135-08991-0	0-00-51135-08992-7	0-00-51135-08993-4
Product Name	3M™ Flex Pack Heavy Duty Applicator Gun	3M™ Cartridge Applicator Gun	3M™ Professional Caulking Gun
Container Volume	450 Millilitre	1/10 Gallon	1/10 Gallon
Color	Metallic/Black	Blue	Orange/Black
Packaging	1 per case	12 per case	1 per case

Adhesives - Single Component Flexpack/Sachet Applicators & Accessories

	08188	08201	08202	08203
Description	Conical tapered nozzle for use with Flex Pack packaged products.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.
Part Number	08188	08201	08202	08203
UPC	0-00-51135-08188-4	0-00-51135-08201-0	0-00-51135-08202-7	0-00-51135-08203-4
Product Name	3M™ Flex Pack Nozzle	3M [™] 1/4 in Rounded 0EM Seam Sealer Tip	3M [™] 3/8 in Rounded 0EM Seam Sealer Tip	3M [™] 1/2 in Rounded 0EM Seam Sealer Tip
Color	Opaque	Opaque	Opaque	Opaque
Packaging	6 per case	6 bags per case	6 bags per case	6 bags per case

Adhesives - Single Component Flexpack/Sachet Applicators & Accessories (continued)

	08204	08205	08206	08398
Description	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to use the 3M™ 0EM Seam Sealer Tips on 3M™ seam sealer products to duplicate many of the 0EM applied seam sealer beads without a lot of extra time and effort. Six (6) adapters included with each bag.	Fully enclosed, all metal, rod driven, friction feed applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages. This tool has a 12:1 ratio.
Part Number	08204	08205	08206	08398
UPC	0-00-51135-08204-1	0-00-51135-08205-8	0-00-51135-08206-5	0-00-51135-08398-7
Product Name	3M [™] 3/8 in Flat 0EM Seam Sealer Tip	3M [™] 3/8 in Double-Rounded OEM Seam Sealer Tip	3M™ 0EM Seam Sealer Tip Adapter	3M [™] Flexible Package Applicator Gun
Color	Opaque	Opaque	Opaque	Metallic/Black
Packaging	6 bags per case	6 bags per case	6 bags per case	1 per case
	08399	08991		
	Fully enclosed, pneumatic applicator gun for use with 3M™	Fully enclosed all metal, rod driven, friction feed applicator gun for use		
Description	Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages.	with 450 mL 3M TM Windshield Urethanes. This tool has an 18:1 ratio.		
Part Number	08399	08991		
UPC	0-00-51135-08399-4	0-00-51135-08991-0		
Product Name	3M [™] Flexible Package Applicator Gun - Pneumatic	3M [™] Flex Pack Heavy Duty Applicator Gun		
Color	Black/Metallic	Metallic/Black		
Packaging	1 per case	1 per case		

Adhesives - Textured Coating Applicators & Accessories

	08801	08966	08997	08998
Description	One piece metal applicator gun designed for use with all No Cleanup products. Requires no cleaning. Refer to individual No Cleanup products for proper air pressures. Requires the use of No Cleanup Replacement Nozzle 08966.	Designed for use with 3M™ No Cleanup Coatings, part numbers 08804, 08949 and 08964.	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991.	Developed to provide a reusable, inexpensive means of applying 3M™ Rust Fighter-I (Quarts) into hard to reach areas. This is a 36 inch flexible tube that has a specialized tip which provides a 360 degree or 180 degree spray pattern.
Part Number	08801	08966	08997	08998
UPC	0-00-51135-08801-2	0-00-51135-08966-8	0-00-51135-08997-2	0-00-51135-08998-9
Product Name	3M™ No Cleanup Applicator Gun	3M [™] No Cleanup Replacement Nozzles	3M [™] Body Schutz [™] Applicator Gun	3M [™] Rust Fighter-I Application Wand
Color	Black	Opaque	Silver	Opaque
Packaging	8 per case	4 bags per case	1 per case	12 per case

General/Miscellaneous Bonding Products

Contact Adhesives

	08051	08074	08088	08090
	Feathering Duc Andesive year MANASSAMM (TOT 6897)	35. 35. 34. 34. 34. 34.		10 mm 计 10 mm 10
Description	Specially formulated to allow multiple disc applications without adhesive buildup or paper delamination. Discs remove easily and cleanly.	Clear adhesive that is used for attaching lightweight trim material such as upholstery cloth and trunk liners to metal and other surfaces. May be used to bond styrofoam. Ideal for position bonding applications where mechanical fasteners will be used.	Low VOC, clear, high strength adhesive for bonding automotive materials such as carpeting, jute pads, fabrics and plastics to metal and other surfaces. Has good heat and water resistance.	Aerosol contact adhesive designed for bonding vinyl tops, heavyweight liners and hood silencer pads where high strength and heat resistance are needed.
Part Number	08051	08074	08088	08090
UPC	0-00-51135-08051-1	0-00-51131-08074-4	0-00-51135-08088-7	0-00-51131-08090-4
Product Name	3M [™] Feathering Disc Adhesive (Type 2)	3M™ Spray Trim Adhesive	3M™ General Trim Adhesive	3M™ Super Trim Adhesive
Container Volume	5 Fluid Ounce (US)	24 Fluid Ounce (US)	24 Fluid Ounce (US)	24 Fluid Ounce (US)
Color	White	Pale Yellow	Clear	Yellow
Packaging	6 per case	6 per case	4 per case	6 per case

General/Miscellaneous Bonding Products

Contact Adhesives (continued)

	21180	21181	21182	21183
	Column Co	Manager Color		
Description	3M™ Fastbond™ 30NF Contact Adhesive is a water-dispersed high strength contact adhesive.	3M [™] Fastbond [™] 30NF Contact Adhesive is a water-dispersed high strength contact adhesive.	3M [™] Fastbond [™] 30NF Contact Adhesive is a water-dispersed high strength contact adhesive.	3M [™] Fastbond [™] 30NF Contact Adhesive is a water-dispersed high strength contact adhesive.
Part Number	21180	21181	21182	21183
UPC	0-00-21200-21180-5	0-00-21200-21181-2	0-00-21200-21182-9	0-00-21200-21183-6
Product Name	3M [™] Fastbond [™] 30NF Contact Adhesive Neutral	3M [™] Fastbond [™] Contact Adhesive 30NF Neutral	3M™ Fastbond™ Contact Adhesive 30NF Neutral	3M [™] Fastbond [™] Contact Adhesive 30NF Neutral
Container Volume	1 Dry Quart (US)	1 Gallon (US)	5 Gallon (US)	55 Gallon (US)
Color	Neutral	Neutral	Neutral	Neutral
Packaging	12 per case	4 per case	1 per case	1 per case
	21187	56533		
	100	Endough Factories		
Description	3M [™] Fastbond [™] 30NF Contact Adhesive is a water-dispersed high strength contact adhesive.			
Description Part Number	Adhesive is a water-dispersed high	3M™ Fastbond™ Spray Activator 1 is a water-dispersed, high solids, activator for use with 3M™		
•	Adhesive is a water-dispersed high strength contact adhesive.	3M [™] Fastbond [™] Spray Activator 1 is a water-dispersed, high solids, activator for use with 3M [™] Fastbond [™] 2000 Adhesive.		
Part Number	Adhesive is a water-dispersed high strength contact adhesive. 21187	3M TM Fastbond TM Spray Activator 1 is a water-dispersed, high solids, activator for use with 3M TM Fastbond TM 2000 Adhesive. 56533		
Part Number UPC	Adhesive is a water-dispersed high strength contact adhesive. 21187 0-00-21200-21187-4 3M TM Fastbond TM 30NF Contact	3M [™] Fastbond [™] Spray Activator 1 is a water-dispersed, high solids, activator for use with 3M [™] Fastbond [™] 2000 Adhesive. 56533 0-00-21200-56533-5		
Part Number UPC Product Name	Adhesive is a water-dispersed high strength contact adhesive. 21187 0-00-21200-21187-4 3M™ Fastbond™ 30NF Contact Adhesive Green	3M [™] Fastbond [™] Spray Activator 1 is a water-dispersed, high solids, activator for use with 3M [™] Fastbond [™] 2000 Adhesive. 56533 0-00-21200-56533-5 3M [™] Fastbond [™] Spray Activator 1		

General/Miscellaneous Bonding Products

General Bonding Products

	04240	04247	04747	08101
	DURAME	DURAMIX	Section 1997	and and Adhesive the state of t
Description	Urethane plastic repair material for repairing damaged bumpers and re-building tabs. Can also be used to bond many dissimilar materials such as plastic, fiberglass and metal.	20-second set urethane adhesive that replaces cyanoacrylates. Will not crack or become brittle like cyanoacrylates. Bonds to virtually any substrate and has excellent gap-filling capabilities for bonding small parts. Excellent for rebuilding cracked eyelets and broken tabs.	4747 is a two-component adhesive that has a very fast gel and cure time. The two parts consist of a base side and an accelerator side. The two parts are always mixed together.	Two part general purpose gray structural adhesive that may be used for bonding metal, glass and plastic. This product can be used for trim, fiberglass, and flexible body parts repair.
Part Number	04240	04247	04747	08101
UPC	0-00-51131-04240-7	0-00-51131-04247-6	0-00-51131-04747-1	0-00-51135-08101-3
Product Name	3M [™] Semi-Rigid Plastic Repair	3M [™] Super Fast Plastic Repair	3M™ Super-Fast Repair Adhesive	3M [™] Structural Adhesive
Container Volume	200 Millilitre	200 Millilitre	50 Millilitre	4 Fluid Ounce (US)
Color	Clear	Clear	Transparent Yellow	Brown/White
Packaging	6 per case	6 per case	6 per case	6 kits per case
	08107	08107*	08214	08217
			<u> </u>	
	M. GRU	50 G007	DURAWUK	Automb 0.2.17
Description	Two-part, clear epoxy that delivers strong, durable bonds within minutes after application. Makes difficult repair jobs easy when used to join parts made of plastic, metal, glass, fiberglass, wood, etc.	Two-part, clear epoxy that delivers strong, durable bonds within minutes after application. Makes difficult repair jobs easy when used to join parts made of plastic, metal, glass, fiberglass, wood, etc. There is a 3 to 5 minute work life. Handling strength is reached in about 5 minutes, with full cure in one hour.	Flexible urethane for bonding plastic add-on parts such as spoilers, flares, air dams, impact strips, emblems and various other ground effects parts. Tough, flexible bond prevents cracking. Allows repositioning of impact strips during application.	Two-part epoxy used as a general purpose adhesive for metal, glass and plastic. This clear, non-yellowing adhesive has a 3 minute work time, 25 minute handling time, and 60 minute cure time.
Description Part Number	strong, durable bonds within min- utes after application. Makes diffi- cult repair jobs easy when used to join parts made of plastic, metal,	strong, durable bonds within min- utes after application. Makes diffi- cult repair jobs easy when used to join parts made of plastic, metal, glass, fiberglass, wood, etc. There is a 3 to 5 minute work life. Handling strength is reached in about 5 minutes, with full cure in	tic add-on parts such as spoilers, flares, air dams, impact strips, emblems and various other ground effects parts. Tough, flexible bond prevents cracking. Allows reposi- tioning of impact strips during	purpose adhesive for metal, glass and plastic. This clear, non-yellow- ing adhesive has a 3 minute work time, 25 minute handling time, and
·	strong, durable bonds within min- utes after application. Makes diffi- cult repair jobs easy when used to join parts made of plastic, metal, glass, fiberglass, wood, etc.	strong, durable bonds within min- utes after application. Makes diffi- cult repair jobs easy when used to join parts made of plastic, metal, glass, fiberglass, wood, etc. There is a 3 to 5 minute work life. Handling strength is reached in about 5 minutes, with full cure in one hour.	tic add-on parts such as spoilers, flares, air dams, impact strips, emblems and various other ground effects parts. Tough, flexible bond prevents cracking. Allows repositioning of impact strips during application.	purpose adhesive for metal, glass and plastic. This clear, non-yellow- ing adhesive has a 3 minute work time, 25 minute handling time, and 60 minute cure time.
Part Number	strong, durable bonds within min- utes after application. Makes diffi- cult repair jobs easy when used to join parts made of plastic, metal, glass, fiberglass, wood, etc.	strong, durable bonds within min- utes after application. Makes diffi- cult repair jobs easy when used to join parts made of plastic, metal, glass, fiberglass, wood, etc. There is a 3 to 5 minute work life. Handling strength is reached in about 5 minutes, with full cure in one hour.	tic add-on parts such as spoilers, flares, air dams, impact strips, emblems and various other ground effects parts. Tough, flexible bond prevents cracking. Allows repositioning of impact strips during application.	purpose adhesive for metal, glass and plastic. This clear, non-yellow- ing adhesive has a 3 minute work time, 25 minute handling time, and 60 minute cure time.
Part Number UPC	strong, durable bonds within min- utes after application. Makes diffi- cult repair jobs easy when used to join parts made of plastic, metal, glass, fiberglass, wood, etc. 08107 0-00-51135-08107-5	strong, durable bonds within minutes after application. Makes difficult repair jobs easy when used to join parts made of plastic, metal, glass, fiberglass, wood, etc. There is a 3 to 5 minute work life. Handling strength is reached in about 5 minutes, with full cure in one hour. 08107* 0-00-51135-08107-5	tic add-on parts such as spoilers, flares, air dams, impact strips, emblems and various other ground effects parts. Tough, flexible bond prevents cracking. Allows repositioning of impact strips during application. 08214 0-00-51135-08214-0 3MTM Universal Adhesive Black -	purpose adhesive for metal, glass and plastic. This clear, non-yellowing adhesive has a 3 minute work time, 25 minute handling time, and 60 minute cure time. 08217 0-00-51135-08217-1
Part Number UPC Product Name	strong, durable bonds within minutes after application. Makes difficult repair jobs easy when used to join parts made of plastic, metal, glass, fiberglass, wood, etc. 08107 0-00-51135-08107-5 3M TM Fast Cure Epoxy Adhesive	strong, durable bonds within minutes after application. Makes difficult repair jobs easy when used to join parts made of plastic, metal, glass, fiberglass, wood, etc. There is a 3 to 5 minute work life. Handling strength is reached in about 5 minutes, with full cure in one hour. 08107* 0-00-51135-08107-5 3M™ Universal Adhesive Clear	tic add-on parts such as spoilers, flares, air dams, impact strips, emblems and various other ground effects parts. Tough, flexible bond prevents cracking. Allows repositioning of impact strips during application. 08214 0-00-51135-08214-0 3M™ Universal Adhesive Black -	purpose adhesive for metal, glass and plastic. This clear, non-yellowing adhesive has a 3 minute work time, 25 minute handling time, and 60 minute cure time. 08217 0-00-51135-08217-1 3M™ Universal Adhesive Clear - 3

General/Miscellaneous Bonding Products

General Bonding Products (continued)

	08223	08224	34240	
	Tarante (1) Tarant		No. of the same of	
Description	Two-part urethane. A general purpose black adhesive for metal glass and plastic. It is strong and durable and works on a wide variety of substrates.	Cyanoacrylic adhesive kit used to bond rubber, metal and plastic. The accelerator, included in this kit, pro- vides nearly instant bonding plus added strength. Ideal for extremely quick, easy repairs of small pieces.	Two-part urethane plastic repair material for repairing damaged bumpers and re-building tabs. Can also be used to bond many dissimi- lar materials such as plastic, fiber- glass and metal.	
Part Number	08223	08224	34240	
UPC	0-00-51131-08223-6	0-00-51135-08224-9	0-00-51131-34240-8	
Product Name	3M™ Universal Adhesive - 3	3M™ Quick Fix Adhesive Kit	3M™ Semi-Rigid Plastic Repair	
Container Volume	200 Millilitre		50 Millilitre	
Color	Black	Clear	Black	
Packaging	6 per case	6 per case	6 per case	

Mechanical, Weatherstrip & Gasket Adhesives

	03602	08001	08002	08008
	Som	Sign Market (1) And the state of the state o		Super Wathershift American
Description	3M™ Black Super Weatherstrip Adhesive bonds gaskets and weather stripping to metal sur- faces. Withstands vibration and temperature changes. Resists oils, fuels, detergents and grease. Strong, and flexible bond.	A strong, flexible, rubbery adhesive that can withstand vibration, oil, grease, and extreme temperature variations. It can be used to bond weatherstripping to car doors, trunks, T-tops, moon roofs and sun roofs. Excellent adhesive for holding paper, cork, or rubber gaskets in place during installation.	A strong, flexible, rubbery adhesive that can withstand vibration, oil, grease, and extreme temperature variations. It can be used to bond weatherstripping to car doors, trunks, T-tops, moon roofs and sun roofs. Excellent adhesive for holding paper, cork, or rubber gaskets in place during installation.	A strong, flexible, rubbery adhesive that can withstand vibration and extreme temperature variations. It can be used to bond automotive weatherstripping and is a great adhesive for holding paper, cork, or rubber gaskets in place during installation.
Part Number	03602	08001	08002	08008
UPC	0-00-51131-03602-4	0-00-51135-08001-6	0-00-51135-08002-3	0-00-51135-08008-5
Product Name	3M [™] Black Super Weatherstrip Adhesive	3M [™] Super Weatherstrip and Gasket Adhesive	3M [™] Super Weatherstrip and Gasket Adhesive	3M [™] Super Weatherstrip Adhesive
Container Volume	1 Fluid Ounce (US)	5 Fluid Ounce (US)	2 Fluid Ounce (US)	5 Fluid Ounce (US)
Color	Black	Yellow	Yellow	Yellow
Packaging	24 per case	6 per case	12 per case	6 per case

General/Miscellaneous Bonding Products

Mechanical, Weatherstrip & Gasket Adhesives (continued)

	08011	08581	08730	08731
	Manager to 1911		Trendicion	Translator Translator
Description	A black, fast-drying adhesive used for bonding and sealing automotive weatherstripping. Designed to affix EPDM rubber. Remains flexible and waterproof.	A strong, flexible, rubbery adhesive that can withstand vibration, oil, grease and extreme temperature variations. It can be used to bond weatherstripping to car doors, trunks, T-tops, moon roofs and sun roofs	A high strength threadlocker for heavy-duty applications and per- manent locking of studs. Prevents loosening due to vibration, shock, and stress loads. Locks and seals threaded fasteners in applications up to 300 degrees F.	A medium strength threadlocker for general applications. Prevents loosening due to vibration, shock, and stress loads. Locks and seals threaded fasteners in applications up to 300 degrees F. Designed for use on fasteners from 1/4 inch to 1 inch diameter.
Part Number	08011	08581	08730	08731
UPC	0-00-51135-08011-5	0-00-51135-08581-3	0-00-51135-08730-5	0-00-51135-08731-2
Product Name	3M™ Weatherstrip Adhesive	3M [™] Super Weatherstrip and Gasket Adhesive	3M [™] High-Strength Threadlocker	3M™ Medium-Strength Threadlocker
Container Volume	5 Fluid Ounce (US)	2 Ounce	0.4 Fluid Ounce (US)	0.4 Fluid Ounce (US)
Color	Black	Black	Red	Blue
Packaging	6 per case	12 per case	12 per case	12 per case

Trim & Emblem Adhesives

	08031	08061	08063	08069
	For the State of the Advances - 1997	And of Beautiful And Andreas A	Unsprodent Control of	
Description	Extremely fast drying, non-staining, amber adhesive for bonding trim fabric, upholstery cloth, floor mats and carpeting to bare metal and KB board. Also useful as a gasket adhesive to hold gaskets in place while assembling parts.	Strong, quick-drying adhesive can be used for bonding plastic or metal emblems, interior rigid plastic, tail light lenses, vinyl side moldings or upholstery.	Easily applied, non-stringing, clear, gel adhesive with excellent sag resistance. Product dries fast, has excellant initial holding strength and will not harm cured paint.	Transfer adhesive allowing emblems with existing foam tape to be re-attached. No stringing or trimming needed. Simply press emblem onto adhesive and place emblem on vehicle. 10 pieces per pack, 6 packs per case.
Part Number	08031	08061	08063	08069
UPC	0-00-51135-08031-3	0-00-51135-08061-0	0-00-51135-08063-4	0-00-51135-08069-6
Product Name	3M™ Fast Tack Trim Adhesive	3M™ Plastic and Emblem Adhesive	3M™ Ultrapro™ Trim and Emblem Adhesive	3M [™] Press-In-Place Emblem Adhesive
Container Volume	5 Fluid Ounce (US)	5 Fluid Ounce (US)	8 Fluid Ounce (US)	
Color	Amber	Clear	Clear	Clear
Packaging	6 per case	6 per case	6 per case	60 per case

148

Glass Installation Products

Glass Installation Accessories

	08187	08188	08398	08399
	· · · · · · · · · · · · · · · · · · ·			
Description	Threaded cartridge nozzle for use with 10.5 fl. oz. single component cartridges.	Conical tapered nozzle for use with Flex Pack packaged products.	Fully enclosed, all metal, rod driven, friction feed applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages. This tool has a 12:1 ratio.	Fully enclosed, pneumatic applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages.
Part Number	08187	08188	08398	08399
UPC	0-00-51135-08187-7	0-00-51135-08188-4	0-00-51135-08398-7	0-00-51135-08399-4
Product Name	3M [™] Threaded Cartridge Nozzle	3M [™] Flex Pack Nozzle	3M [™] Flexible Package Applicator Gun	3M [™] Flexible Package Applicator Gun - Pneumatic
Container Volume	10.5 fl oz		310 Millilitre	310 Millilitre
Color	Opaque	Opaque	Metallic/Black	Black/Metallic
Packaging	50 nozzles per box 6 boxes per case	6 per case	1 per case	1 per case
	08688	08991	08993	
		FH.		
Description	Dauber for the application of ure- thane primers.	Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M™ Windshield Urethanes. This tool has an 18:1 ratio.	A high-performance gun, designed for the professional. Used for dis- pensing material from an 1/10 Gallon cartridge.	
Part Number	08688	08991	08993	
UPC	0-00-51135-08688-9	0-00-51135-08991-0	0-00-51135-08993-4	
Product Name	3M [™] Urethane Primer Daubers	3M™ Flex Pack Heavy Duty Applicator Gun	3M™ Professional Caulking Gun	
Container Volume		450 Millilitre	1/10 Gallon	
Color	White	Metallic/Black	Orange/Black	
Packaging	100 per bag 6 bags per case	1 per case	1 per case	

Glass Installation Products

Miscellaneous Glass Adhesives and Sealants

	08155	08509	08551
	Could File Adhesive File File File File File File File Fil		002/maner Cher July 201 (201) Surface 201 (201)
Description	Has good adhesion to rubber weatherstripping, vinyl, metal, glass, side moldings, emblems, trim pieces, and most plastics. Excellant resistance to temperature extremes, shock, and most automotive and marine fluids.	Non-hardening, pliable, water-resistant, medi- um-bodied sealer for sealing auto seams and between windshield rubber and car body. Can be used as a supplementary sealer for auto glass installation.	Clear, fast drying, sealant that stays flexible and is color stable. This product is used for sealing leaks in windshields, backlites, reveal moldings, truck ornaments, taillights and other small seams on the auto body.
Part Number	08155	08509	08551
UPC	0-00-51135-08155-6	0-00-51135-08509-7	0-00-51135-08551-6
Product Name	3M™ Quick Fix Adhesive	3M [™] Auto Bedding and Glazing Compound	3M™ Clear Auto Sealer
Container Volume	1 Fluid Ounce (US)	0.1 Gallon (US)	5 Fluid Ounce (US)
Color	Clear	Black	Clear
Packaging	12 per case	12 per case	6 per case
	08641	08752	20227
	901		The second secon
Description	Black, flexible and durable adhesive used for bonding moveable and stationary glass into place. Has a 4 to 5 minute worklife and driveaway time of one hour.	A two-part structural acrylic system design to professionally mount rear view mirrors. Resistant to moisture, chemicals, vibration, and impact. A simple application procedure along with room temperature curing make this system very user friendly.	3M [™] Scotch-Seal [™] Metal Sealant 2084 is a one-part aluminum colored, general purpose, medium viscosity sealant
Part Number	08641	08752	20227
UPC	0-00-51135-08641-4	0-00-51135-08752-7	0-00-21200-20227-8
Product Name	3M™ Channel Bonding and Sidelite Adhesive	3M™ Rearview Mirror Adhesive	3M™ ScotchSeal™ Metal Sealant
Container Volume	50 Millilitre	0.02 Fluid Ounce (US)	5 Ounce
Color	Black/Milky White	Clear/Green	Aluminum
Packaging	6 per case	12 per case	36 per case

Glass Installation Products

Primers and Cleaners

	08681	08682	08688	08888
	The state of the s			Was to the same of
Description	Single step primer for windshields to promote urethane adhesion to the windshield; can also be used to touch up pinchweld scratches and to primer encapsulated glass.	Primer for windshields to promote urethane adhesion to the windshield; can also be used to touch up pinchweld scratches and to primer encapsulated glass. Single use size.	Dauber for the application of ure- thane primers.	An aerosol cleaner for all glass surfaces including windows, windshields, mirrors, and side glass. May also be used to clean automotive vinyl, interior plastic and clear plastic. 3M™ Glass Cleaner is nonflammable, and will not affect painted surfaces.
UPC	0-00-51135-08681-0	0-00-51135-08682-7	0-00-51135-08688-9	0-00-51135-08888-3
Product Name	3M™ Single Step Primer	3M™ Single Step Primer	3M™ Urethane Primer Daubers	3M™ Glass Cleaner
Color	Black	Black	White	White
Packaging	6 per case	6 per case	5 bags per case	12 cans per case

Ribbon Sealers

Its unique feature of controlled compressability allows easy installation yet will not squeeze out or allow lite to contact pinchweld. One 15 foot roll is sufficient material to replace one windshield or backlite. One 30 foot roll is sufficient material to replace two windshields or backlites.





Part Number	UPC	Product Name	Length	Ribbon Diameter	Packaging
08610	0-00-51135-08610-0	3M™ Windo-Weld™ Round Ribbon Sealer Kit	15 Linear Foot	1/4 Inch	12 per case
08611	0-00-51135-08611-7	3M™ Windo-Weld™ Round Ribbon Sealer Kit	15 Linear Foot	5/16 Inch	12 per case
08612	0-00-51135-08612-4	3M™ Windo-Weld™ Round Ribbon Sealer Kit	15 Linear Foot	3/8 Inch	12 per case
08620	0-00-51135-08620-9	3M™ Windo-Weld™ Round Ribbon Sealer Roll	15 Linear Foot	1/4 Inch	24 per case
08621	0-00-51135-08621-6	3M™ Windo-Weld™ Round Ribbon Sealer Roll	15 Linear Foot	5/16 Inch	24 per case
08622	0-00-51135-08622-3	3M™ Windo-Weld™ Round Ribbon Sealer Roll	15 Linear Foot	3/8 Inch	24 per case
08625	0-00-51135-08625-4	3M™ Windo-Weld™ Round Ribbon Sealer Roll	30 Linear Foot	1/4 Inch x 1/8 Inch	24 per case

Glass Installation Products

Windshield Adhesives and Urethanes

	08564	08566	08609	08689
			3M ************************************	The state of the s
Description	Medium viscosity, one part moisture curing urethane adhesive designed for windshield bonding and stationary glass attachment. Exceeds OEM strengths.	One part moisture curing auto glass urethane. One of the fastest curing one part urethane on the market. Ideal for those applications that require a fast curing one part auto glass urethane.	One part moisture curing urethane adhesive that bonds auto replacement glass to car bodies.	One part moisture curing auto glass urethane. One of the fastest curing one part urethane on the market. Ideal for those applications that require a fast curing one part auto glass urethane.
Part Number	08564	08566	08609	08689
UPC	0-00-51135-08564-6	0-00-51135-08566-0	0-00-51135-08609-4	0-00-51135-08689-6
Product Name	3M [™] Auto Glass Urethane Windshield Adhesive	3M™ Fast Cure Auto Glass Urethane	3M™ Windo-Weld™ Super Fast Urethane	3M™ Fast Cure Auto Glass Urethane
Container Volume	600 Millilitre	600 Millilitre	10.5 Fluid Ounce (US)	450 Millilitre
Color	Black	Black	Black	Black
Packaging	12 per case	12 per case	12 per case	12 per case
	08690	08693	08695	
Description	One part moisture curing auto glass urethane. One of the fastest curing one part urethane on the market. Ideal for those applications that require a fast curing one part auto glass urethane.	Medium viscosity, one part moisture curing urethane adhesive designed for windshield bonding and stationary glass attachment. Exceeds OEM strengths.	Medium viscosity, one part mois- ture curing urethane adhesive designed for windshield bonding and stationary glass attachment. Exceeds OEM strengths.	
Part Number	08690	08693	08695	
UPC	0-00-51135-08690-2	0-00-51131-08693-7	0-00-51135-08695-7	
Product Name	3M™ Fast Cure Auto Glass Urethane	3M [™] Auto Glass Urethane Windshield Adhesive	3M [™] Auto Glass Urethane Windshield Adhesive	
Container Volume	10.5 Fluid Ounce (US)	10.5 Fluid Ounce (US)	450 Millilitre	
Color	Black	Black	Black	
Packaging	12 per case	12 per case	12 per case	

Panel Bonding Adhesives

Applicators and Accessories

	02508	02530	02576	08117
	10 10 10 10 10 10 10 10 10 10			=
Description	Has one door which opens on left. Is lockable. It measures 30-1/8 in high, 14-1/8 in wide and 12-1/8 in deep and is made of sturdy 24 gauge American steel. Weight 26 pounds.	Shop Rack designed to hang on the wall while holding up to 8 open cartridges and 2 applicator guns. Sized to accomodate all 3M 200 mL and 400 mL cartridges.	Rack for holding dispense box of 3M™ Dynamic Mixing Nozzles, PN05847.	Manual applicator designed for use with all 200 mL cartridges in the 3M [™] line of products. This product has a 1:1 mixing ratio.
Part Number	02508	02530	02576	08117
UPC	0-00-51131-02508-0	0-00-51131-02530-1	0-00-51131-02576-9	0-00-51135-08117-4
Product Name	3M [™] Sealers, Coatings and Adhesives Organizer (Right side)	3M™ Shop Rack	3M™ Bulk Nozzle Rack	3M [™] Performance Manual Applicator
Color	Black	Black	Red	Metallic/Black
Packaging	1 per case	1 per case	1 per case	1 per case
Container Volume		-		200 Millilitre
	08193	08194	08280	08284
Description	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	A pneumatic applicator gun designed for use with 3M's 400 mL cartridges.	A manual applicator gun designed for use with 3M's 400 mL car- tridges.
Part Number	08193	08194	08280	08284
UPC	0-00-51131-08193-2	0-00-51135-08194-5	0-00-51135-08280-5	0-00-51135-08284-3
Product Name	3M™ Mixing Nozzle	3M [™] Static Mixing Nozzle	3M™ Performance Pneumatic Applicator	3M [™] Performance Manual Applicator
Color	Opaque/Gold	Opaque	Black	Black
Packaging	6 bags per case	6 boxes per case	1 per case	1 per case
Container Volume			400 Millilitre	400 Millilitre
	08571	09930		
Description	Dispenses all 3M [™] 200 mL cartridges with 1-1 or 2-1 mix ratios. Heavy Duty metal construction. Rod Driven for balanced product dis-	A pneumatic applicator gun designed for use with 3M's 200mL cartridges.		
	pensing.	.		
Part Number	08571	09930		
Product Name	0-00-51135-08571-4 3M™ Manual 200 mL Cartridge Applicator Gun	0-00-51131-09930-2 3M™ Performance Pneumatic Applicator		
Color	Red/Black	Black		
Packaging	1 per case	1 per case		
Container Volume	200 Millilitre	200 Millilitre		
	1			

Panel Bonding Adhesives

Panel Adhesives

	08115	08116	08219	08272
	The state of the s			The second of th
Description	Two-part epoxy used to bond steel, aluminum, SMC, and FRP (traditional fiberglass). The primary use is to replace quarter panels, roofs, box sides, van sides, utility vehicle sides and door skins.	Two-part epoxy used to bond steel, aluminum, SMC, and FRP (traditional fiberglass). The primary use is to replace quarter panels, roofs, box sides, van sides, utility vehicle sides and door skins. Meets GM 6449G & Chrysler MS-CD 507.	Two-part urethane adhesive that is used to bond SMC and FRP (traditional fiberglass) body panels to each other and to metal frames.	Two-part urethane. Adhere SMC and FRP (traditional fiberglass) body panels to each other and to metal frames (metal must be primed with two part primer, 08278). Automatic mixing with excellent sag resistance.
Part Number	08115	08116	08219	08272
UPC	0-00-51135-08115-0	0-00-51135-08116-7	0-00-51135-08219-5	0-00-51135-08272-0
Product Name	3M [™] Panel Bonding Adhesive	3M [™] Panel Bonding Adhesive	3M [™] SMC/Fiberglass Repair Adhesive-35	3M™ SMC/Fiberglass Repair Adhesive-10
Container Volume	200 Millilitre	200 Millilitre	200 Millilitre	400 Millilitre
Color	Black	Amber		Green
Packaging	6 per case	6 per case	6 per case	6 per case
	08273	08274	38315	
	The second of th	Carried B	Since	
Description	Two-part urethane. Adhere SMC and FRP (traditional fiberglass) body panels to each other and to metal frames (metal must be primed with a two part primer). Automatic mixing with excellent sag resistance. Longer work time for bonding SMC and FRP (traditional fiberglass) fender and hood.	A high performance two component epoxy adhesive with excellent sag resistance. Used to bond SMC and FRP (traditional fiberglass) body panels to each other and to metal frames.	Two-part epoxy used to bond steel, aluminum, SMC, and FRP (traditional fiberglass). The primary use is to replace quarter panels, roofs, box sides, van sides, utility vehicle sides and door skins.	
Part Number	08273	08274	38315	
UPC	0-00-51135-08273-7	0-00-51135-08274-4	0-00-51131-38315-9	
Product Name	3M [™] SMC/Fiberglass Repair Adhesive-35	3M [™] SMC/Fiberglass Repair Adhesive-90	3M™ Panel Bonding Adhesive	
Container Volume	400 Millilitre	400 Millilitre	37.5 Millilitre	
Color				
Packaging	6 per case	6 per case	6 per case	

Plastic Repair Products

Accessories & Applicators

	04903	04904	05842	05844
	1			
	and the same of th			
Description	Special film to be overlaid on adhesive just after it has been applied. Prevents air entrapment when adhesive is condensed and contoured into the repair area. Also allows for non-messy spreading.	Laminate of structural gauze and plastic release film. Used for reinforcing the backside of plastic repairs.	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily.	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily. Assortment consists of 1 ea 4 in, 5 in and 6 in spreaders.
Part Number	04903	04904	05842	05844
UPC	0-00-51131-04903-1	0-00-51131-04904-8	0-00-51131-05842-2	0-00-51131-05844-6
Product Name	3M™ Plastic Contour Sheet	3M™ Reinforcement Patch	3M™ Spreaders	3M™ Spreader Assortment
Color	Pink	Light Red	Yellow	Yellow
Packaging	6 per case	6 per case	50 per case	1 per case
	05888	05907	08117	08193
		29 Awaren 89 07 80 07		
Description	A flexible T.P.O. patch that is used to provide a strong backside reinforcement repair for most plastics.	Adhesion promoter to be used with 3M™ EZ Sand Flexible Parts Repair Material for the repair of polypropylene and ethylene propylene interior and exterior parts.	Manual applicator designed for use with all 200 mL cartridges in the 3M [™] line of products. This product has a 1:1 mixing ratio.	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.
Part Number	05888	05907	08117	08193
UPC	0-00-51131-05888-0	0-00-51131-05907-8	0-00-51135-08117-4	0-00-51131-08193-2
Product Name	3M™ EZ Fix Flexible Patch	3M™ Polyolefin Adhesion Promoter 12 Ounce	3M™ Performance Manual Applicator	3M™ Mixing Nozzle
Color	Black	Clear	Metallic/Black	Opaque/Gold
Packaging	6 patches per box 6 boxes per case	6 per case	1 per case	6 bags per case
	08194	08571	09930	
Description	3M™ Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	Dispenses all 3M™ 200 mL car- tridges with 1-1 or 2-1 mix ratios. Heavy Duty metal construction. Rod Driven for balanced product dis- pensing.	A pneumatic applicator gun designed for use with 3M's 200mL cartridges.	
Part Number	08194	08571	09930	
UPC	0-00-51135-08194-5	0-00-51135-08571-4	0-00-51131-09930-2	
Product Name	3M [™] Static Mixing Nozzle	3M [™] Manual 200 mL Cartridge Applicator Gun	3M [™] Performance Pneumatic Applicator	
Color	Opaque	Red/Black	Black	

Plastic Repair Products

Back Side/Structure Adhesives

	04240	04247	04747	08235
	DURAMIX	DURANIX	500 ° Francisco 500 ° Francisc	TO ACC
Description	Urethane plastic repair material for repairing damaged bumpers and re-building tabs. Can also be used to bond many dissimilar materials such as plastic, fiberglass and metal.	20-second set urethane adhesive that replaces cyanoacrylates. Will not crack or become brittle like cyanoacrylates. Bonds to virtually any substrate and has excellent gap-filling capabilities for bonding small parts. Excellent for rebuilding cracked eyelets and broken tabs.	4747 is a two-component adhesive that has a very fast gel and cure time. The two parts consist of a base side and an accelerator side. The two parts are always mixed together.	Excellent choice for quick repair of nicks, gouges, or small defects on mentioned plastics due to extremely fast work time. Excellent adhesion over a wide range of temperatures.
Part Number	04240	04247	04747	08235
UPC	0-00-51131-04240-7	0-00-51131-04247-6	0-00-51131-04747-1	0-00-51131-08235-9
Product Name	3M™ Plastic Repair Semi-Rigid	3M™ Super Fast Repair Adhesive	3M [™] Super-Fast Repair Adhesive	3M™ Semi-Rigid Parts Repair - 1
Container Volume	200 Millilitre	200 Millilitre	50 Millilitre	200 Millilitre
Color	Clear	Clear	Transparent Yellow	Black
Packaging	6 per case	6 per case	6 per case	6 per case
	08237	08239	34240	
	The second of th	The second secon	SCO CONTRACTOR SCOTT	
Description	Two-part urethane adhesive. Used to repair Xenoy, RRIM, GTX, PPO, ABS, and a variety of other semirigid plastic parts and bumper covers. Longer work time than PN08235 for larger repair areas. Excellent adhesion over a wide range of temperatures.	Excellent choice for quick repair of nicks, gouges, or small defects on mentioned plastics due to extremely fast work time. Excellent adhesion over a wide range of temperatures.	Two-part urethane plastic repair material for repairing damaged bumpers and re-building tabs. Can also be used to bond many dissimi- lar materials such as plastic, fiber- glass and metal.	
Part Number	08237	08239	34240	
UPC	0-00-51131-08237-3	0-00-51131-08239-7	0-00-51131-34240-8	
Product Name	3M™ Semi-Rigid Parts Repair - 3	3M™ TPO Plastic Parts Repair	3M™ Semi-Rigid Plastic Repair	
Container Volume	200 Millilitre	200 Millilitre	50 Millilitre	
Color	Black	Black	Black	
Packaging	6 per case	6 per case	6 per case	

Plastic Repair Products

Front Side/Cosmetic Adhesives

	05883	05885	05887	05894
	S. Assession S. Language S. L	Automotive programme of the control	Automatic Septiment	
Description	Two-part epoxy used to repair SMC, FRP (traditional fiberglass), and other rigid plastic parts. This product is designed for use as a filler and an adhesive. It is epoxy-based for easy sanding and is formulated for excellent featheredging.	Two-part epoxy that is used to repair SMC, FRP (traditional fiberglass), and other rigid plastic parts. This product is designed for use as a filler and an adhesive. It is epoxybased for easy sanding and is formulated for excellent featheredge.	Two-part epoxy used to repair most flexible plastic parts, including bumper covers and other plastic body panels. This product should NOT be used with SMC/fiberglass. This product is easy sanding and formulated for excellent featheredge.	Two-Part Epoxy used to repair most flexible plastic parts, including bumper covers and other plastic body panels.
Part Number	05883	05885	05887	05894
UPC	0-00-51131-05883-5	0-00-51131-05885-9	0-00-51131-05887-3	0-00-51131-05894-1
Product Name	3M™ Rigid Parts Repair	3M™ Rigid Parts Repair	3M™ EZ Sand Flexible Parts Repair	3M [™] EZ Sand Flexible Repair Kit Bulk Part A & B
Container Volume	5 Fluid Ounce (US)	200 Millilitre	200 Millilitre	3 Gallon (US)
Color	Blue	Blue/White	White/Gray	
Packaging	6 per case	6 per case	6 per case	2 per case
	05895	05896	35887	
	SERVICE OF STREET	Automb SSD 6 Utility Street The Street Street T	Market State Control of the Control	
Description	Two-part epoxy used to repair most flexible plastic parts, including bumper covers and other plastic body panels. This product should NOT be used with SMC/fiberglass. This product is easy sanding and formulated for excellent featheredging.	Two-part epoxy used to repair most flexible plastic parts, including bumper covers and other plastic body panels. This product should NOT be used with SMC/fiberglass. This product is easy sanding and formulated for excellent featheredging.	Two-part epoxy used to repair most flexible plastic parts, including bumper covers and other plastic body panels. This product should NOT be used with SMC/fiberglass. This product is easy sanding and formulated for excellent featheredge.	
Part Number	05895	05896	35887	
UPC	0-00-51131-05895-8	0-00-51131-05896-5	0-00-51131-35887-4	
Product Name	3M [™] EZ Sand Flexible Parts Repair Kit	$3M^{\text{TM}}$ EZ Sand Flexible Parts Repair Kit	3M™ EZ Sand Flexible Parts Repair	
Container Volume	5 Fluid Ounce (US)	13 Fluid Ounce (US)	50 Millilitre	
Color	White/Gray	White/Gray	White/Grey	
00.01	Trinto, araj	Trinto, araj	Time, and	

Applicators & Accessories

	08117	08193	08194
	=======================================		
Description	Manual applicator designed for use with all 200 mL cartridges in the 3M™ line of products. This product has a 1:1 mixing ratio.	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.
Part Number	08117	08193	08194
UPC	0-00-51135-08117-4	0-00-51131-08193-2	0-00-51135-08194-5
Product Name	3M [™] Performance Manual Applicator	3M™ Mixing Nozzle	3M™ Static Mixing Nozzle
Container Volume	200 Millilitre		
Color	Metallic/Black	Opaque/Gold	Opaque
Packaging	1 per case	6 nozzles per bag 6 bags per case	50 nozzles per box 6 Boxes per case
	08280	08284	09930
Description	A pneumatic applicator gun designed for use	A manual applicator gun designed for use with	A pneumatic applicator gun designed for use
	with 3M's 400 mL cartridges.	3M's 400 mL cartridges.	with 3M's 200mL cartridges.
Part Number	08280	08284	09930
UPC	0-00-51135-08280-5	0-00-51135-08284-3	0-00-51131-09930-2
Product Name	3M [™] Performance Pneumatic Applicator	3M [™] Performance Manual Applicator	3M [™] Performance Pneumatic Applicator
Container Volume	400 Millilitre	400 Millilitre	200 Millilitre
Color	Black	Black	Black
Packaging	1 per case	1 per case	1 per case

Fiber Reinforced Fillers

	01183	05815	05816
	M U		Same and the same
Description	3M™ Long Strand Reinforced Filler is reinforced with long-strand fiberglass to create waterproof repairs that are twice the strength of ordinary body fillers.	Contains chopped fiberglass. Repairs holes, cracks and tears in fiberglass. Repairs holes in metal. Smooth spreading. Waterproof. Can be used with 3M™ Fiberglass Mat or Cloth material, part numbers 05837 and 05838.	Contains chopped fiberglass. Repairs holes, cracks and tears in fiberglass. Repairs holes in metal. Smooth spreading. Waterproof. Can be used with 3M™ Fiberglass Mat or Cloth material, part numbers 05837 and 05838.
Part Number	01183	05815	05816
UPC	0-00-51593-01183-6	0-00-51131-05815-6	0-00-51131-05816-3
Product Name	3M™ Long Strand Reinforced Filler	3M [™] Short Strand Fiberglass Reinforced Filler	3M [™] Short Strand Fiberglass Reinforced Filler
Container Volume	1 Gallon (US)	1 Liquid Quart(US)	1 Gallon (US)
Color	-	Red	Red
Packaging	4 per case	6 per case	4 per case

Fiber Reinforced Fillers (continued)

	05877	31133
Description	A milled fiberglass reinforced polyester filler that can create waterproof repairs to holes and rust in a two-component cartridge for use with the 3MTM Dynamic Mixing System. PN05877 has more than twice the strength of ordinary body fillers, and can be used in conjunction with fiberglass tape, cloth or mat to repair and rebuild rusted-out metal or damaged fiberglass materials.	3M [™] Long Strand Reinforced Filler is reinforced with long strand fiberglass to create waterproof repairs.
Part Number	05877	31133
UPC	0-00-51131-05877-4	0-00-51131-31133-6
Product Name	3M™ Reinforced Filler	3M™ Long Strand Reinforced Filler
Container Volume	10.3 Fluid Ounce (US)	1 Liquid Quart(US)
Color		
Packaging	6 per case	6 per case

Other Repair Accessories

	05833	05834	05836	05837
	Fibergass Resin	Fiberglass Resin Resin Resin Resin	Liquid Hardener Liquid Hardener management	Self states
Description	Designed to be used with 3M TM Fiberglass Cloth (PN 05838) and/or 3M TM Fiberglass Mat(PN 05833) to patch holes in metal, and cracks, tears, punctures and splits in fiberglass panels.	3M™ Fiberglass Resin is designed to be used with 3M™ Fiberglass Cloth (PN 05838) and/or 3M™ Fiberglass Mat (PN 05833) to patch holes in metal, and cracks, tears, punctures and splits in fiberglass panels.	Fast acting liquid hardening agent designed to be used with 3M [™] Fiberglass Resin (PNs 05833 and 05834).	3M™ Fiberglass Mat is designed to be used with 3M™ Resin, part numbers 05833 or 05834, or 3M™ Short Strand Fiberglass Reinforced Fillers, part numbers 05815 or 05816, to patch larger holes in metal damage to fiberglass panels.
Part Number	05833	05834	05836	05837
UPC	0-00-51131-05833-0	0-00-51131-05834-7	0-00-51131-05836-1	0-00-51131-05837-8
Product Name	3M™ Fiberglass Resin	3M™ Fiberglass Resin	3M™ Liquid Hardener	3M™ Fiberglass Mat
Container Volume	1 Liquid Quart(US)	1 Gallon (US)	22 Cubic Centimetre	
Color	Clear	Clear	Clear	White
Packaging	12 per case	4 per case	12 per case	6 per case

Other Repair Accessories (continued)

	05838	05842	05844
	Fiberglass Loth		
Description	3M™ Fiberglass Cloth is designed to be used with 3M™ Resin, part numbers 05833 or 05834, or 3M™ Short Strand Fiberglass Reinforced Fillers, part numbers 05815 or 05816, to patch larger holes in metal damage to fiberglass panels.	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily.	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily. Assortment consists of 1 ea 4 in, 5 in and 6 in spreaders.
Part Number	05838	05842	05844
UPC	0-00-51131-05838-5	0-00-51131-05842-2	0-00-51131-05844-6
Product Name	3M™ Fiberglass Cloth	3M™ Spreaders	3M [™] Spreader Assortment
Container Volume			
Color	White	Yellow	Yellow
Packaging	6 per case	50 per case	24 per case

Repair Adhesives

	05885	08115	08219	08227
	Adjunk Selection There	The state of the s		Board Automative Section 1972
Description	Two-part epoxy that is used to repair SMC, FRP (traditional fiber-glass), and other rigid plastic parts. This product is designed for use as a filler and an adhesive. It is epoxybased for easy sanding and is formulated for excellent featheredge.	Two-part epoxy used to bond steel, aluminum, SMC, and FRP (traditional fiberglass). The primary use is to replace quarter panels, roofs, box sides, van sides, utility vehicle sides and door skins.	Two-part urethane adhesive that is used to bond SMC and FRP (traditional fiberglass) body panels to each other and to metal frames.	Two-part epoxy used to adhere backup strips and patches to SMC and FRP (traditional fiberglass).
Part Number	05885	08115	08219	08227
UPC	0-00-51131-05885-9	0-00-51135-08115-0	0-00-51135-08219-5	0-00-51135-08227-0
Product Name	3M™ EZ Sand Rigid Parts Repair	3M™ Panel Bonding Adhesive	3M [™] SMC/Fiberglass Repair Adhesive-35	3M™ SMC/Fiberglass Repair Adhesive - 4
Container Volume	200 Millilitre	200 Millilitre	200 Millilitre	200 Millilitre
Color	Blue/White	Black		White/Black
Packaging	6 per case	6 per case	6 per case	6 per case

Repair Adhesives (continued)

	08237	08243	08270	08271
	To the second se	M 90°	The state of the s	The state of the s
Description	Two-part urethane adhesive. Used to repair Xenoy, RRIM, GTX, PPO, ABS, and a variety of other semirigid plastic parts and bumper covers. Longer work time than PN08235 for larger repair areas. Excellent adhesion over a wide range of temperatures.	Two-part urethane. Used to bond backup strips to SMC and FRP (traditional fiberglass). Fast work time for small backup strips and patch applications. Achieves maximum work strength fast. Automatic mixing with excellent sag resistance.	Two-part urethane. Bonds backup strips to SMC and FRP (traditional fiberglass). Fast work time for small backup strips and patch applications. Achieves maximum work strength fast. Automatic mixing with excellent sag resistance.	Two-part urethane. Bonds backup strips to SMC and FRP (traditional fiberglass). Fast work time for larger backup strips and patch applications. Excellent for bonding headlamp buckets. Achieves maximum work strength fast. Automatic mixing with excellent sag resistance.
Part Number	08237	08243	08270	08271
UPC	0-00-51131-08237-3	0-00-51131-08243-4	0-00-51135-08270-6	0-00-51135-08271-3
Product Name	3M [™] Semi-Rigid Parts Repair - 3	3M [™] SMC/Fiberglass Repair Adhesive-1	3M [™] SMC/Fiberglass Repair Adhesive-1	3M™ SMC/Fiberglass Repair Adhesive-3
Container Volume	200 Millilitre	200 Millilitre	400 Millilitre	400 Millilitre
Color	Black		Green	Green
Packaging	6 per case	6 per case	6 per case	6 per case
	· ·	•	•	<u>'</u>
	08272	08273	08274	08275
	·	·	·	·
Description	·	·	·	·
	Two-part urethane. Adhere SMC and FRP (traditional fiberglass) body panels to each other and to metal frames (metal must be primed with two part primer, 08278). Automatic mixing with excellent sag resist-	Two-part urethane. Adhere SMC and FRP (traditional fiberglass) body panels to each other and to metal frames (metal must be primed with a two part primer). Automatic mixing with excellent sag resistance. Longer work time for bonding SMC and FRP (traditional fiberglass)	A high performance two component epoxy adhesive with excellent sag resistance. Used to bond SMC and FRP (traditional fiberglass) body panels to each other and to metal	A high performance two component epoxy adhesive. Used to repair SMC, FRP (traditional fiberglass) and other rigid plastic parts. Excellent choice
Description	Two-part urethane. Adhere SMC and FRP (traditional fiberglass) body panels to each other and to metal frames (metal must be primed with two part primer, 08278). Automatic mixing with excellent sag resistance.	Two-part urethane. Adhere SMC and FRP (traditional fiberglass) body panels to each other and to metal frames (metal must be primed with a two part primer). Automatic mixing with excellent sag resistance. Longer work time for bonding SMC and FRP (traditional fiberglass) fender and hood.	A high performance two component epoxy adhesive with excellent sag resistance. Used to bond SMC and FRP (traditional fiberglass) body panels to each other and to metal frames.	A high performance two component epoxy adhesive. Used to repair SMC, FRP (traditional fiberglass) and other rigid plastic parts. Excellent choice for cosmetic repairs.
Description Part Number	Two-part urethane. Adhere SMC and FRP (traditional fiberglass) body panels to each other and to metal frames (metal must be primed with two part primer, 08278). Automatic mixing with excellent sag resistance.	Two-part urethane. Adhere SMC and FRP (traditional fiberglass) body panels to each other and to metal frames (metal must be primed with a two part primer). Automatic mixing with excellent sag resistance. Longer work time for bonding SMC and FRP (traditional fiberglass) fender and hood.	A high performance two component epoxy adhesive with excellent sag resistance. Used to bond SMC and FRP (traditional fiberglass) body panels to each other and to metal frames.	A high performance two component epoxy adhesive. Used to repair SMC, FRP (traditional fiberglass) and other rigid plastic parts. Excellent choice for cosmetic repairs. 08275
Description Part Number UPC	Two-part urethane. Adhere SMC and FRP (traditional fiberglass) body panels to each other and to metal frames (metal must be primed with two part primer, 08278). Automatic mixing with excellent sag resistance. 08272 0-00-51135-08272-0 3M™ SMC/Fiberglass Repair	Two-part urethane. Adhere SMC and FRP (traditional fiberglass) body panels to each other and to metal frames (metal must be primed with a two part primer). Automatic mixing with excellent sag resistance. Longer work time for bonding SMC and FRP (traditional fiberglass) fender and hood. 08273 0-00-51135-08273-7 3M™ SMC/Fiberglass Repair	A high performance two component epoxy adhesive with excellent sag resistance. Used to bond SMC and FRP (traditional fiberglass) body panels to each other and to metal frames. 08274 0-00-51135-08274-4 3M™ SMC/Fiberglass Repair	A high performance two component epoxy adhesive. Used to repair SMC, FRP (traditional fiberglass) and other rigid plastic parts. Excellent choice for cosmetic repairs. 08275 0-00-51135-08275-1
Description Part Number UPC Product Name	Two-part urethane. Adhere SMC and FRP (traditional fiberglass) body panels to each other and to metal frames (metal must be primed with two part primer, 08278). Automatic mixing with excellent sag resistance. 08272 0-00-51135-08272-0 3M™ SMC/Fiberglass Repair Adhesive-10	Two-part urethane. Adhere SMC and FRP (traditional fiberglass) body panels to each other and to metal frames (metal must be primed with a two part primer). Automatic mixing with excellent sag resistance. Longer work time for bonding SMC and FRP (traditional fiberglass) fender and hood. 08273 0-00-51135-08273-7 3M™ SMC/Fiberglass Repair Adhesive-35	A high performance two component epoxy adhesive with excellent sag resistance. Used to bond SMC and FRP (traditional fiberglass) body panels to each other and to metal frames. 08274 0-00-51135-08274-4 3M™ SMC/Fiberglass Repair Adhesive-90	A high performance two component epoxy adhesive. Used to repair SMC, FRP (traditional fiberglass) and other rigid plastic parts. Excellent choice for cosmetic repairs. 08275 0-00-51135-08275-1 3M TM Rigid Parts Repair Adhesive

Repair Adhesives (continued)

	08277	38315	
	The second secon	Martin Maria	
Description	A low viscosity two-part urethane. Used to saturate fiberglass cloth when preparing backup patches. Can also be used for filling cracks, channels, and areas restricting the application of an adhesive bead.	Two-part epoxy used to bond steel, aluminum, SMC, and FRP (traditional fiberglass). The primary use is to replace quarter panels, roofs, box sides, van sides, utility vehicle sides and door skins.	
Part Number	08277	38315	
UPC	0-00-51135-08277-5	0-00-51131-38315-9	
Product Name	3M [™] Fiberglass Matting Adhesive	3M [™] Panel Bonding Adhesive	
Container Volume	400 Millilitre	37.5 Millilitre	
Color	Green		
Packaging	6 per case	6 per case	

Adhesives

Transfer Tapes & Guns

Adhesive Transfer Tapes & Guns

	03331	03332	03335	03337
	The second of th	5 S.		
Description	Scotch® ATG Adhesive Transfer Tape 924 is an acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators.	Scotch® ATG Adhesive Transfer Tape 924 is an acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators.	2.0 mil high tack acrylic adhesive 400 with 3.5 mil 60 lb densified kraft paper liner.	3M™ Adhesive Transfer Tape 465 is a 2.0 mil high tack acrylic adhesive 400 with 3.5 mil 60 lb densified kraft paper liner.
Part Number	03331	03332	03335	03337
UPC	0-00-21200-03331-5	0-00-21200-03332-2	0-00-21200-03335-3	0-00-21200-03337-7
Product Name	Scotch® ATG Adhesive Transfer Tape 924	Scotch® ATG Adhesive Transfer Tape 924	3M™ Adhesive Transfer Tape	3M [™] Adhesive Transfer Tape 465
Color	Clear	Clear	Clear	Clear
Length	36 Linear Yard	36 Linear Yard	60 Linear Yard	60 Linear Yard
Width	1/2 Inch	3/4 Inch	1/2 Inch	1 Inch
Packaging	72 per case	48 per case	72 per case	36 per case
	05457	06491	06492	06493
	05457	06491	06492	06493
Description	3M™ Adhesive Transfer Tape 950 is a 300 high strength acrylic adhesive on a 3.5 mil, 60 lb densified kraft paper liner.	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators.	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators.	5.0 mil, 300 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. High tack adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators.
Description Part Number	3M [™] Adhesive Transfer Tape 950 is a 300 high strength acrylic adhesive on a 3.5 mil, 60 lb densified	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive	5.0 mil, 300 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. High tack adhesive transfer tape. For use with Scotch® ATG Adhesive
	3M [™] Adhesive Transfer Tape 950 is a 300 high strength acrylic adhesive on a 3.5 mil, 60 lb densified kraft paper liner.	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators.	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators.	5.0 mil, 300 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. High tack adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators.
Part Number	3M [™] Adhesive Transfer Tape 950 is a 300 high strength acrylic adhesive on a 3.5 mil, 60 lb densified kraft paper liner.	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators. 06491	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators. 06492	5.0 mil, 300 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. High tack adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators. 06493
Part Number UPC	3M [™] Adhesive Transfer Tape 950 is a 300 high strength acrylic adhesive on a 3.5 mil, 60 lb densified kraft paper liner. 05457 0-00-21200-05457-0	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators. 06491 0-00-51131-06491-1 Scotch® ATG Adhesive Transfer	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators. 06492 0-00-51131-06492-8 Scotch® ATG Adhesive Transfer	5.0 mil, 300 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. High tack adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators. 06493 0-00-51131-06493-5 Scotch® ATG Adhesive Transfer
Part Number UPC Product Name	3M [™] Adhesive Transfer Tape 950 is a 300 high strength acrylic adhesive on a 3.5 mil, 60 lb densified kraft paper liner. 05457 0-00-21200-05457-0 3M [™] Adhesive Transfer Tape 950	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators. 06491 0-00-51131-06491-1 Scotch® ATG Adhesive Transfer Tape	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators. 06492 0-00-51131-06492-8 Scotch® ATG Adhesive Transfer Tape	5.0 mil, 300 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. High tack adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators. 06493 0-00-51131-06493-5 Scotch® ATG Adhesive Transfer Tape
Part Number UPC Product Name Color	3M [™] Adhesive Transfer Tape 950 is a 300 high strength acrylic adhesive on a 3.5 mil, 60 lb densified kraft paper liner. 05457 0-00-21200-05457-0 3M [™] Adhesive Transfer Tape 950 Clear	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators. 06491 0-00-51131-06491-1 Scotch® ATG Adhesive Transfer Tape Clear	2.0 mil, 400 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. General purpose adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators. 06492 0-00-51131-06492-8 Scotch® ATG Adhesive Transfer Tape Clear	5.0 mil, 300 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. High tack adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators. 06493 0-00-51131-06493-5 Scotch® ATG Adhesive Transfer Tape Clear

Transfer Tapes & Guns

Adhesive Transfer Tapes & Guns (continued)

	06927	15682	49341	84100
		Some hands try.		
Description	Scotch® ATG 752 Adhesive Applicator is a blue adhesive appli- cator for use with Scotch® ATG Tape 1/2 inch or 3/4 inch wide rolls. Holds up to 36 yd (32m) of Scotch ATG Tape.	Scotch® ATG Adhesive Transfer Tape 969 is a 300 acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. High tack adhesive transfer tape. For use with Scotch® ATG Adhesive Applicators.	Scotch® ATG Adhesive Transfer Tape Acid Free 908 is a 320AF acrylic, reverse wound, pressure sensitive adhesive on a densified kraft paper liner. Acid Free.	3M [™] Adhesive Transfer Tape 9498 is a 2.0 mil high tack acrylic adhesive 400 with 3.5 mil 60 lb tan densified kraft paper liner
Part Number	06927	15682	49341	84100
UPC	0-00-21200-06927-7	0-00-21200-15682-3	0-00-21200-49341-6	0-00-21200-84100-2
Product Name	Scotch® ATG 752 Adhesive Applicator	Scotch® ATG Adhesive Transfer Tape 969	Scotch® ATG Adhesive Transfer Tape Acid Free	3M [™] Adhesive Transfer Tape 9498
Color	Blue	Clear	Gold	Clear
Length	Holds 36 Linear Yard	36 Linear Yard	36 Linear Yard	120 Linear Yard
Width	Holds 1/2 Inch or 3/4 Inch	1/2 Inch	3/4 Inch	2 Inch
Packaging	6 per case	72 per case	48 per case	24 per case

Attachment Tape

3M™ Automotive Acrylic "Plus" Attachment Tape

Color Black
Packaging 12 per case

	06382	06383	06384
Description	3M TM Automotive Acrylic Plus Attachment Tape 06382 is a .045-inch thick, medium-density, black acrylic foam tape with high performance acrylic adhesives on both sides and a red release liner.	3M TM Automotive Acrylic Plus Attachemnt Tape 06383 is a .045-inch thick, medium-density, black acrylic foam tape with high performance acrylic adhesives on both sides and a red release liner.	3M™ Automotive Acrylic Plus Attachment Tape 06384 is a .045-inch thick, medium-density black foam tape with high performance acrylic adhesives on both sides and a red release liner.
Part Number	06382	06383	06384
UPC	0-00-51131-06382-2	0-00-51131-06383-9	0-00-51131-06384-6
Product Name	3M [™] Automotive Acrylic Plus Attachment Tape	3M [™] Automotive Acrylic Plus Attachment Tape	3M [™] Automotive Acrylic Plus Attachment Tape
Length	20 Linear Yard	20 Linear Yard	5 Linear Yard
Width	1/2 Inch	7/8 Inch	1/2 Inch

Attachment Tape

3M™ Automotive Acrylic "Plus" Attachment Tape (continued)

	06386	06395	06397
Description	3M [™] Automotive Acrylic Plus Attachment Tape 06386 is a .045-inch thick, medium-density black foam tape with high performance acrylic adhesives on both sides and a red release liner.	3M [™] Automotive Acrylic Plus Attachment Tape 06395 is a .060-inch thick, medium-density, black acrylic foam tape with high performance acrylic adhesives on both sides and a red release liner.	3M [™] Automotive Acrylic Plus Attachment Tape 06397 is a .060-inch thick, medium-density, black acrylic foam tape with a red release liner.
Part Number	06386	06395	06397
UPC	0-00-51131-06386-0	0-00-51131-06395-2	0-00-51131-06397-6
Product Name	3M [™] Automotive Acrylic Plus Attachment Tape	3M [™] Automotive Acrylic Plus Attachment Tape	3M [™] Automotive Acrylic Plus Attachment Tape
Length	20 Linear Yard	10 Linear Yard	10 Linear Yard
Width	1/4 Inch	7/8 Inch	1/2 Inch

3M™ Automotive Acrylic "Plus" High-Bond Attachment Tape

Color Black
Packaging 12 per case

	06387	06388	06389
	And the state of t	DE CONTROL	The second secon
Description	This black, double-coated acrylic foam tape offers an advanced adhesive system that adheres well to traditional, low surface energy, and scratch- and mar-resistant automotive paint systems. It is designed for the attachment of automotive exterior trim parts such as body side moldings and claddings.	This black, double-coated acrylic foam tape offers an advanced adhesive system that adheres well to traditional, low surface energy, and scratch- and mar-resistant automotive paint systems. It is designed for the attachment of automotive exterior trim parts such as body side moldings and claddings.	This black, double-coated acrylic foam tape offers an advanced adhesive system that adheres well to traditional, low surface energy, and scratch- and mar-resistant automotive paint systems. It is designed for the attachment of automotive exterior trim parts such as body side moldings and claddings.
Part Number	06387	06388	06389
UPC	0-00-51131-06387-7	0-00-51131-06388-4	0-00-51131-06389-1
Product Name	3M™ Acrylic Plus High-Bond Tape	3M™ Acrylic Plus High-Bond Tape	3M™ Acrylic Plus High-Bond Tape
Length	20 Linear Yard	20 Linear Yard	20 Linear Yard
Width	1/4 Inch	1/2 Inch	7/8 Inch

Attachment Tape

3M™ Automotive Acrylic "Plus" High-Bond Attachment Tape (continued)

	06390	06391	06392
	The state of the s	DE CONTROLLES DE	The second secon
Description	This black, double-coated acrylic foam tape offers an advanced adhesive system that adheres well to traditional, low surface energy, and scratch- and mar-resistant automotive paint systems. It is designed for the attachment of automotive exterior trim parts such as body side moldings and claddings.	This black, double-coated acrylic foam tape offers an advanced adhesive system that adheres well to traditional, low surface energy, and scratch- and mar-resistant automotive paint systems. It is designed for the attachment of automotive exterior trim parts such as body side moldings and claddings.	This black, double-coated acrylic foam tape offers an advanced adhesive system that adheres well to traditional, low surface energy, and scratch- and mar-resistant automotive paint systems. It is designed for the attachment of automotive exterior trim parts such as body side moldings and claddings.
Part Number	06390	06391	06392
UPC	0-00-51131-06390-7	0-00-51131-06391-4	0-00-51131-06392-1
Product Name	3M™ Acrylic Plus High-Bond Tape	3M™ Acrylic Plus High-Bond Tape	3M™ Acrylic Plus High-Bond Tape
Length	5 Linear Yard	10 Linear Yard	10 Linear Yard
Width	1/2 Inch	7/8 Inch	12 Inch

3M[™] Automotive Adhesion Promoter

	06396
	The state of the s
Description	3M [™] Adhesion Promoter 06396 is a liquid primer used for enhancing adhesion of 3M [™] Acrylic Foam Tapes for interior and exterior trim applications.
Part Number	06396
UPC	0-00-51131-06396-9
Product Name	3M [™] Automotive Adhesion Promoter
Container Volume	2.5 cc
Packaging	25 packs per box 4 boxes per case

Attachment Tape

3M™ Automotive Attachment Tape

Packaging 12 per case

	06376	06377	06378	06380
		We have a series of the series	And the state of t	The state of the s
Description	3M™ Automotive Attachment Tape, 06376, is a .030-inch thick, 0EM- approved acrylic foam with high performance acrylic adhesives on both sides.	3M™ Automotive Attachment Tape 06377 is a .030-inch thick gray acrylic foam tape with proven per- formance acrylic adhesive and a red release liner.	3M™ Automotive Acrylic Foam Attachment Tape 06378 is a .030- inch thick gray acrylic foam tape with proven performance acrylic adhesive and a red release liner.	3MTM Automotive Attachment Tape 06380 is a .045-inch thick, medi- um-density white acrylic foam tape with high performance acrylic adhesives on both sides and a red release liner.
Part Number	06376	06377	06378	06380
UPC	0-00-51131-06376-1	0-00-21200-06377-0	0-00-21200-06378-7	0-00-21200-06380-0
Product Name	3M [™] Automotive Attachment Tape	3M [™] Automotive Attachment Tape	3M [™] Automotive Attachment Tape	3M [™] Automotive Attachment Tape
Color	Gray	Gray	Gray	White
Length	20 Linear Yard	20 Linear Yard	20 Linear Yard	20 Linear Yard
Width	1/4 Inch	1/2 Inch	7/8 Inch	1/2 Inch
	06381	06385	06394	
		Name of the state		
Description	3M™ Automotive Attachment Tape 06381 is a .045-inch thick, medi- um-density white acrylic foam tape with high performance acrylic adhesives on both sides and a red release liner.	3M™ Nameplate Repair Tape 06385 is a .030-inch thick, medi- um-density gray foam tape with high performance acrylic adhesives on both sides and a red release liner.	'3M™ Automotive Attachment Tape, 06394, is a .090-inch thick, medium-density gray acrylic foam tape with high performance acrylic adhesives on both sides and a red release liner.	
Part Number	06381	06385	06394	
UPC	0-00-51131-06381-5	0-00-51131-06385-3	0-00-51131-06394-5	
Product Name	3M™ Automotive Attachment Tape	3M™ Nameplate Repair Tape	3M [™] Automotive Attachment Tape	
Color	White	Gray	Gray	
Length	20 Linear Yard	5 Linear Yard	10 Linear Yard	
Width	7/8 Inch	.236 Inch	1/2 Inch	

Cloth Duct Tape

3M™ Duct Tape 3900

Length 60 Linear Yard
Width 1.88 Inch
Packaging 24 per case

	06976	49828	49829	49830
Description	3M™ Duct Tape 3900 is a general purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.	3MTM Duct Tape 3900 is a general purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.	3MTM Duct Tape 3900 is a general purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.	3M™ Duct Tape 3900 is a general purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.
Part Number	06976	49828	49829	49830
UPC	0-00-51131-06976-3	0-00-21200-49828-2	0-00-21200-49829-9	0-00-21200-49830-5
Product Name	3M™ Duct Tape 3900	3M™ Duct Tape 3900	3M™ Duct Tape 3900	3M™ Duct Tape 3900
Color	Silver	Yellow	White	Red
	49831	49832	49833	
Description	3M™ Duct Tape 3900 is a general purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.	3M [™] Duct Tape 3900 is a general purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.	3M™ Duct Tape 3900 is a general purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.	
Description Part Number	purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhe- sive. A good choice for general maintenance, wrapping, sealing,	purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhe- sive. A good choice for general maintenance, wrapping, sealing,	purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhe- sive. A good choice for general maintenance, wrapping, sealing,	
·	purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhe- sive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.	purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhe- sive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.	purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhe- sive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.	
Part Number	purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhe- sive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.	purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhe- sive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.	purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhe- sive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.	

Cloth Duct Tape

3M[™] Performance Plus Duct Tape 8979

	53851	53916	53918	53920
	Africance Print			
Description	3M™ Performance Plus Duct Tape 8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure.	3M™ Performance Plus Duct Tape 8979 has a unique tape construc- tion that allows for both permanent and temporary applications indoor and outdoor. It is removable with lit- tle or no adhesive residue from most opaque surfaces up to 6 months after application. The back- ing is also UV resistant for up to one year of outdoor exposure.	3MTM Performance Plus Duct Tape 8979 has a unique tape construc- tion that allows for both permanent and temporary applications indoor and outdoor. It is removable with lit- tle or no adhesive residue from most opaque surfaces up to 6 months after application. The back- ing is also UV resistant for up to one year of outdoor exposure.	3MTM Performance Plus Duct Tape 8979 has a unique tape construc- tion that allows for both permanent and temporary applications indoor and outdoor. It is removable with lit- tle or no adhesive residue from most opaque surfaces up to 6 months after application. The back- ing is also UV resistant for up to one year of outdoor exposure.
Part Number	53851	53916	53918	53920
UPC	0-00-48011-53851-8	0-00-48011-53916-4	0-00-48011-53918-8	0-00-48011-53920-1
Product Name	3M [™] Performance Plus Duct Tape 8979	3M [™] Performance Plus Duct Tape 8979	3M [™] Performance Plus Duct Tape 8979	3M [™] Performance Plus Duct Tape 8979
Color	Slate Blue	Olive	Black	Slate Blue
Length	25 Linear Yard	60 Linear Yard	60 Linear Yard	60 Linear Yard
Width	1.88 Inch	1.88 Inch	1.88 Inch	12 Inch
Packaging	12 per case	24 per case	24 per case	2 per case
	53922	56468	56469	56470
	Promue Pia	- Programme All	Monace Pile	The state of the s
Description	3M [™] Performance Plus Duct Tape 8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure.	3M [™] Performance Plus Duct Tape 8979 has a unique tape construc- tion that allows for both permanent and temporary applications indoor and outdoor. It is removable with lit- tle or no adhesive residue from most opaque surfaces up to 6 months after application. The back- ing is also UV resistant for up to one year of outdoor exposure.	3M [™] Performance Plus Duct Tape 8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure.	3M™ Performance Plus Duct Tape 8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure.
Description Part Number	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one	8979 has a unique tape construc- tion that allows for both permanent and temporary applications indoor and outdoor. It is removable with lit- tle or no adhesive residue from most opaque surfaces up to 6 months after application. The back- ing is also UV resistant for up to one	8979 has a unique tape construc- tion that allows for both permanent and temporary applications indoor and outdoor. It is removable with lit- tle or no adhesive residue from most opaque surfaces up to 6 months after application. The back- ing is also UV resistant for up to one	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one
,	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure.	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure.	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure.	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure.
Part Number	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 53922	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 56468	8979 has a unique tape construc- tion that allows for both permanent and temporary applications indoor and outdoor. It is removable with lit- tle or no adhesive residue from most opaque surfaces up to 6 months after application. The back- ing is also UV resistant for up to one year of outdoor exposure.	8979 has a unique tape construc- tion that allows for both permanent and temporary applications indoor and outdoor. It is removable with lit- tle or no adhesive residue from most opaque surfaces up to 6 months after application. The back- ing is also UV resistant for up to one year of outdoor exposure. 56470
Part Number UPC	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 53922 0-00-48011-53922-5 3M™ Performance Plus Duct Tape	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 56468 0-00-21200-56468-0 3M™ Performance Plus Duct Tape	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 56469 0-00-21200-56469-7 3MTM Performance Plus Duct Tape	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 56470 0-00-21200-56470-3 3MTM Performance Plus Duct Tape
Part Number UPC Product Name	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 53922 0-00-48011-53922-5 3M TM Performance Plus Duct Tape 8979	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 56468 0-00-21200-56468-0 3M™ Performance Plus Duct Tape 8979	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 56469 0-00-21200-56469-7 3M™ Performance Plus Duct Tape 8979	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 56470 0-00-21200-56470-3 3MTM Performance Plus Duct Tape 8979
Part Number UPC Product Name Color	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 53922 0-00-48011-53922-5 3M™ Performance Plus Duct Tape 8979 Slate Blue	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 56468 0-00-21200-56468-0 3M™ Performance Plus Duct Tape 8979 Slate Blue	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 56469 0-00-21200-56469-7 3MTM Performance Plus Duct Tape 8979 Slate Blue	8979 has a unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to 6 months after application. The backing is also UV resistant for up to one year of outdoor exposure. 56470 0-00-21200-56470-3 3MTM Performance Plus Duct Tape 8979 Slate Blue

Cloth Duct Tape

Other Duct Tapes

	06969	06970	06971	06975
	COMP.			
Description	3M™ Duct Tape 6969 is an industrial strength duct tape that is abrasion and moisture resistant. The tape consists of polyethylene film over a dense cloth scrim with an aggressive rubber adhesive used for demanding duct tape applications.	Scotch® Polyethylene Coated Cloth Tape 390 is a polyethylene coated cloth backing with a rubber adhe- sive used for applications requiring high-strength and moisture resist- ance.	Scotch® Polyethylene Coated Cloth Tape 390 is a polyethylene coated cloth backing with a rubber adhesive used for applications requiring high-strength and moisture resistance.	3M [™] Duct Tape 3939 is composed of a waterproof polyethylene film over cloth scrim backing with a rubber adhesive used for demanding duct tape applications.
Part Number	06969	06970	06971	06975
UPC	0-00-51131-06969-5	0-00-21200-06970-3	0-00-21200-06971-0	0-00-51131-06975-6
Product Name	3M™ Duct Tape 6969	Scotch® Polyethylene Coated Cloth Tape 390	Scotch® Polyethylene Coated Cloth Tape 390	3M™ Duct Tape 3939
Color	Silver	Olive	Silver	Silver
Length	60 Linear Yard	60 Linear Yard	60 Linear Yard	60 Linear Yard
Width	1.88 Inch	1.88 Inch	2 Inch	1.88 Inch
Packaging	24 per case	24 per case	24 per case	24 per case
	06980	06984	22773	45083
	bach* #	0		
Description	Olive colored, polycoated cotton tape. Highly conformable and moisture resistant. Used for sealing air conditioning lines, interior door panels, access holes and various other automotive body sealing applications.	3M [™] Vinyl Duct Tape 3903 is a general purpose duct tape made from a hand tearable embossed vinyl backing coated with a rubber adhesive.	3M™ Duct Tape 6969 is an industrial strength duct tape that is abrasion and moisture resistant. The tape consists of polyethylene film over a dense cloth scrim with an aggressive rubber adhesive used for demanding duct tape applications.	3M [™] Vinyl Duct Tape 3903 is a general purpose duct tape made from a hand tearable embossed vinyl backing coated with a rubber adhesive.
Part Number	06980	06984	22773	45083
UPC	0-00-21200-95723-9	0-00-51131-06984-8	0-00-21200-22773-8	0-00-21200-45083-9
Product Name	Scotch® Automotive Cloth Tape	3M™ Vinyl Duct Tape 3903	3M™ Duct Tape 6969	3M™ Vinyl Duct Tape 3903
Color	Olive	Gray	Black	Gray
Length	18.2 Linear Metre	50 Linear Yard	60 Linear Yard	50 Linear Yard
Width	2 Inch	2 Inch	1.88 Inch	2 Inch
Packaging	24 per case	24 per case	24 per case	12 per case

Cloth Duct Tape

Other Duct Tapes (continued)

	50254	81076	81078	81081
Description	A professional grade tape for industrial and HVAC. This item is available in a 2 in x 3 in x 4 in perf tray containing 24 individually wrapped 1.88 in x 60 yd rolls.	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a kraft case containing 12 1.5 in x 5 yd rolls packed on backcards.	A midgrade duct tape for repairs in and around the house, shop, and jobsite. This item is available in a kraft case containing 12 1.5 in x 5 yd rolls packed on backcards.	Scotch® White Duct Tape is a white colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a kraft case containing 12 1.5 in x 5 yd rolls packed on backcards.
Part Number	50254	81076	81078	81081
UPC	0-00-51131-98005-1	0-00-51135-81076-7	0-00-51135-81078-1	0-00-51135-81081-1
Product Name	Scotch® Pro Strength Duct Tape 1260	Scotch® Black Duct Tape 1005	Scotch® MultiUse Duct Tape 1105	Scotch® White Duct Tape 1005
Color	Silver	Black	Black	White
Length	60 Linear Yard	5 Linear Yard	5 Linear Yard	5 Linear Yard
Width	1.88 Inch	1.5 Inch	1.5 Inch	1.5 Inch
Packaging	24 per case	12 per case	12 per case	12 per case
	86848	98011	98212	99837
	00040	90011	90212	99031
Description	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 2 in x 2 in x 3 in perfed case with 12 individually wrapped 1.88 in x 20 yd rolls.	Ideal for repairs where appearance matters. This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20 yd rolls.	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 1 in x 3 in x 3 in perfed case with 9 individually wrapped 1.88 in x 60 yd rolls.	Provides maximum all-weather strength without the messy cleanup6 months no mess! This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20 yd rolls.
Description Part Number	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 2 in x 2 in x 3 in perfed case with 12 individu-	Ideal for repairs where appearance matters. This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 1 in x 3 in x 3 in perfed case with 9 individual-	Provides maximum all-weather strength without the messy cleanup6 months no mess! This item is available in a 2x2x3 perfo- rated tray containing 12 individually
·	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 2 in x 2 in x 3 in perfed case with 12 individually wrapped 1.88 in x 20 yd rolls.	Ideal for repairs where appearance matters. This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20 yd rolls.	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 1 in x 3 in x 3 in perfed case with 9 individually wrapped 1.88 in x 60 yd rolls.	Provides maximum all-weather strength without the messy cleanup6 months no mess! This item is available in a 2x2x3 perfo- rated tray containing 12 individually wrapped 1.88 in x 20 yd rolls.
Part Number	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 2 in x 2 in x 3 in perfed case with 12 individually wrapped 1.88 in x 20 yd rolls.	Ideal for repairs where appearance matters. This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20 yd rolls.	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 1 in x 3 in x 3 in perfed case with 9 individually wrapped 1.88 in x 60 yd rolls.	Provides maximum all-weather strength without the messy cleanup6 months no mess! This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20 yd rolls. 99837
Part Number UPC	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 2 in x 2 in x 3 in perfed case with 12 individually wrapped 1.88 in x 20 yd rolls. 86848 0-00-51131-98008-2	Ideal for repairs where appearance matters. This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20 yd rolls. 98011 0-00-51131-98011-2 Scotch® Tough Transparent Duct	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 1 in x 3 in x 3 in perfed case with 9 individually wrapped 1.88 in x 60 yd rolls. 98212 0-00-51131-98212-3	Provides maximum all-weather strength without the messy cleanup6 months no mess! This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20 yd rolls. 99837 0-00-51131-99837-7 Scotch® Tough No Residue Duct
Part Number UPC Product Name	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 2 in x 2 in x 3 in perfed case with 12 individually wrapped 1.88 in x 20 yd rolls. 86848 0-00-51131-98008-2 Scotch® Black Duct Tape 1020	Ideal for repairs where appearance matters. This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20 yd rolls. 98011 0-00-51131-98011-2 Scotch® Tough Transparent Duct Tape 2120	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 1 in x 3 in perfed case with 9 individually wrapped 1.88 in x 60 yd rolls. 98212 0-00-51131-98212-3 Scotch® Black Duct Tape 1060	Provides maximum all-weather strength without the messy cleanup6 months no mess! This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20 yd rolls. 99837 0-00-51131-99837-7 Scotch® Tough No Residue Duct Tape 2420
Part Number UPC Product Name Color	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 2 in x 2 in x 3 in perfed case with 12 individually wrapped 1.88 in x 20 yd rolls. 86848 0-00-51131-98008-2 Scotch® Black Duct Tape 1020 Black	Ideal for repairs where appearance matters. This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20 yd rolls. 98011 0-00-51131-98011-2 Scotch® Tough Transparent Duct Tape 2120 Clear	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 1 in x 3 in x 3 in perfed case with 9 individually wrapped 1.88 in x 60 yd rolls. 98212 0-00-51131-98212-3 Scotch® Black Duct Tape 1060 Black	Provides maximum all-weather strength without the messy cleanup6 months no mess! This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20 yd rolls. 99837 0-00-51131-99837-7 Scotch® Tough No Residue Duct Tape 2420 Silver

Conspicuity Marking

3M™ Diamond Grade™ Circles

	22058
Description	Highly reflective, pressure sensitive circle used to enhance night time visability and detection distance.
Part Number	22058
UPC	0-00-51138-22058-7
Product Name	3M™ Diamond Grade™ Circle
Color	Yellow
Diameter	3 Inch
Packaging	25 per case

Conspicuity Marking

3M[™] Diamond Grade[™] Conspicuity Marking Kits

Packaging 1 per case

	06398	06399	67714
	Andrew Nature		
Description	Reflective markings to retrofit one trailer up to 48 feet. Highly reflective, even up to 90 degree angle. Quick and easy to apply with full seven year warranty. DOT-C2 certified. Exceeds NHTSA requirements.	Reflective markings to retrofit two trailers up to 48 feet. Highly reflective, even up to 90 degree angle. Quick and easy to apply with full seven year warranty. DOT-C2 certified. Exceeds NHTSA requirements.	Marks one vehicle up to 53 feet. Highly reflec- tive, even up to 90 degree angle. Quick and easy to apply with full seven year warranty. DOT-C2 certified. Exceeds NHTSA requirements.
Part Number	06398	06399	67714
UPC	0-00-51131-06398-3	0-00-51131-06399-0	0-00-51138-67714-5
Product Name	3M™ Diamond Grade™ Conspicuity Marking Kit 983	3M™ Diamond Grade™ Conspicuity Marking Kit 983	3M™ Diamond Grade™ Auto Reflective Trailer Marking Kit 983
Length	25 Linear Yard	50 Linear Yard	
Width	2 Inch	2 Inch	

3M[™] Diamond Grade[™] Conspicuity Marking Strips

Width 2 Inch

	31019	67635	67638
Description	Highly reflective microprismatic sheeting with pressure sensitive adhesive in pre-cut strips for easy application to trucks, trailers and large vehicles. 100 strips per package.	Highly reflective microprismatic sheeting in 2 inch x 18 inch strips with pressure sensitive adhesive for easy application to trucks, trailers and large vehicles to enhance visibility and detection distance. 11 inch red, 7 inch white.	Highly reflective microprismatic sheeting in 2 inch x 12 inch strips with pressure sensitive adhesive for easy application to trucks, trailers and large vehicles to enhance visibility and detection distance.
Part Number	31019	67635	67638
UPC	0-00-51135-31019-9	0-00-51138-67635-3	0-00-51138-67638-4
Product Name	3M [™] Diamond Grade [™] Conspicuity Marking 983-326 ES	3M™ Diamond Grade™ Conspicuity Marking Strip 983-32	3M [™] Diamond Grade [™] Conspicuity Marking 983-10
Color	Red/White	Red/White	White
Length	12 Inch	18 Inch	12 Inch
Packaging	100 per pack 6 packs per case	100 per case	100 per pack 6 packs per case

Conspicuity Marking

3M™ Diamond Grade™ Conspicuity Sheeting Series 983 Rolls

Length 50 Linear Yard Packaging 1 per case

	67533	67535	67537	67764
Description	Roll of alternating 11 inch red and 7 inch white, highly reflective, microprismatic sheeting with pressure sensitive adhesive for easy application to trucks, trailers and large vehicles to enhance visibility and detection distance.	Roll of alternating 6 inch red and 6 inch white, highly reflective, microprismatic sheeting with pressure sensitive adhesive for easy application to trucks, trailers and large vehicles to enhance visibility and detection distance.	Solid white, highly reflective micro- prismatic sheeting with pressure sensitive adhesive for easy applica- tion to trucks, trailers and large vehicles to enhance visibility and detection distance.	Roll of alternating 11 inch red and 7 inch white, highly reflective, microprismatic sheeting with pressure sensitive adhesive for easy application to trucks, trailers and large vehicles to enhance visibility and detection distance.
Part Number	67533	67535	67537	67764
UPC	0-00-51138-67533-2	0-00-51138-67535-6	0-00-51138-67537-0	0-00-51138-67764-0
Product Name	3M [™] Diamond Grade [™] Conspicuity Marking Roll 983-32	3M [™] Diamond Grade [™] Conspicuity Marking Roll 983-326	3M [™] Diamond Grade [™] Conspicuity Marking Roll 983-10	3M [™] Diamond Grade [™] Conspicuity Marking Roll 983-32
Color	Red/White	Red/White	White	Red/White
Width	2 Inch	2 Inch	2 Inch	1-1/2 Inch
	67816	67823	67824	67825
	67816	67823	67824	67825
Description	Highly reflective microprismatic sheeting with pressure sensitive adhesive in pre-cut strips for easy application to trucks, trailers and large vehicles. 100 strips per package.	Highly reflective microprismatic sheeting with pressure sensitive adhesive in pre-cut strips for easy application to trucks, trailers and large vehicles. 100 strips per package.	Highly reflective microprismatic sheeting with pressure sensitive adhesive with liner and premask in pre-cut strips for easy application to trucks, trailers and large vehicles.	Roll of alternating 11 inch red and 7 inch white, highly reflective, microprismatic sheeting with pressure sensitive adhesive for easy application to trucks, trailers and large vehicles to enhance visibility and detection distance.
Description Part Number	Highly reflective microprismatic sheeting with pressure sensitive adhesive in pre-cut strips for easy application to trucks, trailers and large vehicles. 100 strips per pack-	Highly reflective microprismatic sheeting with pressure sensitive adhesive in pre-cut strips for easy application to trucks, trailers and large vehicles. 100 strips per pack-	Highly reflective microprismatic sheeting with pressure sensitive adhesive with liner and premask in pre-cut strips for easy application to trucks, trailers and large vehi-	Roll of alternating 11 inch red and 7 inch white, highly reflective, microprismatic sheeting with pressure sensitive adhesive for easy application to trucks, trailers and large vehicles to enhance visibility and
·	Highly reflective microprismatic sheeting with pressure sensitive adhesive in pre-cut strips for easy application to trucks, trailers and large vehicles. 100 strips per package.	Highly reflective microprismatic sheeting with pressure sensitive adhesive in pre-cut strips for easy application to trucks, trailers and large vehicles. 100 strips per package.	Highly reflective microprismatic sheeting with pressure sensitive adhesive with liner and premask in pre-cut strips for easy application to trucks, trailers and large vehicles.	Roll of alternating 11 inch red and 7 inch white, highly reflective, microprismatic sheeting with pressure sensitive adhesive for easy application to trucks, trailers and large vehicles to enhance visibility and detection distance.
Part Number	Highly reflective microprismatic sheeting with pressure sensitive adhesive in pre-cut strips for easy application to trucks, trailers and large vehicles. 100 strips per package. 67816	Highly reflective microprismatic sheeting with pressure sensitive adhesive in pre-cut strips for easy application to trucks, trailers and large vehicles. 100 strips per package. 67823	Highly reflective microprismatic sheeting with pressure sensitive adhesive with liner and premask in pre-cut strips for easy application to trucks, trailers and large vehicles.	Roll of alternating 11 inch red and 7 inch white, highly reflective, microprismatic sheeting with pressure sensitive adhesive for easy application to trucks, trailers and large vehicles to enhance visibility and detection distance. 67825
Part Number UPC	Highly reflective microprismatic sheeting with pressure sensitive adhesive in pre-cut strips for easy application to trucks, trailers and large vehicles. 100 strips per package. 67816 0-00-51138-67816-6 3M™ Diamond Grade™	Highly reflective microprismatic sheeting with pressure sensitive adhesive in pre-cut strips for easy application to trucks, trailers and large vehicles. 100 strips per package. 67823 0-00-51138-67823-4 3M™ Diamond Grade™	Highly reflective microprismatic sheeting with pressure sensitive adhesive with liner and premask in pre-cut strips for easy application to trucks, trailers and large vehicles. 67824 0-00-51138-67824-1 3M™ Diamond Grade™ Conspicuity Marking Roll 983-72	Roll of alternating 11 inch red and 7 inch white, highly reflective, microprismatic sheeting with pressure sensitive adhesive for easy application to trucks, trailers and large vehicles to enhance visibility and detection distance. 67825 0-00-51138-67825-8 3M™ Diamond Grade™ Conspicuity Marking Roll 983-32

Conspicuity Marking

3M™ Diamond Grade™ Conspicuity Sheeting Series 983 Rolls (continued)

	67826	67827	67828
Description	Solid white, highly reflective, micro- prismatic sheeting with pressure sensitive adhesive for easy applica- tion to trucks, trailers and large vehicles to enhance visibility and detection distance.	Solid white, highly reflective, micro- prismatic sheeting with pressure sensitive adhesive for easy applica- tion to trucks, trailers and large vehicles to enhance visibility and detection distance.	Roll of alternating 11 inch red and 7 inch white, highly reflective, microprismatic sheeting with pressure sensitive adhesive for easy application to trucks, trailers and large vehicles to enhance visibility and detection distance.
Part Number	67826	67827	67828
UPC	0-00-51138-67826-5	0-00-51138-67827-2	0-00-51138-67828-9
Product Name	3M™ Diamond Grade™ Conspicuity Marking Roll 983-10 ES	3M™ Diamond Grade™ Conspicuity Marking Roll 983-10 ES	3M™ Diamond Grade™ Conspicuity Marking Roll 983-32 ES
Color	White	White	Red/White
Width	4 Inch	3 Inch	3 Inch

3M™ Diamond Grade™ Kiss-Cut Rolls

Length 50 Linear Yard Width 2 Inch

	31015	31031	67636	67639
Description	Highly retrofeflective prismatic sheeting metallized with a pressure sensitive adhesive and clear poly liner. For easy application to trucks, trailers and large vehicles to enhance visibility and detection distance.	Highly retrofeflective prismatic sheeting metallized with a pressure sensitive adhesive and clear poly liner. For easy application to trucks, trailers and large vehicles to enhance visibility and detection distance.	Highly reflective prismatic sheeting, kiss-cut into 2 inch x 18 inch strips containing alternating 11 inch red and 7 inch white stripes. For easy application to trucks, trailers and large vehicles to enhance visibility and detection distance.	Solid White, highly reflective prismatic sheeting, kiss-cut into 2 inch x 18 inch strips. For easy application to trucks, trailers and large vehicles to enhance visibility and detection distance.
Part Number	31015	31031	67636	67639
UPC	0-00-51135-31015-1	0-00-51135-31031-1	0-00-51138-67636-0	0-00-51138-67639-1
Product Name	3M™ Diamond Grade™ Conspicuity Marking 983-326 ES	3M™ Diamond Grade™ Conspicuity Marking 983-326 ES	3M™ Diamond Grade™ Conspicuity Marking Roll 983-32	3M [™] Diamond Grade [™] Conspicuity Marking 983-10
Color	Red/White	Red/White	Red/White	White
Packaging	6 per case	1 per case	1 per case	1 per case

Conspicuity Marking: 3M[™] Flexible Prismatic Conspicuity Marking Series 963

3M[™] Flexible Prismatic Conspicuity Marking Series 963 Red

Color Red

	22500	22661	22662	22663
Description	3M™ Flexible Prismatic Conspicuity Markings Series 963 are highly retroreflective flexible microprismatic markings designed for rugged outdoor use on the sides and rear of trucks, trailers, and automobiles. Series 963 provides the visibility needed to oncoming motorists which results in improved safety.	3M™ Flexible Prismatic Conspicuity Markings Series 963 are highly retroreflective flexible microprismatic markings designed for rugged outdoor use on the sides and rear of trucks, trailers, and automobiles. Series 963 provides the visibility needed to oncoming motorists which results in improved safety.	3M™ Flexible Prismatic Conspicuity Markings Series 963 are highly retroreflective flexible microprismatic markings designed for rugged outdoor use on the sides and rear of trucks, trailers, and automobiles. Series 963 provides the visibility needed to oncoming motorists which results in improved safety.	3M TM Flexible Prismatic Conspicuity Markings Series 963 are highly retroreflective flexible microprismatic markings designed for rugged outdoor use on the sides and rear of trucks, trailers, and automobiles. Series 963 provides the visibility needed to oncoming motorists which results in improved safety.
Part Number	22500	22661	22662	22663
UPC	0-00-51141-22500-5	0-00-51141-22661-3	0-00-51141-22662-0	0-00-51141-22663-7
Product Name	3M™ Flexible Prismatic Conspicuity Marking Series 963-72 DOT	3M [™] Flexible Prismatic Conspicuity Marking Series 963-72 DOT	3M [™] Flexible Prismatic Conspicuity Marking Series 963-72 DOT	3M [™] Flexible Prismatic Conspicuity Marking Series 963-72 DOT
Length	50 Linear Yard	50 Linear Yard (12 Inch cuts)	50 Linear Yard (4 Inch cuts)	50 Linear Yard (7 Inch cuts)
Width	2 Inch	2 Inch	3 Inch	2 Inch
Packaging	1 per case	1 per case	6 per case	6 per case

3M[™] Flexible Prismatic Conspicuity Marking Series 963 Red/White

Color Red/White Packaging 1 per case

22494		22495	22497
Description	3M™ Flexible Prismatic Conspicuity Markings Series 963 are highly retroreflective flexible microprismatic markings designed for rugged outdoor use on the sides and rear of trucks, trailers, and automobiles. Series 963 provides the visibility needed to oncoming motorists which results in improved safety.	3M™ Flexible Prismatic Conspicuity Markings Series 963 are highly retroreflective flexible microprismatic markings designed for rugged outdoor use on the sides and rear of trucks, trailers, and automobiles. Series 963 provides the visibility needed to oncoming motorists which results in improved safety.	3M™ Flexible Prismatic Conspicuity Markings Series 963 are highly retroreflective flexible microprismatic markings designed for rugged outdoor use on the sides and rear of trucks, trailers, and automobiles. Series 963 provides the visibility needed to oncoming motorists which results in improved safety.
Part Number	22494	22495	22497
UPC	0-00-51141-22494-7	0-00-51141-22495-4	0-00-51141-22497-8
Product Name	3M [™] Flexible Prismatic Conspicuity Marking Series 963-32	3M [™] Flexible Prismatic Conspicuity Marking Series 963-32 DOT	3M [™] Flexible Prismatic Conspicuity Marking Series 963-326 DOT
Length	50 Linear Yard	50 Linear Yard (18 Inch cuts)	50 Linear Yard
Width	2 Inch	2 Inch	2 Inch

Conspicuity Marking: 3M[™] Flexible Prismatic Conspicuity Marking Series 963

3M[™] Flexible Prismatic Conspicuity Marking Series 963 Red/White (continued)

	22498	22653	22657
Description	3M™ Flexible Prismatic Conspicuity Markings Series 963 are highly retroreflective flexible microprismatic markings designed for rugged outdoor use on the sides and rear of trucks, trailers, and automobiles. Series 963 provides the visibility needed to oncoming motorists which results in improved safety.	3M™ Flexible Prismatic Conspicuity Markings Series 963 are highly retroreflective flexible microprismatic markings designed for rugged outdoor use on the sides and rear of trucks, trailers, and automobiles. Series 963 provides the visibility needed to oncoming motorists which results in improved safety.	3MTM Flexible Prismatic Conspicuity Markings Series 963 are highly retroreflective flexible microprismatic markings designed for rugged outdoor use on the sides and rear of trucks, trailers, and automobiles. Series 963 provides the visibility needed to oncoming motorists which results in improved safety.
Part Number	22498	22653	22657
UPC	0-00-51141-22498-5	0-00-51141-22653-8	0-00-51141-22657-6
Product Name	3M [™] Flexible Prismatic Conspicuity Marking Series 963-326 DOT	3M [™] Flexible Prismatic Conspicuity Marking Series 963-326 DOT	3M [™] Flexible Prismatic Conspicuity Marking Series 963-32 DOT
Length	50 Linear Yard (12 Inch cuts)	50 Linear Yard	50 Linear Yard
Width	2 Inch	1-1/2 Inch	1-1/2 Inch

3M[™] Flexible Prismatic Conspicuity Marking Series 963 White

Color White
Width 2 Inch
Packaging 1 per case

	22499	22649	22650
Description	3M™ Flexible Prismatic Conspicuity Markings Series 963 are highly retroreflective flexible microprismatic markings designed for rugged outdoor use on the sides and rear of trucks, trailers, and automobiles. Series 963 provides the visibility needed to oncoming motorists which results in improved safety.	3M™ Flexible Prismatic Conspicuity Markings Series 963 are highly retroreflective flexible microprismatic markings designed for rugged outdoor use on the sides and rear of trucks, trailers, and automobiles. Series 963 provides the visibility needed to oncoming motorists which results in improved safety.	3MTM Flexible Prismatic Conspicuity Markings Series 963 are highly retroreflective flexible microprismatic markings designed for rugged outdoor use on the sides and rear of trucks, trailers, and automobiles. Series 963 provides the visibility needed to oncoming motorists which results in improved safety.
Part Number	22499	22649	22650
UPC	0-00-51141-22499-2	0-00-51141-22649-1	0-00-51141-22650-7
Product Name	3M [™] Flexible Prismatic Conspicuity Marking Series 963-10 DOT	3M [™] Flexible Prismatic Conspicuity Marking Series 963-10 DOT	3M [™] Flexible Prismatic Conspicuity Marking Series 963-10 DOT
Length	50 Linear Yard	50 Linear Yard (9 Inch cuts)	50 Linear Yard (12 Inch cuts)

Filament Tape

Economy Filament Tape

Color Clear
Length 55 Linear Metre

	06937	06938	06939	86526
Description	Scotch® Filament Tape 893 is a clear polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive.	Scotch® Filament Tape 893 is a clear polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive.	Scotch® Filament Tape 893 is a clear polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive.	Scotch® Filament Tape 897 is a clear polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive.
Part Number	06937	06938	06939	86526
UPC	0-00-51131-06937-4	0-00-51131-06938-1	0-00-51131-06939-8	0-00-21200-86526-8
Product Name	Scotch® Filament Tape 893	Scotch® Filament Tape 893	Scotch® Filament Tape 893	Scotch® Filament Tape 897
Width	.47 Inch	.71 Inch	.95 Inch	1.88 Inch
Packaging	72 per case	48 per case	36 per case	24 per case

High Performance Filament Tape

Color Clear

Length 55 Linear Metre

	06893	06894	06895
Description	Scotch® Filament Tape 898 is a clear polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive.	Scotch® Filament Tape 898 is a clear polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive.	Scotch® Filament Tape 898 is a clear polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive.
Part Number	06893	06894	06895
UPC	0-00-51131-06893-3	0-00-51131-06894-0	0-00-51131-06895-7
Product Name	Scotch® Filament Tape 898	Scotch® Filament Tape 898	Scotch® Filament Tape 898
Width	.47 Inch	.71 Inch	.95 Inch
Packaging	72 per case	48 per case	36 per case

Filament Tape

High Performance Filament Tape (continued)

	06896	06897	06898
Description	Scotch® Filament Tape 898 is a clear polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive.	Scotch® Filament Tape 898 is a clear polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive.	Scotch® Filament Tape 898 is a clear polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive.
Part Number	06896	06897	06898
UPC	0-00-51131-06896-4	0-00-51131-06897-1	0-00-51131-06898-8
Product Name	Scotch® Filament Tape 898	Scotch® Filament Tape 898	Scotch® Filament Tape 898
Width	.47 Inch	.71 Inch	.95 Inch
Packaging	72 per case	48 per case	36 per case

Foam Tape

Acrylic Foam Tape

180

Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed.

Length 8 Linear Foot
Packaging 6 per case



Part Number	Description	UPC	Product Name	Width
08650	Hollow bulb style.	0-00-79996-08650-3	3M™ Rubber Weatherstrip with Self Adhesive	0.875 Inch
08651	L shaped style.	0-00-79996-08651-0	3M™ Rubber Weatherstrip with Self Adhesive	1/2 Inch

Foam Tape

Double Coated Urethane Foam Tape

	06450	06451	06452	06453
			0	Q
Description	3M™ Double Coated Urethane Foam Tape 4008 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/8 in thick.	3M [™] Double Coated Urethane Foam Tape 4008 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/8 in thick.	3M™ Double Coated Urethane Foam Tape 4008 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/8 in thick.	3M™ Double Coated Urethane Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in thick.
Part Number	06450	06451	06452	06453
UPC	0-00-21200-06450-0	0-00-21200-06451-7	0-00-21200-06452-4	0-00-21200-06453-1
Product Name	3M [™] Double Coated Urethane Foam Tape 4008	3M™ Double Coated Urethane Foam Tape 4008	3M [™] Double Coated Urethane Foam Tape 4008	3M [™] Double Coated Urethane Foam Tape 4016
Color	Off-White	Off-White	Off-White	Off-White
Length	36 Linear Yard	36 Linear Yard	36 Linear Yard	36 Linear Yard
Width	1/2 Inch	3/4 Inch	1 Inch	1/2 Inch
Packaging	18 per case	12 per case	9 per case	18 per case
	06454	06455	06456	06457
	9	9	0	
Description	3M [™] Double Coated Urethane Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in thick.	3M [™] Double Coated Urethane Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in thick.	3M [™] Double Coated Urethane Foam Tape 4032 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/32 in thick.	3M [™] Double Coated Urethane Foam Tape 4032 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/32 in thick.
Description Part Number	Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in	Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in	Foam Tape 4032 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/32 in	Foam Tape 4032 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/32 in
•	Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in thick.	Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in thick.	Foam Tape 4032 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/32 in thick.	Foam Tape 4032 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/32 in thick.
Part Number	Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in thick. 06454	Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in thick. 06455	Foam Tape 4032 is a thick, double-coated, open-cell urethane foam tape with a paper liner. 1/32 in thick. 06456	Foam Tape 4032 is a thick, double-coated, open-cell urethane foam tape with a paper liner. 1/32 in thick. 06457
Part Number UPC	Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in thick. 06454 0-00-21200-06454-8 3M TM Double Coated Urethane	Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in thick. 06455 0-00-21200-06455-5 3M™ Double Coated Urethane	Foam Tape 4032 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/32 in thick. 06456 0-00-21200-06456-2 3M™ Double Coated Urethane	Foam Tape 4032 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/32 in thick. 06457 0-00-21200-06457-9 3M™ Double Coated Urethane
Part Number UPC Product Name	Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in thick. 06454 0-00-21200-06454-8 3M™ Double Coated Urethane Foam Tape 4016	Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in thick. 06455 0-00-21200-06455-5 3M™ Double Coated Urethane Foam Tape 4016	Foam Tape 4032 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/32 in thick. 06456 0-00-21200-06456-2 3M™ Double Coated Urethane Foam Tape 4032	Foam Tape 4032 is a thick, double-coated, open-cell urethane foam tape with a paper liner. 1/32 in thick. 06457 0-00-21200-06457-9 3M™ Double Coated Urethane Foam Tape 4032
Part Number UPC Product Name Color	Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in thick. 06454 0-00-21200-06454-8 3M TM Double Coated Urethane Foam Tape 4016 Off-White	Foam Tape 4016 is a thick, double- coated open-cell urethane foam tape with a paper liner. 1/16 in thick. 06455 0-00-21200-06455-5 3M TM Double Coated Urethane Foam Tape 4016 Off-White	Foam Tape 4032 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/32 in thick. 06456 0-00-21200-06456-2 3M TM Double Coated Urethane Foam Tape 4032 Off-White	Foam Tape 4032 is a thick, double-coated, open-cell urethane foam tape with a paper liner. 1/32 in thick. 06457 0-00-21200-06457-9 3M TM Double Coated Urethane Foam Tape 4032 Off-White

Foam Tape

Double Coated Urethane Foam Tape (continued)

	06458	14558	14619	14667
Description	3M™ Double Coated Urethane Foam Tape 4032 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/32 in thick.	3M™ Double Coated Urethane Foam Tape 4056 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/16 in thick.	3M™ Double Coated Urethane Foam Tape 4056 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/16 in thick.	3M™ Double Coated Urethane Foam Tape 4052 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/32 in thick.
Part Number	06458	14558	14619	14667
UPC	0-00-21200-06458-6	0-00-21200-14558-2	0-00-21200-14619-0	0-00-21200-14667-1
Product Name	3M [™] Double Coated Urethane Foam Tape 4032	3M [™] Double Coated Urethane Foam Tape 4056	3M [™] Double Coated Urethane Foam Tape 4056	3M [™] Double Coated Urethane Foam Tape 4052
Color	Off-White	Black	Black	Black
Length	72 Linear Yard	36 Linear Yard	36 Linear Yard	72 Linear Yard
Width	1 Inch	1 Inch	3/4 Inch	1/2 Inch
Packaging	9 per case	9 per case	12 per case	18 per case
	14668			
Description	3M [™] Double Coated Urethane Foam Tape 4056 is a thick, double- coated, open-cell urethane foam tape with a paper liner. 1/16 in thick.			
Part Number	14668			
UPC	0-00-21200-14668-8			
Product Name	3M [™] Double Coated Urethane Foam Tape 4056			
Color	Black			
Length	36 Linear Yard			
Width	1/2 Inch			
Packaging	18 per case			

Foam Tape

Vinyl Foam Tape

Color Black

	03279	03291	03300	03312
				0
Description	3M™ Double Coated Vinyl Foam Tape 4416 is a very conformable, vinyl, single-coated, closed-cell foam tape. 1/16 in thick.	3M™ Double Coated Vinyl Foam Tape 4408 is a vinyl, conformable, double-coated, closed-cell foam tape. 1/8 in thick.	3M [™] Double Coated Vinyl Foam Tape 4432 is a vinyl, conformable, double-coated, closed-cell foam tape. 1/32 in thick.	3M™ Vinyl Foam Tape 4508 is a vinyl, conformable, single-coated closed-cell foam tape. 1/8 in thick
Part Number	03279	03291	03300	03312
UPC	0-00-21200-03279-0	0-00-21200-03291-2	0-00-21200-03300-1	0-00-21200-03312-4
Product Name	3M [™] Double Coated Vinyl Foam Tape 4416	3M [™] Double Coated Vinyl Foam Tape 4408	3M [™] Double Coated Vinyl Foam Tape 4432	3M™ Vinyl Foam Tape 4508
Length	36 Linear Yard	36 Linear Yard	72 Linear Yard	36 Linear Yard
Width	1/2 Inch	1 Inch	0.5 Inch	1/2 Inch
Packaging	18 per case	9 per case	18 per case	18 per case
	03319	03320	06375	
Description	3M [™] Vinyl Foam Tape 4504 is a thick, vinyl, conformable, single- coated, closed-cell foam tape. 1/4 in thick.	3M [™] Vinyl Foam Tape 4504 is a thick, vinyl, conformable, single- coated, closed-cell foam tape. 1/4 in thick.	3M [™] Vinyl Foam Tape 4508 is a vinyl, conformable, single-coated, closed-cell foam tape. 1/8 in thick.	
Part Number	03319	03320	06375	
UPC	0-00-21200-03319-3	0-00-21200-03320-9	0-00-51131-06375-4	
Product Name	3M [™] Vinyl Foam Tape 4504	3M™ Vinyl Foam Tape 4504	3M™ Vinyl Foam Tape 4508	
Length	18 Linear Yard	18 Linear Yard	36 Linear Yard	
Width	3/4 Inch	1 Inch	3/4 Inch	
Packaging	12 per case	9 per case	12 per case	

Foam Tape: 3MTM VHBTM Tapes

Primers used with VHB Tapes

	23930
	The second secon
Description	3M [™] Tape Primer 94 is an adhesion promoter for use in conjunction with 3M [™] VHB [™] Tape.
Part Number	23930
UPC	0-00-21200-23930-4
Product Name	3M™ Tape Primer 94
Color	Clear Light Yellow
Container Volume	1 Gallon
Packaging	4 per case

VHB Tapes

	56313
Description	3M™ VHB™ Tape 4646 is a firm double-sided, pressure-sensitive, closed-cell acrylic foam tape with a PE film liner. 45 mil thick.
Part Number	56313
UPC	0-00-21200-56313-3
Product Name	3M™ VHB™ Tape 4646
Color	Gray
Length	36 Linear Yard
Width	1/2 Inch
Packaging	4 per case

Packaging Tape and Dispensers

Post-it(R) Removable Labeling Tapes

Part Number	UPC	Product Name	Color	Length	Width	Packaging
06951	0-00-51131-06951-0	Post-it® Labeling Tape 695	White	36 Linear Yard	2 Inch	24 per case

Packaging Tape and Dispensers

Scotch® Box Sealing Tapes

	06650	06651	15872	31899
Description	Scotch® Box Sealing Tape 355 is a strong polyester carton sealing tape.	Scotch® Box Sealing Tape 355 is a strong polyester carton sealing tape.	Scotch® Box Sealing Tape 371 is a valued performance polypropylene film box sealing tape.	Scotch® Commercial Grade Shipping Packaging Tape is designed for Commercial Performance. This tape combines our strong hot melt adhesive and backing to seal out moisture, dust and dirt. Resists splitting and assures reliable closures.
Part Number	06650	06651	15872	31899
UPC	0-00-51131-06650-2	0-00-51131-06651-9	0-00-21200-15872-8	0-00-51141-31899-8
Product Name	Scotch® Box Sealing Tape 355	Scotch® Box Sealing Tape 355	Scotch® Box Sealing Tape 371	Scotch® Commercial Grade Shipping Packaging Tape 3750-4RD
Color	Tan	Tan	Tan	Clear
Length	50 Linear Metre	50 Linear Metre	100 Linear Metre	54.6 Linear Yard
Width	1.42 Inch	1.88 Inch	2.83 Inch	1.88 Inch
Packaging	48 per case	36 per case	36 per case	4 per case
		F	00 pc. 0000	. per edec
	39524	91764	91765	. po. sass
	·	·	'	. po. 6466
Description	·	·	'	
Description Part Number	For heavy duty packaging applications our strongest hot melt adhesive with clear backing and instant adhesion is the tape you want. Seals out moisture, dust and dirt. The synthetic rubber-resin adhesive provides a consistent uniform seal.	Scotch® Commercial Grade Shipping Packaging Tape is designed for Commercial Performance. This tape combines our strong hot melt adhesive and backing to seals out moisture, dust and dirt. Resists splitting and	91765 Scotch® Commercial Grade Shipping Packaging Tape is designed for Commercial Performance. This tape combines our strong hot melt adhesive and backing to seals out moisture, dust and dirt. Resists splitting and	
·	For heavy duty packaging applications our strongest hot melt adhesive with clear backing and instant adhesion is the tape you want. Seals out moisture, dust and dirt. The synthetic rubber-resin adhesive provides a consistent uniform seal. Resists splittin	Scotch® Commercial Grade Shipping Packaging Tape is designed for Commercial Performance. This tape combines our strong hot melt adhesive and backing to seals out moisture, dust and dirt. Resists splitting and assures reliable closures.	91765 Scotch® Commercial Grade Shipping Packaging Tape is designed for Commercial Performance. This tape combines our strong hot melt adhesive and backing to seals out moisture, dust and dirt. Resists splitting and assures reliable closures.	
Part Number	For heavy duty packaging applications our strongest hot melt adhesive with clear backing and instant adhesion is the tape you want. Seals out moisture, dust and dirt. The synthetic rubber-resin adhesive provides a consistent uniform seal. Resists splittin 39524	Scotch® Commercial Grade Shipping Packaging Tape is designed for Commercial Performance. This tape combines our strong hot melt adhesive and backing to seals out moisture, dust and dirt. Resists splitting and assures reliable closures. 91764	91765 Scotch® Commercial Grade Shipping Packaging Tape is designed for Commercial Performance. This tape combines our strong hot melt adhesive and backing to seals out moisture, dust and dirt. Resists splitting and assures reliable closures. 91765	
Part Number UPC	For heavy duty packaging applications our strongest hot melt adhesive with clear backing and instant adhesion is the tape you want. Seals out moisture, dust and dirt. The synthetic rubber-resin adhesive provides a consistent uniform seal. Resists splittin 39524 0-00-21200-39524-6	Scotch® Commercial Grade Shipping Packaging Tape is designed for Commercial Performance. This tape combines our strong hot melt adhesive and backing to seals out moisture, dust and dirt. Resists splitting and assures reliable closures. 91764 0-00-51141-91764-1 Scotch® Commercial Grade	Scotch® Commercial Grade Shipping Packaging Tape is designed for Commercial Performance. This tape combines our strong hot melt adhesive and backing to seals out moisture, dust and dirt. Resists splitting and assures reliable closures. 91765 0-00-51141-91765-8 Scotch® Commercial Grade	
Part Number UPC Product Name	For heavy duty packaging applications our strongest hot melt adhesive with clear backing and instant adhesion is the tape you want. Seals out moisture, dust and dirt. The synthetic rubber-resin adhesive provides a consistent uniform seal. Resists splittin 39524 0-00-21200-39524-6 Scotch® Packaging Tape	Scotch® Commercial Grade Shipping Packaging Tape is designed for Commercial Performance. This tape combines our strong hot melt adhesive and backing to seals out moisture, dust and dirt. Resists splitting and assures reliable closures. 91764 0-00-51141-91764-1 Scotch® Commercial Grade	Scotch® Commercial Grade Shipping Packaging Tape is designed for Commercial Performance. This tape combines our strong hot melt adhesive and backing to seals out moisture, dust and dirt. Resists splitting and assures reliable closures. 91765 0-00-51141-91765-8 Scotch® Commercial Grade Packaging Tape 3750T-6	
Part Number UPC Product Name Color	For heavy duty packaging applications our strongest hot melt adhesive with clear backing and instant adhesion is the tape you want. Seals out moisture, dust and dirt. The synthetic rubber-resin adhesive provides a consistent uniform seal. Resists splittin 39524 0-00-21200-39524-6 Scotch® Packaging Tape Tan	Scotch® Commercial Grade Shipping Packaging Tape is designed for Commercial Performance. This tape combines our strong hot melt adhesive and backing to seals out moisture, dust and dirt. Resists splitting and assures reliable closures. 91764 0-00-51141-91764-1 Scotch® Commercial Grade Shipping Packaging Tape 3750-6	Scotch® Commercial Grade Shipping Packaging Tape is designed for Commercial Performance. This tape combines our strong hot melt adhesive and backing to seals out moisture, dust and dirt. Resists splitting and assures reliable closures. 91765 0-00-51141-91765-8 Scotch® Commercial Grade Packaging Tape 3750T-6 Tan	

Packaging Tape and Dispensers

Scotch® Extreme Application Packaging Tape

	88228
Description	Scotch® Bi-Directional Filament Tape 8959 is a clear polypropylene backing reinforced in both directions with glass yarn filaments with a synthetic rubber resin adhesive.
Part Number	88228
UPC	0-00-21200-88228-9
Product Name	Scotch® Bi-Directional Filament Tape 8959
Color	Transparent
Length	50 Linear Metre
Width	1.97 Inch
Packaging	18 per case

Scotch® Label Protection Tapes

	04134	06888	06947
		The state of the s	
Description	Scotch® Labelgard™ Film Tape 821 is a pink acetate backing with an acrylic adhesive.	Scotch® Labelgard™ Film Tape 821 is a lightly tinted pink acetate backing featuring a matte writable surface with an acrylic adhesive.	Scotch® Pouch Tape 8240 is a clear polypropy- lene backing with a rubber resin adhesive. Backing is printed with a bright orange border and a printed message: DOCUMENTS ENCLOSED,creating a non-tacky, see through, central rectangle for placing shipping docu- ments.
Part Number	04134	06888	06947
UPC	0-00-21200-04134-1	0-00-21200-06888-1	0-00-21200-06947-5
Product Name	Scotch® Labelgard™ Film Tape 821	Scotch® Labelgard™ Film Tape 821	Scotch® Pouch Tape 8240
Color	Pink	Light Pink	Transparent
Length	72 Linear Yard	72 Linear Yard	6 Inch
Width	5 Inch	4 Inch	5 Inch
Packaging	8 per case	8 per case	500 pouches per roll 8 rolls per case

Packaging Tape and Dispensers

Scotch® Label Protection Tapes (continued)

	06954	17063
	Restauration in the second sec	
Description	Scotch® Packing List Tape Pad 8240P is a polypropylene backing with a synthetic rubber resin adhesive. Backing is printed with a bright orange border and a printed message: DOCUMENTS ENCLOSED, creating a non-tacky, see through, central rectangle for placing shipping documents. Pre-cut and padded tape sheets features a removable paper tab. Packaged 25 sheets per pad. Padded format of 8240.	Scotch® Pouch Tape 825 same features, quality, and reliability of Scotch® Pouch Tape 824, but on a 1 inch core. Specifically designed for use with the hand-held Pouch Tape Dispenser M717. 825 is a clear polypropylene backing with a synthetic rubber resin adhesive.
Part Number	06954	17063
UPC	0-00-51131-06954-1	0-00-21200-17063-8
Product Name	Scotch® Packing List Tape Pad 8240P	Scotch® Pouch Tape 825
Color	Transparent	Transparent
Length	6 Inch	6 Inch
Width	5 Inch	5 Inch
Packaging	40 pads per carton 5 cartons per case	250 pouches per roll 16 rolls per case

Scotch® Packaging Tape Bonus Packs

Width 1.88 Inch
Length 50 Linear Metre



Part Number	Description	UPC	Product Name	Color	Packaging
06632	Contains 2 rolls of clear Scotch® Box Sealing Tape 03750, 48 mm x 50 m, and 1 Scotch® Tape Dispenser H180.	0-00-51131-06632-8	Scotch® Packaging Tape Bonus Pack BP1	Clear	18 per case
45287	Combines four rolls of Scotch® Box Sealing Tape 375 has a built-in plastic dispensers.	0-00-21200-45287-1	Scotch® Box Sealing Tape with Dispenser PSD2	Clear	24 per case

Packaging Tape and Dispensers

Tartan™ Box Sealing Tape and Dispensers

	02497	06993	06994	06996
	Turton		Tratar	SO .
Description	This general use packaging tape is ideal for light to medium-duty packaging applications. The conformable film backing and hot melt adhesive assures reliable closures and is suitable for a wide range of uses. For temporary sealing applications. 6 pack	Tartan™ Tabletop Tape Dispenser HB900 is a rugged construction with weighted, slip-proof base for quick and easy one-handed opera- tion. Holds rolls up to 1 inch wide on 3 inch core.	Tartan™ Hand-Held Filament Tape Dispenser HB901 is a portable, high impact durable hand-held unit that dispenses 1/2 inch to 1 inch for sealing boxes.	Tartan™ Hand-Held Box Sealing Tape Dispenser HB902 is an eco- nomical, compact and lightweight dispenser.
Part Number	02497	06993	06994	06996
UPC	0-00-53200-02497-0	0-00-51131-06993-0	0-00-51131-06994-7	0-00-51131-06996-1
Product Name	Tartan™ Shipping Packaging Tape 3710L-6	Tartan™ Tabletop Tape Dispenser HB900	Tartan™ Hand-Held Filament Tape Dispenser HB901	Tartan™ Hand-Held Box Sealing Tape Dispenser HB902
Color	Clear	Black	Black	Black
Length	109.36 Linear Yard			
Width	1.88 Inch	1 Inch	1 Inch	2 Inch
Packaging	6 per case	12 per case	12 per case	12 per case
	06997	32591	59681	92228
		Torons .		Total
Description	Tartan™ Pistol Grip Box Sealing Tape Dispenser HB903 is an eco- nomical, easy to use box sealing tape dispenser.	Tartan [™] Mailing Packaging Tape is a general purpose packaging tape for light duty mailing sealing appli- cations. Meets US Postal Regulations for standard packages.	Tartan™ Clear Packaging Tape, utility grade.	Tartan™ Shipping Packaging Tape is a general purpose packaging tape for light duty sealing applications. Meets US Postal Regulations for standard packages.
Part Number	06997	32591	59681	92228
UPC	0-00-51131-06997-8	0-00-51141-32591-0	0-00-51131-59681-8	0-00-51141-92228-7
Product Name	Tartan™ Pistol Grip Box Sealing Tape Dispenser HB903	Tartan™ Mailing Packaging Tape 3690-6	Tartan™ Clear Packaging Tape	Tartan™ Shipping Packaging Tape 3710-6
Color	Black		Clear	
Length		54.6 Linear Yard	54.6 Linear Yard	54.6 Linear Yard
Width	2 Inch	1.88 Inch	1.88 Inch	1.88 Inch
Packaging	24 per case	6 per case	24 rolls per case	6 per case

Packaging Tape and Dispensers

Tartan™ Box Sealing Tape and Dispensers (continued)

	92229	92387
	Tactan Ta	
Description	Tartan™ Shipping Packaging Tape is a general purpose packaging tape for light duty sealing applica- tions. Meets US Postal Regulations for standard packages.	This general use packaging tape is ideal for light mailing applications. For temporary sealing applications.
Part Number	92229	92387
UPC	0-00-51141-92229-4	0-00-51141-92387-1
Product Name	Tartan [™] Shipping Packaging Tape 3710T-6	Tartan™ Mailing Packaging Tape 3690L-6
Color		Clear
Length	54.6 Linear Yard	109 Linear Yard
Width	1.88 Inch	1.88 Inch
Packaging	6 per case	6 per case

Post-it® Removable Labeling Tapes

	06951	
UPC	0-00-51131-06951-0	
Product Name	Post-it® Labeling Tape 695	
Color	White	
Length	36 Linear Yard	
Width	2 Inch	
Packaging	24 per case	

Packaging Tape and Dispensers: Scotch® Tape Dispensers

Scotch® Hand-Held Dispensers

Packaging 6 per case

	06908	06909	06910
Description	Scotch® Box Sealing Tape Dispenser H320 is a lightweight, economical dispenser.	Scotch® Box Sealing Tape Dispenser H128 is a lightweight, compact, metal hand-held dispenser for tighter more precise seals for box sealing.	Scotch® Filament Tape Hand Dispenser H10 is a portable, high impact durable hand-held unit that dispenses 1/2 inch to 1 inch for sealing boxes.
Part Number	06908	06909	06910
UPC	0-00-21200-06908-6	0-00-21200-06909-3	0-00-21200-06910-9
Product Name	Scotch® Box Sealing Tape Dispenser H320	Scotch® Box Sealing Tape Dispenser H128	Scotch® Filament Tape Hand Dispenser H10
Width	2 Inch	2 Inch	1 Inch
	06925	06953	19008
Description	Scotch® Box Sealing Tape Dispenser H122 is a lightweight, compact, durable plastic hand-held dispenser with built-in brake for tighter more precise seals for box sealing.	Scotch® Filament Tape Hand Dispenser H12 is a portable, high impact, durable plastic handheld that features a hand brake in the core. Handles filament tapes up to 1 inch (24 mm) wide.	Scotch® Box Sealing Tape Dispenser H180 is a portable, lightweight, easy-to-operate, handheld tape dispenser.
Description Part Number	lightweight, compact, durable plastic hand-held dispenser with built-in brake for tighter more	a portable, high impact, durable plastic hand- held that features a hand brake in the core. Handles filament tapes up to 1 inch (24 mm)	portable, lightweight, easy-to-operate, hand-
·	lightweight, compact, durable plastic hand-held dispenser with built-in brake for tighter more precise seals for box sealing.	a portable, high impact, durable plastic hand- held that features a hand brake in the core. Handles filament tapes up to 1 inch (24 mm) wide.	portable, lightweight, easy-to-operate, hand- held tape dispenser.
Part Number	lightweight, compact, durable plastic hand-held dispenser with built-in brake for tighter more precise seals for box sealing. 06925	a portable, high impact, durable plastic hand- held that features a hand brake in the core. Handles filament tapes up to 1 inch (24 mm) wide. 06953	portable, lightweight, easy-to-operate, hand- held tape dispenser.

Scotch® Table Mount Tape Dispensers

	06923	06924	06944
	50		
Description	Scotch® Label Protection Dispenser M707 is a tabletop label protection dispenser.	Scotch® Heavy Duty Dispenser C25 is a weighted table top dispenser.	Scotch® Pouch Tape Dispenser M727 is a pouch tape dispenser with metal construction.
Part Number	06923	06924	06944
UPC	0-00-21200-06923-9	0-00-21200-06924-6	0-00-21200-06944-4
Product Name	Scotch® Label Protection Dispenser M707	Scotch® Heavy Duty Dispenser C25	Scotch® Pouch Tape Dispenser M727
Color	Gray	Tan	Gray
Width	4 Inch		5 Inch
Packaging	6 per case	3 per case	6 per case

Packaging Tape and Dispensers: Scotch® Tape Dispensers

Scotch® Table Mount Tape Dispensers (continued)

	06964	06965	66104
Description	Scotch® Mainline Dispenser P56 is a pull-and- cut dispenser that holds tapes, or a combination of tape rolls, up to 6 inches wide. Plastic con- struction. Max roll diameter: 6 7/8 inch.	Scotch® Mainline Dispenser P56 is a weighted pull-and-cut dispenser that holds tapes, or a combination of tape rolls, up to 6 inches wide. Plastic construction. Max roll diameter: 6 7/8 inch.	An economical, reliable tape dispenser that allows for one-handed dispensing of a wide variety of tapes. Dispenses standard tapes on a 1 inch core up to 3/4 inch wide by 1500 inch long. Made from 100% recycled plastic.
Part Number	06964	06965	66104
UPC	0-00-51131-06964-0	0-00-51131-06965-7	0-00-21200-66104-4
Product Name	Scotch® Mainline Dispenser P56	Scotch® Mainline Dispenser P56W	Scotch® Desktop Tape Dispenser C38
Color	Tan	Tan	Black
Width	6 Inch	6 Inch	0.75 Inch
Packaging	1 per case	1 per case	12 per case

Specialty Tape

3M™ Safety Stripe Tapes


	04585
Description	3M™ Safety Stripe Tape 5702 Black/Yellow, 5.4 mil (0.14 mm) vinyl backing with rubber adhesive, resists most common solvents
Part Number	04585
UPC	0-00-21200-04585-1
Product Name	3M™ Safety Stripe Tape 5702
Color	Black/Yellow
Length	36 Linear Yard
Width	2 Inch
Packaging	24 per case

Specialty Tape

3M[™] Sandblast Stencil Splice Free 1532

3M[™] Sandblast Stencil Splice Free 1532 is a green rubber sandblast stencil featuring a high release film liner for use in a variety of sandblasting protection applications, including the protection of glass surfaces.

Color Green
Length 10 Linear Yard
Packaging 1 per case



Part Number	UPC	Product Name	Width
45456	0-00-21200-45456-1	3M [™] Sandblast Stencil Splice Free 1532	30 Inch
45603	0-00-21200-45603-9	3M [™] Sandblast Stencil Splice Free 1532	15 Inch

3M™ Vinyl Tape 471

Length 36 Linear Yard

	03118	06415	06420	06421
Description	3M™ Vinyl Tape 471 Black, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abra- sion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	3M [™] Vinyl Tape 471 Black, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	3M™ Vinyl Tape 471 Yellow, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	3M [™] Vinyl Tape 471 White, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.
Part Number	03118	06415	06420	06421
UPC	0-00-21200-03118-2	0-00-21200-06415-9	0-00-21200-06420-3	0-00-21200-06421-0
Product Name	3M™ Vinyl Tape 471	3M™ Vinyl Tape 471	3M™ Vinyl Tape 471	3M™ Vinyl Tape 471
Color	Black	Black	Yellow	White
Width	4 Inch	1 Inch	2 Inch	2 Inch
Packaging	8 per case	36 per case	12 per box 2 boxes per case	12 per box 2 boxes per case

Specialty Tape

3M™ Vinyl Tape 471 (continued)

	06423	06424	06425	06466
Description	3M™ Vinyl Tape 471 Green, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	3M™ Vinyl Tape 471 Red, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abra- sion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	3M™ Vinyl Tape 471 Black, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abra- sion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	3M™ Vinyl Tape 471 White, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.
Part Number	06423	06424	06425	06466
UPC	0-00-21200-06423-4	0-00-21200-06424-1	0-00-21200-06425-8	0-00-21200-06466-1
Product Name	3M™ Vinyl Tape 471	3M™ Vinyl Tape 471	3M™ Vinyl Tape 471	3M™ Vinyl Tape 471
Color	Green	Red	Black	White
Width	2 Inch	2 Inch	2 Inch	3 Inch
Packaging	12 per box 2 boxes per case	12 per box 2 boxes per case	24 per case	12 per case
	06467	06468	06469	06470
		0		
Description	3M™ Vinyl Tape 471 Black, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	3M™ Vinyl Tape 471 Green, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	3M™ Vinyl Tape 471 Red, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abra- sion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	3M™ Vinyl Tape 471 Yellow, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.
Part Number	06467	06468	06469	06470
rait Nullibei			0.00.04000.00400.0	0-00-21200-06470-8
UPC	0-00-21200-06467-8	0-00-21200-06468-5	0-00-21200-06469-2	0-00-21200-00470-0
	***	0-00-21200-06468-5 3M™ Vinyl Tape 471	0-00-21200-06469-2 3M™ Vinyl Tape 471	3M [™] Vinyl Tape 471
UPC	0-00-21200-06467-8			
UPC Product Name	0-00-21200-06467-8 3M™ Vinyl Tape 471	3M™ Vinyl Tape 471	3M™ Vinyl Tape 471	3M™ Vinyl Tape 471

Specialty Tape

Scotch® Auto Body Repair Tape

Width 2 Inch
Packaging 12 per case

	06930	06935
Description	A practical, easy-to-use back-up material for plastic filler on rust-out areas. Has extremely high-strength adhesive. Is strong and rigid. Withstands weathering well. Thick aluminum backing.	A practical, easy-to-use back-up material for plastic filler on rust-out areas. Has extremely high-strength adhesive. Is strong and rigid. Withstands weathering well. Thick aluminum backing.
Part Number	06930	06935
UPC	0-00-51138-95331-7	0-00-21200-06935-2
Product Name	Scotch® Auto Body Repair Tape	Scotch® Auto Body Repair Tape
Color	Silver	Silver
Length	3.47 Linear Yard	20 Linear Yard

Scotch® Flatback Tapes

Length 60 Linear Yard

	02876	02895	03855	04258
Description	3M TM Flatback Masking Tape 250 is used for paint adhesion testing applications where a stronger paper backing is needed.	3M™ Colored Paper Tape 256 can be used for masking, bundling, holding and splicing operations needing colors for identification.	3M™ Colored Paper Tape 256 can be used for masking, bundling, holding and splicing operations needing colors for identification.	3M™ Colored Paper Tape 256 can be used for masking, bundling, hold- ing and splicing operations needing colors for identification.
Part Number	02876	02895	03855	04258
UPC	0-00-21200-02876-2	0-00-21200-02895-3	0-00-21200-03855-6	0-00-21200-04258-4
Product Name	Scotch® Flatback Masking Tape 250	Scotch® Printable Flatback Paper Tape 256	Scotch® Printable Flatback Paper Tape 256	Scotch® Printable Flatback Paper Tape 256
Color	Tan	White	Red	White
Width	1 Inch	1 Inch	3/4 Inch	2 Inch
Packaging	6 per box 6 boxes per case	36 per case	48 per case	24 per case

Specialty Tape

Scotch® Flatback Tapes (continued)

	06875	55563	55566	
Description	3M™ Colored Paper Tape 256 can be used for masking, bundling, holding and splicing operations needing colors for identification.	Scotch™ Performance Flatback Tape 2525 is used in holding, splic- ing or masking applications where high adhesion strength, high tem- perature capability and high back- ing strength are required.	Scotch™ Performance Flatback Tape 2525 is used in holding, splic- ing or masking applications where high adhesion strength, high tem- perature capability and high back- ing strength are required.	
Part Number	06875	55563	55566	
UPC	0-00-21200-06875-1	0-00-21200-55563-3	0-00-21200-55566-4	
Product Name	Scotch® Printable Flatback Paper Tape 256	Scotch® Performance Flatback Tape 2525	Scotch® Performance Flatback Tape 2525	
Color	White	Orange	Orange	
Width	3/4 Inch	1.88 Inch	.71 Inch	
Packaging	12 per box 4 boxes per case	6 per inner box 24 per case	12 per inner 48 per case	

Scotch® Premium Transparent Film Tape 600


Color Clear

Length 72 Linear Yard

	06681	06821	06941
		Scotch Transparent Tape	Scotchi Transparent Tupe
Description	Scotch® Premium Transparent Film Tape 600 is a clear UPVC backing with an acrylic adhesive.	Clear Paklon™ film tape with acrylic adhesive. Highly transparent and long aging without yellowing. Excellent for various inner-pack applications. Removes cleanly from fabric without leaving residue. Good dispensing properties.	Clear Paklon™ film tape with acrylic adhesive. Highly transparent and long aging without yellowing. Excellent for various inner-pack applications. Removes cleanly from fabric without leaving residue. Good dispensing properties.
Part Number	06681	06821	06941
UPC	0-00-51131-06681-6	0-00-51131-06821-6	0-00-21200-06941-3
Product Name	Scotch® Premium Transparent Film Tape 600	Scotch® Premium Transparent Film Tape 600	Scotch® Premium Transparent Film Tape 600
Width	1 Inch	1/2 Inch	3/8 Inch
Packaging	36 per case	72 per case	96 per case

Specialty Tape

Scotch® Premium Transparent Film Tape 600 (continued)



Scotch® Squeak Reduction Tape

	06356
Description	3M™ Squeak Reduction Tape 5430 Transparent, an ultra-high molecular weight polyethylene film tape with an acrylic adhesive, having low coeffi- cient of friction
Part Number	06356
UPC	0-00-51131-06356-3
Product Name	3M™ Squeak Reduction Tape 5430
Color	Transparent
Length	3 Linear Yard
Width	1 Inch
Packaging	12 per case

Specialty Tape

Scotch® Thread Sealant and Lubricant Tape 48

This is 3 mil high-temperature-stable (PTFE) pipe thread sealant and lubricant that provides a leak-proof seal with a temperature rated to 500(deg)F (260(deg)C). Packed as bulk with 12 rolls per case.

Color White
Packaging 12 per case



Part Number	UPC	Product Name	Length	Width
06192	0-00-54007-06192-2	Scotch® Thread Sealant Tape 48	6.6 Linear Metre	0.25 Inch
06195	0-00-54007-06195-3	Scotch® Thread Sealant Tape 48	6.6 Linear Metre	0.5 Inch
06196	0-00-54007-06196-0	Scotch® Thread Sealant Tape 48	13.2 Linear Metre	0.5 Inch



Applicators & Accessories

Body Fillers, Glazes and Related Products - Applicators & Accessories

	103	105	106	107
	←	TAS POLYMENT		WARTER WATER
Description	Bondo® Shaping & Bumping Hammer is used to make small folds and remove small dents in sheet metal.	Bondo® General Purpose Dolly is a multi-sided metal shaper to be used in conjunction with #107 Pick and Bumping Hammer to repair damaged sheet metal.	The Dispensa-Mat is a factory sealed 5 Gallon container of body filler that utilizes a built-in piston to force the filler out through a dispensing valve at the bottom of the unit.	Bondo® Pick & Bumping Hammer is used to hammer out dings and dents. The hammer's flat and pointed tips help to make a precise iMpact™ when straightening metal.
Part Number	103	105	106	107
UPC	0-00-76308-00103-2	0-00-76308-00105-6	0-00-76308-00106-3	0-00-76308-00107-0
Product Name	Bondo® Shaping Hammer	Bondo® General Purpose Dolly	Dynatron™ Dispenser Kit	Bondo® Pick & Bump Hammer
Color	Red/Black	Red	Silver	Red/Black
Packaging	6 per case	3 per case	1 per case	6 per case
	108	109	111	113
Description	The Dispensa-Mat is a factory sealed 3 Gallon container of body filler that utilizes a built-in piston to force the filler out through a dispensing valve at the bottom of the unit.	Bondo® Rubber Mallet helps remove small dents and dings where less iMpact™ in needed. The mallet also helps prevent over- stretching the metal.	Regulates the amount of air that pressurizes the container.	Is and open/Close valve that attaches to the valve adapter allowing the dispensing of material when at the "open" position.
Part Number	108	109	111	113
UPC	0-00-76308-00108-7	0-00-76308-00109-4	0-00-76308-00111-7	0-00-76308-00113-1
Product Name	Dynatron™ Dispenser Kit	Bondo® Rubber Mallet	Dynatron™ Air Regulator	Dynatron™ Dispensing Valve
Color	Silver	Black/Red		
Packaging	1 per case	3 per case	1 per case	1 per case
	114	130	321	344
			Authority, present and authority present and authority present aut	Стопо
Description	Attaches to the bung hole at the bottom of the pail.	Dynatron™ Cranker Mechanical Dispenser is a manual dispensing unit that allows for body filler to be dispensed at a controller rate. No air required.	Dynatron™ Filler Thinner is a high- quality polyester resin used to thin body fillers to reduce spreader drag.	Dynatron™ Yellow Spreaders are long-lasting tools designed for the body repair professional. A special flexible spreading edge makes precise application of body fillers, putties and glazes a breeze.
Part Number	114	130	321	344
UPC	0-00-76308-00114-8	0-00-76308-00130-8	0-00-76308-00321-0	0-00-76308-00344-9
Product Name	Dynatron™ Valve Adaptor	Dynatron™ Cranker Dispenser	Dynatron™ Filler Thinner	Dynatron™ Yellow Spreader
Color		Silver		Yellow
Packaging	1 per case	1 per case	6 per case	144 per case

Applicators & Accessories

Body Fillers, Glazes and Related Products - Applicators & Accessories (continued)

	354	358	363	366
	97000	The state of the s		
Description	Dynatron™ Yellow Spreaders are long-lasting tools designed for the body repair professional. A special flexible spreading edge makes precise application of body fillers, putties and glazes a breeze.	Dynatron Plastic Spreaders are great for applying fillers, putties, glazes and caulks. 3-Pack.	Dynatron™ Yellow Spreaders are long-lasting tools designed for the body repair professional. A special flexible spreading edge makes precise application of body fillers, putties and glazes a breeze.	Dynatron™ Mixing Board offers a clean, wax-free surface for mixing body filler. Cured body filler can be easily removed from the mixing board allowing additional uses.
Part Number	354	358	363	366
UPC	0-00-76308-00354-8	0-00-76308-00358-6	0-00-76308-00363-0	0-00-76308-00366-1
Product Name	Dynatron™ Yellow Spreader	Dynatron™ 3 Pack Spreaders	Dynatron™ Yellow Spreader	Dynatron™ Mixing Board
Color	Yellow	Yellow	Yellow	White
Packaging	144 per case	24 per case	36 per case	25 per case
	368	05842	05844	05854
				42
Description	Bondo® Plastic fits easily inside and around the rim of gallon cans for easy mixing of fillers, paints and primers.	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily.	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily. Assortment consists of 1 ea 4 in, 5 in and 6 in spreaders.	Plastic butterfly valve for use on 5 gallon containers of 3M™ Body Filler. Makes the 5 gallon container into its own dispenser.
Part Number	368	05842	05844	05854
UPC	0-00-76308-00368-5	0-00-51131-05842-2	0-00-51131-05844-6	0-00-51131-05854-5
Product Name	Bondo® Filler Scoop	3M™ Spreaders	3M [™] Spreader Assortment	3M™ Dispenser Valve
Color	Yellow	Yellow	Yellow	Black
Packaging	6 per case	50 per case	24 per case	4 per case
	05860	05861	20311	20380
	M tyridak Gu	Per Guide Cost & Discount San D		Premium Black SPREADERS Gost house to avoider create
Description	A method for identifying surface imperfections such as pinholes and deep scratches in primer. Requires no masking and there is no dry time involved. Can be used for both wet and dry sanding. Contains no solvents.	A method for identifying surface imperfections such as pinholes and deep scratches in primer. Requires no masking and there is no dry time involved. Can be used for both wet and dry sanding. Contains no solvents. Kit contains an applicator pad.	Marson" Razor Blades are single- edge, high-carbon steel and indi- vidually wrapped for safety.	Marson® plastic spreaders are spe- cially designed for body repair pro- fessionals. The flexible spreading edge makes precise application of body fillers, putties and glazes. These long-lasting tools allow cured body filler to easily pop off the spreader for additional use.
Part Number	05860	05861	20311	20380
UPC	0-00-51131-05860-6	0-00-51131-05861-3	0-00-51593-20311-8	0-00-51593-20380-4
Product Name	3M™ Dry Guide Coat Cartridge	3M™ Dry Guide Coat	Marson® Razor Blades	Marson® Spreaders
Color	Dark Gray	Dark Gray	Silver	Black
Packaging	10 per case	6 per case	100 per pack 10 packs per case	4 per case

Applicators & Accessories

Body Fillers, Glazes and Related Products - Applicators & Accessories (continued)

	20382	20395	31110
	The state of the s	The state of the s	XIEND Russian Russia Russia Russia Russia Russia Russia Russia Russia Russia Russia Russia Russia Russia Russi
Description	Marson® Disposable Paper Mixing Board offers a clean surface for mixing body filler.	Marson® plastic spreaders are specially designed for body repair professionals. The flexible spreading edge makes precise application of body fillers, putties and glazes. These long-lasting tools allow cured body filler to easily pop off the spreader for additional use.	Marson® Xtend™ Thinner polyester resin used to thin body fillers helping to reduce sperader drag.
Part Number	20382	20395	31110
UPC	0-00-51593-20382-8	0-00-51593-20395-8	0-00-51131-31110-7
Product Name	Marson® Large Paper Mixing Board	Marson® Yellow Spreaders	Marson® Xtend™
Color	White	Yellow	
Packaging	12 per case	150 per case	12 per case

Fillers

3M™ Body Fillers

	00032	01121	01125	01127
Description	3M™ Platinum™ Plus Premium Body Filler is a super creamy for- mula that achieves extreme adhe- sion to Galvanized Steel, Aluminum, E-Coat, Fiberglass, SMC, cured Epoxy, Urethane and Primers.	3M™ Platinum™ Filler is a stain- free, tack-free, super premium lightweight filler that offers the industry's best adhesion to steel, galvanized steel, aluminum, E-Coat and SMC.	3M™ White Lightnin® is a high- performance, heavyweight body filler that spreads to a smooth tex- ture and offers good adhesion to steel, wood, aluminum and fiber- glass.	3M TM Golden Extra TM is an extracreamy, easy-to-apply filler that provides a tack-free surface in minutes over steel, aluminum, wood and E-Coat. The rich, golden color of this product makes it stand out from the rest.
Part Number	00032	01121	01125	01127
UPC	0-00-51593-00032-8	0-00-51593-01121-8	0-00-51593-01125-6	0-00-51593-01127-0
Product Name	3M™ Platinum™ Plus Filler	3M™ Platinum™ Filler	3M™ White Lightnin™ Heavyweight Body Filler	3M™ Golden Extra™ Filler
Color/Hardener	Gold/Blue	Gray/Blue	Gray/Red	Gold/Red
Container Volume	1 Quart (US)	1 Liquid Quart(US)	1 Liquid Quart(US)	1 Liquid Quart(US)
Packaging	6 per case	6 per case	6 per case	6 per case

Fillers

3M[™] Body Fillers (continued)

	01130	01131	01132	01171
		St. IS		ST S
Description	3M™ Platinum™ Plus Premium Body Filler is a super creamy for- mula that achieves extreme adhe- sion to Galvanized Steel, Aluminum, E-Coat, Fiberglass, SMC, cured Epoxy, Urethane and Primers.	3M™ Platinum™ Plus Premium Body Filler is a super creamy for- mula that achieves extreme adhe- sion to Galvanized Steel, Aluminum, E-Coat, Fiberglass, SMC, cured Epoxy, Urethane and Primers.	3M™ Platinum™ Plus Premium Body Filler is a super creamy for- mula that achieves extreme adhe- sion to Galvanized Steel, Aluminum, E-Coat, Fiberglass, SMC, cured Epoxy, Urethane and Primers.	3M™ Platinum™ Filler is a stain- free, tack-free, super premium light- weight filler that offers the indus- try's best adhesion to steel, galva- nized steel, aluminum, E-Coat and SMC.
Part Number	01130	01131	01132	01171
UPC	0-00-51593-01130-0	0-00-51593-01131-7	0-00-51593-01132-4	0-00-51593-01171-3
Product Name	3M™ Platinum™ Plus	3M™ Platinum™ Plus Filler	3M™ Platinum™ Plus Filler	3M™ Platinum™ Filler
Color/Hardener	Gold/Blue	Gold/Blue	Gold/Blue	Off-White/Blue
Container Volume	3 Gallon (US)	1 Gallon (US)	3 Gallon (US)	1 Gallon (US)
Packaging	1 per case	4 per case	2 per case	4 per case
	01175	01231	01271	01277
	The state of the s			
Description	3M [™] White Lightnin [™] is a high- performance, heavyweight body filler that spreads to a smooth tex- ture and offers good adhesion to steel, wood, aluminum and fiber- glass.	3M™ Platinum™ Filler is a stain- free, tack-free, super premium lightweight filler that offers the industry's best adhesion to steel, galvanized steel, aluminum, E-Coat and SMC.	3M™ Platinum™ Filler is a stain- free, tack-free, super premium lightweight filler that offers the industry's best adhesion to steel, galvanized steel, aluminum, E-Coat and SMC.	3M™ Golden Extra is an extra- creamy, easy-to-apply filler that pro- vides a tack-free surface in minutes over steel, aluminum, wood and E- Coat. The rich, golden color of this product makes it stand out from the rest.
Part Number	01175	01231	01271	01277
UPC	0-00-51593-01175-1	0-00-51593-01231-4	0-00-51593-01271-0	0-00-51593-01277-2
Product Name	3M™ White Lightnin™ Heavyweight Body Filler	3M™ Platinum™ Filler	3M™ Platinum™ Filler	3M™ Golden Extra Filler
Color/Hardener	Gray/Red	Off-White/Blue	Off-White/Blue	Gold/Red
Container Volume	1 Gallon (US)	3 Gallon (US)	3 Gallon (US)	3 Gallon (US)

Fillers

3M[™] Body Fillers (continued)

	01311	01317	05800	05801
			The second secon	Description of the second of t
Description	3M™ Platinum™ Filler is a stain- free, tack-free, super premium lightweight filler that offers the industry's best adhesion to steel, galvanized steel, aluminum, E-Coat and SMC.	3M™ Golden Extra is an extra- creamy, easy-to-apply filler that provides a tack-free surface in min- utes over steel, aluminum, wood and E-Coat. The rich, golden color of this product makes it stand out from the rest.	Lighweight polyester body filler which cures to a tack-free state in 15 to 20 minutes. This filler has a creamy texture, spreads smoothly, easy to sand and is vacuum processed to minimize pinholing.	Lighweight polyester body filler which cures to a tack-free state in 15 to 20 minutes. This filler has a creamy texture, spreads smoothly, easy to sand and is vacuum processed to minimize pinholing.
Part Number	01311	01317	05800	05801
UPC	0-00-51593-01311-3	0-00-51593-01317-5	0-00-51131-05800-2	0-00-51131-05801-9
Product Name	3M™ Platinum™ Filler	3M™ Golden Extra Filler	3M™ Lightweight Body Filler	3M™ Lightweight Body Filler
Color/Hardener	Off-White/Blue	Gold/Red	Gray/Red	Gray/Red
Container Volume	5 Gallon (US)	5 Gallon (US)	1 Liquid Quart(US)	1 Gallon (US)
Packaging	1 per case	1 per case	6 per case	4 per case
	05804	05805	05859	05863
Description	Designed for use with an air-operated dispenser. Lighweight polyester body filler which cures to a tack-free state in 15 to 20 minutes. This filler has a creamy texture, spreads smoothly, easy to sand and is vacuum processed to minimize pinholing.	Use with 3Ms mechanical dispenser. Lighweight polyester body filler which cures to a tack-free state in 15 to 20 minutes. This filler has a creamy texture, spreads smoothly, easy to sand and is vacuum processed to minimize pinholing.	A cartridge-based two-component body repair material for use in the 3M [™] Dynamic Mixing System.	3M's popular Platinum™ Plus body filler, packaged as a cartridge- based two component body repair material for use in the 3M Dynamic Mixing System.
Part Number	05804	05805	05859	05863
UPC	0-00-51131-05804-0	0-00-51131-05805-7	0-00-51131-05859-0	0-00-51131-05863-7
Product Name	3M™ Lightweight Body Filler	3M™ Lightweight Body Filler	3M™ Dent Filling Compound 359LF	3M™ Platinum™ Plus for DMS
Color/Hardener	Gray/Red	Gray/Red	Blue/White	Blue/Gold
Container Volume	5 Gallon (US)	5 Gallon (US)	10.3 Fluid Ounce (US)	306 Millilitre
Packaging	1 per case	1 per case	6 per case	6 per case

Fillers

3M[™] Body Fillers (continued)

,	orgen	05070	05071	21100
	05868	05870	05871	31100
	M. The second of	The state of the s		Contractor of the Contractor o
Description	Performance lightweight polyester body filler. Specially formulated to enhance adhesion to difficult sur- faces such as Galvanized Steel, Aluminum, and E-Coat.	Standard Lightweight Body Filler specifically formulated to enhance adhesion to difficult surfaces such as Galvanized Steel, Aluminum and E-Coat.	Standard Lightweight Polyester Body Filler. Specially formulated to enhance adhesion to difficult sur- faces such as Galvanized Steel, Aluminum, and E-Coat.	Excellent adhesion to difficult surfaces like Galvanized Steel, Aluminum, and E-Coat. Easy to work with, smooth formula. Tack free - cures in minutes for fast repairs. Easy Sanding.
Part Number	05868	05870	05871	31100
UPC	0-00-51131-05868-2	0-00-51131-05870-5	0-00-51131-05871-2	0-00-51131-31100-8
Product Name	3M™ MarGrip II Body Filler	3M™ MarGrip II Filler	3M™ MarGrip II Filler	3M [™] MarGrip II Body Filler Single Use Can
Color/Hardener	Beige/Blue	Beige/Blue	Beige/Blue	Beige/Blue
Container Volume	1 Gallon (US)	3 Gallon (US)	5 Gallon (US)	6 Fluid Ounce (US)
Packaging	4 per case	1 per case	1 per case	12 per case
	31129	31135	31177	31179
			See 15 Se	The second secon
Description	A tack-free lightwieght body filler.	High Performance, Gold Colored super premium body filler.	Creamy, easy-to-apply filler that provides a tack-free surface in min- utes over Steel, Aluminum, Wood and E-Coat	A tack free lightweight body filler.
Part Number	31129	31135	31177	31179
UPC	0-00-51131-31129-9	0-00-51131-31135-0	0-00-51131-31177-0	0-00-51131-31179-4
Product Name	3M™ Body Light™	3M™ Platinum™ Plus	3M™ Golden Extra Filler	3M™ Body Light™ Filler
Color/Hardener		Gold/Blue	Gold/Red	
Container Volume	1 Liquid Quart(US)	5 Gallon (US)	0.8 Gallon (US)	0.8 Gallon (US)
Packaging	6 per case	1 per case	4 per case	4 per case
	31181	31311		
	The state of the s			
Description	3M™ Platinum Plus Premium Body Filler is a super creamy formula that achieves superior adhesion to Galvanized Steel, Aluminum, E- Coat, Fiberglass, SMC, cured Epoxy, Urethane and Primers	3MTM Platinum® Filler is a stain- free, tack-free, super premium lightweight filler that offers the industry's best adhesion to steel, galvanized steel, aluminum, E-Coat and SMC.		
Part Number	31181	31311		
UPC	0-00-51131-31181-7	0-00-51131-31311-8		
Product Name	3M™ Platinum™ Plus Filler	3M™ Platinum™ Filler		
Color/Hardener	Gold/Blue	Off-White/Blue		
Container Volume	6 Fluid Ounce (US)	5 Gallon (US)		
Packaging	12 per case	1 per case		

Fillers

Dynatron™ Fillers

	324	326	392	394
	DTMA-PLUS MITTALIA MITTALIA MITTALIA	Title FUS		The state of the s
Description	Dynatron™ Dyna-Plus™ is an attractive gold formula, stain-free, tack-free premium lightweight filler that offers excellent adhesion to steel, galvanized steel, aluminum, E-Coat and SMC.	Dynatron™ Dyna-Plus™ is an attractive gold formula, stain-free, tack-free premium lightweight filler that offers excellent adhesion to steel, galvanized steel, aluminum, E-Coat and SMC.	Dynatron™ Ultralite™ is the pro- fessional's choice for lightweight body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with.	Dynatron™ Ultralite™ is the pro- fessional's choice for lightweight body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with.
Part Number	324	326	392	394
UPC	0-00-76308-00324-1	0-00-76308-00326-5	0-00-76308-00392-0	0-00-76308-00394-4
Product Name	Dynatron™ Dyna-Plus™ Lightweight Filler	Dynatron™ Dyna-Plus™ Filler	Dynatron™ Ultralite™ Body Filler	Dynatron™ Ultralite™ Body Filler
Color/Hardener	Gold/Blue	Gold/Blue	Light Gray/Blue	Light Gray/Blue
Container Volume	1 Gallon (US)	5 Gallon (US)	1 Liquid Quart(US)	1 Gallon (US)
Packaging	4 per case	1 per case	12 per case	4 per case
	396	492	493	494
		DYNALITE Userwage Falls Nazia Usian		DYNALITE DISCRIPTION AND A COLUMN AND A COL
	Dynatron™ Ultralite™ is the pro- fessional's choice for lightweight	Dynatron™ Dynalite™ is the pro-	Dynatron™ Dynalite™ is the pro-	Dynatron™ Dynalite™ is the pro-
Description	body filler. This product produced with the highest quality resins, talc and microspheres creating automotive body fillers that are faster and easier to work with.	fessional's choice for lightweight body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with.	fessional's choice for lightweight body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with.	fessional's choice for lightweight body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with.
Description Part Number	body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and	body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and	body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and	body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and
·	body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with.	body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with.	body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with.	body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with.
Part Number	body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with.	body filler. This product produced with the highest quality resins, talc and microspheres creating automotive body fillers that are faster and easier to work with. 492	body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with.	body filler. This product produced with the highest quality resins, talc and microspheres creating automotive body fillers that are faster and easier to work with.
Part Number UPC Product Name	body filler. This product produced with the highest quality resins, talc and microspheres creating automotive body fillers that are faster and easier to work with. 396 0-00-76308-00396-8	body filler. This product produced with the highest quality resins, talc and microspheres creating automotive body fillers that are faster and easier to work with. 492 0-00-76308-00492-7	body filler. This product produced with the highest quality resins, talc and microspheres creating automotive body fillers that are faster and easier to work with. 493 0-00-76308-00493-4	body filler. This product produced with the highest quality resins, talc and microspheres creating automotive body fillers that are faster and easier to work with. 494 0-00-76308-00494-1
Part Number UPC	body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with. 396 0-00-76308-00396-8 Dynatron™ Ultralite™ Filler	body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with. 492 0-00-76308-00492-7 Dynatron™ Dynalite™ Body Filler	body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with. 493 0-00-76308-00493-4 Dynatron™ Dynalite™ Body Filler	body filler. This product produced with the highest quality resins, talc and microspheres creating automotive body fillers that are faster and easier to work with. 494 0-00-76308-00494-1 Dynatron™ Dynalite™ Body Filler

Fillers

Dynatron™ Fillers (continued)

Dynacion	i moro (oonanaoa)			
	495	496	1004	1014
	THE COLOR TO THE C	The state of the s	ULTT ATE	The state of the s
Description	Dynatron™ Dynalite™ is the professional's choice for lightweight body filler. This product produced with the highest quality resins, talc and microspheres creating automotive body fillers that are faster and easier to work with.	Dynatron™ Dynalite™ is the pro- fessional's choice for lightweight body filler. This product produced with the highest quality resins, talc and microspheres creating automo- tive body fillers that are faster and easier to work with.	Dynatron™ Ultimate™ Filler is a stain-free, tack-free, super premium lightweight filler that offers the industry's best adhesion to steel, galvanized steel, aluminum, E-Coat and SMC.	Dynatron™ Ultra-Grip™ II is a high tech lightweight filler formulated specifically to offer enhanced adhe sion to difficult surfaces such as galvanized steel, aluminum, E-coat and primed and painted surfaces.
Part Number	495	496	1004	1014
UPC	0-00-76308-00495-8	0-00-76308-00496-5	0-00-76308-01004-1	0-00-76308-01014-0
Product Name	Dynatron™ Dynalite™ Body Filler	Dynatron™ Dynalite™ Filler	Dynatron™ Ultimate™ Lightweight Filler	Dynatron™ Ultra-Grip™ II Filler
Color/Hardener	Light Gray/Red	Light Gray/Red	Off-White/Blue	Beige/Blue
Container Volume	3 Gallon (US)	5 Gallon (US)	1 Gallon (US)	1 Gallon (US)
Packaging	1 per case	1 per case	4 per case	4 per case
	1015	1016	1017	1026
Description	Dynatron™ Ultra-Grip™ II is a high-tech lightweight filler formulated specifically to offer enhanced adhesion to difficult surfaces such as galvanized steel, aluminum, Ecoat and primed and painted surfaces.	Dynatron™ Ultra-Grip™ II is a high-tech lightweight filler formulated specifically to offer enhanced adhesion to difficult surfaces such as galvanized steel, aluminum, Ecoat and primed and painted surfaces.	Dynatron™ Xtra Grip™ is formulated with an advanced adhesion promoter, providing superior adhesion to Galvanized Steel, Aluminum, E-Coat, SMC, Fiberglass and Cured Primer and Paint.	Dynatron™ Xtra Grip™ is formulat ed with an advanced adhesion pro moter, providing superior adhesior to Galvanized Steel, Aluminum, E- Coat, SMC, Fiberglass and Cured Primer and Paint.
Part Number	1015	1016	1017	1026
UPC	0-00-76308-01015-7	0-00-76308-01016-4	0-00-76308-01017-1	0-00-76308-01026-3
Product Name	Dynatron™ Ultra-Grip™ II Filler	Dynatron™ Ultra-Grip™ II Filler	Dynatron™ Xtra Grip™ Filler	Dynatron™ Xtra Grip™ Filler
Color/Hardener	Beige/Blue	Beige/Blue	Green/Blue	Green/Blue
Container Volume	3 Gallon (US)	5 Gallon (US)	1 Gallon (US)	5 Gallon (US)
Packaging	1 per case	1 per case	4 per case	1 per case

Fillers

Dynatron™ Fillers (continued)

-	,		
	1027	1028	
Description	Dynatron™ Xtra Grip™ is formulated with an advanced adhesion promoter, providing superior adhesion to Galvanized Steel, Aluminum, E-Coat, SMC, Fiberglass and Cured Primer and Paint.	Dynatron™ Xtra Grip™ is formulated with an advanced adhesion promoter, providing superior adhesion to Galvanized Steel, Aluminum, E-Coat, SMC, Fiberglass and Cured Primer and Paint.	
Part Number	1027	1028	
UPC	0-00-76308-01027-0	0-00-76308-01028-7	
Product Name	Dynatron™ Xtra Grip™ Filler	Dynatron™ Xtra Grip™ Filler	
Color/Hardener	Green/Blue	Green/Blue	
Container Volume	3 Gallon (US)	3 Gallon (US)	
Packaging	2 per case	1 per case	

Reinforced Fillers

462		464	472	474
	PNA-GLASS PREPALASS FILE TO THE PARTY OF THE	WWA-GLASS PREPALASS FILE WAS THAN THE PROPERTY OF THE PALAS FILE WAS THAN THE PALAS FILE WAS THE PALAS FILE	TOTAL HARD	UYNA-HAIR WESTALE SERVICE FESTIVE SERVICE FESTIVE SERVICE FESTIVE SERVICE THE
Description	Dynatron™ Dyna-Glass polyester filler is reinforced with short-strand fiberglass to create waterproof repairs that are twice the strength of ordinary body fillers.	Dynatron™ Dyna-Glass polyester filler is reinforced with short-strand fiberglass to create waterproof repairs that are twice the strength of ordinary body fillers.	Dynatron™ Dyna-Hair polyester filler is reinforced with long-strand fiberglass to create waterproof repairs that are twice the strength of ordinary body fillers.	Dynatron™ Dyna-Hair polyester filler is reinforced with long-strand fiberglass to create waterproof repairs that are twice the strength of ordinary body fillers.
Part Number	462	464	472	474
UPC	0-00-76308-00462-0	0-00-76308-00464-4	0-00-76308-00472-9	0-00-76308-00474-3
Product Name	Dynatron™ Dyna-Glass Short Strand	Dynatron™ Dyna-Glass Short Strand	Dynatron™ Dyna-Hair Long Strand	Dynatron™ Dyna-Hair Long Strand
Container Volume	1 Liquid Quart(US)	1 Gallon (US)	1 Liquid Quart(US)	1 Gallon (US)
Packaging	12 per case	4 per case	12 per case	4 per case
	642	644	01120	01160
	WIRA-GLASS WINDS AND THE PROPERTY OF THE PROP	UTRA-GLASS PAGRICLASS FILE PAG		N B
Description	Dynatron™ Ultra-Glass polyester filler is reinforced with short-strand fiberglass to create waterproof repairs that are twice the strength of ordinary body fillers.	Dynatron™ Ultra-Glass polyester filler is reinforced with short-strand fiberglass to create waterproof repairs that are twice the strength of ordinary body fillers.	Marson" Mar-Glass® polyester filler is reinforced with short-strand fiberglass to create waterproof repairs that are twice the strength of ordinary body fillers.	Marson® Mar-Glass® polyester filler is reinforced with short-strand fiberglass to create waterproof repairs that are twice the strength of ordinary body fillers.
Part Number	642	644	01120	01160
UPC	0-00-76308-00642-6	0-00-76308-00644-0	0-00-51593-01120-1	0-00-51593-01160-7
Product Name	Dynatron™ Ultra Glass Milled Glass	Dynatron™ Ultra Glass Milled Glass	3M [™] Short Strand Reinforced Filler	3M [™] Short Strand Reinforced Filler
Container Volume	1 Liquid Quart(US)	1 Gallon (US)	1 Liquid Quart(US)	1 Gallon (US)
Packaging	12 per case	4 per case	6 per case	4 per case

Fillers

Reinforced Fillers (continued)

	01183	05815	05816	05877
	M B		All property and the state of t	
Description	3M [™] Long Strand Reinforced Filler is reinforced with long-strand fiberglass to create waterproof repairs that are twice the strength of ordinary body fillers.	Contains chopped fiberglass. Repairs holes, cracks and tears in fiberglass. Repairs holes in metal. Smooth spreading. Waterproof. Can be used with 3M [™] Fiberglass Mat or Cloth material, part numbers 05837 and 05838.	Contains chopped fiberglass. Repairs holes, cracks and tears in fiberglass. Repairs holes in metal. Smooth spreading. Waterproof. Can be used with 3M [™] Fiberglass Mat or Cloth material, part numbers 05837 and 05838.	A milled fiberglass reinforced polyester filler that can create water-proof repairs to holes and rust in a two-component cartridge for use with the 3M™ Dynamic Mixing System. It has more than twice the strength of ordinary body fillers, and can be used in conjunction with fiberglass tape, cloth or mat to repair and rebuild rusted-out metal or damaged fiberglass materials.
Part Number	01183	05815	05816	05877
UPC	0-00-51593-01183-6	0-00-51131-05815-6	0-00-51131-05816-3	0-00-51131-05877-4
Product Name	3M [™] Long Strand Reinforced Filler	3M [™] Short Strand Fiberglass Reinforced Filler	3M [™] Short Strand Fiberglass Reinforced Filler	3M™ Reinforced Filler
Container Volume	1 Gallon (US)	1 Liquid Quart(US)	1 Gallon (US)	10.3 Fluid Ounce (US)
Packaging	4 per case	6 per case	4 per case	6 per case
	31133			
	N III			
Description	3M [™] Long Strand Reinforced Filler is reinforced with long strand fiberglass to create waterproof repairs.			
Part Number	31133			
UPC	0-00-51131-31133-6			
Product Name	3M [™] Long Strand Reinforced Filler			
Container Volume	1 Liquid Quart(US)			
Packaging	6 per case			

3M[™] Hardeners & Activators

Hardeners & Activators

	301	304	307	308
	II 🏥	One assume the second of the s	One of the Control of	The same and the s
Description	Dynatron™ Red Cream Hardeners are specially designed for use with Dynatron™ and 3M™ brand fillers and putties.	Dynatron™ Red Cream Hardeners are specially designed for use with Dynatron™ and 3M™ brand fillers and putties.	Bondo® Red Cream Hardener is designed to be used with Bondo® Body Fillers, Bondo-Glass® Bondo-Hair®, and Fiberglass Resin Jelly. Formulated and packaged under temperature-controlled conditions which assures freshness and maximum performance.	White Cream Hardener for use with any Dynatron™ lightweight body fillers. Provides a more neutral colored finish.
Part Number	301	304	307	308
UPC	0-00-76308-00301-2	0-00-76308-00304-3	0-00-76308-00307-4	0-00-76308-00308-1
Product Name	Dynatron™ Red Cream Hardener	Dynatron™ Red Cream Hardener	Dynatron™ Red Cream Hardener	Dynatron™ White Cream Hardener
Color	Red	Red	Red	White
Container Volume	1 Fluid Ounce (US)	4 Fluid Ounce (US)	2.75 Fluid Ounce (US)	2.75 Fluid Ounce (US)
Packaging	12 per case	12 per case	12 per case	12 per case
	309	411	412	413
	The same of the sa	The second of th		
Description	Blue Cream Hardener for use with Dynatron™ premium fillers, putties and glazes.	Use Dynatron™ Liquid Hardener as a catalyst for any Dynatron™ poly- ester fiberglass resin products.	Dynatron™ Wet Look Hardener produces a durable, high gloss fin- ish when used for overall acrylic enamel paints jobs. Dynatron™ Hardeners are compatible with all automotive paints.	Dynatron™ Wet Look Hardener produces a durable, high gloss fin- ish when used for overall acrylic enamel paints jobs. Dynatron™ Hardeners are compatible with all automotive paints.
Part Number	309	411	412	413
UPC	0-00-76308-00309-8	0-00-76308-00411-8	0-00-76308-00412-5	0-00-76308-00413-2
Product Name	Dynatron™ Blue Cream Hardener	Dynatron™ Liquid Hardener	Dynatron™ Wet Look Hardener	Dynatron™ Wet Look Hardener
Color	Blue	Clear	Pale Yellow	Pale Yellow
Container Volume	2.75 Fluid Ounce (US)	1.48 Fluid Ounce (US)	1 Liquid Pint(US)	1/4 Liquid Pint(US)
Packaging	12 per case	5 per case	6 per case	24 per case

3M™ Hardeners & Activators

Hardeners & Activators (continued)

	609	1009	05766	05830
			Liquid Hardener Liquid Hardener Liquid Hardener	Committee the Committee of the Committee
Description	Liquid Hardener for Fiberglass and Polyester Resin.	Blue Cream Hardener for use with Dynatron™ premium fillers, putties and glazes.	Creme hardening agent designed to be used with 3M™ Zebra Fillers, part number 05868, 05870 and 05871 and 3M™ Piranna Putty 05821.	Red creme hardening agent designed to be used with all 3M™ Body Repair Fillers, Fiberglass Reinforced Fillers, and Finishing Putties. Creamy consistency mixes easily and quickly.
Part Number	609	1009	05766	05830
UPC	0-00-76308-00609-9	0-00-76308-01009-6	0-00-51131-05766-1	0-00-51131-05830-9
Product Name	Dynatron™ Liquid Hardener	Dynatron™ Blue Cream Hardener	3M™ Creme Hardener	3M™ Creme Hardener
Color	Red	Blue	Blue	Red
Container Volume	0.74 Fluid Ounce (US)	1 Fluid Ounce (US)	2.75 Fluid Ounce (US)	2.75 Fluid Ounce (US)
Packaging	12 per case	12 per case	12 per case	12 per case
	05836	30748	30753	30759
	Ligand Hardeser	39748	Tonamen and Toname	Social and
Description	Fast acting liquid hardening agent designed to be used with 3M™ Fiberglass Resin (PNs 05833 and 05834).	Dynatron™ Red Cream Hardeners are specially designed for use with Dynatron™ and 3M™ brand fillers and putties.	Blue Cream Hardener for use with Dynatron™ and 3M™ premium fillers, putties and glazes.	White Cream Hardener for use with any Dynatron™ and 3M™ light- weight body fillers. Provides a more neutral colored finish.
Part Number	05836	30748	30753	30759
UPC	0-00-51131-05836-1	0-00-76308-30748-6	0-00-76308-30753-0	0-00-76308-30759-2
Product Name	3M™ Liquid Hardener	Dynatron™ Red Cream Hardener	Dynatron™ Blue Cream Hardener	Dynatron™ White Cream Hardener
Color	Clear	Red	Blue	White
Container Volume	22 Cubic Centimetre	2.75 Fluid Ounce (US)	2.75 Fluid Ounce (US)	1 Fluid Ounce (US)
Packaging	12 per case	48 per Pail	48 per Pail	100 per Pail

3MTM Glazes

Glazes

	591	1091	1097	03080
	WE COME	WXX	The state of the s	
Description	Dynatron™ Dyna-Glaze is a stain- free, tack-free polyester finishing glaze with a creamy texture that makes it easy to spread and sand.	Dynatron™ Dyna Maxx™ Glaze is a super premium polyester finishing putty that is especially formulated to adhere to steel, galvanized steel, aluminum, E-Coat and SMC, as well as OEM paint and primer.	Dynatron™ Xtra™ Glaze 24 oz.is a premium polyester glazing and finishing putty that is especially formulated to adhere to steel, galvanized steel, aluminum, E-Coat and SMC, as well as 0EM paint and primer.	3M™ Platinum™ Plus Glaze achieves extreme adhesion to Galvanized Steel, Aluminum, E- Coat, Fiberglass, SMC, cured Epoxy, Urethane and Primers. Platinum Plus cuts the sanding time to as lit- tle as 15 minutes.
Part Number	591	1091	1097	03080
UPC	0-00-76308-00591-7	0-00-76308-01091-1	0-00-76308-01097-3	0-00-51593-03080-6
Product Name	Dynatron™ Dyna-Glaze	Dynatron™ Dyna Maxx™ Glaze	Dynatron™ Xtra™ Glaze Putty	3M™ Platinum™ Plus Glaze
Container Volume	24 Fluid Ounce (US)	24 Fluid Ounce (US)	24 Fluid Ounce (US)	16.2 Fluid Ounce (US)
Packaging	6 per case	6 per case	6 per case	6 per case
	03180	05821	05824	05857
Description	3M™ Platinum™ Plus Glaze achieves extreme adhesion to Galvanized Steel, Aluminum, E- Coat, Fiberglass, SMC, cured Epoxy, Urethane and Primers.	Two component, self-leveling putty designed for use as a skin coat over plastic filler to fill pinholes, sand scratches, low areas and other imperfections.	Two-component, stain-free, tack- free, self-leveling repair putty. Designed for use as a skin coat over plastic filler to fill pinholes, sand scratches, low areas or other imperfections.	A cartridge-based, two-component, self-leveling glaze designed for use as a "skin" coat over sheet metal and dent repair compound to fill pinholes, sand scratches, low areas, and other imperfections.
Part Number	03180	05821	05824	05857
UPC	0-00-51593-03180-3	0-00-51131-05821-7	0-00-51131-05824-8	0-00-51131-05857-6
Product Name	3M™ Platinum™ Plus Glaze	3M [™] Advanced Finishing Glaze	3M [™] Flowable Finishing Glaze	3M [™] Dent Finishing Glaze
Container Volume	24 Fluid Ounce (US)	24 Fluid Ounce (US)	24 Fluid Ounce (US)	10.3 Fluid Ounce (US)
Packaging	6 per case	6 per case	6 per case	6 per case
	05862	12011	31180	
Description	A cartridge-based, two-component, self-leveling glaze designed for use as a "skin" coat over sheet metal and dent repair compound to fill pinholes, sand scratches, low areas, and other imperfections. Thicker formulation ideal for vertical panel applications.	3M™ Platinum™ Glaze is a stain- free, tack-free premium polyester glazing and finishing putty that offers the industry's best adhesion to steel, galvanized steel, alu- minum, E-coat and SMC.	New, convenient 30 oz. Pumptainer. Self-leveling formular is excellent for skim coating and offers good vertical hang. Super adhesion to galvanized steel, E-coat, metal, alu- minum, fiberglass, SMC, cured epoxy, urethane and lacquer primers.	
Part Number	05862	12011	31180	
UPC	0-00-51131-05862-0	0-00-51593-12011-8	0-00-51131-31180-0	
Product Name	3M™ Platinum™ Glaze	3M™ Platinum™ Glaze	3M [™] Platinum [™] Plus Finishing Glaze	
Container Volume	306 Millilitre	24 Fluid Ounce (US)	30 Fluid Ounce (US)	
Packaging	6 per case	6 per case	6 per case	

3M[™] Putties

Putties

	592	593	650	651
	PRINCOILE STATE OF THE PRINCIPLE OF THE	PUTT-OTT	The state of the s	Sale of the sale o
Description	Dynatron™ Putty-Cote is a smooth, tack-free, easy-sanding polyester glazing and finishing putty. Putty-Cote is designed for filling scratches, cracks, splits, dings, pinholes and other surface imperfections.	Dynatron [™] Putty-Cote is a smooth, tack-free, easy-sanding polyester glazing and finishing putty. Putty-Cote is designed for filling scratches, cracks, splits, dings, pinholes and other surface imperfections.	Dynatron™ Glazing & Spot Putty is a one-part nitrocellulose glazing and spot putty that dries quickly with minimal shrinkage and superi- or flexibility.	Dynatron™ Glazing & Spot Putty is a one-part nitrocellulose glazing and spot putty that dries quickly with minimal shrinkage and superior flexibility.
Part Number	592	593	650	651
UPC	0-00-76308-00592-4	0-00-76308-00593-1	0-00-76308-00650-1	0-00-76308-00651-8
Product Name	Dynatron™ Putty-Cote	Dynatron™ Putty-Cote	Dynatron™ Glazing & Spot Putty	Dynatron™ Glazing & Spot Putty
Color	-			
Container Volume	1 Liquid Quart(US)	1/2 Gallon (US)	16 Ounce	16 Ounce
Packaging	6 per case	6 per case	12 per case	12 per case
	1092	1093	05095	05096
	MATERIAL STATES	MACA BEAUTY	Acryl-White Charing Purp	
Description	Dynatron™ Ultimate-Cote® is a stain-free, tack-free premium polyester glazing and finishing putty that offers the industry's best adhesion to steel, galvanized steel, aluminum, E-Coat and SMC.	Dynatron™ Ultimate-Cote® is a stain-free, tack-free premium polyester glazing and finishing putty that offers the industry's best adhesion to steel, galvanized steel, aluminum, E-Coat and SMC.	Recommended for filling pinholes, scratches and other surface defects on a variety of automotive and marine surfaces. Its white color minimizes the possibility of color showing through the final coat as can happen when using colored putties beneath white paint. Other advantages include easy sanding, slow drying, spreads easily, and has low shrinkage.	Fast drying, easy sanding putty designed for spotty repairs. Spreads very easily. Loads paper less and can be sanded in 10 to 15 minutes.
Part Number	1092	1093	05095	05096
UPC	0-00-76308-01092-8	0-00-76308-01093-5	0-00-51131-05095-2	0-00-51131-05096-9
Product Name	Dynatron™ DynaMaxx™ Finishing Putty	Dynatron™ DynaMaxx™ Finishing Putty	3M [™] Acryl-White Putty	3M [™] Acryl-Green Spot Putty
Color			White	Green
Container Volume	1 Liquid Quart(US)	1/2 Gallon (US)	14.5 Fluid Ounce (US)	14.5 Fluid Ounce (US)

3M[™] Putties

Putties (continued)

	05098	05099	05819	12001
	Augustical Calazing Posts (1998) Mara Mittae on	Super Red Patty	Notes Triability of the state o	and the state of t
Description	Good general purpose putty. Fills small pinholes and scratches. Spreads and sands easily, dries fast, has minimum shrinkage and excellent adhesion. It loads paper less and feathers out to a smooth surface.	Excellent glazing putty, easy to spread and self-leveling. A nitrocellulose putty with long working time and minimal shrinkage. Feathers out to a smooth surface. Sands easily even after overnight drying.	Stain-free and tack-free product that fills pinholes in body fillers and small imperfections in metal and fiberglass. Cures tack-free in 20 to 25 minutes. Vacuum processed to minimize pinholes.	Marson® Glaze Spot & Glazing Putty is a one-part nitrocellulose glazing and spot putty that dries quickly with minimal shrinkage and superior flexibility.
Part Number	05098	05099	05819	12001
UPC	0-00-51131-05098-3	0-00-51131-05099-0	0-00-51131-05819-4	0-00-51593-12001-9
Product Name	3M [™] Acryl-Red Glazing Putty	3M [™] Super Red Putty	3M [™] Premium Polyester Finishing Putty	Marson® Spot & Glazing Putty
Color	Red	Red	Red	Red
Container Volume	14.5 Fluid Ounce (US)	14.5 Ounce	1 Liquid Quart(US)	16 Ounce
Packaging	12 per case	12 per case	12 per case	12 per case
	12006	33003	33010	
	GEAVIS MADE SIMPLE OF THE PARTY MADE SIMPLE OF THE PARTY MADE SIMPLE OF THE PARTY O			
Description	Marson® Glaze Spot & Glazing Putty is a one-part nitrocellulose glazing and spot putty that dries quickly with minimal shrinkage and superior flexibility.	Finishing Putty that achieves extreme adhesion to Galvanized Steel, Aluminum, E-Coat, Fiberglass, cured Epoxy, Urethane and Primers	Finishing Putty that achieves extreme adhesion to Galvanized Steel, Aluminum, E-Coat, Fiberglass, cured Epoxy, Urethane and Primer.	
Part Number	12006	33003	33010	
UPC	0-00-51593-12006-4	0-00-51131-33003-0	0-00-51131-33010-8	
Product Name	Marson® Glaze Spot & Glazing Putty	3M™ Platinum™ Plus Putty	3M™ Platinum™ Plus Putty	
Color				
Container Volume	1 Liquid Quart(US)	1 Liquid Quart(US)	0.5 Gallon (US)	
Packaging	12 per case	6 per case	6 per case	

Dynamic Mixing System

3M™ Dynamic Mixing System Products

	02576	05846	05847
Description	Rack for holding dispense box of 3M [™] Dynamic Mixing Nozzles, PN05847.	Professional pneumatic (air-operated) applicator for cartridge-based Body Repair Materials need- ing dynamic mixing.	This nozzle's active mixing action completely blends materials, and its short length guarantees low waste.
Part Number	02576	05846	05847
UPC	0-00-51131-02576-9	0-00-51131-05846-0	0-00-51131-05847-7
Product Name	3M™ Bulk Nozzle Rack	3M [™] Dynamic Mixing Gun - Pneumatic	3M [™] Dynamic Mixing Nozzle
Color	-	, ,	, ,
Container Volume	-		
Packaging	1 per case	1 per case	50 nozzles per box 6 boxes per case
	05857	05859	05862
	03637	03639	03002
Description	A cartridge-based, two-component, self-leveling glaze designed for use as a "skin" coat over sheet metal and dent repair compound to fill pinholes, sand scratches, low areas, and other imperfections.	A cartridge-based two-component body repair material for use in the 3M™ Dynamic Mixing System.	A cartridge-based, two-component, self-leveling glaze designed for use as a "skin" coat over sheet metal and dent repair compound to fill pinholes, sand scratches, low areas, and other imperfections. Thicker formulation ideal for vertical panel applications.
Part Number	05857	05859	05862
UPC	0-00-51131-05857-6	0-00-51131-05859-0	0-00-51131-05862-0
Product Name	3M™ Dent Finishing Glaze	3M™ Dent Filling Compound 359LF	3M™ Platinum™ Glaze
Color		Blue/White	Blue/White
Container Volume	10.3 Fluid Ounce (US)	10.3 Fluid Ounce (US)	306 Millilitre
Packaging	6 per case	6 per case	6 per case
	05863	05877	35849
		A milled fiberglass reinforced polyester filler that	
Description	3M [™] Marson's popular Platinum [™] Plus body filler, packaged as a cartridge-based two com- ponent body repair material for use in the 3M Dynamic Mixing System.	can create waterproof repairs to holes and rust in a two-component cartridge for use with the 3M™ Dynamic Mixing System. PN05877 has more than twice the strength of ordinary body fillers, and can be used in conjunction with fiberglass tape, cloth or mat to repair and rebuild rusted-out metal or damaged fiberglass materials.	A kit containing items necessary to get started with 3M's new Dynamic Mixing System: Applicator, Nozzles, and Accessories.
Part Number	05863	05877	35849
UPC	0-00-51131-05863-7	0-00-51131-05877-4	0-00-51131-35849-2
Product Name	3M™ Platinum™ Plus for DMS	3M™ Reinforced Filler	3M™ Dynamic Mixing System Introductory Kit
Color	Blue/Gold		
Container Volume	306 Millilitre	10.3 Fluid Ounce (US)	
Packaging	6 per case	6 per case	1 per case

Fiberglass Repair Products

Fiberglass Repair

	321	411	688	690
	Anticology THINDER PROSERVE TRAIN For Use on Autocology Train Autocology Train For Use on Autocology Train For Use of Use	CONTROL OF STREET, STR	TO THE REAL PROPERTY OF THE PR	PREVISTIR PREVIS
Description	Dynatron™ Filler Thinner is a high- quality polyester resin used to thin body fillers to reduce spreader drag.	Use Dynatron™ Liquid Hardener as a catalyst for any Dynatron™ poly- ester fiberglass resin products.	Use where an extra strength, reinforced repair is required. Repair holes, cracks, and tears in fiberglass, metal, wood, aluminum and masonry. Will not rust or rot.	Dynatron™ Fiberglass Repair Kit contains everything needed for a complete repair including one quart of Dynatron" Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Mat, Reinforcement Filler/Adhesive, Measuring Cups, Mixing Sticks & Instructions.
Part Number	321	411	688	690
UPC	0-00-76308-00321-0	0-00-76308-00411-8	0-00-76308-00688-4	0-00-76308-00690-7
Product Name	Dynatron™ Filler Thinner	Dynatron™ Liquid Hardener	Dynatron™ Fiberglass Mat	Dynatron™ Fiberglass Resin Repair Kit
Container Volume/Size	1 Pint	1.48 fl oz	8 Square Feet	1 Liquid Quart(US)
Packaging	6 per case	5 per case	6 per case	6 per case
Color		Clear	White	
	692	694	699	01402
	PROSESSION AND ADMINISTRATION AN	POULSTER PRESIDENT STATEMENT STATEME	Constant Headings State	POTITS FR RESIN BENEVICE TO THE POTITS OF TH
Description	Dynatron™ Fiberglass Resin is a high-quality polyester resin for use in the repair and restoration of metal, wood, fiberglass and masonry. Repairs can be reinforced with Dynatron" Fiberglass Mat and Fiberglass Cloth.	Dynatron™ Fiberglass Resin is a high-quality polyester resin for use in the repair and restoration of metal, wood, fiberglass and masonry. Repairs can be reinforced with Dynatron" Fiberglass Mat and Fiberglass Cloth.	Use where a reinforced repair is required. Repair holes, cracks, and tears in fiberglass, metal, wood, aluminum and masonry. Will not rust or rot. Use with Bondo® Fiberglass Repair Resin for hundreds of repairs to tubs, showers, cars, boats, trucks, RVs, and more.	Marson® Polyester Resin is a high high-strength, automotive-grade resin featuring quick curing and unbeatable flexibility. For use in the repair and restoration of metal, wood, fiberglass and masonry.
Description Part Number	high-quality polyester resin for use in the repair and restoration of metal, wood, fiberglass and mason- ry. Repairs can be reinforced with Dynatron" Fiberglass Mat and	high-quality polyester resin for use in the repair and restoration of metal, wood, fiberglass and mason- ry. Repairs can be reinforced with Dynatron" Fiberglass Mat and	required. Repair holes, cracks, and tears in fiberglass, metal, wood, aluminum and masonry. Will not rust or rot. Use with Bondo® Fiberglass Repair Resin for hun- dreds of repairs to tubs, showers,	high-strength, automotive-grade resin featuring quick curing and unbeatable flexibility. For use in the repair and restoration of metal,
·	high-quality polyester resin for use in the repair and restoration of metal, wood, fiberglass and mason- ry. Repairs can be reinforced with Dynatron" Fiberglass Mat and Fiberglass Cloth.	high-quality polyester resin for use in the repair and restoration of metal, wood, fiberglass and mason- ry. Repairs can be reinforced with Dynatron" Fiberglass Mat and Fiberglass Cloth.	required. Repair holes, cracks, and tears in fiberglass, metal, wood, aluminum and masonry. Will not rust or rot. Use with Bondo® Fiberglass Repair Resin for hun- dreds of repairs to tubs, showers, cars, boats, trucks, RVs, and more.	high-strength, automotive-grade resin featuring quick curing and unbeatable flexibility. For use in the repair and restoration of metal, wood, fiberglass and masonry.
Part Number UPC	high-quality polyester resin for use in the repair and restoration of metal, wood, fiberglass and masonry. Repairs can be reinforced with Dynatron" Fiberglass Mat and Fiberglass Cloth.	high-quality polyester resin for use in the repair and restoration of metal, wood, fiberglass and mason- ry. Repairs can be reinforced with Dynatron' Fiberglass Mat and Fiberglass Cloth.	required. Repair holes, cracks, and tears in fiberglass, metal, wood, aluminum and masonry. Will not rust or rot. Use with Bondo® Fiberglass Repair Resin for hun- dreds of repairs to tubs, showers, cars, boats, trucks, RVs, and more.	high-strength, automotive-grade resin featuring quick curing and unbeatable flexibility. For use in the repair and restoration of metal, wood, fiberglass and masonry. 01402
Part Number	high-quality polyester resin for use in the repair and restoration of metal, wood, fiberglass and masonry. Repairs can be reinforced with Dynatron" Fiberglass Mat and Fiberglass Cloth. 692 0-00-76308-00692-1	high-quality polyester resin for use in the repair and restoration of metal, wood, fiberglass and masonry. Repairs can be reinforced with Dynatron' Fiberglass Mat and Fiberglass Cloth. 694 0-00-76308-00694-5	required. Repair holes, cracks, and tears in fiberglass, metal, wood, aluminum and masonry. Will not rust or rot. Use with Bondo® Fiberglass Repair Resin for hundreds of repairs to tubs, showers, cars, boats, trucks, RVs, and more. 699 0-00-76308-00699-0	high-strength, automotive-grade resin featuring quick curing and unbeatable flexibility. For use in the repair and restoration of metal, wood, fiberglass and masonry. 01402 0-00-51593-01402-8
Part Number UPC Product Name	high-quality polyester resin for use in the repair and restoration of metal, wood, fiberglass and masonry. Repairs can be reinforced with Dynatron' Fiberglass Mat and Fiberglass Cloth. 692 0-00-76308-00692-1 Dynatron™ Fiberglass Resin	high-quality polyester resin for use in the repair and restoration of metal, wood, fiberglass and masonry. Repairs can be reinforced with Dynatron' Fiberglass Mat and Fiberglass Cloth. 694 0-00-76308-00694-5 Dynatron™ Fiberglass Resin	required. Repair holes, cracks, and tears in fiberglass, metal, wood, aluminum and masonry. Will not rust or rot. Use with Bondo® Fiberglass Repair Resin for hundreds of repairs to tubs, showers, cars, boats, trucks, RVs, and more. 699 0-00-76308-00699-0 Dynatron™ Fiberglass Cloth	high-strength, automotive-grade resin featuring quick curing and unbeatable flexibility. For use in the repair and restoration of metal, wood, fiberglass and masonry. 01402 0-00-51593-01402-8 Marson® Polyester Resin

Body Fillers, Glazes & Related Products

Fiberglass Repair Products

Fiberglass Repair (continued)

	01403	05837	05838	05833
	POLYESTER RESIN	The region of the second of th	Fiberglass Coth	SAII Fiberglass Resin Pherpla Resin Resin
Description	Marson® Polyester Resin is a high high-strength, automotive-grade resin featuring quick curing and unbeatable flexibility. For use in the repair and restoration of metal, wood, fiberglass and masonry.	3M™ Fiberglass Mat is designed to be used with 3M™ Resin, part numbers 05833 or 05834, or 3M™ Short Strand Fiberglass Reinforced Fillers, part numbers 05815 or 05816, to patch larger holes in metal damage to fiberglass panels.	3M [™] Fiberglass Cloth is designed to be used with 3M [™] Resin, part numbers 05833 or 05834, or 3M [™] Short Strand Fiberglass Reinforced Fillers, part numbers 05815 or 05816, to patch larger holes in metal damage to fiberglass panels.	Designed to be used with 3M TM Fiberglass Cloth (PN 05838) and/or 3M TM Fiberglass Mat(PN 05833) to patch holes in metal, and cracks, tears, punctures and splits in fiberglass panels.
Part Number	01403	05837	05838	05833
UPC	0-00-51593-01403-5	0-00-51131-05837-8	0-00-51131-05838-5	0-00-51131-05833-0
Product Name	Marson® Polyester Resin	3M™ Fiberglass Mat	3M™ Fiberglass Cloth	3M™ Fiberglass Resin
Container Volume/Size	1 Gallon	8 sq ft	8 sq ft	1 Quart
Packaging	4 per case	6 per case	6 per case	12 per case
Color		White	White	Clear
	05834			
	2MIM Fibergless Peoin in designed			
Description	3M [™] Fiberglass Resin is designed to be used with 3M [™] Fiberglass Cloth (PN 05838) and/or 3M [™] Fiberglass Mat (PN 05833) to patch holes in metal, and cracks, tears, punctures and splits in fiberglass panels.			
Part Number	05834			
UPC	0-00-51131-05834-7			
Product Name	3M™ Fiberglass Resin			
Product Name Container Volume/Size	3M™ Fiberglass Resin 1 Gallon			
	· ·			

Fiberglass Repair Products

Paint Accessories

	419	812	823
	Note:	Cynatico) Tack Gloth	Tack Cloth
Description	Dynatron™ Universal Urethane Activator is designed for use with all automotive polyurethane finishes, except where a 1 to 1 ratio is required.	Dynatron™ Tack Cloths are made with a precise blend of resins, oils and plasticizers that keep the cloth soft and tacky to ensure the cleanest surface possible for painting.	Dynatron™ Tack Cloths are made with a precise blend of resins, oils and plasticizers that keep the cloth soft and tacky to ensure the cleanest surface possible for painting.
Part Number	419	812	823
UPC	0-00-76308-00419-4	0-00-76308-00812-3	0-00-76308-00823-9
Product Name	Dynatron™ Universal Activator	Dynatron™ Boxed Tack Cloth	Dynatron™ Blue Tack Cloth
Color	Pale Yellow	Yellow	Blue
Size	1 Liquid Quart(US)	18 in x 36 in	18 in x 36 in
Packaging	6 per case	144 per case	144 per case
	03192	07910	
	The state of the s	Surface preparation for spraying primers, base	
Description	Excellent for cleanup just before painting. Use to remove dirt, lint, dust and sanding particles from metal, plastic, fiberglass and wood. Use again and again. Stays soft. Non-toxic.	coat or clear coat paints is a smooth transition as dust is drawn into the tack pad leaving a drag-free surface. Hands are less sticky due to the reduction of adhesive transfer.	
Part Number	03192	07910	
UPC	0-00-51144-03192-4	0-00-51131-07910-6	
Product Name	3M™ Tack Cloth	3M™ Tack Pad	
Color	White	White	
Size	17 in x 36 in	175 mm x 235 mm	
Packaging	40 per case	60 per case	



Coatings

Coatings

Applicators & Accessories

Coatings - Applicators & Accessories

	08801	08966	08997	08998
Description	One piece metal applicator gun designed for use with all No Cleanup products. Requires no cleaning. Refer to individual No Cleanup products for proper air pressures. Requires the use of No Cleanup Replacement Nozzle 08966.	Designed for use with 3M™ No Cleanup Coatings, part numbers 08804, 08949 and 08964.	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991.	Developed to provide a reusable, inexpensive means of applying 3M™ Rust Fighter-I (Quarts) into hard to reach areas. This is a 36 inch flexible tube that has a specialized tip which provides a 360 degree or 180 degree spray pattern.
Part Number	08801	08966	08997	08998
UPC	0-00-51135-08801-2	0-00-51135-08966-8	0-00-51135-08997-2	0-00-51135-08998-9
Product Name	3M™ No Cleanup Applicator Gun	3M [™] No Cleanup Replacement Nozzles	3M [™] Body Schutz [™] Applicator Gun	3M [™] Rust Fighter-I Application Wand
Color	Black	Opaque	Silver	Opaque
Packaging	8 per case	8 per bag 4 bags per case	1 per case	12 per case
Packaging	8 per case 16000	8 per bag 4 bags per case 16001	1 per case 16022	12 per case
Packaging	·		·	12 per case
Packaging Description	·		·	12 per case
	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with	Standard, hard cup that supports and holds the PPS small flexible liner, part number 16000, 16300	Adapter converts specific Sata and the Sagola models for use with 3M™ PPS™ System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two	12 per case
Description	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part number 16001.	Standard, hard cup that supports and holds the PPS small flexible liner, part number 16000, 16300 and 16301.	Adapter converts specific Sata and the Sagola models for use with 3M™ PPS™ System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two options.	12 per case
Description Part Number	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part number 16001.	Standard, hard cup that supports and holds the PPS small flexible liner, part number 16000, 16300 and 16301.	Adapter converts specific Sata and the Sagola models for use with 3M™ PPS™ System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two options.	12 per case
Description Part Number UPC	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part number 16001. 16000 0-00-51131-16000-2	Standard, hard cup that supports and holds the PPS small flexible liner, part number 16000, 16300 and 16301. 16001 0-00-51131-16001-9	Adapter converts specific Sata and the Sagola models for use with 3M™ PPS™ System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two options. 16022 0-00-51131-16022-4	12 per case

Aerosols

Aerosols

	2811	3509	3611	3711
	E PARTE		READEL PRIMER UPPEACE	A CONTROL OF THE PARTY OF THE P
Description	Mar-Hyde® Tal-Strip® Extra Strength Paint Remover is a fast- acting, non-caustic paint and coat- ing remover. Removes enamel, lac- quer, epoxy, urethane, varnish, shel- lac, decals, and gaskets from metal, wood, glass, concrete, stone, brick and ceramic tile.	Mar-Hyde® One Step™ Rust Converter Primer Sealer chemically reacts to convert rust into a hard, black primer sealer. Apply One- Step™ on rusted surfaces and rust is permanently converted and ready for primer and topcoat.	Mar-Hyde® Flexible Primer Surfacer - Black Satin™ fills small scratches and pinholes, and may be used as a black satin finish coat.	Mar-Hyde® Tal-Strip® II Aircraft Coating Remover is especially designed to remove basecoat/clearcoat systems from today's automobiles.
Part Number	2811	3509	3611	3711
UPC	0-00-83463-28111-7	0-00-83463-35091-2	0-00-83463-36111-6	0-00-83463-37111-5
Product Name	Mar-Hyde® Tal-Strip™ Extra Strength Paint Remover Aerosol	Mar-Hyde® One-Step™ Rust Converter - Aerosol	Mar-Hyde® Flexible Primer Surfacer - Aerosol - Black Satin™	Mar-Hyde® Tal-Strip™ II Aircraft Coating Remover Aerosol
Container Volume	15 Fluid Ounce (US)	10 Fluid Ounce (US)	12.25 Fluid Ounce (US)	12 Fluid Ounce (US)
Packaging	12 per case	12 per case	12 per case	12 per case
Color		Colorless	Black	
	3811	3821	4911	5111
	SATIN SATIN SATIN		BINNER BLACK	The state of the s
Description	Try it for yourself - spray Mar- Hyde® Black Satin™ on aluminum foil, let it dry, crumple the foil and see the adhesion! Also provides excellent adhesion to brass, galva-	Mar-Hyde® Gray Satin is an extremely durable gray coating for use on exterior automotive trim, such as aluminum, plastic, stainless steel and steel, as found on fascias,	Mar-Hyde® Bumper Black renews and recolors automotive plastics. This durable, flexible coating is especially designed for all flexible	Mar-Hyde® Single Stage® Self- Etching Primer is a ready-to-spray pretreatment/primer that provides excellent corrosion protection and creates a superior bond to most metals by chemically etching the
	nized steel and plastics.	window trim, door locks and lower body panels.	and rigid automotive parts.	surface of the panel.
Part Number			and rigid automotive parts.	, , ,
Part Number UPC	nized steel and plastics.	body panels.	,	surface of the panel.
	nized steel and plastics.	body panels. 3821	4911	surface of the panel. 5111
UPC	nized steel and plastics. 3811 0-00-83463-38111-4 Mar-Hyde® Black Satin Automotive	body panels. 3821 0-00-83463-38211-1 Mar-Hyde® Gray Satin Automotive	4911 0-00-83463-49111-0 Mar-Hyde® Bumper Black Flexible Coating for Automotive Plastic -	surface of the panel. 5111 0-00-83463-51111-5 Mar-Hyde® Single Stage Self-
UPC Product Name	nized steel and plastics. 3811 0-00-83463-38111-4 Mar-Hyde® Black Satin Automotive Trim Coating - Aerosol	body panels. 3821 0-00-83463-38211-1 Mar-Hyde® Gray Satin Automotive Trim Coating - Aerosol	4911 0-00-83463-49111-0 Mar-Hyde® Bumper Black Flexible Coating for Automotive Plastic - Aerosol	surface of the panel. 5111 0-00-83463-51111-5 Mar-Hyde® Single Stage Self- Etching Primer Aerosol

Aerosols

Aerosols (continued)

	5611	05910	05911	05917
	Mar marin	Broker Family To Const	Broker Frank Frank 12-0501	Widable Trimer
Description	Mar-Hyde® Tal-Strip® IV Urethane Parts Paint Remover specifically designed to strip paints and coat- ings from urethane automotive parts without attacking and damag- ing the urethane substrate. Only available as an aerosol.	Paintable coating in aerosol can specially formulated to match the medium to coarse texture of factory-applied textured coating on the stone-throw areas of automobiles. VOC compliant in all 50 states.	For aerosol application over acrylic lacquer top-coats or under acrylic lacquer or enamel color coats. Not to be applied over OEM finishes. Designed to match fine to medium textures on stone throw areas of automobiles.	Aerosol coating designed to be applied to metal surfaces prior to welding to provide corrosion protection after welding. Dries fast with minimum spatter. Meets MIR requirements.
Part Number	5611	05910	05911	05917
UPC	0-00-83463-56111-0	0-00-51131-05910-8	0-00-51131-05911-5	0-00-51131-05917-7
Product Name	Mar-Hyde® Tal-Strip™ IV Urethane Parts Paint Remover	3M™ Rocker Panel Spray	3M™ Rocker Panel Spray	3M [™] Weld-Thru Coating II
Container Volume	17 Fluid Ounce (US)	18 Ounce	18 Fluid Ounce (US)	12.75 Fluid Ounce (US)
Packaging	12 per case	12 per case	12 per case	6 per case
Color		Tan	Clear	Grey
	08881	08882	08883	08889
	To descreta	Marray Ma	Marie of the state	The state of the s
Description	Black, multi-purpose, low cost, aerosol undercoating. Specifically used for undercarriages, wheel wells, frame rails, and fenders. Designed to protect metal from corrosion and abrasion. Can also be used as a sound dampening coating.	Paintable aerosol undercoating designed to protect surfaces from corrosion and provide sound deadening. Can be applied to bare or primed metal. For painting, let dry for 30 minutes at room temperature or greater than 60 degrees.	A tough, high-performance rubber- ized aerosol undercoating. Provides rust-proofing and sound deadening for a variety of applications, includ- ing fenders, quarter panels, door panels, repaired sections, welded joints, hoods, and decklids.	A resilient under-the-paint protective coating formulated to match the medium to coarse texture of factory-applied coatings on the Rocker Panel and stone-throw areas of automobiles. VOC compliant in all 50 states.
Part Number	08881	08882	08883	08889
UPC	0-00-51135-08881-4	0-00-51131-08882-5	0-00-51131-08883-2	0-00-51135-08889-0
Product Name	3M [™] Undercoating	3M™ Undercoating	3M [™] Rubberized Undercoating	3M [™] Rocker Panel Coating
Container Volume	16 Fluid Ounce (US)	17 Fluid Ounce (US)	19.7 Fluid Ounce (US)	23 Ounce
Packaging	6 per case	6 per case	6 per case	6 per case
Color	Black	Black	Black	Grey

Coatings

Aerosols

Aerosols (continued)

08892
00092
We want to the state of the sta
A non-hardening corrosion protection coating for internal cavities in a quart can. Also known as a cavity wax. Designed to provide a selfhealing, corrosion protective coating for inner body panels and frame rails. Accessories: Bondo® Easy Finish® Aerosol Trigger - PN00128.
08892
0-00-51135-08892-0
3M™ Rust Fighter-I
18.75 Ounce
6 per case

Body Schutz

Body Schutz

	08864	08874	08891	08997
		Booker Schutz	Section 1	
Description	Black, rubberized, protective coating developed primarily for use as a sound deadener, protective coating, and underseal. Bonds to a wide variety of surfaces. Use with applicator gun, part number 08997.	Fast drying, tintable, paintable, chip resistant coating for use on motor vehicles; resists weathering, salt spray, and abrasion. Texture is coarse. Use with applicator gun, part number 08997.	A non-hardening corrosion protection coating for internal cavities in a quart can. Also known as a cavity wax.	Developed to provide a unique, convenient and inexpensive means for spraying 3M TM Rubberized Body Schutz, part number 08864, 3M TM Rocker Schutz, part number 08874 and 3M TM Rust Fighter-I, part number 08991.
Part Number	08864	08874	08891	08997
UPC	0-00-51135-08864-7	0-00-51135-08874-6	0-00-51135-08891-3	0-00-51135-08997-2
Product Name	3M™ Body Schutz™ Rubberized Coating Black	3M™ Rocker Schutz™ Coating	3M™ Rust Fighter-I	3M™ Body Schutz™ Applicator Gun
Container Volume	1 Quart (US)	1 Quart (US)	1 Quart (US)	
Color	Black	Beige	Amber	Silver
Packaging	6 per case	6 per case	6 per case	1 per case

Body Schutz

Body Schutz (continued)

	08998	16000	16001	16022
			East and Figure 1	
Description	Developed to provide a reusable, inexpensive means of applying 3M™ Rust Fighter-I (Quarts) into hard to reach areas. This is a 36 inch flexible tube that has a specialized tip which provides a 360 degree or 180 degree spray pattern.	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part number 16001.	Small, hard cup that supports and holds the PPS small flexible liner, part number 16000.	Adapter converts specific Sata and the Sagola models for use with 3M™ PPS™ System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two options.
Part Number	08998	16000	16001	16022
UPC	0-00-51135-08998-9	0-00-51131-16000-2	0-00-51131-16001-9	0-00-51131-16022-4
Product Name	3M [™] Rust Fighter-I Application Wand	3M™ PPS™ Kit	3M™ PPS™ Standard Cup & Collar	3M™ PPS™ Adapter 12
Container Volume				
Color	Opaque			Silver
Packaging	12 per case	1 kit per case	2 cups per box 4 boxes per case	4 per case

Undercoatings

Undercoatings

	544	6546	08801	08804
	Dyna-Po- Dyna-Po- Dyna-Po- Markon Markon Mar			
Description	Dyna-Pro® Paintable Rubberized Undercoating is a fast-drying, flexible, durable undercoating that can be painted with standard refinish paint systems to match any OEM color desired.	Dyna-Pro® Paintable Rubberized Undercoating is a fast-drying, flexible, durable undercoating that can be painted with standard refinish paint systems to match any OEM color desired.	One piece metal applicator gun designed for use with all No Cleanup products. Requires no cleaning. Refer to individual No Cleanup products for proper air pressures. Requires the use of No Cleanup Replacement Nozzle 08966.	Superior performing, paintable, rub- berized undercoating with excellent coverage and corrosion protection, while also meeting the low VOC requirements in most areas. Use with 3M™ No Cleanup Applicator Gun 08801.
Part Number	544	6546	08801	08804
UPC	0-00-76308-00544-3	0-00-76308-06546-1	0-00-51135-08801-2	0-00-51135-08804-3
Product Name	Dynatron™ Dyna-Pro® Paintable Rubberized Undercoating	Dynatron™ Dyna-Pro® Paintable Rubberized Undercoating	3M™ No Cleanup Applicator Gun	3M [™] No Cleanup Waterbased Undercoating
Container Volume	1 Gallon (US)	5 Gallon (US)		18.5 Fluid Ounce
Color	Black	Black	Black	Black
Packaging	4 per case	1 per case	8 per case	6 per case

Undercoatings

Undercoatings (continued)

	08864	08881	08882	08883
		In the contact of the	Natural Control of Con	M M The reserved of the control of
Description	Black, rubberized, protective coating developed primarily for use as a sound deadener, protective coating, and underseal. Bonds to a wide variety of surfaces. Use with applicator gun, part number 08997.	Black, multi-purpose, low cost, aerosol undercoating. Specifically used for undercarriages, wheel wells, frame rails, and fenders. Designed to protect metal from corrosion and abrasion. Can also be used as a sound dampening coating.	Paintable aerosol undercoating designed to protect surfaces from corrosion and provide sound deadening. Can be applied to bare or primed metal. For painting, let dry for 30 minutes at room temperature or greater than 60 degrees.	A tough, high-performance rubberized aerosol undercoating. Provides rust-proofing and sound deadening for a variety of applications, including fenders, quarter panels, door panels, repaired sections, welded joints, hoods, and decklids.
Part Number	08864	08881	08882	08883
UPC	0-00-51135-08864-7	0-00-51135-08881-4	0-00-51131-08882-5	0-00-51131-08883-2
Product Name	3M [™] Body Schutz [™] Rubberized Coating Black	3M [™] Undercoating	3M [™] Undercoating	3M™ Rubberized Undercoating
Container Volume	32 Fluid Ounce (US)	20 Fluid Ounce (US)	24 Fluid Ounce (US)	24 Fluid Ounce (US)
Color	Black	Black	Black	Black
Packaging	6 per case	6 per case	6 per case	6 per case
	o per case	o per case	o per case	o per ease
	08964	08966	08997	16000
gg		·	·	·
Description		·	·	·
	Tough, fast drying, paintable, rubberized undercoating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders. Use with 08801 applicator	08966 Designed for use with 3M™ No	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part num-	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part num-
Description	Tough, fast drying, paintable, rubberized undercoating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders. Use with 08801 applicator gun.	Designed for use with 3M™ No Cleanup Coatings.	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991.	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part number 16001.
Description Part Number	Tough, fast drying, paintable, rubberized undercoating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders. Use with 08801 applicator gun. 08964 0-00-51135-08964-4 3M™ No Cleanup High Coverage Body Schutz™ Coating	Designed for use with 3M™ No Cleanup Coatings.	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991.	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part number 16001.
Description Part Number UPC	Tough, fast drying, paintable, rubberized undercoating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders. Use with 08801 applicator gun. 08964 0-00-51135-08964-4 3M™ No Cleanup High Coverage	O8966 Designed for use with 3M™ No Cleanup Coatings. 08966 0-00-51135-08966-8 3M™ No Cleanup Replacement	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991. 08997 0-00-51135-08997-2 3M™ Body Schutz™ Applicator	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part number 16001. 16000 0-00-51131-16000-2
Description Part Number UPC Product Name	Tough, fast drying, paintable, rubberized undercoating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders. Use with 08801 applicator gun. 08964 0-00-51135-08964-4 3M™ No Cleanup High Coverage Body Schutz™ Coating	O8966 Designed for use with 3M™ No Cleanup Coatings. 08966 0-00-51135-08966-8 3M™ No Cleanup Replacement	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991. 08997 0-00-51135-08997-2 3M™ Body Schutz™ Applicator	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part number 16001. 16000 0-00-51131-16000-2

Undercoatings

Undercoatings (continued)

	16022
Description	Adapter converts specific Sata and the Sagola models for use with 3MTM PPSTM System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two options.
Part Number	16022
UPC	0-00-51131-16022-4
Product Name	3M™ PPS™ Adapter 12
Container Volume	
Color	Silver
Packaging	4 per case

Corrosion Protection

Corrosion Protection

	544	05910	05911	05917
	Dyna-Po Dyna-Po Dyna-Po West access	Bocker Family 1713 Tr00016	Broker French French 12-0001	Webstable Person
Description	Dyna-Pro® Paintable Rubberized Undercoating is a fast-drying, flexible, durable undercoating that can be painted with standard refinish paint systems to match any OEM color desired.	Paintable coating in aerosol can specially formulated to match the medium to coarse texture of factory-applied textured coating on the stone-throw areas of automobiles. VOC compliant in all 50 states.	For aerosol application over acrylic lacquer top-coats or under acrylic lacquer or enamel color coats. Not to be applied over OEM finishes. Designed to match fine to medium textures on stone throw areas of automobiles.	Aerosol coating designed to be applied to metal surfaces prior to welding to provide corrosion protection after welding. Dries fast with minimum spatter. Meets MIR requirements.
Part Number	544	05910	05911	05917
UPC	0-00-76308-00544-3	0-00-51131-05910-8	0-00-51131-05911-5	0-00-51131-05917-7
Product Name	Dynatron™ Dyna-Pro® Paintable Rubberized Undercoating	3M™ Rocker Panel Spray	3M™ Rocker Panel Spray	3M [™] Weld-Thru Coating II
Container Volume	1 Gallon (US)	18 Ounce	18 Fluid Ounce (US)	12.75 Fluid Ounce (US)
Color	Black	Tan	Clear	Gray
Packaging	4 per case	12 per case	12 per case	6 per case

Corrosion Protection

Corrosion Protection (continued)

	resocion (sontinuou)			
	6546	08801	08864	08874
				Picker Chutz
Description	Dyna-Pro® Paintable Rubberized Undercoating is a fast-drying, flexible, durable undercoating that can be painted with standard refinish paint systems to match any OEM color desired.	One piece metal applicator gun designed for use with all No Cleanup products. Requires no cleaning. Refer to individual No Cleanup products for proper air pressures. Requires the use of No Cleanup Replacement Nozzle 08966.	Black, rubberized, protective coating developed primarily for use as a sound deadener, protective coating, and underseal. Bonds to a wide variety of surfaces. Use with applicator gun, part number 08997.	Fast drying, tintable, paintable, chip resistant coating for use on motor vehicles; resists weathering, salt spray, and abrasion. Texture is coarse. Use with applicator gun, part number 08997.
Part Number	6546	08801	08864	08874
UPC	0-00-76308-06546-1	0-00-51135-08801-2	0-00-51135-08864-7	0-00-51135-08874-6
Product Name	Dynatron™ Dyna-Pro® Paintable Rubberized Undercoating	3M™ No Cleanup Applicator Gun	3M [™] Body Schutz [™] Rubberized Coating Black	3M [™] Rocker Schutz [™] Coating
Container Volume	5 Gallon (US)		1 Quart (US)	1 Quart (US)
Color	Black	Black/Silver	Black	Beige
Packaging	1 per case	8 per case	6 per case	6 per case
	08881	08882	08883	08889
	Marketine	We want of the second of the s	M W We work to the control of the c	The state of the s
Description	Black, multi-purpose, low cost, aerosol undercoating. Specifically used for undercarriages, wheel wells, frame rails, and fenders. Designed to protect metal from corrosion and abrasion. Can also be used as a sound dampening coating.	Paintable aerosol undercoating designed to protect surfaces from corrosion and provide sound deadening. Can be applied to bare or primed metal. For painting, let dry for 30 minutes at room temperature or greater than 60 degrees.	A tough, high-performance rubber- ized aerosol undercoating. Provides rust-proofing and sound deadening for a variety of applications, includ- ing fenders, quarter panels, door panels, repaired sections, welded joints, hoods, and decklids.	A resilient under-the-paint protective coating formulated to match the medium to coarse texture of factory-applied coatings on the Rocker Panel and stone-throw areas of automobiles. VOC compliant in all 50 states.
Part Number	08881	08882	08883	08889
UPC	0-00-51135-08881-4	0-00-51131-08882-5	0-00-51131-08883-2	0-00-51135-08889-0
Product Name	3M™ Undercoating	3M™ Undercoating	3M [™] Rubberized Undercoating	3M [™] Rocker Panel Coating
Container Volume	16 Fluid Ounce (US)	17 Fluid Ounce (US)	19.7 Fluid Ounce (US)	23 Ounce
Color	Black	Black	Black	Grey
Packaging	6 per case	6 per case	6 per case	6 per case

Corrosion Protection

Corrosion Protection (continued)

	otootion (continuou)			
	08891	08892	08949	08964
	M State of the sta	The second secon	W Cleanup better Gard	vi Clemmy ligh Covers logh Schrift
Description	A non-hardening corrosion protection coating for internal cavities in a quart can. Also known as a cavity wax. Use with PN 8997 & PN 8998	A non-hardening corrosion protection coating for internal cavities in a quart can. Also known as a cavity wax. Designed to provide a self-healing, corrosion protective coating for inner body panels and frame rails. Accessories: Bondo® Easy Finish® Aerosol Trigger - PN00128.	Paintable, tough, beige-colored coating designed for use as a rocker panel chip-resistant protective surface. Use wherever stone chip protection is needed. Must be applied over a 2K epoxy primer. Use with 08801 applicator gun.	Tough, fast drying, paintable, rub- berized undercoating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders. Use with 08801 applicator gun.
Part Number	08891	08892	08949	08964
UPC	0-00-51135-08891-3	0-00-51135-08892-0	0-00-51135-08949-1	0-00-51135-08964-4
Product Name	3M™ Rust Fighter-I	3M™ Rust Fighter-I	3M [™] No Cleanup Rocker Gard [™] Coating	3M [™] No Cleanup High Coverage Body Schutz [™] Coating
Container Volume	1 Quart (US)	18.75 Ounce	22 Fluid Ounce (US)	22 Fluid Ounce (US)
Color	Amber		Tan	Black
Packaging	6 per case	6 per case	6 per case	6 per case
	08966	08997	08998	
Description	Designed for use with 3M™ No Cleanup Coatings, part numbers 08804, 08949 and 08964.	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part num-	Developed to provide a reusable, inexpensive means of applying 3M™ Rust Fighter-I (Quarts) into hard to reach areas. This is a 36 inch flexible tube that has a specialized tip which provides a 360	
		ber 08991.	degree or 180 degree spray pat- tern.	
Part Number	08966			
Part Number UPC	08966 0-00-51135-08966-8	ber 08991.	tern.	
		ber 08991. 08997	tern. 08998	
UPC	0-00-51135-08966-8 3M [™] No Cleanup Replacement	ber 08991	tern. 08998 0-00-51135-08998-9 3M™ Rust Fighter-I Application	
UPC Product Name	0-00-51135-08966-8 3M [™] No Cleanup Replacement	ber 08991	tern. 08998 0-00-51135-08998-9 3M™ Rust Fighter-I Application	

No Cleanup

No Cleanup

	08801	08804	08949
			Germy to Cleanup toker Gard
Description	One piece metal applicator gun designed for use with all No Cleanup products. Requires no cleaning. Refer to individual No Cleanup products for proper air pressures. Requires the use of No Cleanup Replacement Nozzle 08966.	Superior performing, paintable, rubberized undercoating with excellent coverage and corrosion protection, while also meeting the low VOC requirements in most areas. Use with 3M™ No Cleanup Applicator Gun 08801.	Paintable, tough, beige-colored coating designed for use as a rocker panel chip-resistant protective surface. Use wherever stone chip protection is needed. Must be applied over a 2K epoxy primer. Use with 08801 applicator gun.
Part Number	08801	08804	08949
UPC	0-00-51135-08801-2	0-00-51135-08804-3	0-00-51135-08949-1
Product Name	3M™ No Cleanup Applicator Gun	3M [™] No Cleanup Waterbased Undercoating	3M [™] No Cleanup Rocker Gard [™] Coating
Container Volume	-	18.5 Fluid Ounce	22 Fluid Ounce (US)
Color	Black	Black	Tan
Packaging	8 per case	6 per case	6 per case
	08964	08966	
	W Champe See Champe Se		
Description	Tough, fast drying, paintable, rubberized under- coating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders. Use with 08801 applicator gun.	Designed for use with 3M [™] No Cleanup Coatings, part numbers 08804, 08949 and 08964.	
Part Number	08964	08966	
UPC	0-00-51135-08964-4	0-00-51135-08966-8	
Product Name	3M [™] No Cleanup High Coverage Body Schutz [™] Coating	3M™ No Cleanup Replacement Nozzles	
Container Volume	22 Fluid Ounce (US)		
Color	Black	Opaque	
Packaging	6 per case	8 per bag 4 bags per case	

Rocker Panel/Stone Chip Guard

Rocker Panel/Stone Chip Guard

	05910	05911	08801
	Since Panel Panel Versey Till Control Till Control Versey Till Con	Today Today Today Yera 11-06011	
Description	Paintable coating in aerosol can specially formulated to match the medium to coarse texture of factory-applied textured coating on the stonethrow areas of automobiles. VOC compliant in all 50 states.	For aerosol application over acrylic lacquer top- coats or under acrylic lacquer or enamel color coats. Not to be applied over OEM finishes. Designed to match fine to medium textures on stone throw areas of automobiles.	One piece metal applicator gun designed for use with all No Cleanup products. Requires no cleaning. Refer to individual No Cleanup products for proper air pressures. Requires the use of No Cleanup Replacement Nozzle 08966.
Part Number	05910	05911	08801
UPC	0-00-51131-05910-8	0-00-51131-05911-5	0-00-51135-08801-2
Product Name	3M™ Rocker Panel Spray	3M™ Rocker Panel Spray	3M™ No Cleanup Applicator Gun
Container Volume	18 Ounce	18 Fluid Ounce (US)	
Color	Tan	Clear	Black
Packaging	12 per case	12 per case	8 per case
	08874	08889	08949
	Steker shutz	The state of the s	G. Clenny G. Clenny G. Ser Gar
Description	Fast drying, tintable, paintable, chip resistant coating for use on motor vehicles; resists weathering, salt spray, and abrasion. Texture is coarse. Use with applicator gun, part number 08997.	A resilient under-the-paint protective coating formulated to match the medium to coarse texture of factory-applied coatings on the Rocker Panel and stone-throw areas of automobiles. VOC compliant in all 50 states.	Paintable, tough, beige-colored coating designed for use as a rocker panel chip-resist-ant protective surface. Use wherever stone chip protection is needed. Must be applied over a 2K epoxy primer. Use with 08801 applicator gun.
Part Number	08874	08889	08949
UPC	0-00-51135-08874-6	0-00-51135-08889-0	0-00-51135-08949-1
Product Name	3M™ Rocker Schutz™ Coating	3M [™] Rocker Panel Coating	3M [™] No Cleanup Rocker Gard [™] Coating
Container Volume	1 Quart (US)	23 Ounce	22 Fluid Ounce (US)
Color	Beige	Grey	Tan
Packaging	6 per case	6 per case	6 per case
	08964	08966	08997
	W. Channey Ugh Control Ugh Schut		
Description	Tough, fast drying, paintable, rubberized under- coating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders. Use with 08801 applicator gun.	Designed for use with 3M [™] No Cleanup Coatings, part numbers 08804, 08949 and 08964.	Developed to provide a unique, convenient and inexpensive means for spraying 3M [™] Rubberized Body Schutz, part number 08864, 3M [™] Rocker Schutz, part number 08874 and 3M [™] Rust Fighter-I, part number 08991.
Part Number	08964	08966	08997
UPC	0-00-51135-08964-4	0-00-51135-08966-8	0-00-51135-08997-2
Product Name	3M [™] No Cleanup High Coverage Body Schutz [™] Coating	3M™ No Cleanup Replacement Nozzles	3M™ Body Schutz™ Applicator Gun
Container Volume	22 Fluid Ounce (US)		
Color	Black	Opaque	Silver

Truck Bed Liner & Accessories

Truck Bed Liner & Accessories

	7277	08997	16000	16001
	ST THE SUMME			
Description	Mar-Hyde® Truck Guard Pro™ is a high-quality, professional spray-on coating for truck beds and other surfaces that require a tough, durable finish. Designed for application with a standard undercoating spraygun.	Developed to provide a unique, convenient and inexpensive means for spraying 3M(TM) Rubberized Body Schutz, part number 08864, 3M(TM) Rocker Schutz, part number 08874 and 3M(TM) Rust Fighter-I, part number 08991.	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). For use with part number 16001.	Standard, hard cup that supports and holds the PPS small flexible liner, part number 16000, 16300 and 16301.
Part Number	7277	08997	16000	16001
UPC	0-00-83463-72777-6	0-00-51135-08997-2	0-00-51131-16000-2	0-00-51131-16001-9
Product Name	Mar-Hyde® Truck Guard™ Pro Spray on Truck Bed Liner	3M™ Body Schutz™ Applicator Gun	3M™ PPS™ Kit	3M™ PPS™ Standard Cup & Collar
Container Volume	6 Liter			
Packaging	1 per case	1 per case	1 per case	8 per case
Packaging	1 per case 16022	1 per case 16023	1 per case 16324	8 per case
Packaging	·	· ·	· ·	8 per case
Packaging Description	·	· ·	· ·	8 per case
	Adapter converts specific Sata and the Sagola models for use with 3M(TM) PPS(TM) System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two	Large hard cup that supports and holds the PPS flexible liner, part	Kit contains 25 lids with 125 micron filters, 25 liners and 10 sealing plugs. Graduated measurement to 28 oz/840 mL (with mix ratio film insert). For use with part number 16023 or 16124 (H/O pres-	8 per case
Description	Adapter converts specific Sata and the Sagola models for use with 3M(TM) PPS(TM) System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two options.	Large hard cup that supports and holds the PPS flexible liner, part number 16024, 16324 and 16325.	Kit contains 25 lids with 125 micron filters, 25 liners and 10 sealing plugs. Graduated measurement to 28 oz/840 mL (with mix ratio film insert). For use with part number 16023 or 16124 (H/O pressure cup).	8 per case
Description Part Number	Adapter converts specific Sata and the Sagola models for use with 3M(TM) PPS(TM) System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two options. 16022	Large hard cup that supports and holds the PPS flexible liner, part number 16024, 16324 and 16325.	Kit contains 25 lids with 125 micron filters, 25 liners and 10 sealing plugs. Graduated measurement to 28 oz/840 mL (with mix ratio film insert). For use with part number 16023 or 16124 (H/O pressure cup).	8 per case
Description Part Number UPC	Adapter converts specific Sata and the Sagola models for use with 3M(TM) PPS(TM) System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two options. 16022 0-00-51131-16022-4	Large hard cup that supports and holds the PPS flexible liner, part number 16024, 16324 and 16325. 16023 0-00-51131-16023-1	Kit contains 25 lids with 125 micron filters, 25 liners and 10 sealing plugs. Graduated measurement to 28 oz/840 mL (with mix ratio film insert). For use with part number 16023 or 16124 (H/O pressure cup). 16324 0-00-51131-16324-9	8 per case

Coating & Paint Removers

Coating & Paint Removers

	2811	2812	2813	3711
		Tal-Salp	Tak Strip	A SOUTH
Description	Mar-Hyde® Tal-Strip® Extra Strength Paint Remover is a fast- acting, non-caustic paint and coat- ing remover. Removes enamel, lac- quer, epoxy, urethane, varnish, shel- lac, decals, and gaskets from metal, wood, glass, concrete, stone, brick and ceramic tile.	Mar-Hyde® Tal-Strip® Extra Strength Paint Remover is a fast- acting, non-caustic paint and coat- ing remover. Removes enamel, lac- quer, epoxy, urethane, varnish, shel- lac, decals, and gaskets from metal, wood, glass, concrete, stone, brick and ceramic tile.	Mar-Hyde® Tal-Strip® Extra Strength Paint Remover is a fast- acting, non-caustic paint and coat- ing remover. Removes enamel, lac- quer, epoxy, urethane, varnish, shel- lac, decals, and gaskets from metal, wood, glass, concrete, stone, brick and ceramic tile.	Mar-Hyde® Tal-Strip® II Aircraft Coating Remover is especially designed to remove basecoat/clearcoat systems from today's automobiles.
Part Number	2811	2812	2813	3711
UPC	0-00-83463-28111-7	0-00-83463-28122-3	0-00-83463-28133-9	0-00-83463-37111-5
Product Name	Mar-Hyde® Tal-Strip™ Extra Strength Paint Remover Aerosol	Mar-Hyde® Tal-Strip™ Extra Strength Paint Remover	Mar-Hyde® Tal-Strip™ Extra Strength Paint Remover	Mar-Hyde® Tal-Strip™ II Aircraft Coating Remover Aerosol
Container Volume	15 Fluid Ounce (US)	1 Liquid Quart(US)	1 Gallon (US)	12 Fluid Ounce (US)
Packaging	12 per case	6 per case	4 per case	12 per case
	3712	3713	5611	
	The state of the s	SE VALSTRIP II	THE PARTY OF THE P	
Description	Mar-Hyde® Tal-Strip® II Aircraft Coating Remover is especially designed to remove basecoat/clearcoat systems from today`s automobiles.	Mar-Hyde® Tal-Strip® II Aircraft Coating Remover is especially designed to remove basecoat/clearcoat systems from today`s automobiles.	Mar-Hyde® Tal-Strip® IV Urethane Parts Paint Remover specifically designed to strip paints and coatings from urethane automotive parts without attacking and damaging the urethane substrate. Only available as an aerosol.	
Part Number	3712	3713	5611	
UPC	0-00-83463-37122-1	0-00-83463-37133-7	0-00-83463-56111-0	
Product Name	Mar-Hyde® Tal-Strip™ II Aircraft Coating Remover	Mar-Hyde® Tal-Strip™ II Aircraft Coating Remover	Mar-Hyde® Tal-Strip™ IV Urethane Parts Paint Remover	
	Ü	_		
Container Volume	1 Liquid Quart(US)	1 Gallon (US)	17 Fluid Ounce (US)	

Aerosol Primers

	3509	3611	3811
		PLEASED OF PRINCIPAL OF PRINCIP	BATH SATUR
Description	Mar-Hyde® One Step™ Rust Converter Primer Sealer chemically reacts to convert rust into a hard, black primer sealer. Apply One-Step™ on rusted surfaces and rust is permanently converted and ready for primer and topcoat.	Mar-Hyde® Flexible Primer Surfacer - Black Satin™ fills small scratches and pinholes, and may be used as a satin black finish coat.	Try it for yourself - spray Mar-Hyde® Black Satin™ on aluminum foil, let it dry, crumple the foil and see the adhesion! Also provides excellent adhesion to brass, galvanized steel and plastics.
Part Number	3509	3611	3811
UPC	0-00-83463-35091-2	0-00-83463-36111-6	0-00-83463-38111-4
Product Name	Mar-Hyde® One-Step™ Rust Converter - Aerosol	Mar-Hyde® Flexible Primer Surfacer - Aerosol - Black Satin	Mar-Hyde® Black Satin Automotive Trim Coating - Aerosol
Container Volume	10 Fluid Ounce (US)	12.25 Fluid Ounce (US)	12 Fluid Ounce (US)
Color	Colorless	Black	Black
Packaging	12 per case	12 per case	12 per case
	3821	5111	
		The state of the s	
Description	Mar-Hyde® Gray Satin is an extremely durable gray coating for use on exterior automotive trim, such as aluminum, plastic, stainless steel and steel, as found on fascias, window trim, door locks and lower body panels.	Mar-Hyde® Single Stage® Self-Etching Primer is a ready-to-spray pretreatment/primer that provides excellent corrosion protection and creates a superior bond to most metals by chemically etching the surface of the panel.	
Part Number	3821	5111	
UPC	0-00-83463-38211-1	0-00-83463-51111-5	
Product Name	Mar-Hyde® Gray Satin Automotive Trim Coating - Aerosol	Mar-Hyde® Single Stage Self-Etching Primer Aerosol	
Container Volume	12 Fluid Ounce (US)	19 Fluid Ounce (US)	
Color	Gray	Light Gray	
Packaging	12 per case	12 per case	

Smoothies

	20231	20232	20234
	€ de	Smooth Control of the	Snootles -
Description	Marson® Smoothie® has become synonymous with fisheye eliminators worldwide. Introduced 45 years ago, this full-strength automotive paint additive prevents fisheyes and increases gloss.	Marson® Smoothie® has become synonymous with fisheye eliminators worldwide. Introduced 45 years ago, this full-strength automotive paint additive prevents fisheyes and increases gloss.	Marson® Smoothie® has become synonymous with fisheye eliminators worldwide. Introduced 45 years ago, this full-strength automotive paint additive prevents fisheyes and increases gloss.
Part Number	20231	20232	20234
UPC	0-00-51593-20231-9	0-00-51593-20232-6	0-00-51593-20234-0
Product Name	Marson® Smoothie®	Marson® Smoothie®	Marson® Smoothie®
Container Volume	1 Fluid Ounce (US)	2 Fluid Ounce (US)	4 Fluid Ounce (US)
Packaging	12 per case	6 per case	6 per case
	20238	20240	20242
	Smoothing The Control of the Control	Santh:	To the state of th
Description	Marson® Smoothie® has become synonymous with fisheye eliminators worldwide. Introduced 45 years ago, this full-strength automotive paint additive prevents fisheyes and increases gloss.	Marson® Smoothie® has become synonymous with fisheye eliminators worldwide. Introduced 45 years ago, this full-strength automotive paint additive prevents fisheyes and increases gloss.	Marson® Smoothie® II is especially formulated to eliminate fisheyes and other surface defects when using the latest acrylic and polyurethane paint systems.
Part Number	20238	20240	20242
UPC	0-00-51593-20238-8	0-00-51593-20240-1	0-00-51593-20242-5
Product Name	Marson® Smoothie®	Marson® Smoothie®	Marson® Smoothie® II
Container Volume	8 Fluid Ounce (US)	1 Gallon (US)	1 Liquid Pint(US)
Packaging	6 per case	1 per case	12 per case

2K Primers

	5544	5545	5551	5552
			THE STATE OF THE S	
Description	Mar-Hyde® 4.4 Ultimate® 2K High Speed Primer Surfacer cuts the cure time to sand in half over con- ventional 2K systems, allowing for greatly improved productivity and through-put in your shop.	Mar-Hyde® 4.4 Ultimate® 2K High Speed Primer Surfacer cuts the cure time to sand in half over con- ventional 2K systems, allowing for greatly improved productivity and through-put in your shop.	Mar-Hyde® 4.4 Ultimate® 2K High Speed Primer Surfacer cuts the cure time to sand in half over con- ventional 2K systems, allowing for greatly improved productivity and through-put in your shop.	Mar-Hyde® Ultimate® 2K Primer Surfacer brings the "ultimate" per- formance characteristics to the repair process with its fast drying, high build, excellent adhesion, and easy sanding properties.
Part Number	5544	5545	5551	5552
UPC	0-00-83463-05544-2	0-00-83463-05545-9	0-00-83463-05551-0	0-00-83463-55522-5
Product Name	Mar-Hyde® 4.4 Ultimate 2K High Speed Primer Buff	Mar-Hyde® 4.4 Ultimate 2K High Speed Primer Buff	Mar-Hyde® 4.4 Ultimate 2K High Speed Primer Black	Mar-Hyde® 4.4 Ultimate 2K Primer Buff
Container Volume	1 Gallon (US)	1 Liquid Quart(US)	1 Liquid Quart(US)	1 Liquid Quart(US)
Color	Buff	Buff	Black	Buff
Packaging	4 per case	6 per case	6 per case	6 per case

2K Primers (continued)

ZIX I IIIIIOIO (,			
	5553	5554	5558	5559
	Willimate 2N with the same of	And the second		
Description	Mar-Hyde® Ultimate® 2K Primer Surfacer brings the "ultimate" per- formance characteristics to the repair process with its fast drying, high build, excellent adhesion, and easy sanding properties.	Mar-Hyde® 4.4 Ultimate® 2K High Speed Primer Surfacer cuts the cure time to sand in half over con- ventional 2K systems, allowing for greatly improved productivity and through-put in your shop.	Mar-Hyde® Ultimate® 2K Primer Surfacer brings the "ultimate" per- formance characteristics to the repair process with its fast drying, high build, excellent adhesion, and easy sanding properties.	Mar-Hyde® Ultimate® 2K Primer Surfacer brings the "ultimate" per- formance characteristics to the repair process with its fast drying, high build, excellent adhesion, and easy sanding properties.
Part Number	5553	5554	5558	5559
UPC	0-00-83463-55533-1	0-00-83463-05554-1	0-00-83463-55582-9	0-00-83463-55593-5
Product Name	Mar-Hyde® 4.4 Ultimate 2K Primer Gallon	Mar-Hyde® 4.4 Ultimate 2K High Speed Primer Black	Mar-Hyde® 4.4 Ultimate 2K Primer/Surfacer Black	Mar-Hyde® 4.4 Ultimate 2K Primer/Surfacer Black
Container Volume	1 Gallon (US)	1 Gallon (US)	1 Liquid Quart(US)	1 Gallon (US)
Color	Buff	Black	Black	Black
Packaging	4 per case	4 per case	6 per case	4 per case
	5562	5563	5564	5565
	The state of the s	Utimate 2K Verthane Primer Surfacet Nations		The last of the la
Description	Mar-Hyde® Ultimate® 2K Primer Surfacer brings the "ultimate" per- formance characteristics to the repair process with its fast drying, high build, excellent adhesion, and easy sanding properties.	Mar-Hyde® Ultimate® 2K Primer Surfacer brings the "ultimate" per- formance characteristics to the repair process with its fast drying, high build, excellent adhesion, and easy sanding properties.	Mar-Hyde® 4.4 Ultimate® 2K High Speed Primer Surfacer cuts the cure time to sand in half over con- ventional 2K systems, allowing for greatly improved productivity and through-put in your shop.	Mar-Hyde® 4.4 Ultimate® 2K High Speed Primer Surfacer cuts the cure time to sand in half over convention- al 2K systems, allowing for greatly improved productivity and through- put in your shop.
Part Number	5562	5563	5564	5565
UPC	0-00-83463-55622-2	0-00-83463-55633-8	0-00-83463-05564-0	0-00-83463-05565-7
Product Name	Mar-Hyde® 4.4 Ultimate 2K Primer/Surfacer Gray	Mar-Hyde® 4.4 Ultimate 2K Primer/Surfacer Gray	Mar-Hyde® 4.4 Ultimate 2K High Speed Primer Gray	Mar-Hyde® 4.4 Ultimate 2K High Speed Primer Gray
	1 Liquid Quart(US)	1 Gallon (US)	1 Gallon (US)	1 Liquid Quart(US)
Container Volume	i Liquiu Quai ((03)	r danor (oo)	` ,	
Container Volume Color	Gray	Gray	Gray	Gray

General Purpose

	667	3611	3811	3812
	Common Upper by July Printer St. Super St. Et les frances and trans for frances and trans to the common and trans to the common and trans and transporter and transporte	RESULT PRINCIP	BATTH SATTH	
Description	Dyna-Weld® Primer Surfacer is a fast-drying, easy-sanding primer-surfacer for flexible body parts.	Mar-Hyde® Flexible Primer Surfacer - Black Satin™ fills small scratches and pinholes, and may be used as a satin black finish coat.	Try it for yourself - spray Mar- Hyde® Black Satin™ on aluminum foil, let it dry, crumple the foil and see the adhesion! Also provides excellent adhesion to brass, galva- nized steel and plastics.	Mar-Hyde® Black Satin™ is an extremely durable, black coating for use on exterior automotive trim, such as aluminum, stainless steel and steel, as found on fascias, window trim, door locks and lower body panels.
Part Number	667	3611	3811	3812
UPC	0-00-76308-00667-9	0-00-83463-36111-6	0-00-83463-38111-4	0-00-83463-38122-0
Product Name	Dynatron™ Flexible Primer Surfacer Gray	Mar-Hyde® Flexible Primer Surfacer Aerosol - Black Satin	Mar-Hyde® Black Satin Automotive Trim Coating - Aerosol	Mar-Hyde® Black Satin Automotive Trim Coating
Container Volume	1 Liquid Quart(US)	12.25 Fluid Ounce (US)	12 Fluid Ounce (US)	1 Quart (US)
Color	Gray	Black	Black	Black
Packaging	6 per case	12 per case	12 per case	6 per case
	3821	4911	4912	
		IN THE RESERVE OF THE PARTY OF	BUMPER BLACK LEASE LANGE LANGE LEASE LANGE	
Description	Mar-Hyde® Gray Satin is an extremely durable gray coating for use on exterior automotive trim, such as aluminum, plastic, stainless steel and steel, as found on fascias, window trim, door locks and lower body panels.	Mar-Hyde® Bumper Black renews and recolors automotive plastics. This durable, flexible coating is especially designed for all flexible and rigid automotive parts.	Mar-Hyde® Bumper Black renews and recolors automotive plastics. This durable, flexible coating is especially designed for all flexible and rigid automotive parts.	
Part Number	3821	4911	4912	
UPC	0-00-83463-38211-1	0-00-83463-49111-0	0-00-83463-49122-6	
Product Name	Mar-Hyde® Gray Satin Automotive Trim Coating - Aerosol	Mar-Hyde® Bumper Black Flexible Coating for Automotive Plastic - Aerosol	Mar-Hyde® Bumper Black Flexible Coating for Automotive Plastic	
Container Volume	12 Fluid Ounce (US)	12 Fluid Ounce (US)	1 Quart (US)	
Container Volume Color	12 Fluid Ounce (US) Gray	12 Fluid Ounce (US) Black	1 Quart (US) Black	

Coatings

Primers

Hardeners

	412	413	419	2600
	We Lad	Widow Barrier		ULTAA. WET LOO WADDERS
Description	Dynatron™ Wet Look Hardener produces a durable, high gloss fin- ish when used for overall acrylic enamel paints jobs. Dynatron™ Hardeners are compatible with all automotive paints.	Dynatron™ Wet Look Hardener produces a durable, high gloss fin- ish when used for overall acrylic enamel paints jobs. Dynatron™ Hardeners are compatible with all automotive paints.	Dynatron™ Universal Urethane Activator is designed for use with all automotive polyurethane finish- es, except where a 1 to 1 ratio is required.	Mar-Hyde® Ultra Wet Look Hardener - High Solids produces a high dis- tinctness of image and has outstand- ing exterior durability.
Part Number	412	413	419	2600
UPC	0-00-76308-00412-5	0-00-76308-00413-2	0-00-76308-00419-4	0-00-83463-26006-8
Product Name	Dynatron™ Wet Look Hardener	Dynatron™ Wet Look Hardener	Dynatron™ Universal Activator	Mar-Hyde® Ultra Wet Look Hardener
Container Volume	1 Liquid Pint(US)	1/4 Liquid Pint(US)	1 Liquid Quart(US)	1 Liquid Pint(US)
Color	Pale Yellow	Pale Yellow	Pale Yellow	Pale Yellow
Packaging	6 per case	24 per case	6 per case	6 per case
	2610	2612	2643	5405
			September of the septem	
Description	Mar-Hyde® Wet Look Hardener produces a super high-gloss finish.	Mar-Hyde® Wet Look Hardener produces a super high-gloss finish.	Mar-Hyde® Universal Urethane Activator is compatible with all polyurethane's except where a one- to-one mixing ratio is specified.	Mar-Hyde® Liquid Hardener, 5405, 4 oz Bottle, 4 per case
Part Number	2610	2612	2643	5405
UPC	0-00-83463-26107-2	0-00-83463-26126-3	0-00-83463-26432-5	0-00-83463-54057-3
Product Name	Mar-Hyde® Wet Look Hardener	Mar-Hyde® Wet Look Hardener	Mar-Hyde® Universal Urethane Activator	Mar-Hyde® Liquid Hardener
Container Volume	1/4 Liquid Pint(US)	1 Liquid Pint(US)	1 Liquid Quart(US)	4 Fluid Ounce (US)
Color	Pale Yellow	Pale Yellow	Pale Yellow	
Packaging	24 per case	6 per case	6 per case	4 per case

HI-Build

	5512	5513	5523
	44 Annual Parties Inches	4-4 Promises Paris Control Par	Promise Part of the Part of th
Description	Mar-Hyde® 4.4 Premium High Build Primer is a high-speed, easy sanding, lacquer-type primer which exhibits very good holdout of color coats.	Mar-Hyde® 4.4 Premium High Build Primer is a high-speed, easy sanding, type-type primer which exhibits very good holdout of color coats.	Mar-Hyde® 4.4 Premium High Build Primer is a high-speed, easy sanding, type-type primer which exhibits very good holdout of color coats.
Part Number	5512	5513	5523
UPC	0-00-83463-55122-7	0-00-83463-55133-3	0-00-83463-55233-0
Product Name	Mar-Hyde® Premium High Build Primer Surfacer	Mar-Hyde® Premium High Build Primer Surfacer	Mar-Hyde® Premium High Build Primer Surfacer Red Oxide
Container Volume	1 Liquid Quart(US)	1 Gallon (US)	1 Gallon (US)
Color	Gray	Gray	Red Oxide
Packaging	6 per case	4 per case	4 per case

Polyester Primers

	5405	5433	5463	16433
		Outleand Out	QuittSand On Hayana	The second secon
Description	Mar-Hyde® Liquid Hardener, 5405, 4 oz Bottle, 4 per case	Mar-Hyde® Quiksand™ 2K Polyester Primer Surfacer offers 2K performance at a fraction of the price of urethanes! Comes with hardener.	Mar-Hyde® Quiksand™ 2K Polyester Primer Surfacer offers 2K performance at a fraction of the price of urethanes! Comes with hardener.	Excellent high-build Primer/Surfacer that is self leveling and sands extremely easy. Can be buffed to high gloss for creating plugs /molds. Replaces tooling gel coat when making plugs and proto- type work.
Part Number	5405	5433	5463	16433
UPC	0-00-83463-54057-3	0-00-83463-54333-8	0-00-83463-54633-9	0-00-76308-16433-1
Product Name	Mar-Hyde® Liquid Hardener	Mar-Hyde® Quiksand™ Polyester Primer Gray	Mar-Hyde® Quiksand™ Polyester Primer Buff	3M™ Polyester Primer
Container Volume	4 Fluid Ounce (US)	1 Gallon (US)	1 Gallon (US)	1 Gallon (US)
Color	-	Gray	Buff	Dark Gray
Packaging	4 per case	4 per case	4 per case	4 per case

Coatings

Primers

Rust Converter

	3509	3512	3513
Description	Mar-Hyde® One Step™ Rust Converter Primer Sealer chemically reacts to convert rust into a hard, black primer sealer. Apply One-Step™ on rusted surfaces and rust is permanently con- verted and ready for primer and topcoat.	Mar-Hyde® One Step Rust Converter Primer Sealer chemically reacts to convert rust into a hard, black primer sealer. Apply One-Step® on rusted surfaces and rust is permanently con- verted and ready for primer and topcoat.	Mar-Hyde® One Step Rust Converter Primer Sealer chemically reacts to convert rust into a hard, black primer sealer. Apply One-Step® on rusted surfaces and rust is permanently con- verted and ready for primer and topcoat.
Part Number	3509	3512	3513
UPC	0-00-83463-35091-2	0-00-83463-35126-1	0-00-83463-35132-2
Product Name	Mar-Hyde® One-Step™ Rust Converter - Aerosol	Mar-Hyde® One-Step™ Rust Converter	Mar-Hyde® One-Step™ Rust Converter
Container Volume	10 Fluid Ounce (US)	1 Pint (US)	1 Liquid Quart(US)
Color	Colorless	Black	White
Packaging	12 per case	12 per case	6 per case

Self Etch


	5111	5112	5113
	Sit the state of t	SUL ENGINE PRIMER	Ste Ercuno For the Art Int. Princes Princes
Description	Mar-Hyde® Single Stage® Self-Etching Primer is a ready-to-spray pretreatment/primer that provides excellent corrosion protection and creates a superior bond to most metals by chemically etching the surface of the panel.	Mar-Hyde® Single Stage® Self-Etching Primer is a ready-to-spray pretreatment/primer that provides excellent corrosion protection and creates a superior bond to most metals by chemically etching the surface of the panel.	Mar-Hyde® Single Stage® Self-Etching Primer is a ready-to-spray pretreatment/primer that provides excellent corrosion protection and creates a superior bond to most metals by chemically etching the surface of the panel.
Part Number	5111	5112	5113
UPC	0-00-83463-51111-5	0-00-83463-05112-3	0-00-83463-51133-7
Product Name	Mar-Hyde® Single Stage Self-Etching Primer Aerosol	Mar-Hyde® Single Stage Self-Etching Primer	Mar-Hyde® Single Stage Self-Etching Primer
Container Volume	19 Fluid Ounce (US)	1 Liquid Quart(US)	1 Gallon (US)
Color	Light Gray	Clear	Clear
Packaging	12 per case	6 per case	4 per case

Urethane Catalyst

	5555	5556	5557
Description	For use with Mar-Hyde® 4.4 Ultimate™ 2K High Speed Primer Surfacers.	For use with Mar-Hyde® 4.4 Ultimate® 2K High Speed Primer Surfacers.	For use with Mar-Hyde® 4.4 Ultimate® 2K High Speed Primer Surfacers.
Part Number	5555	5556	5557
UPC	0-00-83463-05555-8	0-00-83463-55566-9	0-00-83463-55572-0
Product Name	Mar-Hyde® 4.4 Ultimate 2K Urethane Primer Catalyst	Mar-Hyde® 4.4 Ultimate 2K Urethane Primer Catalyst	Mar-Hyde® 4.4 Ultimate 2K Urethane Primer Catalyst
Container Volume	1/2 Liquid Pint(US)	1 Liquid Pint(US)	1 Liquid Quart(US)
Color	Clear	Clear	Clear
Packaging	6 per case	6 per case	6 per case

Coatings

Polishes Buffing Pads



Accessories

Compounds, Glazes & Buffing Pads Accessories

	05710	05717	05718	05752
	Maperbuff Ab		314	
Description	Adaptor for the 3M [™] Buffing Pads (PNs 05703, 05704, and 05705). Works with 3M [™] Perfect-It [™] Backup Pad (PN 05718).	Hookit™ Back-up pad allows for easy attachment, quick removal and accurate centering of single sided compounding or polishing pads.	Hookit™ Back-up pad allows for easy attachment, quick removal and accurate centering of single sided compounding or polishes pads. Enables users to attach pads without having to remove the 3M™ Adaptor, 05710.	Polisher adaptor used to quickly connect and disconnect double sided buffing pads. Use with 3M™ Perfect-It™ brand compounding and polishing pads. Centers pads for more effective use. Makes it easy to change between compound and polishing pads. 5/8 inch threads.
Part Number	05710	05717	05718	05752
UPC	0-00-51144-05710-8	0-00-51131-05717-3	0-00-51131-05718-0	0-00-51131-05752-4
Product Name	3M [™] Superbuff [™] Adaptor	3M™ Hookit™ Backup Pad	3M [™] Perfect-It [™] Back-Up Pad	3M™ Quick Release Adaptor
Color	Metallic	Yellow	Yellow	Metallic
Diameter	-	7 Inch	7 Inch	
Packaging	10 per box	1 per case	1 per case	10 per case
	05761	06059	07652	
		35		
Description	Designed to remove residue from foam and wool buffing pads.	A sturdy construction, comfortable to wear and washable, black paint finishing apron.	75 mm 3M [™] Hookit [™] Back Up Pad compatable with the Denib Polisher.	
Part Number	05761	06059	07652	
UPC	0-00-51131-05761-6	0-00-51131-06059-3	0-00-51131-07652-5	
Product Name	3M [™] Conditioning Brush	3M [™] Perfect-It [™] Paint Finishing Apron	3M [™] Denib Polisher Back Up Pad	
Color	Red	Black	White	
Diameter			75 Millimetre	
Packaging	10 per case	6 per case	1 pad per pack 5 packs per case	

Compounds, Polishes & Buffing Pads

Headlight Lens Restoration

Headlight Lens Restoration

	02087	02091	02516	05726
		and the state of t		
Description	P3000 Hookit™ foam disc used in headlight lens restoration to remove P1000 grade sand scratches prior to polishing. Use with Hookit™ 3 inch pad, PN 20427 and Hookit™ Soft Interface pad, PN 05771.	P1000 Hookit™ foam disc used in headlight lens restoration to remove P800 grade sand scratches. Use with Hookit™ 3 inch pad, PN 20427 and Hookit™ Soft Interface pad, PN 05771.	Professional headlight lens restora- tion system that includes sanding and polishing tools with abrasives and polishes. Restores headlight clarity in about 10-15 minutes.	3 inch single sided foam polishing pad designed to be used with 3M™ Perfect-It™ Machine Polish, PN39061 to remove fine swirls left from compounding headlight lenses. Use with Hookit™ 3 inch pad, PN20427.
Part Number	02087	02091	02516	05726
UPC	0-00-51131-02087-0	0-00-51131-02091-7	0-00-51131-02516-5	0-00-51131-05726-5
Product Name	3M™ Trizact™ Hookit™ Foam Discs	3M [™] Trizact [™] Hookit [™] Blending Disc	3M [™] Headlight Lens Restoration System	3M [™] Perfect-It [™] Foam Polishing Pad
Container Volume	-			
Color	Gray	Purple		Black
Diameter	3 Inch	3 Inch		3 Inch
Packaging	15 discs per box 4 boxes per case	15 discs per box 4 boxes per case	1 per case	2 pads per bag 6 bags per case
	05759	05771	28353	28354
	600			
			Office	0
Description	3 inch single sided foam compounding pad designed to used with 3M™ Perfect-It™ Rubbing Compound, PN 39060 to remove P3000 sand scratches left from refurbishing headlight lenses. Use with Hookit™ 3 inch pad, PN20427.	Used with standard Hookit™ Back- Up Pad, increases conformability, allowing the technician to follow contours and get in closer to most edges. Constructed of a soft durable foam, with 6 dust holes. Used with clean sanding, and non- dust free discs.	This powerful, lighweight tool that has excellent balance. The pistol grip design enables the user to sand in those hard to reach areas such as those found in door jambs, bumpers, headlight lens, etc. with tremendous ease.	Powerful .45 HP Motor for faster buffing. Offset design for greater surface visibility. Composite body for greater user comfort. Only weighs 1.6 lbs. for excellent power to weight ratio. Robust gear head design for longer tool life.
Description Part Number	pounding pad designed to used with 3MTM Perfect-ItTM Rubbing Compound, PN 39060 to remove P3000 sand scratches left from refurbishing headlight lenses. Use with HookitTM 3 inch pad,	Up Pad, increases conformability, allowing the technician to follow contours and get in closer to most edges. Constructed of a soft durable foam, with 6 dust holes. Used with clean sanding, and non-	has excellent balance. The pistol grip design enables the user to sand in those hard to reach areas such as those found in door jambs, bumpers, headlight lens, etc. with	buffing. Offset design for greater surface visibility. Composite body for greater user comfort. Only weighs 1.6 lbs. for excellent power to weight ratio. Robust gear head
Part Number	pounding pad designed to used with 3MTM Perfect-ItTM Rubbing Compound, PN 39060 to remove P3000 sand scratches left from refurbishing headlight lenses. Use with HookitTM 3 inch pad, PN20427.	Up Pad, increases conformability, allowing the technician to follow contours and get in closer to most edges. Constructed of a soft durable foam, with 6 dust holes. Used with clean sanding, and nondust free discs.	has excellent balance. The pistol grip design enables the user to sand in those hard to reach areas such as those found in door jambs, bumpers, headlight lens, etc. with tremendous ease.	buffing. Offset design for greater surface visibility. Composite body for greater user comfort. Only weighs 1.6 lbs. for excellent power to weight ratio. Robust gear head design for longer tool life.
·	pounding pad designed to used with 3MTM Perfect-ItTM Rubbing Compound, PN 39060 to remove P3000 sand scratches left from refurbishing headlight lenses. Use with HookitTM 3 inch pad, PN20427.	Up Pad, increases conformability, allowing the technician to follow contours and get in closer to most edges. Constructed of a soft durable foam, with 6 dust holes. Used with clean sanding, and nondust free discs. 05771	has excellent balance. The pistol grip design enables the user to sand in those hard to reach areas such as those found in door jambs, bumpers, headlight lens, etc. with tremendous ease. 28353	buffing. Offset design for greater surface visibility. Composite body for greater user comfort. Only weighs 1.6 lbs. for excellent power to weight ratio. Robust gear head design for longer tool life.
Part Number UPC	pounding pad designed to used with 3MTM Perfect-ItTM Rubbing Compound, PN 39060 to remove P3000 sand scratches left from refurbishing headlight lenses. Use with HookitTM 3 inch pad, PN20427. 05759 0-00-51131-05759-3 3MTM Perfect-ItTM Foam Buffing	Up Pad, increases conformability, allowing the technician to follow contours and get in closer to most edges. Constructed of a soft durable foam, with 6 dust holes. Used with clean sanding, and nondust free discs. 05771 0-00-51131-05771-5	has excellent balance. The pistol grip design enables the user to sand in those hard to reach areas such as those found in door jambs, bumpers, headlight lens, etc. with tremendous ease. 28353 0-00-51141-28353-1 3MTM Random Orbital Pistol Grip	buffing. Offset design for greater surface visibility. Composite body for greater user comfort. Only weighs 1.6 lbs. for excellent power to weight ratio. Robust gear head design for longer tool life. 28354 0-00-51141-28354-8
Part Number UPC Product Name	pounding pad designed to used with 3MTM Perfect-ItTM Rubbing Compound, PN 39060 to remove P3000 sand scratches left from refurbishing headlight lenses. Use with HookitTM 3 inch pad, PN20427. 05759 0-00-51131-05759-3 3MTM Perfect-ItTM Foam Buffing	Up Pad, increases conformability, allowing the technician to follow contours and get in closer to most edges. Constructed of a soft durable foam, with 6 dust holes. Used with clean sanding, and nondust free discs. 05771 0-00-51131-05771-5	has excellent balance. The pistol grip design enables the user to sand in those hard to reach areas such as those found in door jambs, bumpers, headlight lens, etc. with tremendous ease. 28353 0-00-51141-28353-1 3MTM Random Orbital Pistol Grip	buffing. Offset design for greater surface visibility. Composite body for greater user comfort. Only weighs 1.6 lbs. for excellent power to weight ratio. Robust gear head design for longer tool life. 28354 0-00-51141-28354-8
Part Number UPC Product Name Container Volume	pounding pad designed to used with 3MTM Perfect-ItTM Rubbing Compound, PN 39060 to remove P3000 sand scratches left from refurbishing headlight lenses. Use with HookitTM 3 inch pad, PN20427. 05759 0-00-51131-05759-3 3MTM Perfect-ItTM Foam Buffing Pad	Up Pad, increases conformability, allowing the technician to follow contours and get in closer to most edges. Constructed of a soft durable foam, with 6 dust holes. Used with clean sanding, and nondust free discs. 05771 0-00-51131-05771-5 3M™ Hookit™ Soft Interface Pad	has excellent balance. The pistol grip design enables the user to sand in those hard to reach areas such as those found in door jambs, bumpers, headlight lens, etc. with tremendous ease. 28353 0-00-51141-28353-1 3MTM Random Orbital Pistol Grip	buffing. Offset design for greater surface visibility. Composite body for greater user comfort. Only weighs 1.6 lbs. for excellent power to weight ratio. Robust gear head design for longer tool life. 28354 0-00-51141-28354-8

Headlight Lens Restoration

Headlight Lens Restoration (continued)

	30260	30272	39060	39061
Description	P800 Hookit [™] disc used in head- light lens restoration to remove P500 grade sand scratches. Use with Hookit [™] 3 inch pad, PN 20427 and Hookit [™] Soft Interface pad, PN 05771.	P500 Hookit™ disc used in head- light lens restoration to quickly remove yellowed and hazed materi- al on headlight lenses. Use with Hookit™ 3 inch pad, PN 20427 and Hookit™ Soft Interface pad, PN 05771.	3M's best performing rubbing compound. Quickly removes P3000 abrasive scratches from headlight lenses. Use with 3M™ Perfect-lt™ Foam Buffing Pad, PN 05759. The Perfect-lt™ brand means this is 3M's best performing rubbing compound.	3M's best performing polish. Used in the final step in the 3M Headlight Lens Restoration process. Quickly removes compound swirl marks while producing a high gloss finish. Use with 3M™ Perfect-It™ Foam Polsihing Pad, PN 05726. The Perfect-It™ brand means this is 3M's best performing machine polish.
Part Number	30260	30272	39060	39061
UPC	0-00-51131-30260-0	0-00-51131-30272-3	0-00-51131-39060-7	0-00-51131-39061-4
Product Name	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Purple Clean Sanding Hookit™ Disc	3M™ Perfect-It™ Rubbing Compound	3M [™] Perfect-lt [™] Machine Polish
Container Volume			1 Liquid Pint(US)	16 Fluid Ounce (US)
Color	Purple	Purple		
Diameter	3 Inch	3 Inch		
Packaging	50 discs per box 4 boxes per case	50 discs per box 4 boxes per case	6 per case	6 per case

Rubbing Compounds

Rubbing Compounds - High Performance

	06060	06061	06085
Description	Provides a fast cut while leaving a fine swirl mark finish on all modern paint systems! Removes P1200 and finer sand scratches while providing excellent handling characteristics with easy clean up.	Provides a fast cut while leaving a fine swirl mark finish on all modern paint systems! Removes P1200 and finer sand scratches while providing excellent handling characteristics with easy clean up.	High Performance Fast Cutting Rubbing Compound. Unique formula quickly removes P1200 grade and finer sand scratches and other surface defects. Buffs to high gloss with a mini- mum of swirl marks. The Perfect-It brand means this is 3M's highest performing rubbing compound.
Part Number	06060	06061	06085
UPC	0-00-51131-06060-9	0-00-51131-06061-6	0-00-51131-06085-2
Product Name	3M [™] Perfect-It [™] 3000 Extra Cut Rubbing Compound	3M [™] Perfect-It [™] Extra Cut Rubbing Compound	3M [™] Perfect-It [™] Rubbing Compound
Color	White	White	
Container Volume	1 Liquid Quart(US)	1 Gallon (US)	1 Quart (US)
Packaging	6 per case	4 per case	6 per case

Compounds, Polishes & Buffing Pads

Rubbing Compounds

Rubbing Compounds - High Performance (continued)

	= = = = = = = = = = = = = = = = = = =	
	06086	39060
Description	High Performance Fast Cutting Rubbing Compound. Unique formula quickly removes P1200 grade and finer sand scratches and other surface defects. Buffs to high gloss with a mini- mum of swirl marks. The Perfect-It brand means this is 3M's highest performing rubbing compound.	3M's best performing rubbing compound. Quickly removes P3000 abrasive scratches from headlight lenses. Use with 3M™ Perfect-It™ Foam Buffing Pad, PN 05759. The Perfect-It™ brand means this is 3M's best performing rub- bing compound.
Part Number	06086	39060
UPC	0-00-51131-06086-9	0-00-51131-39060-7
Product Name	3M™ Perfect-It™ Rubbing Compound	3M™ Perfect-It™ Rubbing Compound
Color	White	
Container Volume	1 Gallon (US)	1 Liquid Pint(US)
Packaging	4 per case	6 per case


Rubbing Compounds - Performance

	05973	05974	05983
	The state of the s		Projection III Andread III And
Description	Medium cutting liquid compound. Removes 1200 and finer sand scratches in automotive paint surfaces. A mid-tier compound that can also remove minor imperfections in painted surfaces. Proven performer. Performs best when used with 3M wool or foam compounding pads.	Medium cutting liquid compound. Removes 1200 and finer sand scratches in automotive paint surfaces. A mid-tier compound that can also remove minor imperfections in painted surfaces. Proven performer. Performs best when used with 3M wool or foam compounding pads.	Medium cutting paste rubbing compound that removes sand scratches and leaves a fine finish on automotive paints. Proven performer.
Part Number	05973	05974	05983
UPC	0-00-51131-05973-3	0-00-51131-05974-0	0-00-51131-05983-2
Product Name	3M [™] Rubbing Compound	3M [™] Rubbing Compound	3M™ Perfect-It™ II Rubbing Compound
Color	Light Brown	Light Brown	Light Brown
Container Volume	1 Liquid Quart(US)	1 Gallon (US)	1 Gallon (US)
Packaging	6 per case	4 per case	4 per case

Rubbing Compounds

Rubbing Compounds - Entry Level

Entry Level Rubbing Compound. Aggressive compound that removes 1000 and finer sand scratches on all types of paint surfaces.



Polishes

Polishes - High Performance

	06064	06065	06068	06069
			E CO	
Description	High Performance Machine Polish. Quickly and effectively removes compound swirl marks and pro- duces an outstanding finish. Good handling, easy cleanup. The Perfect-It brand means this is 3M's highest performing machine polish.	High Performance Machine Polish. Quickly and effectively removes compound swirl marks and pro- duces an outstanding finish. Good handling, easy cleanup. The Perfect-It brand means this is 3M's highest performing machine polish.	High Performance Ultrafine Machine Polish. Unique formula eliminates swirl marks and pro- duces a high gloss finish, even on the most difficult dark colored vehi- cles. Good handling, easy cleanup. The Perfect-It brand means this is 3M's highest performing machine polish.	High Performance Ultrafine Machine Polish. Unique formula eliminates swirl marks and pro- duces a high gloss finish, even on the most difficult dark colored vehi- cles. Good handling, easy cleanup. The Perfect-It brand means this is 3M's highest performing ultrafine machine polish.
Part Number	06064	06065	06068	06069
UPC	0-00-51131-06064-7	0-00-51131-06065-4	0-00-51131-06068-5	0-00-51131-06069-2
Product Name	3M [™] Perfect-It [™] Machine Polish	3M [™] Perfect-It [™] Machine Polish	3M™ Perfect-It™ Ultrafine Machine Polish	3M™ Perfect-It™ Ultrafine Machine Polish
Container Volume	1 Quart (US)	1 Gallon (US)	1 Quart (US)	1 Gallon (US)
Packaging	6 per case	4 per case	6 per case	4 per case

Compounds, Polishes & Buffing Pads

Polishes

Polishes - High Performance (continued)

	39061	39062	39063
		The state of the s	
Description	3M's best performing polish. Used in the final step in the 3M Headlight Lens Restoration process. Quickly removes compound swirl marks while producing a high gloss finish. Use with 3M™ Perfect-It™ Foam Polsihing Pad, PN 05726. The Perfect-It™ brand means this is 3M's best performing machine polish.	High Performance Ultrafine Machine Polish. Unique formula eliminates swirl marks and pro- duces a high gloss finish, even on the most difficult dark colored vehi- cles. Good handling, easy cleanup. The Perfect-It brand means this is 3M's highest performing ultrafine machine polish.	High Performance Denibbing Polish. Unique formula disigned to remove 1500 grade sand scratches during the 3MTM Perfect-ItTM Denibbing process. The Perfect-It brand means this is 3M's highest per- forming denibbing polish.
Part Number	39061	39062	39063
UPC	0-00-51131-39061-4	0-00-51131-39062-1	0-00-51131-39063-8
Product Name	3M [™] Perfect-It [™] Machine Polish	3M™ Perfect-It™ Ultrafine Machine Polish	3M™ Perfect-It™ Denibbing Polish
Container Volume	16 Fluid Ounce (US)	16 Fluid Ounce (US)	1 Liquid Pint(US)
Packaging	6 per case	6 per case	6 per case

Polishes - Performance

	05990	05996	06000
		Market use and the second of t	
Description	Recommended for use by hand to increase surface gloss and to clean up spatter or residue after machine polishing all types of refinish or factory applied automotive paints. To minimize the possibility of staining, do not apply in direct sunlight or onto a hot surface.	Machine polish designed to remove compound swirl marks and other minor surface defects. Proven performer.	Recommended for use by hand to increase sur- face gloss and to clean up spatter or residue after machine polishing all types of refinish or factory applied automotive paints. To minimize the possibility of staining, do not apply in direct sunlight or onto a hot surface.
Part Number	05990	05996	06000
UPC	0-00-51131-05990-0	0-00-51131-05996-2	0-00-51131-06000-5
Product Name	3M™ Hand Glaze	3M™ Machine Polish	3M™ Imperial™ Hand Glaze
Color	-		Orange/Brown
Container Volume	1 Quart (US)	1 Quart (US)	1 Gallon (US)
Packaging	6 per case	6 per case	4 per case

Polishes

Polishes - Performance (continued)

	39007	39009	39809
	The state of the s	The state of the s	
Description	Recommended for use by hand to increase surface gloss and to clean up spatter or residue after machine polishing all types of refinish or factory applied automotive paints. To minimize the possibility of staining, do not apply in direct sunlight or onto a hot surface.	Machine polish designed to remove compound swirl marks and other minor surface defects. Proven performer.	Machine polish designed to remove compound swirl marks and other minor surface defects. Proven performer.
Part Number	39007	39009	39809
UPC	0-00-51131-39007-2	0-00-51131-39009-6	0-00-51131-39809-2
Product Name	3M™ Imperial™ Hand Glaze	3M [™] Perfect-It [™] Foam Polishing Pad Glaze- Dark	3M [™] Perfect-It [™] Foam Polishing Pad Glaze- Dark
Color	Orange/Brown	Grey	Grey
Container Volume	16 Fluid Ounce (US)	16 Fluid Ounce (US)	1 Gallon (US)
Packaging	6 per case	6 per case	4 per case

Polishes - Entry Level

Entry Level Machine Polish. Designed for us on OEM and fully cured automotive paints. Removes mirocfine sractches and swirl marks while leaving a high gloss finish.

	05928	05929	39003
	No. of States of	Signature of the state of the s	CONTROL OF THE PROPERTY OF THE
Part Number	05928	05929	39003
UPC	0-00-51131-05928-3	0-00-51131-05929-0	0-00-51131-39003-4
Product Name	3M™ Finesse-It™ II Glaze	3M™ Finesse-It™ II Glaze	3M [™] Finesse-it [™] II Finishing Material-Machine Polish
Color	White	White	White
Container Volume	1 Liquid Quart(US)	1 Gallon (US)	1 Liquid Pint(US)
Packaging	6 per case	4 per case	6 per case

Compounds, Polishes & Buffing Pads

Polishes

Polishes - Specialty

	05927	06084	06088	39063
	SRC W To the Control of the Control	2		Maria de la companya
Description	Machine applied polish designed for use in a system that removes defects from scratch resistance clearcoats (SRC).	Spray detailer that cleans up compuond and polish residue. Provides a high gloss shine. Paint shop safe. No silicones. Used with a 3M [™] Perfect-It [™] Detailing Cloth.	Spray detailer that cleans up compuond and polish residue. Provides a high gloss shine. Paint shop safe. No silicones. Used with a 3M [™] Perfect-It [™] Detailing Cloth.	High Performance Denibbing Polish. Unique formula disigned to remove 1500 grade sand scratches during the 3M™ Perfect-It™ Denibbing process. The Perfect-It brand means this is 3M's highest perform- ing denibbing polish.
Part Number	05927	06084	06088	39063
UPC	0-00-51131-05927-6	0-00-51131-06084-5	0-00-51131-06088-3	0-00-51131-39063-8
Product Name	3M™ Finesse-it™ SRC Finishing Material	3M™ Perfect-It™ Clean & Shine	3M™ Perfect-It™ Clean and Shine	3M [™] Perfect-It [™] Denibbing Polish
Color	White	Off White	Clear	Purple
Container Volume	1 Liquid Quart(US)	16 Fluid Ounce (US)	1 Gallon (US)	1 Liquid Pint(US)
Packaging	6 per case	6 per case	4 per case	6 per case

Buffing Pads: 3M[™] Compounding Pads

Compounding Pads - High Performance

	05706	05719	05737
Description	High Performance Double Sided Foam Compounding Pad. Refines P1200 or finer sand scratches. Unique quick connect design. For use with 3M TM Compounds and 3M TM Quick Release Adaptor (PN 05752). The Perfect-It brand means this is 3M's highest performing double sided foam compounding pad.	High Performance Single Sided 100% Wool Compounding Pad. Refines P1200 and finer sand scratches and other paint surface defects. For use with 3M™ Compounds and 3M™ Hookit™ back up pads, PNs 05717 or 05718. The Perfect-It brand means this is 3M's highest performing single sided wool compounding pad.	High Performance Single Sided Foam Compounding Pad. Refines P1200 or finer sand scratches. Unique inset design. For use with 3M™ Compounds and 3M™ Hookit™ back up pads, PNs 05717 or 05718. The Perfect-It brand means this is 3M's highest performing single sided foam compounding pad.
Part Number	05706	05719	05737
UPC	0-00-51131-05706-7	0-00-51131-05719-7	0-00-51131-05737-1
Product Name	3M™ Perfect-It™ Foam Compounding Pad	3M™ Perfect-It™ Wool Compounding Pad	3M [™] Perfect-It [™] Foam Compounding Pad
Color	White	Wheat	White
Diameter	8 Inch	8 Inch	8 Inch
Packaging	6 per case	6 per case	6 per case

Buffing Pads: 3M[™] Compounding Pads

Compounding Pads - High Performance (continued)

	05753	05759	33279
Description	High Performance Double Sided 100% Wool Compounding Pad. Refines P1200 and finer sand scratches and other paint surface defects. Unique quick connect design. For use with 3M™ Compounds and 3M™ Quick Release Adaptor, PN 05752. The Perfect-It brand means this is 3M's highest performing double sided wool compounding pad.	3 inch single sided foam compounding pad designed to used with 3M™ Perfect-It™ Rubbing Compound, PN 39060 to remove P3000 sand scratches left from refurbishing headlight lenses. Use with Hookit™ 3 inch pad, PN20427.	High Performance Double Sided 100% Wool Compounding pad. Refines P1200 and finer sand scratches and other paint surface defects. Unique low lint construction with quick connect design. For use with 3M™ Compounds and 3M™ Quick Release Adaptor (PN 05752). The Perfect-It brand means this is 3M's highest performing double sided low linting wool compounding pad.
Part Number	05753	05759	33279
UPC	0-00-51131-05753-1	0-00-51131-05759-3	0-00-51131-33279-9
Product Name	3M™ Perfect-It™ Wool Compounding Pad	3M™ Perfect-It™ Foam Buffing Pad	3M [™] Perfect-It [™] Low Linting Wool Pad
Color	White	Purple	White
Diameter	9 Inch	3 Inch	8 Inch
Packaging	6 per case	2 pads per bag 6 bags per case	6 per case

Compounding Pads - Performance

	05703	05704	05711	05723
			and the second s	
Description	Double Sided 100% Wool Compounding pad used to refine P1200 and finer sand scratches and other paint surface defects. For use with 3M™ Compounds and 3M™ Adaptor, PN 05710. Proven performer.	Double Sided Blended Wool Compounding pad used to refine P1200 and finer sand scratches and other paint surface defects. For use with 3M TM Compounds and 3M TM Adaptor, PN 05710. Proven performer.	Single Sided Blended wool compounding pad used to refine P1200 and finer sand scratches and other paint surface defects. For use with 3M™ Compounds and 3M™ Hookit™ back up pads, PNs 05717 or 05718. Proven performer.	Single Sided Foam Compounding Pad used to refine P1200 or finer sand scratches. Flat back design. For use with 3M™ Compounds and 3M™ Hookit™ back up pads, PNs 05717 or 05718.
Part Number	05703	05704	05711	05723
UPC	0-00-51131-05703-6	0-00-51131-05704-3	0-00-51131-05711-1	0-00-51131-05723-4
Product Name	3M™ Superbuff™ Buffing Pad	3M™ Superbuff™ Buffing Pad	3M™ Wool Compounding Pad	3M [™] Foam Compounding Pad
Color	Wheat	White	White	White
Diameter	9 Inch	9 Inch	8 Inch	8 Inch
Packaging	6 per case	6 per case	6 per case	12 per case

Compounds, Polishes & Buffing Pads

Buffing Pads: 3M[™] Compounding Pads

Compounding Pads - Entry Level

	33274	33280	33281
Description	Single Sided Foam Compounding Pad used to refine sand scratches. For use with 3M™ Compounds and 3M™ Hookit™ back up pads, PNs 05717 or 05718. Best suited for entry level technicians and consumers.	Double Sided Wool Compounding Pad used to refine sand scratches. For use with 3M™ Compounds and 3M™ Adaptor, PN 05710. Best suited for entry level technicains and consumers.	Single Sided Wool Compounding Pad used to refine sand scratches. For use with 3M [™] Compounds and 3M [™] Hookit [™] back up pads, PNs 05717 or 05718. Best suited for entry level technicains and consumers.
Part Number	33274	33280	33281
UPC	0-00-51131-33274-4	0-00-51131-33280-5	0-00-51131-33281-2
Product Name	3M [™] Yellow Foam Compounding Pad	3M [™] Double Sided Wool Compounding Pad	3M™ Single Sided Wool Compounding Pad
Color	Yellow	White	White
Diameter	8 Inch	9 Inch	9 Inch
Packaging	2 pads per bag 6 bags per case	6 per case	6 per case

Buffing Pads: 3M[™] Polishing Pads

Polishing Pads - High Performance

	05707	05708	05726
Description	High Performance Black Foam Polishing Pad. Removes compound swirl marks and fine paint surface defects. Unique quick connect design. For use with 3M machine polishes and 3M TM Quick Connect Adaptor PN 05752. The Perfect- It brand means this is 3M's highest performing double sided foam poloshing pad.	High Performance Double Sided Blue Foam Polishing Pad. Eliminates swirl marks on painted surfaces; even on difficult dark colored cars. Unique quick connect design. Use with Perfect-It™ Ultrafine Machine Polish and 3M™ Quick Connect Adaptor PN 05752. The Perfect-It brand means this is 3M's highest performing double sided ultrafine foam polishing pad.	3 inch single sided foam polishing pad designed to be used with 3M™ Perfect-It™ Machine Polish, PN39061 to remove fine swirls left from compounding headlight lenses. Use with Hookit™ 3 inch pad, PN20427.
Part Number	05707	05708	05726
UPC	0-00-51131-05707-4	0-00-51131-05708-1	0-00-51131-05726-5
Product Name	3M™ Perfect-It™ Foam Polishing Pad	3M [™] Perfect-It [™] Ultrafine Foam Polishing Pad	3M™ Perfect-It™ Foam Polishing Pad
Color	Black	Blue	Black
Diameter	8 Inch	8 Inch	3 Inch
Packaging	6 per case	6 per case	2 pads per bag 6 bags per case

Buffing Pads: 3M[™] Polishing Pads

Polishing Pads - High Performance (continued)

	05733	05738	05760
Description	High Performance Single Sided Blue Foam Polishing Pad. Eliminates swirl marks on paint- ed surfaces; even on difficult dark colored cars. Unique inset design. Use with Perfect-It™ Ultrafine Machine Polish and 3M™ Hookit™ back up pads, PNs 05717 or 05718. The Perfect-It brand means this is 3M's highest per- forming single sided ultrafine foam polishing pad.	High Performance Single Sided Black Foam Polishing Pad. Removes compound swirl marks and fine paint surface defects. Unique inset design. For use with 3M machine polishes and 3M™ Hookit™ back up pads, PN 05717 or 05718. The Perfect-It brand means this is 3M's highest performing single sided foam polishing pad.	High Performance 3 inch single sided ultrafine foam polishing pad designed to be used with 3M™ Ultrafine Machine Polish. Use with Hookit™ 3 inch pad, PN20427. The Perfect-It brand means this is 3M's highest performing single sided 3 inch foam polishing pad.
Part Number	05733	05738	05760
UPC	0-00-51131-05733-3	0-00-51131-05738-8	0-00-51131-05760-9
Product Name	3M™ Perfect-It™ Ultrafine Foam Polishing Pad	3M™ Perfect-It™ Foam Polishing Pad	3M [™] Perfect-It [™] Ultrafine Foam Polishing Pad
Color	Blue	Black	Blue
Diameter	8 Inch	8 Inch	3 Inch
Packaging	6 per case	6 per case	2 pads per bag 6 bags per case

Polishing Pads - Performance

	05705	05713	05725	05751
	Section of the sectio	Winney, Barry, B	The state of the s	
Description	Double Sided Yellow Blended Wool Polishing Pad; removes compound swirl marks and fine paint surface defects. Use with 3M Machine Polishes and 05717 or 05718 3M Hookit Back Up Pad. Proven per- former.	Single Sided Yellow Blended Wool Polishing Pad; removes compound swirl marks and fine paint surface defects. Use with 3M Machine Polishes and 05717 or 05718 3M Hookit Back Up Pad. Proven per- former.	Single Sided Black Foam Polishing Pad used to remove compound swirl marks and fine paint surface defects. Flat back design. For use with 3M™ maching polishes and 3M™ Hookit™ back up pads, PNs 05717 or 05718. Proven performer.	Foam pad helps eliminate swirl marks on painted surfaces, even on difficult dark colored cars. Use this foam pad with Ultrafina™ SE (PNs 06068 or 06069) as a paint finishing step after swirl mark remover. Wipe haze with Detail Cloth.
Part Number	05705	05713	05725	05751
UPC	0-00-51131-05705-0	0-00-51131-05713-5	0-00-51131-05725-8	0-00-51131-05751-7
Product Name	3M [™] Superbuff [™] Polishing Pad	3M [™] Wool Polishing Pad	3M™ Foam Polishing Pad	3M [™] Ultrafine Foam Polishing Pad
Color	Yellow	Yellow	Black	Blue
Diameter	9 Inch	9 Inch	8 Inch	8 Inch
Packaging	6 per case	6 per case	2 pads per bag 12 bags per case	12 per case

Compounds, Polishes & Buffing Pads

Buffing Pads: 3M[™] Polishing Pads

Polishing Pads - Entry Level

	33275	33282	33283
Description	Single Sided Foam Polishing Pad used to refine sand scratches. For use with 3M™ maching polishes and 3M™ Hookit™ back up pads, PNs 05717 or 05718. Best suited for entry level technicians and consumers.	Double Sided Wool Polishing Pad used to remove compound swirl marks and fine paint surface defects. Use with 3M Machine Polishes and 05717 or 05718 3M Hookit Back Up Pad. Best suited for entry level technicains and con- sumers.	Single Sided Wool Polishing Pad used to remove compound swirl marks and fine paint surface defects. Use with 3M Machine Polishes and 05717 or 05718 3M Hookit Back Up Pad. Best suited for entry level technicains and consumers.
Part Number	33275	33282	33283
UPC	0-00-51131-33275-1	0-00-51131-33282-9	0-00-51131-33283-6
Product Name	3M™ Blue Polishing Pad	3M™ Double Sided Wool Polishing Pad	3M [™] Single Sided Wool Polishing Pad
Color	Blue	Blue	Blue
Diameter	8 Inch	9 Inch	9 Inch
Packaging	2 pads per bag 6 bags per case	6 per case	6 per case

Buffing Pads: Specialty

Buffing Pads - Specialty

	05720	05729	85078
	Superbutt	Total Carlos	
Description	A double sided polishing pad designed for use with a polisher and glaze. The 3M™ 6 inch Buffing Kit is made with extremely fine fibers to produce a high gloss on paint surfaces. Pad has its own built in, support system. Adaptor is included.	Convoluted foam faced polishing pad designed for the 6 inch dual action sander. Attaches to the 3M™ Hookit™ Disc Pad 05776. Enables faster glaze application.	Finesse-it™ buffing pad made from wool fibers for applying the Finesse-it™ Finishing Material or Finesse-it™ Final Finish. Has a Hookit™ attachment system. 3 inch diameter x 15/16 trim length.
Part Number	05720	05729	85078
UPC	0-00-51144-05720-7	0-00-51131-05729-6	0-00-51144-85078-5
Product Name	3M™ Buffing Kit	3M™ Perfect-It™ DA Glazing Pad	3M™ Finesse-it™ Knit Buffing Pad
Color	White	Black	White
Diameter	6 Inch	6-3/4 Inch	3 Inch
Packaging	12 per case	12 per case	50 per case

Denibbing System

Denibbing System

	02047	02080	07650
Description	1000 Grit Trizact [™] abrasive designed to remove small dust nibs from newly painted vehicles. For use with 3M [™] Perfect-It [™] Denibbing Tool (PN 07650).	1500 grit Trizact [™] abrasive designed to remove small dust nibs from newly painted vehicles. For use with 3M [™] Perfect-It [™] Denibbing Tool (PN 07650).	Denibbing power tool that removes and finishes small dust nibs on newly painted vehicles. For use with 3M™ Denibbing Abrasives. PN02047 and PN02080.
Part Number	02047	02080	07650
UPC	0-00-51131-02047-4	0-00-51131-02080-1	0-00-51131-07650-1
Product Name	3M [™] Perfect-It [™] Denibbing Abrasive	3M [™] Perfect-It [™] Denibbing Abrasive	3M™ Perfect-It™ Denibbing Tool
Color	Black	Grey	
Container Volume	-		
Diameter	-		
Packaging	20 stems per box 4 boxes per case	20 stems per box 4 boxes per case	4 per case
	07652	07653	07654
		Kit includes: Cordless denibbing tool, 3 inch	Contains all the equipment needed to perform
Description	75 mm 3M [™] Hookit [™] Back Up Pad compatable with the Denib Polisher.	pneumatic polisher, two - 16 oz. polishes, four buffing pads, one box 1000 abrasive, one box 1500 abrasive, two detailing clothes.	the 3M TM Denibbing system: 3M TM Perfect-It TM Denibbing Tool, PN07650; 3M TM Perfect-It TM Denibbing Tool Charger Kit - NA, PN07657. Compatitable with most North American outlets.
Description Part Number	· · ·	pneumatic polisher, two - 16 oz. polishes, four buffing pads, one box 1000 abrasive, one box	Denibbing Tool, PN07650; 3M [™] Perfect-It [™] Denibbing Tool Charger Kit - NA, PN07657.
·	able with the Denib Polisher.	pneumatic polisher, two - 16 oz. polishes, four buffing pads, one box 1000 abrasive, one box 1500 abrasive, two detailing clothes.	Denibbing Tool, PN07650; 3M TM Perfect-It TM Denibbing Tool Charger Kit - NA, PN07657. Compatitable with most North American outlets.
Part Number	able with the Denib Polisher. 07652	pneumatic polisher, two - 16 oz. polishes, four buffing pads, one box 1000 abrasive, one box 1500 abrasive, two detailing clothes.	Denibbing Tool, PN07650; 3M TM Perfect-It TM Denibbing Tool Charger Kit - NA, PN07657. Compatitable with most North American outlets. 07654
Part Number UPC	able with the Denib Polisher. 07652 0-00-51131-07652-5	pneumatic polisher, two - 16 oz. polishes, four buffing pads, one box 1000 abrasive, one box 1500 abrasive, two detailing clothes. 07653 0-00-51131-07653-2	Denibbing Tool, PNO7650; 3M TM Perfect-It TM Denibbing Tool Charger Kit - NA, PN07657. Compatitable with most North American outlets. 07654 0-00-51131-07654-9
Part Number UPC Product Name	able with the Denib Polisher. 07652 0-00-51131-07652-5 3M™ Denib Polisher Back Up Pad	pneumatic polisher, two - 16 oz. polishes, four buffing pads, one box 1000 abrasive, one box 1500 abrasive, two detailing clothes. 07653 0-00-51131-07653-2	Denibbing Tool, PNO7650; 3M TM Perfect-It TM Denibbing Tool Charger Kit - NA, PN07657. Compatitable with most North American outlets. 07654 0-00-51131-07654-9
Part Number UPC Product Name Color	able with the Denib Polisher. 07652 0-00-51131-07652-5 3M™ Denib Polisher Back Up Pad	pneumatic polisher, two - 16 oz. polishes, four buffing pads, one box 1000 abrasive, one box 1500 abrasive, two detailing clothes. 07653 0-00-51131-07653-2	Denibbing Tool, PNO7650; 3M TM Perfect-It TM Denibbing Tool Charger Kit - NA, PN07657. Compatitable with most North American outlets. 07654 0-00-51131-07654-9

Compounds, Polishes & Buffing Pads

Denibbing System

Denibbing System (continued)

	07657	28363	39063
	EMI BY		## 1
Description	Contains all the equipment needed to charge a 3M™ Perfect-It™ Denibbing Tool, PN07650; including 1 each 3M™ Perfect-It™ Denibbing Charger, PN07651 and 1 each non-polarized power cord compatitable with most North American outlets.	3M™ Pneumatic Polisher designed to be used with 3M™ Perfect-It™ Polishing and Buff Pads to remove abrasive scratches on base coat/clear coat substrates. MOS: 11000 RPM.	High Performance Denibbing Polish. Unique formula disigned to remove 1500 grade sand scratches during the 3M TM Perfect-It TM Denibbing process. The Perfect-It brand means this is 3M's highest performing denibbing polish.
Part Number	07657	28363	39063
UPC	0-00-51131-07657-0	0-00-51141-28363-0	0-00-51131-39063-8
Product Name	3M™ Denibbing Tool Charger Kit - NA	3M™ Polisher	3M™ Perfect-It™ Denibbing Polish
Color			Purple
Container Volume			1 Liquid Pint(US)
Diameter		75 Millimetre	
Packaging	1 per case	1 per case	6 per case

Spray Detailer

Spray Detailer

Spray detailer that cleans up compuond and polish residue. Provides a high gloss shine. Paint shop safe. No silicones. Used with a 3MTM Perfect-ItTM Detailing Cloth.


	06084	06088
Part Number	06084	06088
UPC	0-00-51131-06084-5	0-00-51131-06088-3
Product Name	3M™ Perfect-It™ Clean & Shine	3M™ Perfect-It™ Clean and Shine
Color	Off White Clear	
Container Volume	16 Fluid Ounce (US)	1 Gallon (US)
Packaging	6 per case	4 per case

Detailing Cloths

Detailing Cloths

Removes oily or filmy residue including waxes, polishes, glazes and fingerprints, and is ideal for paint, chrome, glass, dashboards, and more. 3Ms unique super-soft micro-texture will not scratch or streak delicate surfaces.

	06016	06017	06018
		30	Account can be a second to the
Part Number	06016	06017	06018
UPC	5-00-51131-06016-1	5-00-51131-06017-8	5-00-51131-06018-5
Product Name	3M™ Perfect-It™ Detailing Cloths	3M [™] Perfect-It [™] Detailing Cloth	3M [™] Perfect-It [™] Jumbo Detailing Cloth
Color	Yellow	Yellow	Yellow
Width	12 Inch	12.5 Inch	16 Inch
Length	14 Inch	14 Inch	16 Inch
Packaging	6 cloths per pack 6 packs per case	50 per case	6 per pack
	06020	39015	39016
	TOTAL CALL		STATE OF THE PARTY
Part Number	06020	39015	39016
UPC	5-00-51131-06020-8	5-00-51131-39015-2	5-00-51131-39016-9
Product Name	3M™ Perfect-It™ III Auto Detailing Cloth	3M [™] Perfect-It [™] Show Car Detailing Cloth	3M™ Microfiber Detail Cloth Clip Strip
Color	Blue	Blue	Yellow
Width	12 Inch	12 Inch	12 Inch
Length	14 Inch	14 Inch	14 Inch
Packaging	6 cloths per pack 6 packs per case	12 per case	12 per case



Retail - 2" Discs

Diameter 2 Inch

Description Disc holder providing disc support for the 3M™ Drill Mounted Automotive Regalite™ Discs grind through paint, primer, filler and rust. The Scotch-Brite™ Discs are great for gasket removing, disc brake finishing and metal polishing. Part Number Disc holder providing disc support for the 3M™ Drill Mounted Automotive Regalite™ Discs grind through paint, primer, filler and rust. The Scotch-Brite™ Grinding and metal polishing. Part Number Disc holder providing disc support for the 3M™ Drill Mounted Automotive Regalite™ Drill Mounted Automotive Grinding Discs with three assorted disc through paint, primer, filler and rust. The Scotch-Brite™ Grinding Discs Disc holder providing disc support for the 3M™ Drill Mounted Automotive Grinding Discs with three assorted disc through paint, primer, filler and rust. The Scotch-Brite™ Grinding Discs O-00-51131-03051-0 Disc holder providing disc support for the 3M™ Drill Mounted Automotive Grinding Discs with three assorted disc through paint, primer, filler and rust. The Scotch-Brite™ Grinding Discs on 30051 Disc holder providing disc support for the 3M™ Drill Mounted Automotive Grinding Discs with three assorted disc through paint, primer, filler and rust. The Scotch-Brite™ Grinding Discs with three assorted is through paint, primer, filler and rust. The Scotch-Brite™ Grinding Discs with three assorted is through paint, primer, filler and rust. The Scotch-Brite™ Discs are great for gasket removing, disc below the sound of the Scotch-Brite™ Discs are great for gasket removing, disc below through paint, primer, filler and rust. The Scotch-Brite™ Discs are great for gasket removing, disc below through paint, primer, filler and rust. The Scotch-Brite™ Discs are great for gasket removing, disc below through paint, primer, filler and rust. The Scotch-Brite™ Discs are great for gasket removing, disc below through paint, primer, filler and rust. The Sc	grind
Description Sanding Finishing Kit with the 3M™ Regalite™ Discs grind through paint, primer, filler and rust. The Scotch-Brite™ Discs are great for gasket removing, disc brake finishing and metal polishing. Disc holder providing disc support for the 3M™ Drill Mounted Automotive Grinding/Sanding/Finishing System. 3M™ Drill Mounted Automotive Regal Sanding Discs with three assorted disc through paint, primer, filler and rust. The Scotch-Brite™ Discs are great for gasket removing, disc brake finishing and metal polishing. Part Number 03050 03051 03058 UPC 0-00-51131-03050-3 0-00-51131-03051-0 0-00-51131-03058-9 Product Name 3M™ Scotch-Brite™ Grinding Disc 3M™ Sanding and Finishing Disc Holder 3M™ Sanding Discs Color Assorted Black Brown Grade - Assorted Max RPM - 25000 Packaging 6 per case 10 per case 10 per case	grind
Description Sanding Finishing Kit with the 3M™ Regalite™ Discs grind through paint, primer, filler and rust. The Scotch-Brite™ Discs are great for gasket removing, disc brake finishing and metal polishing. Disc holder providing disc support for the 3M™ Drill Mounted Automotive Grinding/Sanding/Finishing System. 3M™ Drill Mounted Automotive Regal Sanding Discs with three assorted disc through paint, primer, filler and rust. The Scotch-Brite™ Discs are great for gasket removing, disc brake finishing and metal polishing. Part Number 03050 03051 03058 UPC 0-00-51131-03050-3 0-00-51131-03051-0 0-00-51131-03058-9 Product Name 3M™ Scotch-Brite™ Grinding Disc 3M™ Sanding and Finishing Disc Holder 3M™ Sanding Discs Color Assorted Black Brown Grade - Assorted Max RPM - 25000 Packaging 6 per case 10 per case 10 per case	grind
UPC 0-00-51131-03050-3 0-00-51131-03051-0 0-00-51131-03058-9 Product Name 3M™ Scotch-Brite™ Grinding Disc 3M™ Sanding and Finishing Disc Holder 3M™ Sanding Discs Color Assorted Black Brown Grade - Assorted Max RPM - 25000 Packaging 6 per case 10 per case 10 per case	
Product Name 3M TM Scotch-Brite TM Grinding Disc 3M TM Sanding and Finishing Disc Holder 3M TM Sanding Discs Color Assorted Black Brown Grade - Assorted Max RPM - 25000 Packaging 6 per case 10 per case 10 per case	
Color Assorted Black Brown Grade - Assorted Max RPM - 25000 Packaging 6 per case 10 per case 10 per case	
Grade - Assorted Max RPM - 25000 Packaging 6 per case 10 per case 10 per case 10 per case	
Max RPM - 25000 Packaging 6 per case 10 per case 10 per case	
Packaging 6 per case 10 per case 10 per case	
03059 03156 03157	
Assorted package containing 1 fine and 2 coarse Scorch-Brite™ discs. Can be used for gasket removing, disc brake finishing and metal polishing. Assorted package containing 1 fine and 2 coarse Scorch-Brite™ discs. Can be used for gasket removing, disc brake finishing and metal polishing. Great for gasket removing, disc brake finishing and metal polishing.	nishing
polishing. Part Number 03059 03156 03157	
UPC 0-00-51131-03059-6 0-00-51131-97285-8 0-00-51131-97286-5 Product Name 3M™ Scotch-Brite™ Stripping and Polishing Discs 3M™ Conditioning Discs 3M™ Stripping Discs	
Color Brown Brown	
Grade Assorted Medium Coarse	
Max RPM	
Packaging 10 per case 24 per case 24 per case	

Abrasives and Sanding

Retail - 3-2/3" x 9" Sheets

Width 3-2/3 Inch Length 9 Inch

	03001	03002	03003	03006
Description	Designed for sanding old paint, primer and final coats. Ideal for sanding primers, sealers, plastic, lacquers and paints.	Designed for sanding old paint, primer and final coats. Ideal for sanding primers, sealers, plastic, lacquers and paints.	Designed for sanding old paint, primer and final coats. Ideal for sanding primers, sealers, plastic, lacquers and paints.	Perfect for clear coat sanding and defect removal. Includes 1 sheet each of 1000 grit, 1500 grit, and 2500 grit and 2 sheets of 2000 grit.
Part Number	03001	03002	03003	03006
UPC	0-00-51131-03001-5	0-00-51131-03002-2	0-00-51131-03003-9	0-00-51131-03006-0
Product Name	3M™ Wetordry™ Automotive Sandpaper	3M™ Wetordry™ Automotive Sandpaper	3M [™] Wetordry [™] Automotive Sandpaper	3M™ Wetordry™ Automotive Sandpaper
Color	Black	Black	Black	Black
Grade	1000	1500	2000	Assorted
Packaging	5 sheets per pack 40 packs per case	5 sheets per pack 40 packs per case	40 per case	5 sheets per pack 40 packs per case
	03008	03018	03020	03022
	- I			
Description	Designed for rust and corrosion removal or metal sanding. Cloth backing makes it strong and durable. For deburring and preparing metal surfaces.	Designed for sanding old paint, primer and final coats. Ideal for sanding primers, sealers, plastic, lacquers and paints.	Designed for sanding old paint, primer and final coats. Ideal for sanding primers, sealers, plastic, lacquers and paints.	Designed for sanding old paint, primer and final coats. Ideal for sand- ing primers, sealers, plastic, lacquers and paints.
Part Number	03008	03018	03020	03022
UPC	0-00-51131-03008-4	0-00-51131-03018-3	0-00-51131-03020-6	0-00-51131-03022-0
Product Name	3M™ Emery Cloth	3M™ Wetordry™ Sandpaper	3M [™] Wetordry [™] Sandpaper	3M™ Wetordry™ Sandpaper
Color	Black	Black	Black	Black
Grade	Assorted	P400	P600	P800
Packaging	40 per case	5 sheets per pack 40 packs per	5 sheets per pack 40 packs per	5 sheets per pack 40 packs per case

Retail - 3-2/3" x 9" Sheets (continued)

	03024	03031	03035	03038
Description	Designed for sanding old paint, primer and final coats. Ideal for sanding primers, sealers, plastic, lacquers and paints.	Ideal for hand or machine sanding. Use it on metal, plastic, body filler and fiberglass. Contains sandpaper made with aluminum oxide mineral, a tough and versatile synthetic abrasive.	Ideal for hand or machine sanding. Use it on metal, plastic, body filler and fiberglass. Contains sandpaper made with aluminum oxide mineral, a tough and versatile synthetic abrasive.	Ideal for hand or machine sanding. Use it on metal, plastic, body filler and fiberglass. Contains sandpaper made with aluminum oxide mineral, a tough and versatile synthetic abrasive.
Part Number	03024	03031	03035	03038
UPC	0-00-51131-03024-4	0-00-51144-03031-6	0-00-51144-03035-4	0-00-51144-03038-5
Product Name	3M [™] Wetordry [™] Sandpaper	3M™ Sandpaper	3M™ Sandpaper	3M™ Sandpaper
Color	Black	Brown	Brown	Brown
Grade	Assorted	P180	P80	40
Packaging	5 sheets per pack 40 packs per case	6 sheets per pack 40 packs per case	6 sheets per pack 40 packs per case	5 sheets per pack 40 packs per case
	03039	03064	03076	03077
			SM SM	
Description	Ideal for hand or machine sanding. Use it on metal, plastic, body filler and fiberglass. Contains sandpaper made with aluminum oxide mineral, a tough and versatile synthetic abrasive.	Structured abrasives feature an engineered surface of microscopic three-dimensional structures resembling pyramids. This precise and consistent abrasive surface is ideal for stainless steel applications requiring a fine finish.	Strips paint to metal and shapes and sands body filler. Ideal for body work. Sands faster and lasts longer. Clog resistant.	For fininshing of shaping body filler and beginning sanding process. Ideal for body work. Sands faster and lasts longer. Clog resistant.
Part Number	03039	03064	03076	03077
UPC	0-00-51131-03039-8	0-00-51131-03064-0	0-00-51131-03076-3	0-00-51131-03077-0
Product Name	3M™ Sandpaper	3M™ Trizact™ Performance Sandpaper	3M™ Premium Sandpaper	3M™ Premium Sandpaper
Color	Brown		Maroon	Maroon
Grade	P180	3000	80	180
Packaging	5 sheets per pack 40 packs per case	1 sheet per pack 40 packs per case	5 sheets per pack 20 packs per case	5 sheets per pack 20 packs per case

Abrasives and Sanding

Retail - 3-2/3" x 9" Sheets (continued)

	-	
	03078	03195
	SM S	
Description	Perfect for primer, glaze, and putty preparation. Ideal for body work. Sands faster and lasts longer. Clog resistant.	Excellent for scuffing bare, primed, or painted surfaces prior to applying primer or paint. Removes light surface rust. Will not rust, splinter, or shred like steel wool. Can be used wet or dry and rinses clean for repeated use.
Part Number	03078	03195
UPC	0-00-51131-03078-7	0-00-51131-03195-1
Product Name	3M™ Premium Sandpaper	3M [™] Scuff Sanding Sponge
Color	Gold	Black
Grade	320	
Packaging	5 sheets per pack 20 packs per case	24 per case

Retail - 4-1/2" x 5-1/2" Sheets

Width 4-1/2 Inch Length 5 1/2 Inch

Packaging 4 sheets per pack 50 packs per case

	03025	03026
Description	Custom cut at 4 1/2 x 5 1/2 inches for hand-sanding operations. Consumer-friendly packaging and instructions that make body repair projects easier.	Custom cut at 4 1/2 x 5 1/2 inches for hand-sanding operations. Consumer-friendly packaging and instructions that make body repair projects easier.
Part Number	03025	03026
UPC	0-00-51131-03025-1	0-00-51131-03026-8
Product Name	3M™ Wetordry™ Sandpaper	3M™ Sandpaper
Color	Black	Brown

Retail - 5" and 6" Discs

eigniferered surface of microscopic three-dimensional structures resembling pyramids. This precise and consistent abrasive surface is ideal for stainless steel applications requiring a fine finish with the job is done. Long-lasting tough mineral resists loading. 4 discs per load sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. 4 discs per load sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. 4 discs per loading. 4 discs per load sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. 4 discs per load sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. 4 discs per pack 40 packs per case. 5 lnch grade and sand. The disc peals off easily when the job is done. Long-lasting mineral resists loading. 4 discs per pack 40 packs per case 160 per case 4 discs per pack 40 packs per case 160 per case 4 discs per pack 40 packs per case 160 per case 4 discs per pack 40 packs per case 160 per case 4 discs per pack 40 packs per case 160 per case 4 discs per pack 40 packs per case 160 per case 4 discs per pack 40 packs per case 160 per case 4 discs per pack 40 packs per case 160 per case 4 discs per loading. 5 lnch grade and sand. The disc peels off easily when the job is done. Long-lasting uniteral resists loading. 1 ear. 180A, 80D, 40D. 40D. 40D. 40D. 40D. 40D. 40D. 40D.		01459	03110	03111	03112
engineered surface of microscopic three-dimensional structures resembling pyramids. This precise and consistent abrasive surface is ited for stainless steel applications requiring a fine finish Part Number 01459 03110 03111 03111 03111 03111 031115 03116 Pert Number 01459 070-00-51131-03113-5 0-0-05-51131-03115-9 0-00-51131-03116-6 Product Name 03113 03114 03115 03116 Poscription 0313 03114 03115 03116 Porduct Name 03113 03114 03115 03116 Poscription 03113 03114 03115 03116 Porduct Name 03113 03114 03115 03116		3M C	Total Mark Installation (Control of the Control of		
UPC 0-0-51131-01459-6 0-00-51144-03110-8 0-00-51144-03111-5 0-00-51144-03112-2 Product Name 3M™ Trizact™ Performance Sanding Disc 3M™ Sanding Disc 3MM™ Sandin	Description	engineered surface of microscopic three-dimensional structures resembling pyramids. This precise and consistent abrasive surface is ideal for stainless steel applications	makes sanding easy and conven- ient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. 4	easy and convenient, just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral	Adhesive backing makes sanding easy and convenient, just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral, resists loading.
Product Name 3M™ Trizact™ Performance Sanding Disc Gold Gold Gold Green Ginch Grade 3000 P180 P80 4 discs per pack 40 packs per case 160 per case 4 discs per pack 40 packs per case 3discs per pack 40 packs per case 3discs per pack 40 packs per case 3discs per pack 40 packs per case 4dhesive Backed Sanding Discs make sanding easy and convenient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting mineral ar esists loading. 1 ac ± 180A, 80D, 40D. Part Number 03113 3discs Adhesive backing makes sanding easy and convenient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Pad (PN03142). Part Number 03113 3discs Adhesive backing makes sanding easy and convenient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Pad (PN03142). Part Number 03113 3discs per pack 40 packs per case 4dhesive backing makes sanding easy and convenient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Peels off easily when the job is done. Long-lasting tough mineral resists loading. Pad (PN03142). Part Number 0 0-00-51131-03113-5 0-00-51131-03114-2 0-00-51131-03115-9 0-00-51131-03116-6 3M™ Sanding Disc 4dhesive backing makes sanding easy and convenient, just press the disc on the pad and sometime to the situation of the pad and sometime to the situation of the pad and sometime to the situation of the pad and sometime	Part Number	01459	03110	03111	03112
Color - Gold Gold Gold Green Diameter 6 Inch 5 Inch 5 Inch 5 Inch Grade 3000 P180 P80 40 Packaging 1 sheet per pack 40 packs per case 160 per case 4 discs per pack 40 packs per case 3 discs per pack 40 packs per case 3 discs per pack 40 packs per case 3 discs per pack 40 packs per case 4 discs per pack 40 packs per case 3 discs per pack 40 packs per case 4 discs per pack 40 packs per case 5 discs per pack 40 packs per case 6 discs per pack 40 packs per case 7 discs per pack 40 packs per case 8 discs per pack 40 packs per case 9 discs per pack 40 packs per case 1 discs	UPC	0-00-51131-01459-6	0-00-51144-03110-8	0-00-51144-03111-5	0-00-51144-03112-2
Diameter 6 Inch Grade 3000 P180 P80 40 Packaging 1 sheet per pack 40 packs per case 160 per case 4 discs per pack 40 packs per case 3 discs per pack 40 packs per case 4 discs per pack 40 packs per case 3 discs per pack 40 packs per case 4 discs per pack 40 packs per case 3 discs per pack 40 packs per case 4 discs per pack 40 packs per case 3 discs per pack 40 packs per case 4 discs per pack 40 packs per case 5 discs per pack 40 packs per case 5 discs per pack 40 packs per case 5 discs per pack 40 packs per case 6 discs per pack 40 packs per case 7 discs per pack 40 packs per case 8 discs per pack 40 packs per case 9 discs per pack 40 packs per case 40 packs per case 9 discs per pack 40 packs per case 40 packs per c	Product Name		3M™ Sanding Disc	3M™ Sanding Disc	3M™ Sanding Disc
Packaging 1 sheet per pack 40 packs per case 160 per case 4 discs per pack 40 packs per case 3 discs per pack 40 packs per case 3 discs per pack 40 packs per case 4 discs per pack 40 packs per case 3 discs per pack 40 packs per case 3 discs per pack 40 packs per case 4 discs per pack 40 packs per case 5 discs per pack 40 packs per case 5 discs per pack 40 packs per case 5 discs per pack 40 packs per case 4 discs per pack 40 packs per case 5 discs per pack 40 packs per case 5 discs per pack 40 packs per case 5 discs per pack 40 packs per case 6 discs per pack 40 packs per case 6 discs per pack 40 packs per case 7 discs per pack 40 packs per case 7 discs per pack 40 packs per case 8 discs per pack 40 packs per case 9 discs per pack 40 packs p	Color	-	Gold	Gold	Green
Packaging 1 sheet per pack 40 packs per case 160 per case 4 discs per pack 40 packs per case 3 discs per pack 40 packs per case 4 discs per pack 40 packs per case 3 discs per pack 40 packs per case 3 discs per pack 40 packs per case 4 discs per pack 40 packs per case 5 discs per pack 40 packs per case 4 discs per pack 40 packs p	Diameter	6 Inch	5 Inch	5 Inch	5 Inch
Adhesive Backed Sanding Discs make sanding easy and convenient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Part Number O3113 O3114 O3115 Adhesive Backed Sanding Discs make sanding easy and convenient, just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Part Number O3113 O3114 O3115 For easy, convenient sanding Simple adhesive application - job is done. Long-lasting tough mineral resists loading. Discs peels off easily when the job is done. Long-lasting tough mineral resists loading. Designed by Pad (PN03142). Part Number O3113 O3114 O3115 O3116 For easy, convenient sanding Simple adhesive application - job is done. Long-lasting tough mineral resists loading. Disc simple adhesive application - job is done. Long-lasting tough mineral resists loading. Disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Designed by Pad (PN03142). Part Number O-00-51131-03113-5 O-00-51131-03114-2 O-00-51131-03115-9 O-00-51131-03115-9 O-00-51131-03116-6 Product Name ORIGINAL ORIG	Grade	3000	P180		· ·
Adhesive Backed Sanding Discs make sanding easy and convenient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting mineral resists loading. 1 ea: 180A, 80D, 40D. Part Number 03113 03114 03115 0-00-51131-03113-5 0-00-51131-03114-2 0-00-51131-03115-9 0-00-51131-03116-6 Product Name 3MTM Sanding Discs Gold Gold Gold Gold Gold Gold Gold Gold Adhesive Backed Sanding Discs makes sanding easy and convenient, just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. besigned adhere to the 3M Auto-Pak Di Pad (PN03142). Brown East, Convenient sanding Simple adhesive application - jents, just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. besigned adhere to the 3M Auto-Pak Di Pad (PN03142). Brown East, Convenient sanding Simple adhesive application - jents, just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Designed adhere to sall when the job is done. Long-lasting tough mineral resists loading. Designed adhere to sall when the job is done. Long-lasting tough mineral resists loading. Brown East, Convenient sanding Simple adhesive application - jents, just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Designed adhere to sall when the job is done. Long-lasting tough mineral resists loading. Designed adhere to sall when the job is done. Long-lasting tough mineral resists loading. Simple adheresive application - jents, just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Simple adheresive application - jents the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Simple adheresive application - jen	Packaging	1 sheet per pack 40 packs per case	160 per case	4 discs per pack 40 packs per case	3 discs per pack 40 packs per case
Adhesive Backed Sanding Discs make sanding easy and convenient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting mineral resists loading. 1 ea: 180A, 80D, 40D. Part Number O3113 O3114 O3115 O-00-51131-03113-5 Product Name O31MTM Sanding Discs Adhesive backing makes sanding easy and convenient, just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Adhesive Backed Sanding Discs makes sanding easy and convenient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Description Adhesive Backed Sanding Discs makes sanding easy and convenient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when inerticint; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Disc peels off easily when inerticint; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Simple adhesive application - job ient; just press the disc on the pad and sand. The disc peels off easily when the job		03113	03114	03115	03116
Adhesive Backed Sanding Discs make sanding easy and convenient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting mineral resists loading. 1 ea: 180A, 80D, 40D. Part Number O3113 O3114 O3115 O-00-51131-03113-5 Product Name O31MTM Sanding Discs Adhesive backing makes sanding easy and convenient, just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Adhesive Backed Sanding Discs makes sanding easy and convenient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Description Adhesive Backed Sanding Discs makes sanding easy and convenient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when job is done. Long-lasting tough mineral resists loading. Disc peels off easily when inerticint; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Disc peels off easily when inerticint; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral resists loading. Simple adhesive application - job ient; just press the disc on the pad and sand. The disc peels off easily when the job			3	3 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
UPC 0-00-51131-03113-5 0-00-51131-03114-2 0-00-51131-03115-9 0-00-51131-03116-6 Product Name 3M™ Sanding Discs 3M™ Sanding Disc 3M™ Sanding Disc 3M™ Sanding Disc Color Gold Gold Gold Gold Gold Diameter 5 Inch 6 Inch 6 Inch 6 Inch Grade Assorted P180 P80 Assorted	Description	make sanding easy and convenient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting miner- al resists loading. 1 ea: 180A, 80D,	easy and convenient, just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting tough mineral	makes sanding easy and conven- ient; just press the disc on the pad and sand. The disc peels off easily when the job is done. Long-lasting	For easy, convenient sanding. Simple adhesive application - just press the disc on the pad and sand. Disc peels off easily when job is complete. Long-lasting tough material resists loading. Designed to adhere to the 3M Auto-Pak Disc Pad (PN03142).
Product Name 3M™ Sanding Discs 3M™ Sanding Disc 3M™ Sanding Disc 3M™ Sanding Disc Color Gold Gold Gold Gold Diameter 5 Inch 6 Inch 6 Inch 6 Inch Grade Assorted P180 P80 Assorted	Part Number	03113	03114	03115	03116
Color Gold Gold Gold Gold Diameter 5 Inch 6 Inch 6 Inch 6 Inch Grade Assorted P180 P80 Assorted	UPC	0-00-51131-03113-5	0-00-51131-03114-2	0-00-51131-03115-9	0-00-51131-03116-6
Diameter 5 Inch 6 Inch 6 Inch 6 Inch 6 Inch Grade Assorted P180 P80 Assorted	Product Name	3M™ Sanding Discs	3M™ Sanding Disc	3M™ Sanding Disc	3M™ Sanding Disc
Grade Assorted P180 P80 Assorted	Color	Gold	Gold	Gold	Gold
	Diameter	5 Inch	6 Inch	6 Inch	6 Inch
Packaging 40 per case 5 discs per pack 40 packs per case 10 per pack 4 packs per case 4 per pack 20 packs per cas	Grade	Assorted	P180	P80	Assorted
	Packaging	40 per case	5 discs per pack 40 packs per case	10 per pack 4 packs per case	4 per pack 20 packs per case

Abrasives and Sanding

Retail - 5" and 6" Discs (continued)

	ia o Bioco (continuo	,		
	03142	31434	31435	31438
		SM AMAN E TO	AMANAT MANATA	
Description	Provides maximum use of 3M TM Adhesive Backed Sanding Discs. Firm but resilient for easy, uniform sanding.	Used for fine featheredging or last final sanding step before priming. Suggested backup Part No. 35576.	Used for fine featheredging or last final sanding step before priming. Suggested backup Part No. 35576.	Used for fine featheredging or last final sanding step before priming. Suggested backup Part No. 35576.
Part Number	03142	31434	31435	31438
UPC	0-00-51144-03142-9	0-00-51131-31434-4	0-00-51131-31435-1	0-00-51131-31438-2
Product Name	3M [™] Adhesive Backed Disc Pad	3M™ Sanding Disc	3M™ Sanding Disc	3M [™] Sanding Disc
Color	Black	Gold	Gold	Gold
Diameter	5 Inch	6 Inch	6 Inch	6 Inch
Grade		P400	P320	P220
Packaging	10 per case	5 discs per pack 20 packs per case	5 discs per pack 20 packs per case	5 discs per pack 20 packs per case
	31439	31441	31443	31506
	SM SM SM SM SM SM SM SM SM SM SM SM SM S	The state of the s	AMAN (CO)	3M
Description	Used for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup Part No. 35576.	Used for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup Part No. 35576.	Used for for rough featheredging. Could be used for final sanding of plastic filler and putty. Suggested backup Part No. 35576.	Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. Suggested backup pad PN 35576.
Part Number	31439	31441	31443	31506
UPC	0-00-51131-31439-9	0-00-51131-31441-2	0-00-51131-31443-6	0-00-51131-31506-8
Product Name	3M™ Sanding Disc	3M™ Sanding Disc	3M™ Sanding Disc	3M [™] Green Corps [™] Sanding Disc
Color	Gold	Gold	Gold	Green
Diameter	6 Inch	6 Inch	6 Inch	6 Inch
Grade	P180	P120	P80	80
Packaging		5 discs per pack 20 packs per case	5 discs per pack 20 packs per case	5 discs per pack 20 packs per case
	31547	31548		
	SM SM SM SM SM SM SM SM SM SM SM SM SM S	SM.		
Description	Grade 40E. Used for stripping paint to metal, shaping and sanding plastic filler. Individually linered discs.	Grade 36E. Used for stripping paint to metal, shaping and sanding plastic filler. Individually linered discs.		
Part Number	31547	31548		
UPC	0-00-51131-31547-1	0-00-51131-31548-8		
Product Name	3M [™] Green Corps [™] Sanding Disc	3M [™] Green Corps [™] Sanding Disc		
Color	Green	Green		
Diameter	6 Inch	6 Inch		
Grade	40	36		
Packaging	5 discs per pack 20 packs per case	5 discs per pack 20 packs per case		

Retail - 9" x 11" Sheets

Width 9 Inch Length 11 Inch

03004	03005	03007	03013
			3
Ideal for hand or machine sanding. For use on metal, plastic body filler and fiberglass. Contains sandpaper made with aluminum oxide mineral, a tough and versatile synthetic abrasive.	Ideal for hand or machine sanding. For use on metal, plastic body filler and fiberglass. Contains sandpaper made with aluminum oxide mineral, a tough and versatile synthetic abrasive.	Ideal for hand or machine sanding. For use on metal, plastic body filler and fiberglass. Contains sandpaper made with aluminum oxide mineral, a tough and versatile synthetic abrasive.	Waterproof for wet sanding. Excellent for sanding primed surfaces, removing orange peel, dust nibs and light sagging of the top coat. Used on metal, plastic body filler and fiberglass surfaces.
03004	03005	03007	03013
0-00-51144-03004-0	0-00-51144-03005-7	0-00-51144-03007-1	0-00-51144-03013-2
3M™ Sandpaper	3M™ Sandpaper	3M™ Sandpaper	3M™ Wetordry™ Sandpaper
Brown	Brown	Brown	Black
P180	P80	40	1000
3 sheets per pack 40 packs per case	3 sheets per pack 40 packs per case	3 sheets per pack 40 packs per case	4 sheets per pack 40 packs per case
03015	03017	03019	03021
	Wilder		SM S
Designed for sanding old paint, primer and final coats. Ideal for sanding primers, sealers, plastic, lacquers and paints.	Waterproof for wet sanding. Excellent for sanding primed surfaces, removing orange peel, dust nibs and light sagging of the top coat. Used on metal, plastic body filler and fiberglass surfaces.	Automotive Sandpaper is water- proof for wet sanding. Excellent for sanding primed surfaces, removing orange peel, dust nibs and light sagging of the top coat. Used on metal, plastic body filler and fiber- glass surfaces.	3M™ Wetordry™ Automotive Sandpaper is waterproof for wet sanding. Excellent for sanding primed surfaces, removing orange peel, dust nibs and light sagging of the top coat. Used on metal, plastic body filler and fiberglass surfaces. 1 each of: 1000, P800, P400, P220.
03015	03017	03019	03021
0-00-51144-03015-6	0-00-51144-03017-0	0-00-51144-03019-4	0-00-51144-03021-7
3M™ Wetordry™ Sandpaper	3M [™] Wetordry [™] Sandpaper	3M™ Wetordry™ Sandpaper	3M™ Wetordry™ Sandpaper
Black	Black	Black	Black
P800	P400	P220	Assorted
		4 sheets per pack 20 packs per	4 sheets per pack 40 packs per
	Ideal for hand or machine sanding. For use on metal, plastic body filler and fiberglass. Contains sandpaper made with aluminum oxide mineral, a tough and versatile synthetic abrasive. 03004 0-00-51144-03004-0 3M™ Sandpaper Brown P180 3 sheets per pack 40 packs per case 03015 Designed for sanding old paint, primer and final coats. Ideal for sanding primers, sealers, plastic, lacquers and paints. 03015 0-00-51144-03015-6 3M™ Wetordry™ Sandpaper Black	Ideal for hand or machine sanding. For use on metal, plastic body filler and fiberglass. Contains sandpaper made with aluminum oxide mineral, a tough and versatile synthetic abrasive. O3004 O-00-51144-03004-0 Brown P180 3 sheets per pack 40 packs per case O3015 O3015 O3017 Waterproof for wet sanding. Excellent for sanding primers, sealers, plastic, lacquers and paints. O3015 O3015 O3017 Waterproof for wet sanding. Excellent for sanding primed surfaces, removing orange peel, dust nibs and light sagging of the top coat. Used on metal, plastic body filler and fiberglass surfaces. O3015 O3017 O-00-51144-03015-6 O3017 O-00-51144-03015-6 O3017 O-00-51144-03017-0 O3017 O-00-51144-03015-6 O3017 O-00-51144-03017-0 O-00-51144-03017-0 O-00-51144-03017-0 O-00-51144-03017-0 O-00-51144-03017-0 O-00-51144-03017-0 O-00-51144-03017-0 O-00-51144-03017-0 O-00-51144-03017-0	ldeal for hand or machine sanding. For use on metal, plastic body filler and fiberglass. Contains sandpaper made with aluminum oxide mineral, a tough and versatile synthetic abrasive. 03004 0-00-51144-03004-0 0-00-51144-03004-0 3 sheets per pack 40 packs per case 03015 03015 03017 03019 Waterproof for wet sanding. Excellent for sanding primed surfaces, removing orange peel, dust nibs and light sagging of the top coat. Used on metal, plastic body filler and fiberglass. Contains sandpaper made with aluminum oxide mineral, a tough and versatile synthetic abrasive. 03004 0-00-51144-03004-0 0-00-51144-03005-7 0-00-51144-03007-1 3M™ Sandpaper Brown P180 3 sheets per pack 40 packs per case 03015 03017 03019 Automotive Sandpaper is water-proof for wet sanding. Excellent for sanding primed surfaces, removing orange peel, dust nibs and light sagging of the top coat. Used on metal, plastic body filler and fiberglass surfaces. 03015 03017 03019 Automotive Sandpaper is water-proof for wet sanding. Excellent for sanding primed surfaces, removing orange peel, dust nibs and light sagging of the opc coat. Used on metal, plastic body filler and fiberglass surfaces. 03015 03017 03019 Automotive Sandpaper is water-proof for wet sanding. Excellent for sanding primed surfaces, removing orange peel, dust nibs and light sagging of the opc coat. Used on metal, plastic body filler and fiberglass surfaces. 03015 03017 03019 Automotive Sandpaper is water-proof for wet sanding. Excellent for sanding primed surfaces, removing orange peel, dust nibs and light sagging of the opc coat. Used on metal, plastic body filler and fiberglass surfaces. 03015 03017 03019 Automotive Sandpaper is water-proof for wet sanding. Excellent for sanding primed surfaces, removing orange peel, dust nibs and light sagging of the opc coat. Used on metal, plastic body filler and fiberglass. Contains sandpaper and with aluminum oxide mineral, a tough and tough and fiberglass. Contains sandpaper and the proper sande with aluminu

Abrasives and Sanding

272

Retail - 9" x 11" Sheets (continued)

	03065	03066	03067	32021
	We see the second of the secon	SAM PROPERTY OF THE PROPERTY O	SAM PROPERTY OF THE PROPERTY O	SAN THE SAN TH
Description	Strips paint to metal and shapes and sands body filler. Ideal for body work. Sands faster and lasts longer. Clog resistant.	For fininshing of shaping body filler and beginning sanding process. Ideal for body work. Sands faster and lasts longer. Clog resistant.	Perfect for primer, glaze, and putty preparation. Ideal for body work. Sands faster and lasts longer. Clog resistant.	Levels orange peel, dust nibs or paint runs in refinish acrylic lacquer paint. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.
Part Number	03065	03066	03067	32021
UPC	0-00-51131-03065-7	0-00-51131-03066-4	0-00-51131-03067-1	0-00-51131-32021-5
Product Name	3M [™] Performance Sandpaper	3M™ Premium Automotive Sandpaper	3M™ Premium Automotive Sandpaper	3M [™] Wetordry [™] Sandpaper
Color	Green	Purple	Purple	Gray
Grade	80	180	320	1000
Packaging	3 sheets per pack 40 packs per case	3 sheets per pack 40 packs per case	3 sheets per pack 40 packs per case	5 sheets per pack 20 packs per case
	32022	32023	32035	32036
	T S Z CONTO	Sale of the sale o	SM -	AND THE STATE OF T
Description	Levels orange peel, dust nibs or paint runs in all types of paints and is appropriate for light sanding on refinish lacquer. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.	Used in wet sanding. Use for scuff- ing the blend area prior to painting. Most flexible backing with more consistent scratch pattern make this 3M's best wet sanding product.	Used in wet sanding. Use for scuffing the blend area prior to painting. Most flexible backing with more consistent scratch pattern make this 3M's best wet sanding product.
Part Number	32022	32023	32035	32036
UPC	0-00-51131-32022-2	0-00-51131-32023-9	0-00-51131-32035-2	0-00-51131-32036-9
Product Name	3M [™] Wetordry [™] Sandpaper	3M™ Wetordry™ Sandpaper	3M™ Wetordry™ Sandpaper	3M™ Wetordry™ Sandpaper
Color	Gray	Gray	Black	Black
Grade	1200	1500	P800	P600
Packaging	5 sheets per pack 20 packs per case	5 sheets per pack 20 packs per case	5 sheets per pack 20 packs per case	5 sheets per pack 20 packs per case

Retail - 9" x 11" Sheets (continued)

	32038	32040	32043	32044
	SIN	The second secon		
Description	Used in wet sanding. Use for scuffing the blend area prior to painting. Most flexible backing with more consistent scratch pattern make this 3M's best wet sanding product.	Used in wet sanding, fine feath- eredging or last final sanding step before priming. Most flexible back- ing with more consistent scratch pattern make this 3M's best wet sanding product.	Used in wet sanding, rough feath- eredging. Could be used for final sanding of plastic filler and putty. Most flexible backing with more consistent scratch pattern make this 3M's best wet sanding product.	Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.
Part Number	32038	32040	32043	32044
UPC	0-00-51131-32038-3	0-00-51131-32040-6	0-00-51131-32043-7	0-00-51131-32044-4
Product Name	3M™ Wetordry™ Sandpaper	3M™ Wetordry™ Sandpaper	3M [™] Wetordry [™] Sandpaper	3M™ Wetordry™ Sandpaper
Color	Black	Black	Black	Gray
Grade	P400	P320	P220	2000
Packaging	5 sheets per pack 20 packs per case	5 sheets per pack 20 packs per case	5 sheets per pack 20 packs per case	5 sheets per pack 20 packs per case
	32115	32541		
		AMAZINA PO		
Description	Dry sanding only on machine or by hand. Used for finishing plastic filler and scratch refinement of bare metal. For non-critical, short-term application.	Use for fine featheredging or last final sanding step before priming.		
Part Number	32115	32541		
UPC	0-00-51131-32115-1	0-00-51131-32541-8		
Product Name	3M™ Sandpaper	3M™ Sandpaper		
Color	Gold	Tan		
Grade	80	P320		
Packaging	5 sheets per pack 20 packs per case	5 sheets per pack 20 packs per case		

Abrasives and Sanding

Retail - File Sheets - 2-3/4" x 16-1/2"

Color Green
Width 2-3/4 Inch
Length 16-1/2 Inch

Packaging 5 sheets per pack 10 packs per case



Part Number	Description	UPC	Product Name	Grade
32230	Used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.	0-00-51131-32230-1	3M [™] Green Corps [™] File Sheet	80
32231	Used for stripping paint to metal, shaping and sanding plastic filler.	0-00-51131-32231-8	3M [™] Green Corps [™] File Sheet	40
32232	Used for stripping paint to metal, shaping and sanding plastic filler.	0-00-51131-32232-5	3M [™] Green Corps [™] File Sheet	36

Retail - File Sheets - 2-3/4" x 17-1/2"

Color Green
Width 2-3/4 Inch
Length 17-1/2 Inch



Part Number	Description	UPC	Product Name	Grade	Packaging
03045	$3M^{TM}$ Green Corps TM Production TM File Sheets are for dry sanding with hand file or air file.	0-00-51131-03045-9	3M™ Green Corps™ File Sheet	80	3 sheets per pack 10 packs per case
03046	$3M^{TM}$ Green Corps TM Production TM File Sheets are for dry sanding with hand file or air file.	0-00-51131-03046-6	3M™ Green Corps™ File Sheet	40	3 sheets per pack 10 packs per case
32220	Used for stripping paint to bare metal and shaping plastic filler.	0-00-51131-32220-2	3M™ Green Corps™ File Sheet	80	5 sheets per pack 10 packs per case
32221	Used for stripping paint to bare metal and shaping plastic filler.	0-00-51131-32221-9	3M™ Green Corps™ File Sheet	40	5 sheets per pack 10 packs per case
32222	Used to finish sanding plastic filler.	0-00-51131-32222-6	3M™ Green Corps™ File Sheet	36	5 sheets per pack 10 packs per case

Retail - Miscellaneous

	03148	03149	03192
		- AVI	CAN TIME TO SERVICE THE PARTY OF THE PARTY O
Description	Professional-quality tool. The block is made of pliable rubber for easy, fast sanding.	Pliable rubber block which holds the sandpaper secure during wet or dry sanding operations	Excellent for cleanup just before painting. Use to remove dirt, lint, dust and sanding particles from metal, plastic, fiberglass and wood. Use again and again. Stays soft. Non-toxic.
Part Number	03148	03149	03192
UPC	0-00-51144-03148-1	0-00-51131-03149-4	0-00-51144-03192-4
Product Name	3M [™] Regular Ergonomic Sanding Block	3M [™] Large Ergonomic Sanding Block	3M™ Tack Cloth
Color	Black		White
Diameter	-		
Grade	-		
Width	2-3/4 Inch	3 2/3 Inch	17 Inch
Length	5 Inch		36 Inch
Packaging	10 per case	4 per case	40 per case
	03193	31550	
		SM	
Description	Designed for scuffing base, primed, or painted surfaces prior to applying primer or paint. Excellent for removing light surface rust. Can be used wet or dry and rinses clean for repeat use.	Grade 40E. Used for stripping paint to metal, shaping and sanding plastic filler. Individually linered discs.	
Part Number	03193	31550	
UPC	0-00-51131-03193-7	0-00-51131-31550-1	
Product Name	3M™ Paint and Body Scuff Pad	3M™ Green Corps™ Disc	
Color	Maroon	Green	
Diameter		8 Inch	
Grade		40	
Width	6 Inch		
Length	9 Inch		
Packaging	20 per case	5 discs per pack 10 packs per case	

Abrasives and Sanding

Retail - Rust Strippers

Diameter 4 Inch Max RPM 3500

	03171	03172	03173
		SII - ""	
Description	Removes rust, scale and old paint from metal. Attaches easily to an electric drill. Made from tough, non-woven synthetic material. Flexible-will not rust or splinter. M.O.S. 3,500 rpm.	3M™ Heavy Duty Automotive Rust and Paint Stripper attaches easily to a standard electric drill. Double-thick Scotch-Brite™ web strips quicker, lasts longer and cuts faster than con- ventional sandpaper. Conforms to surface con- tours.	Removes rust, scale and old paint from metal. Made from tough, non-woven synthetic material. Can be used for sanding fiberboard, plastics and wood. Attaches easily to an electric drill.
Part Number	03171	03172	03173
UPC	0-00-51131-03171-5	0-00-51131-03172-2	0-00-51131-03173-9
Product Name	3M™ Paint and Rust Stripper	3M [™] Large Area Paint and Rust Stripper	3M [™] Light Rust and Paint Remover
Color	Black	Black	Brown
Packaging	24 per case	12 packs per case	24 per case

Retail - Sanding Rolls

Width 1 Inch
Packaging 10 per case

	03130	03131	03132
	000 - 155 00000000000000000000000000000000000	SAM THE SAME	THE STATE OF THE S
Description	Tough, flexible cloth backing for sanding hard- to-reach areas. Long-lasting, fast cutting. Use for de-burring and metal finishing.	Tough, flexible cloth backing for sanding hard- to-reach areas. Long-lasting, fast cutting. Use for de-burring and metal finishing.	Tough, flexible cloth backing for sanding hard- to-reach areas. Long-lasting, fast cutting. Use for de-burring and metal finishing.
Part Number	03130	03131	03132
UPC	0-00-51144-03130-6	0-00-51144-03131-3	0-00-51144-03132-0
Product Name	3M™ Cloth Sanding Roll	3M™ Cloth Sanding Roll	3M™ Cloth Sanding Roll
Color	Black	Black	Green
Grade	P320	P180	P80
Length	2 Linear Yard	2 Linear Yard	1-1/2 Linear Yard

Retail - Sanding Sponges

Width 2-5/8 Inch Length 3-3/4 Inch Packaging 12 per case

	03068	03069	03070
	SM Participation of the Control of t	SM TO THE PARTY OF	THE PARTY OF THE P
Description	Strips paint to metal and shapes and sands body filler. Ideal for body work. Sands faster and lasts longer. Clog resistant.	For fininshing of shaping body filler and begin- ning sanding process. Ideal for body work. Sands faster and lasts longer. Clog resistant.	Perfect for primer, glaze, and putty preparation. Ideal for body work. Sands faster and lasts longer. Clog resistant.
Part Number	03068	03069	03070
UPC	0-00-51131-03068-8	0-00-51131-03069-5	0-00-51131-03070-1
Product Name	3M™ Performance Sanding Sponge	3M [™] Performance Sanding Sponge	3M [™] Performance Sanding Sponge
Color	Green	Maroon	Gold
Grade	60	100	320

Adhesives and Sealants

Retail - Adhesive Remover



Part Number	Description	UPC	Product Name	Packaging
03618	Adhesive Tar and Wax Remover quickly removes wax, grease, oil and adhesive residue. It will not harm most cured automotive paints and is also suitable for vinyl and glass surfaces. Instructions for removing bumper stickers are included.	0-00-51131-03618-5	3M [™] Adhesive Remover	4 per case

Adhesives and Sealants

Retail - Gasket & Weatherstrip

	03602	08001	08002
		Singer Number 170 Contraction of State Contraction	300 A
Description	3M TM Black Super Weatherstrip Adhesive bonds gaskets and weather strippping to metal sur- faces. Withstands vibration and temperature changes. Resists oils, fuels, detergents and grease. Strong, and flexible bond.	A strong, flexible, rubbery adhesive that can withstand vibration, oil, grease, and extreme temperature variations. It can be used to bond weatherstripping to car doors, trunks, T-tops, moon roofs and sun roofs. Excellent adhesive for holding paper, cork, or rubber gaskets in place during installation.	A strong, flexible, rubbery adhesive that can withstand vibration, oil, grease, and extreme temperature variations. It can be used to bond weatherstripping to car doors, trunks, T-tops, moon roofs and sun roofs. Excellent adhesive for holding paper, cork, or rubber gaskets in place during installation.
Part Number	03602	08001	08002
UPC	0-00-51131-03602-4	0-00-51135-08001-6	0-00-51135-08002-3
Product Name	3M [™] Black Super Weatherstrip Adhesive	3M [™] Super Weatherstrip and Gasket Adhesive	3M [™] Super Weatherstrip and Gasket Adhesive
Color	Black	Yellow	Yellow
Container Volume	1 Fluid Ounce (US)	5 Fluid Ounce (US)	2 Fluid Ounce (US)
Width	-		
Length	-		
Packaging	12 per case	6 per case	12 per case
	8008	08650	08651
	Sour Waldward 19 Advances 19 A	08650	08651
Description	A strong, flexible, rubbery adhesive that can withstand vibration and extreme temperature variations. It can be used to bond automotive weatherstripping and is a great adhesive for holding paper, cork, or rubber gaskets in place during installation.	Hollow bulb style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed.	L shaped style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed.
Description Part Number	A strong, flexible, rubbery adhesive that can withstand vibration and extreme temperature variations. It can be used to bond automotive weatherstripping and is a great adhesive for holding paper, cork, or rubber gaskets in place	Hollow bulb style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam	L shaped style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam
	A strong, flexible, rubbery adhesive that can withstand vibration and extreme temperature variations. It can be used to bond automotive weatherstripping and is a great adhesive for holding paper, cork, or rubber gaskets in place during installation.	Hollow bulb style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed.	L shaped style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed.
Part Number	A strong, flexible, rubbery adhesive that can withstand vibration and extreme temperature variations. It can be used to bond automotive weatherstripping and is a great adhesive for holding paper, cork, or rubber gaskets in place during installation. 08008	Hollow bulb style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed. 08650	L shaped style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed. 08651
Part Number UPC	A strong, flexible, rubbery adhesive that can withstand vibration and extreme temperature variations. It can be used to bond automotive weatherstripping and is a great adhesive for holding paper, cork, or rubber gaskets in place during installation. 08008 0-00-51135-08008-5	Hollow bulb style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed. 08650 0-00-79996-08650-3	L shaped style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed. 08651 0-00-79996-08651-0
Part Number UPC Product Name	A strong, flexible, rubbery adhesive that can withstand vibration and extreme temperature variations. It can be used to bond automotive weatherstripping and is a great adhesive for holding paper, cork, or rubber gaskets in place during installation. 08008 0-00-51135-08008-5 3M™ Super Weatherstrip Adhesive	Hollow bulb style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed. 08650 0-00-79996-08650-3	L shaped style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed. 08651 0-00-79996-08651-0
Part Number UPC Product Name Color	A strong, flexible, rubbery adhesive that can withstand vibration and extreme temperature variations. It can be used to bond automotive weatherstripping and is a great adhesive for holding paper, cork, or rubber gaskets in place during installation. 08008 0-00-51135-08008-5 3M TM Super Weatherstrip Adhesive Yellow	Hollow bulb style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed. 08650 0-00-79996-08650-3	L shaped style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed. 08651 0-00-79996-08651-0
Part Number UPC Product Name Color Container Volume	A strong, flexible, rubbery adhesive that can withstand vibration and extreme temperature variations. It can be used to bond automotive weatherstripping and is a great adhesive for holding paper, cork, or rubber gaskets in place during installation. 08008 0-00-51135-08008-5 3M TM Super Weatherstrip Adhesive Yellow	Hollow bulb style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed. 08650 0-00-79996-08650-3 3M™ EPDM Weatherstrip	L shaped style. Can be used on car doors, trunks, hatchbacks or wherever a supplemental weatherstrip is needed. Keeps out water, wind noise and dust. OEM approved acrylic foam tape. No glue or adhesive needed. 08651 0-00-79996-08651-0 3MTM EPDM Weatherstrip

Adhesives and Sealants

Retail - Headliner & Fabric

Exceptional strength bonds heavyweight automotive materials. Bonds to fabric, headliners, and foam. Dries in 30 minutes



Part Number	UPC	Product Name	Container Volume	Packaging
38808	0-00-51131-38808-6	3M [™] Headliner & Fabric Adhesive	18.1 Fluid Ounce (US)	4 per case

Retail - Miscellaneous Adhesives & Sealants

	911	03601	04862
		SAM	Man Lines
Description	Bondo® Super Glue repairs china, jewelry, toys and auto trim quickly. Works on metal, porcelain, leather and hardwoods. Bonds in seconds and dries clear and strong. For use on nonporous surfaces only. Only one drop needed per square inch.	3M™ Plastic Emblem and Trim Adhesive is ideal for bonding and minor repairs on vinyl molding, interior trim, plastic and metal ornaments. Use on interiors and exteriors. It dries quickly and is resistant to water, heat and fuels.	Hundreds of mushroom-shaped stems interlock when the two sides are pressed together. "Snap" announces that the fastener is engaged.
Part Number	911	03601	04862
UPC	0-00-76308-00911-3	0-00-51131-03601-7	0-00-51131-04862-1
Product Name	Bondo® Super Glue	3M™ Plastic Emblem and Trim Adhesive	3M [™] Dual Lock [™] Reclosable Fasteners
Color	Clear	Clear	Clear
Container Volume	2 Millilitre	1 Fluid Ounce (US)	
Width	-		1 Inch
Length	-		1 Inch
Packaging	12 per case	12 per case	4 pair per pack 24 packs per case

Adhesives and Sealants

Retail - Miscellaneous Adhesives & Sealants (continued)

	08908	9113
	SII Who oppose A constraint A constraint	
Description	Cleans off adhesive residue after woodgrain vinyl or vinyl stripes have been removed. Fastacting remover can be used on all acrylic enamel painted metal surfaces.	Bondo® Super Glue repairs china, jewelry, toys and auto trim quickly. Works on metal, porcelain, leather and hardwoods. Bonds in seconds and dries clear and strong. For use on nonporous surfaces only. Only one drop needed per square inch.
Part Number	08908	9113
UPC	0-00-51135-08908-8	0-00-76308-09113-2
Product Name	3M [™] Woodgrain and Stripe Adhesive Remover	Bondo® Super Glue
Color	White	Clear
Container Volume	18 Fluid Ounce (US)	2 Millilitre
Width		
Length		
Packaging	6 per case	12 per case

Retail - Multi-Purpose

	08075	08079	88080	08090
		Section 1	36.	→ → → → → → → → → → → → → → → → → → →
Description	High strength adhesive designed for fast grab and creating a durable bond. Moisture-resistant formula makes it ideal for working with rubber, glass and metal.	Two-part eopxy putty that provides a permanent bond in any spot. Great for filling and vertical applications.	Low VOC, clear, high strength adhesive for bonding automotive materials such as carpeting, jute pads, fabrics and plastics to metal and other surfaces. Has good heat and water resistance.	Aerosol contact adhesive designed for bonding vinyl tops, heavyweight liners and hood silencer pads where high strength and heat resistance are needed.
Part Number	08075	08079	08088	08090
UPC	0-00-51135-08075-7	0-00-51135-08079-5	0-00-51135-08088-7	0-00-51131-08090-4
Product Name	3M™ Contact Cement	3M [™] All-Purpose Bonding Putty	3M™ General Trim Adhesive	3M [™] Super Trim Adhesive
Container Volume	1 Fluid Ounce (US)	2 Fluid Ounce (US)	24 Fluid Ounce (US)	24 Fluid Ounce (US)
Packaging	6 per case	6 per case	4 per case	6 per case

Adhesives and Sealants

Retail - Multi-Purpose (continued)

	08121	08122	08318	
	3M	The state of the s		
Description	Fast drying, super strength adhesive designed for a wide variety of surfaces. Excellent for rubber, metal, leather and some plastics.	Fast drying, super strength adhesive designed for a wide variety of surfaces. Excellent for rubber, metal, leather and some plastics.	Easy-to-use rubber-based adhesive for most of your automotive repairs. Works well with metal, plastic, vinyl, rubber and glass.	
Part Number	08121	08122	08318	
UPC	0-00-51135-08121-1	0-00-51135-08122-8	0-00-51135-08318-5	
Product Name	3M™ Super Glue	3M™ Super Glue Gel	3M™ General Purpose Sealant	
Container Volume			3 Fluid Ounce (US)	
Packaging	6 per case	6 per case	6 per case	

Retail - Plastic & Emblem

Strong, quick-drying adhesive can be used for bonding plastic or metal emblems, interior rigid plastic, tail light lenses, vinyl side moldings or upholstery.



Part Number	UPC	Product Name	Color	Container Volume	Packaging
08061	0-00-51135-08061-0	3M™ Plastic and Emblem Adhesive	Clear	5 Fluid Ounce (US)	6 per case

Retail - Rearview Mirror

Container Volume 0.02 Fluid Ounce (US)
Packaging 12 per case

	08749	08752
	STORY	Share and the state of the stat
Description	Holds up well in high temperatures and humid environments. Two-part structural acrylic system designed to mount rear view mirrors. Resistant to moisture, chemicals, vibration, and impact. Simple application procedure, easy to apply.	A two-part structural acrylic system design to professionally mount rear view mirrors. Resistant to moisture, chemicals, vibration, and impact. A simple application procedure along with room temperature curing make this system very user friendly.
Part Number	08749	08752
UPC	0-00-51135-08749-7	0-00-51135-08752-7
Product Name	3M™ High Bond Rearview Mirror Adhesive	3M™ Rearview Mirror Adhesive
Color		Clear/Green

Adhesives and Sealants

Retail - Sealants

Packaging 6 per case

08318		08551	
		Soldman Sold Sold Sold Sold Sold Sold Sold Sold	
Description	Easy-to-use rubber-based adhesive for most of your automotive repairs. Works well with metal, plastic, vinyl, rubber and glass.	Clear, fast drying, sealant that stays flexible and is color stable. This product is used for sealing leaks in windshields, backlites, reveal moldings, truck ornaments, taillights and other small seams on the auto body.	
Part Number	08318	08551	
UPC	0-00-51135-08318-5	0-00-51135-08551-6	
Product Name	3M™ General Purpose Sealant	3M™ Clear Auto Sealer	
Container Volume	3 Fluid Ounce (US)	5 Fluid Ounce (US)	
Color		Clear	

Retail - Trim

Container Volume 24 Fluid Ounce (US)

	08088	08090
	3M 12 20 20 20 20 20 20 20 20 20 20 20 20 20	
Description	Low VOC, clear, high strength adhesive for bonding automotive materials such as carpeting, jute pads, fabrics and plastics to metal and other surfaces. Has good heat and water resistance.	Aerosol contact adhesive designed for bonding vinyl tops, heavyweight liners and hood silencer pads where high strength and heat resistance are needed.
Part Number	08088	08090
UPC	0-00-51135-08088-7	0-00-51131-08090-4
Product Name	3M™ General Trim Adhesive	3M™ Super Trim Adhesive
Color	Clear	Yellow
Packaging	4 per case	6 per case

Adhesives and Sealants

Retail - Undercoatings

3M[™] Professional Grade Rubberized Undercoating is an easy to use black protective coating that does not run when applied, provides anti corrosive protection, sound deadening and insulation to cars, trucks and recreational vehicles.



Part Number	UPC	Product Name	Color	Container Volume	Packaging
03584	0-00-51131-03584-3	3M™ Professional Grade Rubberized Undercoating	Black	20 Fluid Ounce (US)	6 per case

Appearance Products

Retail - Appearance Products

	800	802	03900	39000
	THE STATE OF THE S			
Description	Bondo® Restore Black puts the black luster back into your tires, trim, bumpers and bed liner for up to 6 months! With an easy applica- tor, Bondo® Restore Black soaks right into the surface and won't leave a greasy finish.	Bondo® Easy Finish® Bumper Black restores trim, black bumper, rear and side view mirrors, and moldings with a tough, durable, flexible finish. Dries to touch in just 20 to 30 minutes.	Excellent for hand compounding applications. It safely and effectively removes grade 1200 or finer sand scratches, other fine scratches, medium oxidation, coarse swirl marks or water spots, and leaves a fine finish.	Removes dirt and grime without removing your wax protection. Clear coat safe.
Part Number	800	802	03900	39000
UPC	0-00-76308-00800-0	0-00-76308-00802-4	0-00-51131-03900-1	0-00-51131-39000-3
Product Name	Bondo® Restore Black	Bondo® Easy Finish® Bumper Black	3M™ Rubbing Compound	3M™ Car Wash Soap
Color	Black	Black		
Container Volume	8 Fluid Ounce (US)	12 Fluid Ounce (US)		16 Fluid Ounce (US)
Packaging	4 per case	12 per case	4 per case	4 per case

Appearance Products

Retail - Appearance Products (continued)

	39002	39006	39026	39030
			TAME TO THE PARTY OF THE PARTY	
Description	Excellent for hand compounding applications. It safely and effectively removes grade 1200 or finer sand scratches, other fine scratches, medium oxidation, coarse swirl marks or water spots, and leaves a fine finish.	Removes most fine scratches, light oxidation, swirl marks, water spots, and minor stains. Leave a deep rich wax finish. Excellent for hand or machine use.	Shines and protects new and like- new paint finishes, producing a deep, high gloss, lustrous, durable wet look finish.	Extremely durable synthetic liquid wax. Ideal for all automotive exterior paints. High gloss shine, easy to use, for hand or machine use.
Part Number	39002	39006	39026	39030
UPC	0-00-51131-39002-7	0-00-51131-39006-5	0-00-51131-39026-3	0-00-51131-39030-0
Product Name	3M [™] Rubbing Compound	3M™ One Step Cleaner Wax	3M [™] Perfect-It [™] Show Car Liquid Wax	3M™ Performance Finish
Color	Light Brown		White	Opaque
Container Volume			1 Liquid Pint(US)	16 Fluid Ounce (US)
Packaging	4 per case	4 per case	6 per case	4 per case
	39034	39036	39040	39042
Description	Sprayable detailing wax. Recaptures that "just waxed" look, either for touch ups between wash- es or streak free drying after a wash. Easy mist on and wipe appli- cation.	Quickly and beautifully cleans wheels and tires in one easy step. Removes brake dust, road tar, grease and grime. Cleans soil and scuffs from tire side walls and leaves wheels with a brilliant shine.	Cleans, shines, conditions and pro- tects in one easy step. Deep cleans dirt and grime from all vinyl, leather, rubber and plastic surfaces. Fresh lemon scent.	Restores that deep black new look to tires and restores a deep rich natural appearance to exterior rubber bumpers or vinyl moldings. Cleans and rejuvenates.
Part Number	39034	39036	39040	39042
UPC	0-00-51131-39034-8	0-00-51131-39036-2	0-00-51131-39040-9	0-00-51131-39042-3
Product Name	3M™ Quick Wax	3M™ Wheel and Tire Cleaner	3M [™] Leather and Vinyl Restorer	3M™ Tire Restorer
Color	Off White	Light Yellow	White	White
Container Volume	1 Liquid Pint(US)	1 Liquid Pint(US)	16 Fluid Ounce (US)	16 Fluid Ounce (US)
Packaging	4 per case	4 per case	4 per case	4 per case

Appearance Products

Retail - Appearance Products (continued)

	39053	39056	39526
			PASTE WAX
Description	Restore your vehicle's appearance to a high gloss shine by removing oxidation, swirl marks, and light scratches. Protect your paint and help make it look like new again.	Use the 3M™ Synthetic Wax Protectant as part of the 3M™ Paint Restoration System to protect your paint from the elements.	Ultra high gloss paste wax with exceptional durability for use on automotive paints. Shines and protects new and like new pint finishes, producing a deep high gloss, lustrous, durable, "wet look" finish.
Part Number	39053	39056	39526
UPC	0-00-51131-39053-9	0-00-51131-39056-0	0-00-51131-39526-8
Product Name	3M [™] Paint Restoration System	3M [™] Synthetic Wax Protectant	3M™ Perfect-it™ Show Car Paste Wax
Color			Light Yellow
Container Volume		8 Fluid Ounce (US)	10.5 Fluid Ounce (US)
Packaging	2 per case	40 per case	6 per case

Body Repair

Retail - Body Filler

	233	260	261	262
	Common Co	brings IN Mary Hast In Mary Has		
Description	Bondo® Professional Gold Body Filler is a high quality professional grade body filler made from state of the art polyester resins technology.	Bondo® Body Filler Single is meant for a one time use to repair dents, patch holes and leaks and restore chips quickly and easily.	Bondo® Body Filler cures fast, shapes in minutes and is formulated to be a non-shrinking and permanently durable material for repairing metal, wood, steel, aluminum, fiberglass, and concrete.	Bondo® Body Filler cures fast, shapes in minutes and is formulat- ed to be a non-shrinking and per- manently durable material for repairing metal, wood, steel, alu- minum, fiberglass, and concrete.
Part Number	233	260	261	262
UPC	0-00-76308-00233-6	0-00-51131-00260-9	0-00-76308-00261-9	0-00-76308-00262-6
Product Name	Bondo® Professional Gold Filler	Bondo® Body Filler Single	Bondo® Lightweight Filler	Bondo® Lightweight Filler
Color	Blue/Gold		Light Gray/Red	Light Gray/Red
Container Volume	1 Liquid Quart(US)	6 Fluid Ounce (US)	1 Liquid Pint(US)	1 Liquid Quart(US)
Packaging	3 per case	4 per case	12 per case	12 per case

Body Repair

Retail - Body Filler (continued)

	265	267	310	312
Description	Bondo® Body Filler cures fast, shapes in minutes and is formulated to be a non-shrinking and permanently durable material for repairing metal, wood, steel, aluminum, fiberglass, and concrete.	Bondo® Body Filler cures fast, shapes in minutes and is formulated to be a non-shrinking and permanently durable material for repairing metal, wood, steel, aluminum, fiberglass, and concrete.	Bondo® Body Repair Kits are the same top quality Bondo® products used to repair dents, rust holes, scratches and other body repairs. These easy-to-use body repair kits are all you need to get started.	Bondo® Body Repair Kits are the same top quality Bondo® products used to repair dents, rust holes, scratches and other body repairs. These easy-to-use body repair kits are all you need to get started.
Part Number	265	267	310	312
UPC	0-00-76308-00265-7	0-00-76308-00267-1	0-00-76308-00310-4	0-00-76308-00312-8
Product Name	Bondo® Lightweight Filler	Bondo® Lightweight Filler	Bondo® Autobody Filler Kit	Bondo® Autobody Filler Kit
Color	Light Gray/Red	Light Gray/Red		Light Gray/Red
Container Volume	1 Gallon (US)	0.5 Gallon (US)		1 Liquid Quart(US)
Packaging	4 per case	6 per case	12 per case	12 per case
	316	751	752	1022
			Desired Services	D.
Description	Bondo® Body Repair Kits are the same top quality Bondo® products used to repair dents, rust holes, scratches and other body repairs. These easy-to-use body repair kits are all you need to get started.	Bondo® UV™ Sun Activated Glazing & Spot Putty is superior to all other glazing and spot putties because it's "mistake free" since no hardener is needed. Extremely smooth and easy to apply.	Bondo® UV™ Sun Activated Glazing & Spot Putty is superior to all other glazing and spot putties because it's "mistake free" since no hardener is needed. Extremely smooth and easy to apply.	Bondo® Ultimate® Filler is a pro- fessional quality auto body filler with super smooth application, easy sanding and feather-edging. Provides superior adhesion to galva- nized steel, metal, aluminum, e- coat, SMC, and fiberglass.
Description Part Number	same top quality Bondo® products used to repair dents, rust holes, scratches and other body repairs. These easy-to-use body repair kits	Glazing & Spot Putty is superior to all other glazing and spot putties because it's "mistake free" since no hardener is needed. Extremely	Glazing & Spot Putty is superior to all other glazing and spot putties because it's "mistake free" since no hardener is needed. Extremely	Bondo® Ultimate® Filler is a pro- fessional quality auto body filler with super smooth application, easy sanding and feather-edging. Provides superior adhesion to galva- nized steel, metal, aluminum, e-
·	same top quality Bondo® products used to repair dents, rust holes, scratches and other body repairs. These easy-to-use body repair kits are all you need to get started.	Glazing & Spot Putty is superior to all other glazing and spot putties because it's "mistake free" since no hardener is needed. Extremely smooth and easy to apply.	Glazing & Spot Putty is superior to all other glazing and spot putties because it's "mistake free" since no hardener is needed. Extremely smooth and easy to apply.	Bondo® Ultimate® Filler is a pro- fessional quality auto body filler with super smooth application, easy sanding and feather-edging. Provides superior adhesion to galva- nized steel, metal, aluminum, e- coat, SMC, and fiberglass.
Part Number	same top quality Bondo® products used to repair dents, rust holes, scratches and other body repairs. These easy-to-use body repair kits are all you need to get started.	Glazing & Spot Putty is superior to all other glazing and spot putties because it's "mistake free" since no hardener is needed. Extremely smooth and easy to apply.	Glazing & Spot Putty is superior to all other glazing and spot putties because it's "mistake free" since no hardener is needed. Extremely smooth and easy to apply.	Bondo® Ultimate® Filler is a pro- fessional quality auto body filler with super smooth application, easy sanding and feather-edging. Provides superior adhesion to galva- nized steel, metal, aluminum, e- coat, SMC, and fiberglass.
Part Number UPC	same top quality Bondo® products used to repair dents, rust holes, scratches and other body repairs. These easy-to-use body repair kits are all you need to get started. 316 0-00-76308-00316-6	Glazing & Spot Putty is superior to all other glazing and spot putties because it's "mistake free" since no hardener is needed. Extremely smooth and easy to apply. 751 0-00-76308-00751-5	Glazing & Spot Putty is superior to all other glazing and spot putties because it's "mistake free" since no hardener is needed. Extremely smooth and easy to apply. 752 0-00-76308-00752-2	Bondo® Ultimate® Filler is a professional quality auto body filler with super smooth application, easy sanding and feather-edging. Provides superior adhesion to galvanized steel, metal, aluminum, ecoat, SMC, and fiberglass. 1022 0-00-76308-01022-5
Part Number UPC Product Name	same top quality Bondo® products used to repair dents, rust holes, scratches and other body repairs. These easy-to-use body repair kits are all you need to get started. 316 0-00-76308-00316-6	Glazing & Spot Putty is superior to all other glazing and spot putties because it's "mistake free" since no hardener is needed. Extremely smooth and easy to apply. 751 0-00-76308-00751-5	Glazing & Spot Putty is superior to all other glazing and spot putties because it's "mistake free" since no hardener is needed. Extremely smooth and easy to apply. 752 0-00-76308-00752-2	Bondo® Ultimate® Filler is a professional quality auto body filler with super smooth application, easy sanding and feather-edging. Provides superior adhesion to galvanized steel, metal, aluminum, ecoat, SMC, and fiberglass. 1022 0-00-76308-01022-5 Bondo® Ultimate Filler

Body Repair

Retail - Body Filler (continued)

	1024
Description	Bondo® Ultimate® Filler is a professional quality auto body filler with super smooth application, easy sanding and feather-edging. Provides superior adhesion to galvanized steel, metal, aluminum, ecoat, SMC, and fiberglass.
Part Number	1024
UPC	0-00-76308-01024-9
Product Name	Bondo® Ultimate Filler
Color	Off-White/Blue
Container Volume	1 Gallon (US)
Packaging	4 per case

Retail - Glazes & Putties

Packaging 6 per case

	391	801	907	
Description	Bondo® Professional Finishing Glaze is a pro- fessional quality stain-free, tack-free polyester finishing glaze for filling slight imperfections in filler or metal. Great for repairing hail damage.	Bondo® Professional Glazing & Spot Putty is a 2-part component formula designed to quickly repair paint scratches, minor dents and stone ship damage.	Bondo® Glazing & Spot Putty is a 1-part putty that fills imperfections, pinholes in body filler, scratches, paint chips and minor dings. Can be used with other auto body repair materials. Sandable in only 30 minutes.	
Part Number	391	801	907	
UPC	0-00-76308-00391-3	0-00-76308-00801-7	0-00-76308-00907-6	
Product Name	Bondo® Professional Finishing Glaze	Bondo® Professional Glazing & Spot Putty	Bondo® Glazing & Spot Putty	
Container Volume	6 Fluid Ounce (US)	4.5 Fluid Ounce (US) 4.5 Fluid Ounce (US)		
	930	937		
		CONTROL OF THE PARTY OF THE PAR		
Description	Bondo® UV Sun Activated Glazing & Spot Putty is superior to all other glazing and spot putties because it's "mistake-free" since no hardener is needed. Extremely smooth and easy to apply.	Bondo® Glazing & Spot Putty is a 1-part putty that fills imperfections, pinholes in body filler, scratches, paint chips and minor dings. Can be used with other auto body repair materials. Sandable in only 30 minutes.		
Part Number	930	937		
UPC	0-00-76308-00930-4	0-00-76308-00937-3		
Product Name	Bondo® UV Glazing & Spot Putty	Bondo® Glazing & Spot Putty		
Container Volume	4.5 Fluid Ounce (US)	1.5 Fluid Ounce (US)		

Body Repair

Retail - Hardeners

Packaging 6 per case

	912	913	928
			The state of the s
Description	For use with Bondo® polyester fiberglass resin and other resins requiring liquid hardener.	Bondo® Red Cream Hardener is designed to be used with Bondo® Body Fillers, Bondo-Glass® Bondo-Hair®, and Fiberglass Resin Jelly. Formulated and packaged under temperature-controlled conditions which assures freshness and maximum performance.	Bondo® Red Cream Hardener is designed to be used with Bondo® Body Fillers, Bondo-Glass® Bondo-Hair®, and Fiberglass Resin Jelly. Formulated and packaged under temperature-controlled conditions which assures freshness and maximum performance.
Part Number	912	913	928
UPC	0-00-76308-00912-0	0-00-76308-00913-7	0-00-76308-00928-1
Product Name	Bondo® Liquid Hardener	Bondo® Red Cream Hardener	Bondo® Red Cream Hardener
Color	Clear	Red	Red
Container Volume	11 Millilitre	.75 Fluid Ounce (US)	2.75 Fluid Ounce (US)

Retail - Reinforced Fillers

	272	274	401	402
	ON DO-GLASS	LONDO-GLASS	FIB PERSONS	THE REAL PROPERTY OF THE PARTY
Description	Bondo-Glass is a unique reinforced filler containing short, interlocking fiberglass strands and fibers that make it twice as strong as regular body filler. Repairs small (dime size or smaller) rusted-out metal holes and shattered fiberglass body parts.	Bondo-Glass is a unique reinforced filler containing short, interlocking fiberglass strands and fibers that make it twice as strong as regular body filler. Repairs small (dime size or smaller) rusted-out metal holes and shattered fiberglass body parts.	Bondo® Fiberglass Resin is the same high-strength polyester resin that is used to build most boats. Can be used alone or with fiberglass tape, cloth or mat to repair damaged fiberglass boats, snowmobiles, jet skis, bathtubs and showers.	Bondo® Fiberglass Resin is the same high-strength polyester resin that is used to build most boats. Can be used alone or with fiberglass tape, cloth or mat to repair damaged fiberglass boats, snowmobiles, jet skis, bathtubs and showers.
Part Number	272	274	401	402
UPC	0-00-76308-00272-5	0-00-76308-00274-9	0-00-76308-00401-9	0-00-76308-00402-6
Product Name	Bondo® Bondo-Glass Fiberglass Reinforced Filler	Bondo® Bondo-Glass Fiberglass Reinforced Filler	Bondo® Fiberglass Resin	Bondo® Fiberglass Resin
Size	1 Quart	1 Gallon	1 Pint	1 Quart
Packaging	12 per case	4 per case	12 per case	6 per case

Body Repair

Retail - Reinforced Fillers (continued)

	402T	402Z	404	404Z
	THE STATE OF THE S	778 011 111 111	THE WATER	TO SECULDA
Description	Bondo® Fiberglass Resin is the same high-strength polyester resin that is used to build most boats. Can be used alone or with fiberglass tape, cloth or mat to repair damaged fiberglass boats, snowmobiles, jet skis, bathtubs and showers.	Bondo® Fiberglass Resin is the same high-strength polyester resin that is used to build most boats. Can be used alone or with fiberglass tape, cloth or mat to repair damaged fiberglass boats, snowmobiles, jet skis, bathtubs and showers.	Bondo® Fiberglass Resin is the same high-strength polyester resin that is used to build most boats. Can be used alone or with fiberglass tape, cloth or mat to repair damaged fiberglass boats, snowmobiles, jet skis, bathtubs and showers.	Bondo® Fiberglass Resin is the same high-strength polyester resin that is used to build most boats. Can be used alone or with fiberglass tape, cloth or mat to repair damaged fiberglass boats, snowmobiles, jet skis, bathtubs and showers.
Part Number	402T	402Z	404	404Z
UPC	0-00-76308-00402-6	0-00-76308-00402-6	0-00-76308-00404-0	0-00-76308-00404-0
Product Name	Bondo® Fiberglass Resin	Bondo® Fiberglass Resin	Bondo® Fiberglass Resin	Bondo® Fiberglass Resin
Size	1 Quart	1 Quart	1 Gallon	1 Gallon
Packaging	4 per case	2 per case	4 per case	4 per case
	420	420T	422	430
	Presentation of the Control of the C	77 SEEDER.	ALESSAN ATP	
Description	Bondo® Fiberglass Repair Kits have everything needed for the Dolt-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and Mixing Tray.	Bondo® Fiberglass Repair Kits have everything needed for the Do- It-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and Mixing Tray.	Bondo® Fiberglass Repair Kits have everything needed for the Dolt-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and Mixing Tray.	Bondo® Fiberglass Resin Jelly is a milled fiberglass reinforced, nondrip jelly formula. Recommended for repairing and filling minor rustouts on metal, wood, plastic, fiberglass autobodies, boats, campers, farm equipment, and snowmobiles.
Description Part Number	have everything needed for the Do- It-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and	have everything needed for the Do- It-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and	have everything needed for the Do- It-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and	milled fiberglass reinforced, non- drip jelly formula. Recommended for repairing and filling minor rust- outs on metal, wood, plastic, fiber- glass autobodies, boats, campers,
·	have everything needed for the Do- It-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and Mixing Tray.	have everything needed for the Do- lt-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and Mixing Tray.	have everything needed for the Do- It-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and Mixing Tray.	milled fiberglass reinforced, non- drip jelly formula. Recommended for repairing and filling minor rust- outs on metal, wood, plastic, fiber- glass autobodies, boats, campers, farm equipment, and snowmobiles.
Part Number	have everything needed for the Do- It-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and Mixing Tray. 420 0-00-76308-00420-0	have everything needed for the Do- lt-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and Mixing Tray. 420T 0-00-76308-00420-0	have everything needed for the Do- It-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and Mixing Tray.	milled fiberglass reinforced, non- drip jelly formula. Recommended for repairing and filling minor rust- outs on metal, wood, plastic, fiber- glass autobodies, boats, campers, farm equipment, and snowmobiles.
Part Number UPC	have everything needed for the Do- It-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and Mixing Tray. 420 0-00-76308-00420-0	have everything needed for the Do- lt-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and Mixing Tray. 420T 0-00-76308-00420-0	have everything needed for the Do- It-Yourselfer, including easy How-To directions, Fiberglass Resin, Liquid Hardener, Plastic Spreader, Fiberglass Cloth, Mixing Stick and Mixing Tray. 422 0-00-76308-00422-4	milled fiberglass reinforced, non- drip jelly formula. Recommended for repairing and filling minor rust- outs on metal, wood, plastic, fiber- glass autobodies, boats, campers, farm equipment, and snowmobiles. 430 0-00-76308-00430-9


Body Repair

Retail - Reinforced Fillers (continued)

	431	432	477	487
	TILL THE STATE OF	Parada as a same		THE RESERVE OF THE PARTY OF THE
Description	Bondo® Fiberglass Resin Jelly Kit is recommended for repairing and filling minor rust-outs on metal, wood, plastic, fiberglass autobodies, boats, campers, farm equipment, and snowmobiles. This kit comes with everything that you need to make a repair.	Bondo® Fiberglass Resin Jelly is a milled fiberglass reinforced, non-drip jelly formula. Recommended for repairing and filling minor rust-outs on metal, wood, plastic, fiberglass autobodies, boats, campers, farm equipment, and snowmobiles.	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood.	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. Use with Bondo® Polyester Fiberglass Resin for hundreds of repairs on cars, boats, campers, trucks, snowmobiles, tanks, etc. Will not rust or rot.
Part Number	431	432	477	487
UPC	0-00-76308-00431-6	0-00-76308-00432-3	0-00-76308-00477-4	0-00-76308-00487-3
Product Name	Bondo® Fiberglass Resin Jelly Kit	Bondo® Fiberglass Resin Jelly	Bondo® Fiberglass Cloth Tape	Bondo® Fiberglass Mat
Size	1 Pint	1 Quart	4 Inch x 2 Linear Yard	32 Square Feet
Packaging	6 per case	6 per case	6 per case	6 per case
		,		
	488	498	499	762
	488	498	499	762
Description	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood.	Bondo® fiberglass cloth tape, mat and cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. Use with Bondo® Polyester Fiberglass Resin for hundreds of repairs on cars, boats, campers, trucks, snowmobiles, tanks, etc. Will not rust or rot.	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood.	Bondo-Hair is formulated with long strands of chopped fiberglass for twice the strength of a regular body filler. Recommended for use on up to 1" rust holes, shattered fiberglass and dents where extra strength is required.
Description Part Number	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and	Bondo® fiberglass cloth tape, mat and cloth are perfect for any size job. Great for repairs on any sur- face, including metal, fiberglass, and wood. Use with Bondo® Polyester Fiberglass Resin for hun- dreds of repairs on cars, boats, campers, trucks, snowmobiles,	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and	Bondo-Hair is formulated with long strands of chopped fiberglass for twice the strength of a regular body filler. Recommended for use on up to 1" rust holes, shattered fiberglass and dents where extra strength is
·	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood.	Bondo® fiberglass cloth tape, mat and cloth are perfect for any size job. Great for repairs on any sur- face, including metal, fiberglass, and wood. Use with Bondo® Polyester Fiberglass Resin for hun- dreds of repairs on cars, boats, campers, trucks, snowmobiles, tanks, etc. Will not rust or rot.	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood.	Bondo-Hair is formulated with long strands of chopped fiberglass for twice the strength of a regular body filler. Recommended for use on up to 1" rust holes, shattered fiberglass and dents where extra strength is required.
Part Number	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood.	Bondo® fiberglass cloth tape, mat and cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. Use with Bondo® Polyester Fiberglass Resin for hundreds of repairs on cars, boats, campers, trucks, snowmobiles, tanks, etc. Will not rust or rot.	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood.	Bondo-Hair is formulated with long strands of chopped fiberglass for twice the strength of a regular body filler. Recommended for use on up to 1" rust holes, shattered fiberglass and dents where extra strength is required.
Part Number UPC	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. 488 0-00-76308-00488-0	Bondo® fiberglass cloth tape, mat and cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. Use with Bondo® Polyester Fiberglass Resin for hundreds of repairs on cars, boats, campers, trucks, snowmobiles, tanks, etc. Will not rust or rot. 498 0-00-76308-00498-9	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. 499 0-00-76308-00499-6	Bondo-Hair is formulated with long strands of chopped fiberglass for twice the strength of a regular body filler. Recommended for use on up to 1" rust holes, shattered fiberglass and dents where extra strength is required. 762 0-00-76308-00762-1 Bondo® Bondo-Hair Long Strand

Body Repair

Retail - Reinforced Fillers (continued)



Headlight Restoration

Retail - Headlight Restoration

	39008	39010	39014
Description	Four step process that restores the clarity of yellowed, hazed, or dull headlight lenses. Kit contains sanding discs and polishing pad with compound. For use with a drill.	Safely removes hairline scratches or other minor imperfections from automotive plastics. Recommended for use as a follow-up step after using 3M TM Lens & Hard Plastic Cleaner, PN39017.	Four step process that restores the clarity of yellowed, hazed, or dull headlight lenses. Kit contains masking tape, sanding discs, and polishing pad with compound. For use with a drill.
Part Number	39008	39010	39014
UPC	0-00-51131-39008-9	0-00-51131-39010-2	0-00-51131-39014-0
Product Name	3M [™] Headlight Lens Restoration System	3M™ Lens Polish & Protector	3M™ Lens Renewal Kit
Container Volume	-	8 Fluid Ounce (US)	
Packaging	4 per case	4 per case	4 per case

Headlight Restoration

Retail - Headlight Restoration (continued)

	39017	39045	39049
Description	Safely removes fine scratches, stains or haziness from automotive plastics.	Five step process that restores the clarity of yellowed, hazed, or dull headlight lenses and protects from debris. Kit contains sanding discs and polishing pad with compound, as well as protectant for lens and roll of tape to protect paint. For use with a drill.	Used to restore additional, multiple, larger, or extremely hazed lenses
Part Number	39017	39045	39049
UPC	0-00-51131-39017-1	0-00-51131-39045-4	0-00-51131-39049-2
Product Name	3M™ Lens & Hard Plastic Cleaner	3M™ Lens Renewal Kit with Protectant	3M™ Headlight Lens Refill Kit
Container Volume	8 Fluid Ounce (US)		
Packaging	4 per case	4 per case	50 per case

Miscellaneous Repair

Retail - Miscellaneous Repair

	280	502	726	727
		AND THE STATE OF T	NEW TO THE PARTY OF THE PARTY O	
Description	Bondo® Bumper Repair Kit is an easy solution to repair and restore damaged bumpers, bumper covers and other flexible parts. Bondo® Bumper Repair Kit works well as an adhesive or filler and makes repairs permanent.	Bondo® Rust Remover chemically removes rust from metal surfaces in just minutes! Just brush on, then wash off. No need to scrub, brush on then scrape. The jelly formula works fast, so it will not run.	Bondo® Truck Guard Roll-on Bed Liner is a durable and strong epoxy bed liner. Dries to a super high gloss, black, protective, non-ski coating. A 2-part epoxy is pre- measured to eliminate mixing errors.	Bondo® Truck Guard Roll-on Bed Liner is a durable and strong epoxy bed liner. Dries to a super high gloss, black, protective, non-ski coating. A 2-part epoxy is pre- measured to eliminate mixing errors.
Part Number	280	502	726	727
UPC	0-00-76308-00280-0	0-00-76308-00502-3	0-00-76308-00726-3	0-00-76308-00727-0
Product Name	Bondo® Epoxy Bumper Repair Syringe Kit	Bondo® Rust Remover	Bondo® Truck Guard™ Bedliner Small Kit	Bondo® Truck Guard™ Bedliner Large Kit
Color	Black	Light Red	Black	Black
Container Volume	0.34 Fluid Ounce (US)	1/2 Liquid Pint(US)	1 Gallon (US)	1 Gallon (US)
Packaging	6 per case	12 per case	2 per case	2 per case

Miscellaneous Repair

Retail - Miscellaneous Repair (continued)

	901	994	01313	01314
				Control of the second of the s
Description	Bondo® Plastic Metal seals and fills almost any metal surface. File, sand, drill and paint repaired surface when dry. Great for seams and minor holes.	Bondo® Windshield Mirror & Trim Adhesive bonds rearview mirror brackets to windshield also bonds car trim, emblems and bumper moldings. High- strength acrylic formula forms a permanent bond in minutes. Withstands high heat conditions.	This body repair kit includes 32 ounces of Professional Gold Body Filler, cream hardener, self-adhesive metal body patch, spreader, and step-by-step instructions to fix dents, holes and scratches.	Use this small dent repair kit to repair dents, patch holes and leaks, and restore chips quickly and easily. Kit contains 6 oz lightweight body filler, glaze, spreader, mixer and 1 sheet each of 80, 180 and 320 grit sandpaper.
Part Number	901	994	01313	01314
UPC	0-00-76308-00901-4	0-00-76308-00994-6	0-00-51131-01313-1	0-00-51131-01314-8
Product Name	Bondo® Plastic Metal	Bondo® Windshield Mirror & Trim Adhesive	Bondo® Professional Gold Body Repair Kit	Bondo® Small Dent Repair Kit
Color	Dark Gray	Yellow		
Container Volume	5 Fluid Ounce (US)	0.03 Fluid Ounce (US)	1 Liquid Quart(US)	
Packaging	6 per case	6 per case	6 per case	4 per case
	08579	08580		
Description	Use the 3M [™] Leather and Vinyl Repair Kit to repair leather and vinyl tears, burns and cuts.	Use the 3M [™] Windshield Repair Kit to minimize the appearance less than one inch in diameter of small bulls-eyes, spider web cracks and star damage on windshields.		
Part Number	08579	08580		
UPC	0-00-51135-08579-0	0-00-51135-8580-6		
Product Name	3M [™] Leather and Vinyl Repair Kit	3M™ Windshield Repair Kit		
Color				
Container Volume				
Packaging	3 per case	3 per case		

Performance Chemicals

Retail - Performance Chemicals

	08179	08180	08812	08813
	3M 3m 3m 3m	35.00		
Description	High power brake cleaner that meets 20% VOC rule. Cleans brake parts and assemblies without leaving residue. Good general purpose degreaser. Large, egonomic actuator delivers high powered stream to remove tough deposits. Removes brake dust, solvents, greases and oils.	A high power aerosol brake cleaner. Cleans brake dust, grease, oil and other contaminants. Contains 45% VOC - Not for sale in California.	A tank additive that cleans fuel injectors and intake valves. Improves fuel economy and power. Cleans gums, resins, varnishes. For gasoline engines only.	A tank additive that cleans fuel injectors, intake valves, and combustion chambers. Improves fuel economy and power. Removes carbon, gums, resins and varnish. For gasoline engines only.
Part Number	08179	08180	08812	08813
UPC	0-00-51135-08179-2	0-00-51135-08180-8	0-00-51135-08812-8	0-00-51131-16313-3
Product Name	3M [™] High Power Brake Cleaner	3M [™] High Power Brake Cleaner	3M™ Injector Cleaner	3M™ Complete Fuel System Cleaner
Container Volume	20 Fluid Ounce (US)	20 Fluid Ounce (US)	16 Fluid Ounce (US)	16 Fluid Ounce (US)
Color	Clear	Clear		Amber
De el estima		l	_	
Packaging	12 per case	12 cans per case	6 per case	6 per case
rackaging	12 per case 08814	12 cans per case 08820	6 per case 08821	6 per case 08866
rackaging				
Packaging Description				08866
	A concentrated tank additive that significantly cleans fuel injectors, intake valves, combustion chambers in one tank. For gasoline	An oil additive that improves fuel economy and power. Contains a unique friction modifer. Reduces friction, and engine wear while reducing build up of harmful deposits. Compatible with all types of motor oil. Add during oil change,	A transmission conditioner that improves shifting and drivability, reduces metal wear, conditions seals and reduces formation of sludge and varnish. Add to the top of existing tranmission fluid, or add	Not for sale in California. Cleans and lubricates throttle plates. Safe for coated throttle plates. Can be used
Description	A concentrated tank additive that significantly cleans fuel injectors, intake valves, combustion chambers in one tank. For gasoline engines only. 08814 0-00-51135-08814-2	An oil additive that improves fuel economy and power. Contains a unique friction modifer. Reduces friction, and engine wear while reducing build up of harmful deposits. Compatible with all types of motor oil. Add during oil change, or as a top off between oil changes.	A transmission conditioner that improves shifting and drivability, reduces metal wear, conditions seals and reduces formation of sludge and varnish. Add to the top of existing tranmission fluid, or add to new fluid.	Not for sale in California. Cleans and lubricates throttle plates. Safe for coated throttle plates. Can be used for carbuertors. 08866 0-00-51131-08866-5
Description Part Number	A concentrated tank additive that significantly cleans fuel injectors, intake valves, combustion chambers in one tank. For gasoline engines only. 08814 0-00-51135-08814-2 3M™ Max Strength Fuel System Cleaner	An oil additive that improves fuel economy and power. Contains a unique friction modifer. Reduces friction, and engine wear while reducing build up of harmful deposits. Compatible with all types of motor oil. Add during oil change, or as a top off between oil changes. 08820	A transmission conditioner that improves shifting and drivability, reduces metal wear, conditions seals and reduces formation of sludge and varnish. Add to the top of existing tranmission fluid, or add to new fluid. 08821	Not for sale in California. Cleans and lubricates throttle plates. Safe for coated throttle plates. Can be used for carbuertors.
Description Part Number UPC	A concentrated tank additive that significantly cleans fuel injectors, intake valves, combustion chambers in one tank. For gasoline engines only. 08814 0-00-51135-08814-2 3M™ Max Strength Fuel System	An oil additive that improves fuel economy and power. Contains a unique friction modifer. Reduces friction, and engine wear while reducing build up of harmful deposits. Compatible with all types of motor oil. Add during oil change, or as a top off between oil changes. 08820 0-00-51135-08820-3	A transmission conditioner that improves shifting and drivability, reduces metal wear, conditions seals and reduces formation of sludge and varnish. Add to the top of existing tranmission fluid, or add to new fluid. 08821 0-00-51135-08821-0	Not for sale in California. Cleans and lubricates throttle plates. Safe for coated throttle plates. Can be used for carbuertors. 08866 0-00-51131-08866-5 3M™ Throttle Plate and Carb Cleaner 12 Fluid Ounce (US)
Description Part Number UPC Product Name	A concentrated tank additive that significantly cleans fuel injectors, intake valves, combustion chambers in one tank. For gasoline engines only. 08814 0-00-51135-08814-2 3M™ Max Strength Fuel System Cleaner	An oil additive that improves fuel economy and power. Contains a unique friction modifer. Reduces friction, and engine wear while reducing build up of harmful deposits. Compatible with all types of motor oil. Add during oil change, or as a top off between oil changes. 08820 0-00-51135-08820-3 3M™ Oil Additive	A transmission conditioner that improves shifting and drivability, reduces metal wear, conditions seals and reduces formation of sludge and varnish. Add to the top of existing tranmission fluid, or add to new fluid. 08821 0-00-51135-08821-0	Not for sale in California. Cleans and lubricates throttle plates. Safe for coated throttle plates. Can be used for carbuertors. 08866 0-00-51131-08866-5 3M TM Throttle Plate and Carb Cleaner

Performance Chemicals

Retail - Performance Chemicals (continued)

	08880	08898	08899	08963
	SM	SM WILD PARTY	3.00	
Description	High power general purpose degreaser designed to remove oil, grease, brake fluid and other contaminants from all types of brake assemblies. Leaves no residue and helps eliminate disc brake squeal and chatter. NOT FOR SALE IN CALIFORNIA.	Specialized formula for general or all-around use. Provides characteristics of a lubricating oil, a penetrating oil, a demoisturizing coating, a thin bodied, transparent rust preventative coating in aerosol form.	General purpose aerosol degreaser. Removes grease, dirt, grime from engines. Safe for under-the-hood rubber and plastic parts.	3 component professional style fuel system cleaner for DIY customer. Cleans combustion chambers, intake valves fuel injector cleaners, throttle plate, intake manifold. Improves fuel ecomomy, acceleration and performance.
Part Number	08880	08898	08899	08963
UPC	0-00-51135-08880-7	0-00-51135-08898-2	0-00-51135-08899-9	0-00-51135-08963-7
Product Name	3M™ High Power Brake Cleaner	3M™ Multi Purpose Spray Lubricant	3M [™] Foaming Engine Degreaser	3M™ Fuel System Tune-Up Kit
Container Volume	14 Fluid Ounce (US)	16 Fluid Ounce (US)	20 Fluid Ounce (US)	
Color	Clear	Amber	White Foam, Translucent Liquid	
Packaging	12 cans per case	12 per case	12 per case	3 per case

Scratch Removers

Retail - Scratch Removers

	03900	39002	39044
		SIL	
Description	Excellent for hand compounding applications. It safely and effectively removes grade 1200 or finer sand scratches, other fine scratches, medium oxidation, coarse swirl marks or water spots, and leaves a fine finish.	Excellent for hand compounding applications. It safely and effectively removes grade 1200 or finer sand scratches, other fine scratches, medium oxidation, coarse swirl marks or water spots, and leaves a fine finish.	Medium cutting, fine finishing compound sug- gested for use to remove coarse scratches, car wash brush scratches, heavy oxidation, and stains all types of automotive paints.
Part Number	03900	39002	39044
UPC	0-00-51131-03900-1	0-00-51131-39002-7	0-00-51131-39044-7
Product Name	3M [™] Rubbing Compound	3M [™] Rubbing Compound	3M™ Scratch Remover
Container Volume	8 Fluid Ounce (US)	16 Fluid Ounce (US)	8 Fluid Ounce (US)
Packaging	4 per case	4 per case	4 per case

Scratch Removers

Retail - Scratch Removers (continued)

	39056	39071
		extension of the second of the
Description	Use the 3M [™] Synthetic Wax Protectant's as part of the 3M [™] Paint Restoration System to protect your paint from the elements.	Guaranteed to remove light paint scratches & scuffs. Improves paint's appearance. Easy to use system. Repairs multiple scratches. Repairs light paint damage from light key scratches, swirl marks, light oxidation.
Part Number	39056	39071
UPC	0-00-51131-39056-0	0-00-51131-39071-3
Product Name	3M [™] Synthetic Wax Protectant	3M™ Scratch Removal System
Container Volume	8 Fluid Ounce (US)	
Packaging	40 per case	4 per case

Tapes

Retail - Duct Tape

Width 1.88 Inch
Packaging 12 per case

	03451	03453	86848	99837
	Discritical Section of the Control o	Duct		
Description	Transparent Duct Tape makes your repair less obvious. It will not fall apart in extreme temperatures and harsh UV conditions like other ordinary duct taps.	Scotch® Automotive Heavy Duty All Weather Duct Tape is great for outdoor repairs. Its tough construction allows it to last three times longer than other heavy-duty duct tapes, even in extreme temperatures and harsh sun exposed conditions.	Scotch® Black Duct Tape is a black colored, midgrade duct tape used to repair, decorate, and color code. This item is available in a 2 in x 2 in x 3 in perfed case with 12 individually wrapped 1.88 in x 20 yd rolls.	Provides maximum all-weather strength without the messy cleanup-6 months no mess! This item is available in a 2x2x3 perforated tray containing 12 individually wrapped 1.88 in x 20 yd rolls.
Part Number	03451	03453	86848	99837
UPC	0-00-51131-03451-8	0-00-51131-03453-2	0-00-51131-98008-2	0-00-51131-99837-7
Product Name	Scotch® Automotive Transparent Duct Tape	Scotch® Automotive Heavy Duty All Weather Duct Tape	Scotch® Black Duct Tape 1020- BLK-A	Scotch® Tough No Residue Duct Tape 2420-A
Length	15 Linear Yard	30 Linear Yard	20 Linear Yard	20 Linear Yard
Color	Clear		Black	

Tapes

Retail - Electrical Tape

Width 3/4 Inch
Packaging 100 per case

	06132	49656
	September 1997 1997 1997 1997 1997 1997 1997 199	
Description	A premium grade vinyl electrical insulating tape, its aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not ooze or melt in high temperatures. Inner pack of 1/can, 10/ctn.	Basic use electrical tape. Flame retardant, lead Free.
Part Number	06132	49656
UPC	0-00-54007-06132-8	0-00-54007-49656-4
Product Name	Scotch® Super 33+™ Vinyl Electrical Tape	Tartan™ Vinyl Electrical Tape 1710
Length	66 Linear Foot	60 Linear Foot
Color	Black	Black

Retail - Masking Tape

	03430	03431	03432	03433
			Parameter St.	
Description	General purpose automotive mask- ing tape for non-critical paint masking applications.	A quality automotive masking tape that provides excellent adhesion to a variety of substrates, a sharp paint line, and removes cleanly upon completion of the job.	General purpose automotive mask- ing tape for non-critical paint masking applications.	A quality automotive masking tape that provides excellent adhesion to a variety of substrates, a sharp paint line, and removes cleanly upon completion of the job.
Part Number	03430	03431	03432	03433
UPC	0-00-51131-03430-3	0-00-51131-03431-0	0-00-51131-03432-7	0-00-51131-03433-4
Product Name	3M™ Automotive Masking Tape	3M [™] Automotive Performance Masking Tape	3M [™] Automotive Masking Tape	3M [™] Automotive Performance Masking Tape
Color	Tan	Green	Tan	Green
Width	18 Millimetre	18 Millimetre	36 Millimetre	35 Millimetre
Length	32 Linear Metre	32 Linear Metre	32 Linear Metre	32 Linear Metre
Packaging	24 per case	24 per case	24 per case	24 per case

Tapes

Retail - Masking Tape (continued)

	03435	03680	03681	03682
				Back Back Back
Description	A quality automotive masking tape that provides excellent adhesion to a variety of substrates, a sharp paint line, and removes cleanly upon completion of the job.	This tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight. It is a medium adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.	This tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight. It is a medium adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.	This tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight. It is a medium adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.
Part Number	03435	03680	03681	03682
UPC	0-00-51131-03435-8	0-00-51115-03680-4	0-00-51115-03681-1	0-00-51115-03682-8
Product Name	3M™ Automotive Performance Masking Tape	Scotch-Blue™ Painters Tape for Multi-Surfaces	Scotch-Blue™ Painter`s Tape for Multi-Surfaces	Scotch-Blue™ Painter`s Tape for Multi-Surfaces
Color	Green	Blue	Blue	Blue
Width	48 Millimetre	19 Millimetre	25 Millimetre	38 Millimetre
Length	32 Linear Metre	60 Linear Yard	60 Linear Yard	60 Linear Yard
Packaging	12 per case	24 per case	36 per case	24 per case
	03683	05618	05620	06652
	tie man.		illa and a second	
Description	This tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct	This tape can be removed cleanly for up to 3 days. It features medium-high adhesion and is ideal for	This tape can be removed cleanly for up to 3 days. It features medium-high adhesion and is ideal for	3M [™] Automotive Refinish Masking Tape is designed to meet today's paint technicians requirements for
	sunlight. It is a medium adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.	window, door and wall trim and for masking cabinets, carpet, and vinyl flooring.	window, door and wall trim and for masking cabinets, carpet, and vinyl flooring.	masking before painting; no adhesive transfer; no edge lifting; waterborne paint system compatible.
Part Number	tape that is ideal for painted walls and trim, woodwork, glass and	window, door and wall trim and for masking cabinets, carpet, and vinyl	window, door and wall trim and for masking cabinets, carpet, and vinyl	sive transfer; no edge lifting; water-
Part Number UPC	tape that is ideal for painted walls and trim, woodwork, glass and metal.	window, door and wall trim and for masking cabinets, carpet, and vinyl flooring.	window, door and wall trim and for masking cabinets, carpet, and vinyl flooring.	sive transfer; no edge lifting; water- borne paint system compatible.
	tape that is ideal for painted walls and trim, woodwork, glass and metal. 03683	window, door and wall trim and for masking cabinets, carpet, and vinyl flooring. 05618	window, door and wall trim and for masking cabinets, carpet, and vinyl flooring. 05620	sive transfer; no edge lifting; water- borne paint system compatible. 06652
UPC	tape that is ideal for painted walls and trim, woodwork, glass and metal. 03683 0-00-51115-03683-5 Scotch-Blue™ Painter's Tape for	window, door and wall trim and for masking cabinets, carpet, and vinyl flooring. 05618 0-00-21200-05618-5 Scotch® Masking Tape for General	window, door and wall trim and for masking cabinets, carpet, and vinyl flooring. 05620 0-00-21200-05620-8 Scotch® Masking Tape for General	sive transfer; no edge lifting; water- borne paint system compatible. 06652 0-00-51131-06652-6 3M TM Automotive Refinish Masking
UPC Product Name	tape that is ideal for painted walls and trim, woodwork, glass and metal. 03683 0-00-51115-03683-5 Scotch-Blue™ Painter's Tape for Multi-Surfaces	window, door and wall trim and for masking cabinets, carpet, and vinyl flooring. 05618 0-00-21200-05618-5 Scotch® Masking Tape for General	window, door and wall trim and for masking cabinets, carpet, and vinyl flooring. 05620 0-00-21200-05620-8 Scotch® Masking Tape for General	sive transfer; no edge lifting; water- borne paint system compatible. 06652 0-00-51131-06652-6 3M TM Automotive Refinish Masking Tape
UPC Product Name Color	tape that is ideal for painted walls and trim, woodwork, glass and metal. 03683 0-00-51115-03683-5 Scotch-Blue™ Painter's Tape for Multi-Surfaces Blue	window, door and wall trim and for masking cabinets, carpet, and vinyl flooring. 05618 0-00-21200-05618-5 Scotch® Masking Tape for General Painting	window, door and wall trim and for masking cabinets, carpet, and vinyl flooring. 05620 0-00-21200-05620-8 Scotch® Masking Tape for General Painting	sive transfer; no edge lifting; water- borne paint system compatible. 06652 0-00-51131-06652-6 3M TM Automotive Refinish Masking Tape Yellow

Tapes

Retail - Masking Tape (continued)

	92104	92106
Description	Tartan™ General Purpose Masking Tape is designed for non-critical painting and utility applications. It should be removed within four hours and should not be applied to wallpaper, unpainted wallboard or ceiling tile.	Tartan™ General Purpose Masking Tape is designed for non-critical painting and utility applications. It should be removed within four hours and should not be applied to wallpaper, unpainted wallboard or ceiling tile.
Part Number	92104	92106
UPC	0-00-51131-92104-7	0-00-51131-92106-1
Product Name	Tartan™ Masking Tape	Tartan™ Masking Tape
Color	White	White
Width	24 Millimetre	48 Millimetre
Length	55 Linear Metre	55 Linear Metre
Packaging	36 per case	24 per case

Retail - Miscellaneous Tape

	03410	03420
Description	Mounts small items to dashboards or other interior surfaces. It features a self-sticking adhesive on both sides.	Seals gaps between pickup truck cap and bed rails. Helps to insulate. Adhesive-backed foam seals out dust, moisture and vibrations.
Part Number	03410	03420
UPC	0-00-51131-03410-5	0-00-51131-03420-4
Product Name	Scotch® Mounting Tape	3M™ Pickup Camper Tape
Width	1/2 Inch	1-1/4 lnch
Length	75 Inch	10 Linear Yard
Packaging	24 per case	6 per case

Tapes

Retail - Molding & Trim Attachment Tape

Packaging 24 per case

	03609	03614	03615	03616
			Wild Mills and the state of the	
Description	Ideal for attaching vehicle body side moldings, trim and emblems. Strong bonding and easy to use. Cut to size, no mess.	Ideal for attaching vehicle body side moldings, trim and emblems. Strong bonding and easy to use. Cut to size, no mess.	ldeal for attaching vehicle body side moldings, trim and emblems. Strong bonding and easy to use. Cut to size, no mess.	Ideal for attaching vehicle body side moldings, trim and emblems. Strong bonding and easy to use. Cut to size, no mess.
Part Number	03609	03614	03615	03616
UPC	0-00-51131-03609-3	0-00-51131-03614-7	0-00-51131-03615-4	0-00-51131-03616-1
Product Name	3M [™] Scotch-Mount [™] Molding Tape	3M™ Super Strength Molding Tape	3M [™] Scotch-Mount [™] Molding Tape	3M [™] Scotch-Mount [™] Molding Tape
Width	1/2 Inch	1/2 Inch	7/8 Inch	7/8 Inch
Length	5 Linear Foot	15 Linear Foot	5 Linear Foot	15 Linear Foot

Retail - Reflective

Packaging 24 per case

	03455	03456	03458C	03459
	Total and Salah	SAM STATE OF THE PARTY OF THE P	SAM	SAM
Description	3M™ Scotchlite™ Reflective Tape is visibility/identification tape for enhanced nighttime reflective brightness.	3M™ Scotchlite™ Reflective Tape is visibility/identification tape for enhanced nighttime reflective brightness.	3M™ Scotchlite™ Reflective Tape is visibility/identification tape for enhanced nighttime reflective brightness.	3M TM Scotchlite TM Reflective Tape is visibility/identification tape for enhanced nighttime reflective brightness.
Part Number	03455	03456	03458C	03459
UPC	0-00-51131-03455-6	0-00-51131-03456-3	0-00-51131-03458-7	0-00-51131-03459-4
Product Name	3M [™] Scotchlite [™] Reflective Tape	3M [™] Scotchlite [™] Reflective Tape	3M [™] Scotchlite [™] Reflective Tape	3M™ Scotchlite™ Reflective Tape
Color	Red/Silver	Red/Silver	Red	Red/Silver
Width	2 Inch	2 Inch	1 Inch	2 Inch
Length	12 Inch	36 Inch	36 Inch	36 Inch

Tapes

Retail - Reflective (continued)

	03461	03462	03463	
Description	3M™ Scotchlite™ High Visibility Reflective Strips respond to the need for improved visibility with 2- inch wide strips of an alternating red and white (silver) refelective tape. Guaranteed to meet NHTSAs minimum specs. All material is edge sealed.	3M™ Scotchlite™ High Visibility Reflective Strips respond to the need for improved visibility with 2- inch wide strips of an alternating red and white (silver) refelective tape. Guaranteed to meet NHTSAs minimum specs. All material is edge sealed.	3M™ Scotchlite™ High Visibility Reflective Strips respond to the need for improved visibility with 2- inch wide strips of an alternating red and white (silver) reflective tape. Guaranteed to meet NHTSAs minimum specs. All material is edge sealed.	
Part Number	03461	03462	03463	
UPC	0-00-51131-03461-7	0-00-51131-03462-4	0-00-51131-03463-1	
Product Name	3M [™] Scotchlite [™] High Visibility Reflective Strips	3M™ Scotchlite™ High Visibility Reflective Strips	3M [™] Scotchlite [™] High Visibility Reflective Strips	
Color	Red/Silver	Red/Silver	Red/Silver	
Width	2 Inch	2 Inch	2 Inch	
Length	18 Inch	18 Inch	12 Inch	

Retail - Repair Tape

	03439	03441	03442
	55.00 55	01H)	none none
Description	Repairs torn vinyl car covers and offers tight, water resistant seals on many surfaces.	Designed for the temporary repairs of broken or cracked tailights, parking lights and side directional lights. Available in red and amber.	Designed for the temporary repairs of broken or cracked tailights, parking lights and side directional lights. Available in red and amber.
Part Number	03439	03441	03442
UPC	0-00-51135-03439-2	0-00-51131-03441-9	0-00-51131-03442-6
Product Name	3M™ Clear Repair Tape	3M™ Lens Repair Tape	3M™ Lens Repair Tape
Color	Clear	Red	Amber
Width	1-1/2 Inch	1.875 Inch	1-7/8 Inch
Length	115 Inch	60 Inch	60 Inch
Packaging	24 per case	24 per case	24 per case

Tapes

Retail - Repair Tape (continued)

	03450	03454
	Compo Ridon or tole Comp	The state of the s
Description	3M [™] Cloth Tape is a general purpose cloth tape intended for bundling, sealing, and holding applications in the automotive aftermarket.	3M [™] Cloth Tape is a general purpose cloth tape intended for bundling, sealing, and holding applications in the automotive aftermarket.
Part Number	03450	03454
UPC	0-00-51131-03450-1	0-00-51131-03454-9
Product Name	3M™ Cloth Tape	3M™ Cloth Tape
Color	Silver	Silver
Width	48 Millimetre	48 Millimetre
Length	50 Linear Metre	25 Linear Metre
Packaging	12 per case	12 per case

Tools and Accessories

Retail - Tools and Accessories

	100	101	102	103
	Manual Control of the			
Description	Bondo® Sanding Block holds and keeps sandpaper flat against the surface while sanding.	Bondo® 3-Position File Holder holds file blades securely in place. The adjustable handle makes filing and shaping easy on flat or contoured auto body panels.	Bondo® Flexible Sander is great for contour and edge sanding.	Bondo® Shaping & Bumping Hammer is used to make small folds and remove small dents in sheet metal.
Part Number	100	101	102	103
UPC	0-00-76308-00100-1	0-00-76308-00101-8	0-00-76308-00102-5	0-00-76308-00103-2
Product Name	Bondo® Sanding Block	Bondo® 3 Position File Holder	Bondo® Flexible Sander	Bondo® Shaping Hammer
Color	Red	Black/Red	Black/Red	Red/Black
Width	2-3/4 Inch	10 Inch	2-3/4 Inch	
Length	5 Inch	1-5/8 Inch	9-1/2 Inch	
Packaging	6 per case	2 per case	3 per case	6 per case

Tools and Accessories

Retail - Tools and Accessories (continued)

	03148	105	107	109
		TAS POLYMENT		
Description	Professional-quality tool. The block is made of pliable rubber for easy, fast sanding.	Bondo® General Purpose Dolly is a multi-sided metal shaper to be used in conjunction with #107 Pick and Bumping Hammer to repair damaged sheet metal.	Bondo® Pick & Bumping Hammer is used to hammer out dings and dents. The hammer's flat and pointed tips help to make a precise iMpact TM when straightening metal.	Bondo® Rubber Mallet helps remove small dents and dings where less iMpact™ in needed. The mallet also helps prevent over- stretching the metal.
Part Number	03148	105	107	109
UPC	0-00-51144-03148-1	0-00-76308-00105-6	0-00-76308-00107-0	0-00-76308-00109-4
Product Name	3M [™] Regular Ergonomic Sanding Block	Bondo® General Purpose Dolly	Bondo® Pick & Bump Hammer	Bondo® Rubber Mallet
Color	Black	Red	Red/Black	Black/Red
Width	2-3/4 Inch			
Length	5 Inch			
Packaging	10 per case	3 per case	6 per case	3 per case
	121	122	125	128
			NAME OF THE PARTY	Secret Market
Description	Bondo® File Blade is used in con- junction with out 3-Position File Holder (Part # 101)	Bondo® File Blade is used in con- junction with out 3-Position File Holder (Part # 101)	Bondo® Safety Goggles protect your eyes from sanding particles and other work hazards. ANSI cer- tified	Bondo® Aerosol Trigger turns the average spray paint can into a professional paint
Part Number	121	122	125	128
UPC	0-00-76308-00121-6	0-00-76308-00122-3	0-00-76308-00125-4	0-00-76308-00128-5
Product Name	Bondo® 10 inch Flat File Blade	Bondo® Autobody Round Shaper File Blade	Bondo® Safety Goggles	Bondo® Easy Finish® Aerosol Trigger
Color	Black	Black	Clear	Black
Width	1 Inch	1 Inch		
Length	10 Inch	10 Inch		
Packaging	10 per case	10 per case	6 per case	12 per case

Tools and Accessories

Retail - Tools and Accessories (continued)

	357	359	368	488
	Former Systems	WINES SAND Friends of the Control of		THE RESIDENCE OF THE PARTY OF T
Description	Bondo® Plastic Spreaders are great for applying fillers, putties, glazes and caulks. 3-Pack.	Bondo® Mixing Board is a reusable board for conveniently mixing body fillers.	Bondo® Plastic fits easily inside and around the rim of gallon cans for easy mixing of fillers, paints and primers.	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood.
Part Number	357	359	368	488
UPC	0-00-76308-00357-9	0-00-76308-00359-3	0-00-76308-00368-5	0-00-76308-00488-0
Product Name	Bondo® Spreader	Bondo® Mixing Board	Bondo® Filler Scoop	Bondo® Fiberglass Mat
Color	Salmon	White	Yellow	White
Width		6 Inch		15.2 Linear Centimetre
Length		8 Inch		27.9 Linear Centimetre
Packaging	12 per case	12 per case	6 per case	6 per case
	499	813	820	932
	Marie of Mar	CONTEST AND DOCK (SAME) Collifer & deposesibler	EYEER WOOK PAIN	BOOV PATCH
	Section Control Contro	ESSENIA. MILITARIA ESSENIA ESS		
Description	Bondo® Fiberglass Cloth Tape, Mat & Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. 8 Square Feet.	Bondo® Tack Cloth helps to remove loose sand dust and trash particles from surfaces before priming and paint application.	Bondo® Steel Wool is used to prepare metal or plastic prior to painting. Removes paint and rust, polishes steel and other metals and cleans soiled surfaces. #00 Grade.	Bondo® Self-Adhesive Body Patch provides a firm, metal reinforced contour foundation for Bondo® Body Filler and Fiberglass Resins when applied directly over the patched area.
Description Part Number	& Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and	remove loose sand dust and trash particles from surfaces before	pare metal or plastic prior to paint- ing. Removes paint and rust, pol- ishes steel and other metals and	provides a firm, metal reinforced contour foundation for Bondo® Body Filler and Fiberglass Resins when applied directly over the
•	& Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. 8 Square Feet.	remove loose sand dust and trash particles from surfaces before priming and paint application.	pare metal or plastic prior to paint- ing. Removes paint and rust, pol- ishes steel and other metals and cleans soiled surfaces. #00 Grade.	provides a firm, metal reinforced contour foundation for Bondo® Body Filler and Fiberglass Resins when applied directly over the patched area.
Part Number	& Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. 8 Square Feet. 499	remove loose sand dust and trash particles from surfaces before priming and paint application.	pare metal or plastic prior to paint- ing. Removes paint and rust, pol- ishes steel and other metals and cleans soiled surfaces. #00 Grade.	provides a firm, metal reinforced contour foundation for Bondo® Body Filler and Fiberglass Resins when applied directly over the patched area.
Part Number UPC	& Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. 8 Square Feet. 499 0-00-76308-00499-6	remove loose sand dust and trash particles from surfaces before priming and paint application. 813 0-00-76308-00813-0	pare metal or plastic prior to painting. Removes paint and rust, polishes steel and other metals and cleans soiled surfaces. #00 Grade. 820 0-00-76308-00820-8	provides a firm, metal reinforced contour foundation for Bondo® Body Filler and Fiberglass Resins when applied directly over the patched area. 932 0-00-76308-00932-8
Part Number UPC Product Name	& Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. 8 Square Feet. 499 0-00-76308-00499-6 Bondo® Fiberglass Cloth	remove loose sand dust and trash particles from surfaces before priming and paint application. 813 0-00-76308-00813-0 Bondo® Tack Cloth	pare metal or plastic prior to painting. Removes paint and rust, polishes steel and other metals and cleans soiled surfaces. #00 Grade. 820 0-00-76308-00820-8 Bondo® Steel Wool	provides a firm, metal reinforced contour foundation for Bondo® Body Filler and Fiberglass Resins when applied directly over the patched area. 932 0-00-76308-00932-8 Bondo® Self Adhesive Patch
Part Number UPC Product Name Color	& Cloth are perfect for any size job. Great for repairs on any surface, including metal, fiberglass, and wood. 8 Square Feet. 499 0-00-76308-00499-6 Bondo® Fiberglass Cloth	remove loose sand dust and trash particles from surfaces before priming and paint application. 813 0-00-76308-00813-0 Bondo® Tack Cloth Yellow	pare metal or plastic prior to painting. Removes paint and rust, polishes steel and other metals and cleans soiled surfaces. #00 Grade. 820 0-00-76308-00820-8 Bondo® Steel Wool	provides a firm, metal reinforced contour foundation for Bondo® Body Filler and Fiberglass Resins when applied directly over the patched area. 932 0-00-76308-00932-8 Bondo® Self Adhesive Patch

Tools and Accessories

Retail - Tools and Accessories (continued)

	952	953	954	956
	The state of the s	The last the	DENT PULLER	
Description	Bondo® Heavy Duty Dent Puller is essential for pulling out medium to large dents from surfaces.	Bondo® Dent Puller is used for pulling out minor dents and dings.	Bondo® Suction Cup Dent Puller can be used on dents in which metal has not been stretched and needs to be retracted out.	Bondo® Locking Suction Cup Dent Puller has 300 times more suction than other non-locking suction cup dent pullers. It can pull out large dents without leaving holes behind that need to be filled.
Part Number	952	953	954	956
UPC	0-00-76308-00952-6	0-00-76308-00953-3	0-00-76308-00954-0	0-00-76308-00956-4
Product Name	Bondo® Heavy Duty Dent Puller	Bondo® Dent Puller	Bondo® Suction Cup Dent Puller	Bondo® Double Handle Locking Suction Cup Dent Puller
Color	Red	Red/Silver	Red	Red
Width				
Length				
Packaging	3 per case	3 per case	6 per case	6 per case

Detailing System

Detailing System

Accessories

Detailing Accessories

	37712	37716	37717
Description	Mixes one product to proper dilution ratio. Cost effective controlled mixing. Adjust to mix one of eight 3M water-based products. Not for glass cleaner, use part number 37713.	32 fluid ounce flourinated bottle used to dispense 3M™ Body Shop Clean-Up™ Products. Use with 3M™ Spray Trigger Head 37717.	Use with waterbased 3M [™] Detailing products. Long lasting, high output, adjustable, general purpose spray trigger nozzle head used with the 3M [™] Detailing Spray Bottle 37716. Red and white in color.
Part Number	37712	37716	37717
UPC	0-00-51131-37712-7	0-00-51131-37716-5	0-00-51131-37717-2
Product Name	3M™ Detailing Diluter	3M [™] Detailing Spray Bottle	3M [™] Spray Trigger Nozzle Head
Container Volume	-	32 Fluid Ounce (US)	
Color	-	Clear	Red/White
Packaging	1 per case	24 per case	24 per case
	37718	37720	37721
	F		
Description	For use with solvent or water based detailing chemicals. Long lasting, adjustable sprayer. Detailing chemicals can be sprayed with the spray head upside down. Gray color.	Ketchup style squeeze bottle. Includes spout top. Use for dispensing compounds, glazes, polishes and liquid wax. Can also be used to dispense solvents to clean spray gun in 3M TM Paint Preparation System.	Diluter is pre-set to automatically mix three 3M™ Detailing Products. Products include 3M™ Car Wash Soap at 1:100 ratio, 3M™ All Purpose Cleaner and Degreaser at 1:15 ratio (exterior/heavy cleaning)and 3M™ Glass Cleaner at 1:8 ratio.
Part Number	37718	37720	37721
UPC	0-00-51131-37718-9	0-00-51131-37720-2	0-00-51131-37721-9
Product Name	3M™ Solvent Spray Nozzle Trigger Head	3M™ Detailing Squeeze Bottle	3M™ Detailing Diluter
Container Volume		12 Fluid Ounce (US)	
Color	Gray	Clear	
Packaging	24 per case	24 per case	1 per case

Detailing System

Waxes & Polishes

Waxes and Polishes

	06005	06006	38105
	Annual Control of the	Principal Liquid for Section 1 April 1	See
Description	Clear coat safe wax. Use on all cured paint fin- ishes. For use by hand or with an orbital polish- er. Produces a high-gloss, deep-luster, durable finish on both new and used car paints.	Clear coat safe wax. Use on all cured paint fin- ishes. For use by hand or with an orbital polish- er. Produces a high-gloss, deep-luster, durable finish on both new and used car paints.	Medium cutting, fine finishing compound rec- ommended for use to remove heavy oxidation, coarse scratches and stains, and leaves a medi- um gloss, fine swirl mark finish on all types of automotive paints.
Part Number	06005	06006	38105
UPC	0-00-51131-06005-0	0-00-51131-06006-7	0-00-51131-38105-6
Product Name	3M™ Premium Liquid Wax	3M™ Premium Liquid Wax	3M™ Detail Compound 308
Container Volume	1 Liquid Quart(US)	1 Gallon (US)	1 Gallon (US)
Color	Light Green	Light Green	White
Packaging	6 per case	4 per case	4 per case
	38113	38114	38116
	In the second se	State of the state	SM pan base base
Description	Quick and easy spray on/wipe off product that cleans and adds shine and depth to painted surfaces that is clear coat safe.	Quick and easy spray on/wipe off product that cleans and adds shine and depth to painted surfaces that is clear coat safe.	Medium cutting, fine finishing polish that removes light to medium oxidation, fine scratches and stains. Leaves an excellent high gloss finish on all types of automotive finishes including clear coats
Part Number	38113	38114	38116
LIDO	0-00-51131-38113-1	0-00-51131-38114-8	0-00-51131-39516-9
UPC	0 00 01101 00110 1		
Product Name	3M™ Gloss Enhancer	3M™ Gloss Enhancer	3M™ Detail Polish 208
	************	3M™ Gloss Enhancer 5 Gallon (US)	3M™ Detail Polish 208 1 Gallon (US)
Product Name	3M™ Gloss Enhancer		

Interior Cleaners

3M[™] Glass Cleaner (Concentrate)

Glass cleaner concentrate that contains no silicone and is body shop safe. Dilution ratio: 1 part concentrate to 14 parts water. Non-streaking formula and ammonia free.



3M[™] Interior All Purpose Cleaner and Degreaser (Concentrate)

Co	lor Yellow/Brown		
	38052	38350	38351
	20 Statement of the sta		
Description	Cleans dirt stains and soils from carpets, fabric and leather upholstery. For general cleaning, add 1 part concentrate to 30 parts water. For heavy cleaning or stain pre-spotting, add 1 part product to 15 parts water.	Cleans dirt stains and soils from carpets, fabric and leather upholstery. For general cleaning, add 1 part concentrate to 30 parts water. For heavy cleaning or stain pre-spotting, add 1 part product to 15 parts water.	Cleaner and degreaser concentrate for exterior and interior cleaning. Use for vinyl, cloth and carpet cleaning. Contains no silicone. Dilution ratio 1:15, concentrate to water for degreasing door jambs and prespotting carpets. Dilution ratio 1:30 concentrate to water for general purpose interior cleaning.
Part Number	38052	38350	38351
UPC	0-00-51131-38052-3	0-00-51131-38350-0	0-00-51131-38351-7
Product Name	3M™ All Purpose Cleaner and Degreaser	3M [™] All Purpose Cleaner and Degreaser	3M [™] All Purpose Cleaner and Degreaser
Container Volume	55 Gallon (US)	1 Gallon (US)	5 Gallon (US)
Packaging	1 per case	4 per case	1 per case

Detailing System

Interior Dressings

Interior Dressings

A ready-to-use silicone dressing for use on interior vinyls, plastic, and rubber surfaces. Produces a deep color, natural gloss appearance.

Color White 38086 38087 38088 Part Number 38086 38087 38088 UPC 0-00-51131-38086-8 0-00-51131-38087-5 0-00-51131-38088-2 **Product Name** 3M™ Interior Dressing 3M™ Interior Dressing 3M™ Interior Dressing Container Volume 1 Gallon (US) 5 Gallon (US) 55 Gallon (US) Packaging 4 per case 1 per case 1 per case

Exterior Cleaners

3M[™] Adhesive Remover

Ready-to-use blend of petroleum solvents designed to remove adhesive and tar deposits from exterior vehicle surfaces. To minimize the possibility of staining, do not apply in direct sunlight or onto a hot surface.



Exterior Cleaners

3M™ Car Wash Soap

Color Light Red

	38079	38377	38378
		MA CONTROL OF THE PARTY OF THE	
Description	Safely removes dirt and grime without removing wax protection. Phosphate free. Dilution: 1 part product to 100 parts water. May be used as a lubricant for 3M™ Perfect-It™ III Clay, part number 38070.	Concentrated car wash soap that safely removes dirt and grime without removing wax protection. Phosphate free and body shop safe, contains no silicones. Dilution ratio: 1 part concentrate to 100 parts water.	Concentrated car wash soap that safely removes dirt and grime without removing wax protection. Phosphate free and body shop safe, contains no silicones. Dilution ratio: 1 part concentrate to 100 parts water.
Part Number	38079	38377	38378
UPC	0-00-51131-38079-0	0-00-51131-38377-7	0-00-51131-38378-4
Product Name	3M™ Car Wash Soap	3M™ Body Shop Clean-Up™ Car Wash Soap	3M™ Body Shop Clean-Up™ Car Wash Soap
Container Volume	55 Gallon (US)	1 Gallon (US)	5 Gallon (US)
Packaging	1 per case	4 per case	1 per case

3M[™] Exterior All Purpose Cleaner and Degreaser (Concentrate)

Color Yellow/Brown

	38052	38350	38351
	A Community of the Comm		
Description	Cleans dirt stains and soils from carpets, fabric and leather upholstery. For general cleaning, add 1 part concentrate to 30 parts water. For heavy cleaning or stain pre-spotting, add 1 part product to 15 parts water.	Cleans dirt stains and soils from carpets, fabric and leather upholstery. For general cleaning, add 1 part concentrate to 30 parts water. For heavy cleaning or stain pre-spotting, add 1 part product to 15 parts water.	Cleaner and degreaser concentrate for exterior and interior cleaning. Use for vinyl, cloth and carpet cleaning. Contains no silicone. Dilution ratio 1:15, concentrate to water for degreasing door jambs and prespotting carpets. Dilution ratio 1:30 concentrate to water for general purpose interior cleaning.
Part Number	38052	38350	38351
UPC	0-00-51131-38052-3	0-00-51131-38350-0	0-00-51131-38351-7
Product Name	3M™ All Purpose Cleaner and Degreaser	3M™ All Purpose Cleaner and Degreaser	3M [™] All Purpose Cleaner and Degreaser
Container Volume	55 Gallon (US)	1 Gallon (US)	5 Gallon (US)
Packaging	1 per case	4 per case	1 per case

Detailing System

Exterior Cleaners

3M™ Perfect-It™ III Cleaner Clay

A product that will safely remove over-spray and paint contaminates. This product can be used effectively on paint, glass and chrome when used with a water-based lubricant.



Part Number	UPC	Container Volume	Color	Packaging
38070	0-00-51131-38070-7	200 Grams	Blue	6 per case

Exterior Dressings

3M™ Body Shop Clean-Up™ Silicone-Free Tire Dressing

Contains no silicone, designed for paint shop environment. Conditions exterior rubber and vinyl surfaces. Produces a deep black, glossy appearance on newer tires. Apply via applicator pad or spray bottle. IMPORTANT: Read and follow Instructions.

Color Clear



Exterior Dressings

3M[™] Engine and Tire Dressing (Concentrate)

Uniformly coats and shines engine hoses, tires, plastics, and moldings. Does not harm vehicle rubber parts.

Color White



Part Number	UPC	Product Name	Container Volume	Packaging
38124	0-00-51131-38124-7	3M [™] Engine and Tire Dressing	1 Gallon (US)	4 per case
38125	0-00-51131-38125-4	3M [™] Engine and Tire Dressing	5 Gallon (US)	1 per case
38126	0-00-51131-38126-1	3M [™] Engine and Tire Dressing	55 Gallon (US)	1 per case

3M[™] Tire Dressing

A solvent based, ready-to-use tire dressing that gives a deep black lustrous appearance to vehicle tires, door and trunk moldings and is also effective on exterior trim moldings and bumpers

Color Purple



Part Number	UPC	Product Name	Container Volume	Packaging
38127	0-00-51131-38127-8	3M [™] Tire Dressing	1 Gallon (US)	4 per case
38128	0-00-51131-38128-5	3M [™] Tire Dressing	5 Gallon (US)	1 per case
38129	0-00-51131-38129-2	3M [™] Tire Dressing	55 Gallon (US)	1 per case

Detailing System

Sponges & Scrubbers

Sponges and Scrubbers

	07220	07449	7721	7723
	000		Scotch	Scotch
Description	Ideal for household cleaning tasks. Contains an antimicrobial that helps the sponge resist bacterial odors.	These cellulose sponges are 10 times more absorbent than polyurethane sponges.* Stronger, less likely to fall apart. A size for every clean-up need.	Scotch-Brite™ Grill Scrub is a effective cleaning tool with a mineral-coated scrubber to remove burnt-on food and grease quickly and easily. The tough, long lasting-scrubber restores the shine to metal racks, ideal for charcoal, gas and electric.	Scotch-Brite™ Delicate Duty Bath Scrub removes soap scum and water spots without scratching deli- cate surfaces. Ideal for swimming pools, fiberglass, marine topside and brightwork, ceramic tile, wood floors and trim, vinyl and upholstery.
Part Number	07220	07449	7721	7723
UPC	1-00-53200-07220-6	5-00-53200-07449-9	5-00-21200-01008-3	5-00-21200-01010-6
Product Name	O-Cel-O™ Home Car And Boat Sponge	3M™ Commercial Size Sponge	Scotch-Brite [™] Grill Scrub	Scotch-Brite™ Bath Scrub
Color	Green	Yellow	Brown	Brown
Packaging	12 per pack	24 per case	12 per case	12 per case

Electrical Connectors Terminal S Ties & Tape

Electrical Connectors, Terminals, Ties & Tape

Crimping Tools

Scotchlok™ Crimping Tools

	13760	60825
Description	The most versatile heavy-duty tool 3M has ever offered. It is made of 1.40inch (35,5 mm) high-strength, heat-treated carbon steel.	High carbon, heat-treated steel crimping tool that has a unique design that provides a high strength/weight ratio that crimps a broad range of 22-10 AWG terminals and connectors.
Part Number	13760	60825
UPC	0-00-54007-13760-3	0-00-54007-60825-7
Product Name	3M™ Scissors Style TH-450	3M [™] Scissors Style TH-440
Packaging	10 per case	10 per case

Cable Ties

Assortment Pack

Part Number	Description	UPC	Product Name	Packaging
06220	3M™ Cable Ties, Assortment Pack, 3 Sizes, 4 Lengths, 2 Natural & Black Colors, 100 in Pack.	0-00-54007-06220-2	3M [™] Cable Tie Assortment Pack	1000 per case

Natural - Mounting

	06232	06234	06243	06256
	() [B	() [B	<u>◎ </u>	200 300
Description	0.18 inch width, 0.06 inch thick- ness, 50 lb Loop tensile, 1.8 inch max bundle diameter, requires #10 screw	0.19 inch width, 0.06 inch thick- ness, 50 lb Loop tensile, 4 inch max bundle diameter, requires #10 screw	0.31 inch width, 0.07 inch thickness, 120 lb Loop tensile, 4.8 inch max bundle diameter, requires 1/4 inch screw. Features a mounting hole that allows the bundle to be attached to a surface with a screw.	0.18 in width, 0.06 in thickness, 50 lb Loop tensile, 1.8 in max bundle diameter, requires #10 screw
Part Number	06232	06234	06243	06256
UPC	0-00-54007-06232-5	0-00-54007-06234-9	0-00-54007-06243-1	0-00-54007-06256-1
Product Name	3M™ Standard Mounting Cable Tie	3M™ Standard Mounting Cable Tie	3M [™] Heavy Duty Mounting Cable Tie	3M™ Standard Mounting Cable Tie
Width	.18 Inch	.19 Inch	.31 Inch	.18 Inch
Length	8 Inch	15 Inch	15 Inch	8 Inch
Color	Natural	Natural	Natural	Natural
Packaging	100 per bag	50 per bag	50 per bag	1000 per bag

Electrical Connectors, Terminals, Ties & Tape

Cable Ties

Natural - Mounting (continued)

	06258	06267	06297
		. 83 88	
Description	0.19 inchwidth, 0.06 inch thickness, 50 lb Loop tensile, 4 inch max bundle diameter, requires #10 screw. Features a mounting hole that allows the bundle to be attached to a surface with a screw.	0.31 in width, 0.07 in thickness, 120 lb Loop tensile, 4.8 in max bundle diameter, requires 1/4 in screw	This base has a height of 0.21 Inches, a slot height of 0.07 Inches, and a slot width of 0.20 Inches. This particular base also has four entry locations.
Part Number	06258	06267	06297
UPC	0-00-54007-06258-5	0-00-54007-06267-7	0-00-54007-06297-4
Product Name	3M [™] Standard Mounting Cable Tie	3M [™] Heavy Duty Mounting Cable Tie	3M™ Cable Tie Base
Width	.19 Inch	.31 Inch	1 Inch
Length	15 Inch	15 Inch	1 Inch
Color	Natural	Natural	Black/Nylon
Packaging	500 per bag	500 per bag	100 per bag

Natural - Standard

	06224	06225	06226	06227
	E month (manufacture)	Raw CE		
Description	0.1 in width, 0.04 in thickness, 18 lb Loop tensile, 0.7 in max bundle diameter	0.14 inch width, 0.04 inch thick- ness, 40 lb Loop tensile, 1.25 inch max bundle diameter	0.18 in width, 0.05 in thickness, 50 lb Loop tensile, 1.9 in max bundle diameter	0.18 in width, 0.05 in thickness, 50 lb Loop tensile, 3.1 in max bundle diameter
Part Number	06224	06225	06226	06227
UPC	0-00-54007-06224-0	0-00-54007-06225-7	0-00-54007-06226-4	0-00-54007-06227-1
Product Name	3M™ Miniature Cable Tie	3M™ Intermediate Cable Tie	3M™ Standard Cable Tie	3M™ Standard Cable Tie
Width	.1 Inch	.14 Inch	.18 Inch	.18 Inch
Length	4 Inch	6 Inch	8 Inch	11 Inch
Color	Natural	Natural	Natural	Natural
Packaging	100 per bag	100 per bag	100 per bag	100 per bag
	06228	06240	06248	06249
Description	0.19 inch width, 0.05 inch thick- ness, 50 lb Loop tensile, 4 inch max bundle diameter	0.30 inch width, 0.07 inch thick- ness, 120 lb Loop tensile, 4 inch max bundle diameter	0.1 inch width, 0.04 inch thickness, 18 lb Loop tensile, 0.7 inch max bundle diameter	0.14 inch width, 0.04 inch thick- ness, 40 lb Loop tensile, 1.25 inch max bundle diameter
Part Number	06228	06240	06248	06249
UPC	0-00-54007-06228-8	0-00-54007-06240-0	0-00-54007-06248-6	0-00-54007-06249-3
Product Name	3M™ Standard Cable Tie	3M™ Heavy Duty Cable Tie	3M™ Miniature Cable Tie	3M [™] Intermediate Cable Tie
Width	.19 Inch	.30 Inch	.1 Inch	.14 Inch
Length	15 Inch	15 Inch	4 Inch	6 Inch
Color	Natural	Natural	Natural	Natural
Packaging	100 per bag	100 per bag	1000 per bag	1000 per bag

Cable Ties

Natural - Standard (continued)

	06250	06251	06252	06264
	R	[]=		b
Description	0.18 inch width, 0.05 inch thick- ness, 50 lb Loop tensile, 1.9 inch max bundle diameter	0.18 inch width, 0.05 inch thick- ness, 50 lb Loop tensile, 3.1 inch max bundle diameter	0.19 inch width, 0.05 inch thick- ness, 50 lb Loop tensile, 4 inch max bundle diameter	0.30 in width, 0.07 in thickness, 120 lb Loop tensile, 4 in max bun- dle diameter
Part Number	06250	06251	06252	06264
UPC	0-00-54007-06250-9	0-00-54007-06251-6	0-00-54007-06252-3	0-00-54007-06264-6
Product Name	3M™ Standard Cable Tie	3M™ Standard Cable Tie	3M™ Standard Cable Tie	3M [™] Heavy Duty Cable Tie
Width	.18 Inch	.18 Inch	.19 Inch	.30 Inch
Length	8 Inch	11 Inch	15 Inch	15 Inch
Color	Natural	Natural	Natural	Natural
Packaging	1000 per bag	500 per bag	500 per bag	500 per bag
	41937	41939	41941	41943
Description	8" Natural 50 lbs. (bag)	8" Black 50 lbs. (bag)	12" Natural 50 lbs. (bag)	12" Black 50 lbs (bag)
Part Number	41937	41939	41941	41943
UPC	0-00-54007-41937-2	0-00-54007-41939-6	0-00-54007-41941-9	0-00-54007-41943-3
Product Name	3M™ Standard Cable Tie	3M™ Standard Cable Tie	3M™ Standard Cable Tie	3M™ Standard Cable Tie
Width				
Length	8 Inch	8 Inch	12 Inch	12 Inch
Color	Natural	Black	Natural	Black
Packaging	100 per bag	100 per bag	100 per bag	100 per bag
	41948	41952	41978	
Description	15" Black 50 lbs. (bulk)	15" Natural 50 lbs. (bulk)	15" Natural 50 lbs. (bag)	
Part Number	41948	41952	41978	
UPC	0-00-54007-41948-8	0-00-54007-41952-5	0-00-54007-41978-5	
Product Name	3M™ Standard Cable Tie	3M™ Standard Cable Tie	3M™ Standard Cable Tie	
Width				
Length	15 Inch	15 Inch	15 Inch	
Color	Black	Natural	Natural	
Packaging	500 per bag	500 per bag	100 per bag	

Weather Resistant Black - Mounting

	06205	06275
Description	0.18 inch width, 0.06 inch thickness, 50 lb Loop tensile, 1.75 inch max bundle diameter, requires #10 screw	0.18 inch width, 0.06 inch thickness, 50 lb Loop tensile, 1.75 inch max bundle diameter, requires #10 screw
Part Number	06205	06275
UPC	0-00-54007-06205-9	0-00-54007-06275-2
Product Name	3M [™] Standard Mounting Cable Tie	3M™ Standard Mounting Cable Tie
Width	.18 Inch	.18 Inch
Length	8 Inch	8 Inch
Color	Black	Black
Packaging	100 per bag	1000 per bag

Electrical Connectors, Terminals, Ties & Tape

Cable Ties

Weather Resistant Black - Standard

	06200	06201	06202	06203
	(B)—monagingangan	(§	(E. MARINE 1911 191	Plane In-
Description	0.1 inch width, 0.04 inch thickness, 18 lb Loop tensile, 0.7 inch max bundle diameter	0.14 inch width, 0.04 inch thick- ness, 40 lb Loop tensile, 1.25 inch max bundle diameter	0.18 inch width, 0.05 inch thick- ness, 50 lb Loop tensile, 1.9 inch max bundle diameter	0.18 inch width, 0.05 inch thickness, 50 lb Loop tensile, 3.1 inch max bundle diameter
Part Number	06200	06201	06202	06203
UPC	0-00-54007-06200-4	0-00-54007-06201-1	0-00-54007-06202-8	0-00-54007-06203-5
Product Name	3M™ Miniature Cable Tie	3M [™] Intermediate Cable Tie	3M™ Standard Cable Tie	3M™ Standard Cable Tie
Width	.1 Inch	.14 Inch	.18 Inch	.18 Inch
Length	4 Inch	6 Inch	8 Inch	11 Inch
Color	Black	Black	Black	Black
Packaging	100 per bag	100 per bag	100 per bag	100 per bag
	06204	06207	06270	06271
			B	8
Description	0.18 inch width, 0.05 inch thick- ness, 50 lb Loop tensile, 4.1 inch max bundle diameter	0.30 inch width, 0.07 inch thick- ness, 120 lb Loop tensile, 4 inch max bundle diameter	0.1 inch width, 0.04 inch thickness, 18 lb Loop tensile, 0.7 inch max bundle diameter	0.14 inch width, 0.04 inch thickness, 40 lb Loop tensile, 1.25 inch max bundle diameter
Part Number	06204	06207	06270	06271
UPC	0-00-54007-06204-2	0-00-54007-06207-3	0-00-54007-06270-7	0-00-54007-06271-4
Product Name	3M™ Standard Cable Tie	3M™ Heavy Duty Cable Tie	3M™ Miniature Cable Tie	3M™ Intermediate Cable Tie
Width	.18 Inch	.30 Inch	.1 Inch	.14 Inch
Length	15 Inch	15 Inch	4 Inch	6 Inch
Color	Black	Black	Black	Black
Packaging	100 per bag	100 per bag	1000 per bag	1000 per bag
	06272	06273	06274	06277
			R	3
Description	0.18 inch width, 0.05 inch thick- ness, 50 lb Loop tensile, 1.9 inch max bundle diameter	0.18 inch width, 0.05 inch thick- ness, 50 lb Loop tensile, 3.1 inch max bundle diameter	0.18 inch width, 0.05 inch thick- ness, 50 lb Loop tensile, 4.1 inch max bundle diameter	0.30 inch width, 0.07 inch thickness, 120 lb Loop tensile, 4 inch max bun- dle diameter
Part Number	06272	06273	06274	06277
UPC	0-00-54007-06272-1	0-00-54007-06273-8	0-00-54007-06274-5	0-00-54007-06277-6
Product Name	3M™ Standard Cable Tie	3M™ Standard Cable Tie	3M™ Standard Cable Tie	3M™ Heavy Duty Cable Tie
Width	.18 Inch	.18 Inch	.18 Inch	.30 Inch
Length	8 Inch	11 Inch	15 Inch	15 Inch
Color	Black	Black	Black	Black
Packaging	1000 per bag	500 per bag	500 per bag	500 per bag
	41977			
Description	15" Black 50 lbs. (bag)			
Part Number	41977			
UPC	0-00-54007-41977-8			
Product Name	3M™ Standard Cable Tie			
Width				
Length	15 Inch			
Color	Black			
Packaging	100 per bag			

Electrical Connectors

3M™ Scotchlok™ Bullet Receptacle Connector 901

	06106	06107
Description	18 to 14 (0,75-1,5) AWG, Gray	18 to 14 (0,75-1,5) AWG, Gray
Part Number	06106	06107
UPC	0-00-54007-06106-9	0-00-54007-06107-6
Product Name	3M™ Scotchlok™ Electrical IDC 901	3M™ Scotchlok™ Electrical IDC 901
Packaging	500 per case	5000 per case

3M™ Scotchlok™ Electrical Connector 314

Part Number	Description	UPC	Product Name	Packaging
09230	22 to 14 (0,5-1,5) AWG, Blue	0-00-54007-09230-8	3M™ Scotchlok™ Electrical IDC 314	500 per case
09231	22 to 14 (0,5-1,5) AWG, Blue	0-00-54007-09231-5	3M™ Scotchlok™ Electrical IDC 314	1000 per case

3M™ Scotchlok™ Electrical Spring Connector Types Y, R, B & G

Part Number	Description	UPC	Product Name	Color	Packaging
03801	3M™ Electrical Connectors are reliable, simple to use and versatile.	0-00-51131-03801-1	3M™ Blue Assorted Connectors 16 to 14 Gauge Wires	Blue	48 per case
03984	3MTM Electrical Connectors are one-piece, burr-free. Made of annealed electolytic copper for mechanical strength and maximum conductivity. Electro-tin plating guards corrosion.	0-00-51131-03984-1	3M [™] Blue Splice Connects Wire Range 16-14	Blue	24 per case
08159	5-7#22, 3-6#20, 2-6#18, 2-6#16, 1-4#14, 1-3#12 AWG. Designed for speed and efficiency, these connectors spin-on quickly and tighten-down easily. They're engineered for easy back-off, too. The live inner spring action delivers uniform holding power.	0-00-54007-08159-3	3M TM 312 Electrical Spring Connectors	Yellow	1000 per case

Electrical Connectors, Terminals, Ties & Tape

Electrical Connectors

3M™ Scotchlok™ Instant Auto-Electric Connector

	06118	06119	06120	06122
Description	18 to 14 (0,75-1,5) AWG, Beige		902 SCOTCHLOK BULK	Make inline, pigtail and tap splices on 12-10 AWG solid or stranded wire. Automotive, truck, boat and trailer wiring jobs are easier and faster with a pair of pliers.
Part Number	06118	06119	06120	06122
UPC	0-00-54007-06118-2	0-00-54007-06119-9	0-00-54007-06120-5	0-00-54007-06122-9
Product Name	3M [™] Scotchlok [™] Electrical IDC 564	3M [™] Scotchlok [™] Electrical IDC 902	3M™ Scotchlok™ Electrical IDC 902	Scotchlok™ Electrical IDC 903
Packaging	5000 per case	500 per case	1000 per case	500 per case
	06123	06126	06127	06128
		31	331	
Description	Make inline, pigtail and tap splices on 12-10 AWG solid or stranded wire. Automotive, truck, boat and trailer wiring jobs are easier and faster with a pair of pliers. UL Listed.	Make inline, pigtail and tap splices on 14 gauge solid or stranded wire. No wire stripping needed.	801 SCOTCHLOK BULK	22 to 18 (0,5-1,0) AWG Tap, 18 to 14 (0,75-1,5) AWG Run, Red
Part Number	06123	06126	06127	06128
UPC	0-00-54007-06123-6	0-00-54007-06126-7	0-00-54007-06127-4	0-00-54007-06128-1
Product Name	Scotchlok™ Electrical IDC 903	3M [™] Scotchlok [™] Electrical IDC 801	3M [™] Scotchlok [™] Electrical IDC 801	3M™ Scotchlok™ Electrical IDC 905
Packaging	1000 per case	500 per case	5000 per case	500 per case
	06129	06134	06135	
	20			
Description	22 to 18 (0,5-1,0) AWG Tap, 18 to 14 (0,75-1,5) AWG Run, Red	18 to 16 (0,75-1,5) AWG Solid/Stranded 14 (1,5) AWG Stranded, Blue	18 to 16 (0,75-1,5) AWG Solid/Stranded, 14 (1,5) AWG Stranded, Blue	
Part Number	06129	06134	06135	
UPC	0-00-54007-06129-8	0-00-54007-06134-2	0-00-54007-06135-9	
Product Name	3M [™] Scotchlok [™] Electrical IDC 905	3M [™] Scotchlok [™] Electrical IDC 804	3M [™] Scotchlok [™] Electrical IDC 804	
Packaging	5000 per case	250 per case	5000 per case	

Electrical Connectors

$3M^{\mathsf{TM}}$ Scotchlok $^{\mathsf{TM}}$ T-Tap Connector

	06141	06144	06150
Description	Use to electrically tap into a wire in mid-span without cutting or stripping the wire. Connector then mates with a .250 inch (6.35 millimeter) male tab, making a reusable quick-connect wiring termination. T-tap disconnect.	Use to electrically tap into a wire in mid-span without cutting or stripping the wire. Connector then mates with a .250 inch (6.35 millimeter) male tab, making a reusable quick-connect wiring termination. T-tap disconnect.	Use to electrically tap into a wire in mid-span without cutting or stripping the wire. Connector then mates with a .250 inch (6.35 millimeter) male tab, making a reusable quick-connect wiring termination. T-tap disconnect.
Part Number	06141	06144	06150
UPC	0-00-54007-06141-0	0-00-54007-06144-1	0-00-54007-06150-2
Product Name	3M [™] Scotchlok [™] T-Tap Nylon Insulated Self- Stripping Female QuickSlide Disconnect 951	3M [™] Scotchlok [™] T-Tap Nylon Insulated Self- Stripping Female QuickSlide Disconnect 952	3M [™] Scotchlok [™] T-Tap Nylon Insulated Self- Stripping Female QuickSlide Disconnect 953
Packaging	500 per case	500 per case	500 per case
	14861	14879	
Description	22 to 16 (0,5-1,5) AWG, Red	22 to 16 (0,5-1,5) AWG, Red	
Part Number	14861	14879	
UPC	0-00-54007-14861-6	0-00-54007-14879-1	
Product Name	3M [™] Scotchlok [™] Electrical IDC 558	3M™ Scotchlok™ Electrical IDC 558	
Packaging	1000 per case	5000 per case	

Electrical Tapes

Linerless Splicing and Moisture Sealant

	06147	06165	41717
	1 Total 1 Total Name Part 1 Total Name Part		
Description	This 45 mil sealant roll is self-fusing, rubber- based thin insulating mastic compounds lami- nated to a flexible, with an all-weather grade PVC backing.	This is a general purpose rubber insulating tape	This is a highly conformable, linerless Ethylene Propylene Rubber (EPR), high-voltage insulating tape that provides excellent thermal dissipation of splice heat.
Part Number	06147	06165	41717
UPC	0-00-54007-06147-2	0-00-54007-06165-6	0-00-54007-41717-0
Product Name	Scotch® Electrical Moisture Sealant Roll	3M [™] Linerless Electrical Rubber Tape 2242	Scotch® Linerless Rubber Splicing Tape 130C
Width	2-1/2 Inch	3/4 Inch	3/4 Inch
Length	10 Linear Foot	15 Linear Foot	30 Linear Foot
Packaging	10 per case	24 per case	24 per case

Electrical Connectors, Terminals, Ties & Tape

Electrical Tapes

Linerless Splicing and Moisture Sealant (continued)

	41754	58598	
	The state of the s		
Description	This is a highly conformable, linerless Ethylene Propylene Rubber (EPR), high-voltage insulating tape that provides excellent thermal dissipation of splice heat.	This 45 mil sealant pad is self-fusing, rubber- based thin insulating mastic compounds lami- nated to a flexible, with an all-weather grade PVC backing.	
Part Number	41754	58598	
UPC	0-00-54007-41754-5	0-00-51128-58598-6	
Product Name	Scotch® Linerless Rubber Splicing Tape 130C	Scotch® Electrical Moisture Sealant Pad	
Width	2 Inch	2-1/2 Inch	
Length	30 Linear Foot	2-1/2 Inch	
Packaging	12 per case	250 per case	

Vinyl Plastic Electrical Tape

	00072	00072*	03799	04218
Description	This gray, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation.	any shape requiring color-coded Insulates and protects against a		Scotch® 700 Electrical Tapes are flame retardant, weather resistant, and U.L Listed. 700 Vinyl tapes are stretchy, mid tier electrical tapes. Good for insulation and bundling.
Part Number	00072	00072*	03799	04218
UPC	0-00-54007-00072-3	0-00-54007-00072-3	0-00-54007-03799-6	0-00-54007-04218-1
Product Name	Scotch® Vinyl Electrical Color Coding Tape 35	Scotch® Vinyl Electrical Tape 35	Scotch® Super 33+ Electrical Tape with Dispenser	Scotch® 700 Electrical Tape BA-40
Width	3/4 Inch	3/4 Inch	3/4 Inch	3/4 Inch
Length	66 Linear Foot	66 Linear Foot	450 Inch	66 Linear Foot
Color	Gray	Gray		
Packaging	100 per case	10 per case	12 per case	40 per case

Electrical Tapes

Vinyl Plastic Electrical Tape (continued)

	06130	06132	06132*	06132**
	Pools To the Call To the Call	South Section 1.	SOUTH STATE OF THE PARTY OF THE	POORTS SUPPLIES AND
Description	A premium grade vinyl electrical insulating tape, its aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not ooze or melt in high temperatures.	Scotch® Electrical Tapes are stretchy, conformable, vinyl plastic. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed.	A premium grade vinyl electrical insulating tape, its aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not ooze or melt in high temperatures.	A premium grade vinyl electrical insulating tape, its aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not ooze or melt in high temperatures.
Part Number	06130	06132	06132*	06132**
UPC	0-00-54007-06130-4	0-00-54007-06132-8	0-00-54007-06132-8	0-00-54007-06132-8
Product Name	Scotch® Super 33+™ Vinyl Electrical Tape	Scotch® Super 33+™ Electrical Tape BA-100	Scotch® Super 33+™ Vinyl Electrical Tape	Scotch® Super 33+™ Vinyl Electrical Tape
Width	3/4 Inch	3/4 Inch	3/4 Inch	3/4 Inch
Length	20 Linear Foot	66 Linear Foot	66 Linear Foot	66 Linear Foot
Color	Black	Black	Black	Black
Dookoging	100 per ecce	100 per 2000	20 nor 2000	100 per 2000
Packaging	100 per case	100 per case	20 per case	100 per case
raundylliy	06133	06138	06143	06143*
raundynny	·	·	<u>'</u>	·
Description	·	·	<u>'</u>	'
	A premium grade vinyl electrical insulating tape, its aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not ooze	Moisture proof; abrasion resistant; flame retardant; flexible and con-	On a 1 inch core, this black, 8.5 mil heavy duty, premium grade allweather vinyl electrical insulating tape maintains conformability for	Scotch® Electrical Tapes are stretchy, conformable, vinyl plastic. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and
Description	A premium grade vinyl electrical insulating tape, its aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not ooze or melt in high temperatures.	Moisture proof; abrasion resistant; flame retardant; flexible and conformable; economical.	On a 1 inch core, this black, 8.5 mil heavy duty, premium grade allweather vinyl electrical insulating tape maintains conformability for cold weather applications.	Scotch® Electrical Tapes are stretchy, conformable, vinyl plastic. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed.
Description Part Number	A premium grade vinyl electrical insulating tape, its aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not ooze or melt in high temperatures. 06133	Moisture proof; abrasion resistant; flame retardant; flexible and conformable; economical.	On a 1 inch core, this black, 8.5 mil heavy duty, premium grade allweather vinyl electrical insulating tape maintains conformability for cold weather applications. O6143	Scotch® Electrical Tapes are stretchy, conformable, vinyl plastic. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed. 06143*
Description Part Number UPC	A premium grade vinyl electrical insulating tape, its aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not ooze or melt in high temperatures. 06133 0-00-54007-06133-5 Scotch® Super 33+TM Vinyl	Moisture proof; abrasion resistant; flame retardant; flexible and conformable; economical. 06138 0-00-54007-06138-0 3M™ Highland™ Vinyl Plastic	On a 1 inch core, this black, 8.5 mil heavy duty, premium grade all-weather vinyl electrical insulating tape maintains conformability for cold weather applications. 06143 0-00-54007-06143-4 Scotch® Premium Vinyl Electrical	Scotch® Electrical Tapes are stretchy, conformable, vinyl plastic. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L. Listed. 06143* 0-00-54007-06143-4 Scotch® Premium Vinyl Electrical
Description Part Number UPC Product Name	A premium grade vinyl electrical insulating tape, its aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not ooze or melt in high temperatures. 06133 0-00-54007-06133-5 Scotch® Super 33+TM Vinyl Electrical Tape 33+Super	Moisture proof; abrasion resistant; flame retardant; flexible and conformable; economical. 06138 0-00-54007-06138-0 3M TM Highland TM Vinyl Plastic Electrical Tape	On a 1 inch core, this black, 8.5 mil heavy duty, premium grade allweather vinyl electrical insulating tape maintains conformability for cold weather applications. O6143 0-00-54007-06143-4 Scotch® Premium Vinyl Electrical Tape 88-Super	Scotch® Electrical Tapes are stretchy, conformable, vinyl plastic. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed. 06143* 0-00-54007-06143-4 Scotch® Premium Vinyl Electrical Tape Super 88
Description Part Number UPC Product Name Width	A premium grade vinyl electrical insulating tape, its aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not ooze or melt in high temperatures. 06133 0-00-54007-06133-5 Scotch® Super 33+TM Vinyl Electrical Tape 33+Super 3/4 Inch	Moisture proof; abrasion resistant; flame retardant; flexible and conformable; economical. 06138 0-00-54007-06138-0 3MTM HighlandTM Vinyl Plastic Electrical Tape 3/4 Inch	On a 1 inch core, this black, 8.5 mil heavy duty, premium grade all-weather vinyl electrical insulating tape maintains conformability for cold weather applications. O6143 O-00-54007-06143-4 Scotch® Premium Vinyl Electrical Tape 88-Super 3/4 Inch	Scotch® Electrical Tapes are stretchy, conformable, vinyl plastic. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L. Listed. 06143* 0-00-54007-06143-4 Scotch® Premium Vinyl Electrical Tape Super 88 3/4 Inch

Electrical Connectors, Terminals, Ties & Tape

Electrical Tapes

Vinyl Plastic Electrical Tape (continued)

viiiyi i idotio				
	06143**	06143***	10307	10356
		South Market Mar	Todaman Andrews Comment Andrew	Tools of the state
Description	Scotch® Electrical Tapes are stretchy, conformable, vinyl plastic. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed.	Scotch® Electrical Tapes are stretchy, conformable, vinyl plastic. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed.	On a 1 inch core, this black, 8.5 mil heavy duty, premium grade all-weather vinyl electrical insulating tape maintains conformability for cold weather applications.	This black, 8.5 mil heavy duty, premium grade all-weather vinyl electrical insulating tape maintains conformability for cold weather applications.
Part Number	06143**	06143***	10307	10356
UPC	0-00-54007-06143-4	0-00-54007-06143-4	0-00-54007-10307-3	0-00-54007-10356-1
Product Name	Scotch® Super 88 Electrical Tape BA-10	Scotch® Super 88 Electrical Tape BA-100	Scotch® Premium Vinyl Electrical Tape 88-Super	Scotch® Premium Vinyl Electrical Tape 88-Super
Width	3/4 Inch	3/4 Inch	3/4 Inch	2 Inch
Length	66 Linear Foot	66 Linear Foot	44 Linear Foot	36 Linear Yard
Color	Black	Black	Black	Black
Packaging	10 per case	100 per case	100 per case	12 per case
Lachaging	TO per case	100 per case	100 per case	12 per case
- dotaging	10364	10810	10828	10836
Description	<u>'</u>	·	<u>'</u>	'
	This black, 8.5 mil heavy duty, premium grade all-weather vinyl electrical insulating tape maintains conformability for cold weather appli-	This red, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that	This white, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that	10836 Scotch® #35 Colored Electrical Tapes are stretchy, conformable, vinyl plastic that resists fading. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and
Description	This black, 8.5 mil heavy duty, premium grade all-weather vinyl electrical insulating tape maintains conformability for cold weather applications.	This red, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation.	This white, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation.	Scotch® #35 Colored Electrical Tapes are stretchy, conformable, vinyl plastic that resists fading. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed.
Description Part Number	This black, 8.5 mil heavy duty, premium grade all-weather vinyl electrical insulating tape maintains conformability for cold weather applications.	This red, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation.	This white, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation.	Scotch® #35 Colored Electrical Tapes are stretchy, conformable, vinyl plastic that resists fading. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed.
Description Part Number UPC	This black, 8.5 mil heavy duty, premium grade all-weather vinyl electrical insulating tape maintains conformability for cold weather applications. 10364 0-00-54007-10364-6 Scotch® Premium Vinyl Electrical	This red, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation. 10810 0-00-54007-10810-8 Scotch® Vinyl Electrical Color	This white, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation. 10828 0-00-54007-10828-3 Scotch® Vinyl Electrical Color	Scotch® #35 Colored Electrical Tapes are stretchy, conformable, vinyl plastic that resists fading. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed. 10836 0-00-54007-10836-8 Scotch® #35 Blue Electrical Tape
Description Part Number UPC Product Name	This black, 8.5 mil heavy duty, premium grade all-weather vinyl electrical insulating tape maintains conformability for cold weather applications. 10364 0-00-54007-10364-6 Scotch® Premium Vinyl Electrical Tape 88-Super	This red, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation. 10810 0-00-54007-10810-8 Scotch® Vinyl Electrical Color Coding Tape 35	This white, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation. 10828 0-00-54007-10828-3 Scotch® Vinyl Electrical Color Coding Tape 35	Scotch® #35 Colored Electrical Tapes are stretchy, conformable, vinyl plastic that resists fading. Insulates and protects against abra- sion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed. 10836 0-00-54007-10836-8 Scotch® #35 Blue Electrical Tape BA-10
Description Part Number UPC Product Name Width	This black, 8.5 mil heavy duty, premium grade all-weather vinyl electrical insulating tape maintains conformability for cold weather applications. 10364 0-00-54007-10364-6 Scotch® Premium Vinyl Electrical Tape 88-Super 1-1/2 Inch	This red, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation. 10810 0-00-54007-10810-8 Scotch® Vinyl Electrical Color Coding Tape 35 3/4 Inch	This white, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation. 10828 0-00-54007-10828-3 Scotch® Vinyl Electrical Color Coding Tape 35 3/4 Inch	Scotch® #35 Colored Electrical Tapes are stretchy, conformable, vinyl plastic that resists fading. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed. 10836 0-00-54007-10836-8 Scotch® #35 Blue Electrical Tape BA-10 3/4 Inch

Electrical Tapes

Vinyl Plastic Electrical Tape (continued)

	10836*	10836**	10844	10844*
Description	This blue, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation.	Premium grade electrical tape. Stretches to conform to virtually any shape requiring color-coded insulation. Abrasion and weather resistant. Available in 9 fade-resist- ant colors.	Scotch® #35 Colored Electrical Tapes are stretchy, conformable, vinyl plastic that resists fading. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed.	This yellow, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation.
Part Number	10836*	10836**	10844	10844
UPC	0-00-54007-10836-8	0-00-54007-10836-8	0-00-54007-10844-3	0-00-54007-10844-3
Product Name	Scotch® Vinyl Electrical Color Coding Tape 35	Scotch® Vinyl Electrical Tape 35	Scotch® #35 Yellow Electrical Tape BA-10	Scotch® Vinyl Electrical Color Coding Tape 35
Width	3/4 Inch	3/4 Inch	3/4 Inch	3/4 Inch
Length	66 Linear Foot	66 Linear Foot	66 Linear Foot	66 Linear Foot
Color	Blue	Blue		Yellow
Packaging	100 per case	10 per case	10 per case	100 per case
	10851	10851*	10851**	10869
Description	Scotch® #35 Colored Electrical Tapes are stretchy, conformable, vinyl plastic that resists fading. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed.	This green, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation.	Premium grade electrical tape. Stretches to conform to virtually any shape requiring color-coded insulation. Abrasion and weather resistant. Available in 9 fade-resist- ant colors.	This orange, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape thar requires color-coded insulation.
Part Number	10851	10851*	10851**	10869
UPC	0-00-54007-10851-1	0-00-54007-10851-1	0-00-54007-10851-1	0-00-54007-10869-6
Product Name	Scotch® #35 Green Electrical Tape BA-10	Scotch® Vinyl Electrical Color Coding Tape 35	Scotch® Vinyl Electrical Tape 35	Scotch® Vinyl Electrical Color Coding Tape 35
Width	3/4 Inch	3/4 Inch	3/4 Inch	3/4 Inch
Length	66 Linear Foot	66 Linear Foot	66 Linear Foot	66 Linear Foot
Color		Green	Green	Orange
Packaging	10 per case	100 per case	10 per case	100 per case
	10885	10885*	10885**	15025
Description	Scotch® #35 Colored Electrical Tapes are stretchy, conformable, vinyl plastic that resists fading. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed.	This brown, 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation.	Premium grade electrical tape. Stretches to conform to virtually any shape requiring color-coded insulation. Abrasion and weather resistant. Available in 9 fade-resist- ant colors.	Scotch 23 Electrical Tape is a highly conformable, self-fusing Ethylene Propylene Rubber based high-insu- lating voltage tape.
Part Number	10885	10885*	10885**	15025
UPC	0-00-54007-10885-6	0-00-54007-10885-6	0-00-54007-10885-6	0-00-54007-15025-1
Product Name	Scotch® #35 Brown Electrical Tape BA-5	Scotch® Vinyl Electrical Color Coding Tape 35	Scotch® Vinyl Electrical Tape 35	Scotch® 23 Electrical Tape
Width	3/4 Inch	3/4 Inch	3/4 Inch	19 Millimetre
Length	66 Linear Foot	66 Linear Foot	66 Linear Foot	9.5 Linear Metre
Color		Brown	Brown	
Packaging	5 per case	100 per case	10 per case	20 per case

Electrical Connectors, Terminals, Ties & Tape

Electrical Tapes

Vinyl Plastic Electrical Tape (continued)


	49656	50211	50727	55385
			Total 3 State Sta	
Description	Basic use electrical tape. Flame retardant, lead Free.	Basic use electrical tape. Flame retardant, lead Free.	This is a black 65 mil conformable self-fusing rubber electrical insulating and sealing tape.	This attractive premium tape display is versatile for wall, shelf or counter displays, and it comes prefilled with Scotch® Super 33+™ Tape Rolls for easy use.
Part Number	49656	50211	50727	55385
UPC	0-00-54007-49656-4	0-00-54007-50211-1	0-00-54007-50727-7	0-00-51128-55385-5
Product Name	Tartan™ Vinyl Electrical Tape 1710	Tartan™ Vinyl Electrical Tape 1710	Scotch® Rubber Mastic Tape 2228	Scotch® Super 33+™ Wire Rack
Width	3/4 Inch	3/4 Inch	1 Inch	3/4 Inch
Length	66 Linear Foot	66 Linear Foot	10 Linear Foot	66 Linear Foot
Color			Black	
Packaging	100 per case	10 per case	12 per case	1 per case

Electrical Terminals

3M™ Scotchlok™ Butt Terminal

	06319
	• L
Description	This connector has a wire range of 16-14 AWG and a case quantity of 250.
Part Number	06319
UPC	0-00-54007-06319-3
Product Name	3M™ Scotchlok™ Butt Connector
Packaging	250 per case

3M™ Scotchlok™ Empty Terminal Boxes




Electrical Terminals

3M™ Scotchlok™ Fully Insulated Quick Slide

Part Number	Description	UPC	Product Name	Packaging
06152	This terminal has a wire range of 16-14 AWG and has case quantities of 500 per case.	0-00-54007-06152-6	3M™ Scotchlok™ Male Disconnect	500 per case
06153	This terminal has a wire range of 12-10 AWG and has case quantities of 500 per case.	0-00-54007-06153-3	3M™ Scotchlok™ Male Disconnect	500 per case
06154	This terminal has a wire range of 22-18 AWG and has case quantities of 500 per case.	0-00-54007-06154-0	3M [™] Scotchlok [™] Fully Nylon Insulated Butted Seam Male Disconnect	500 per case

3M™ Scotchlok™ Quick Slide



3M™ Scotchlok™ Ring Terminal

Part Number	Description	UPC	Product Name	Packaging
94728	3M [™] Ring Tongue Terminal Nylon Insulated w/Insulation Grip 16-14, 94728, 12-10-NB Specialty Bag	0-00-54007-94728-8	3M™ Ring Tongue	10 per case
94739	3M ™Ring Tongue Terminal Vinyl Insulated Butted Seam 16-14, 94739, 12-8-P Specialty Bag	0-00-54007-94739-4	3M™ Ring Tongue	10 per case
94742	3M™ Ring Tongue Terminal Nylon Insulated w/Insulation Grip 12-10, 94742, 13-14S-NB Specialty Bag	0-00-54007-94742-4	3M™ Ring Tongue	10 per case
94758	3M™ Ring Tongue Terminal Nylon Insulated Brazed Seam 6 AWG, 94758, 15-14S-WN Specialty Bag	0-00-54007-94758-5	3M™ Ring Tongue	10 per case

Electrical Connectors, Terminals, Ties & Tape

Heat Shrink Tubing

3M[™] Heat Shrink Tubing EPS-300

3M™ EPS-300 is an environmental protection sleeve and insulation.



Part Number	UPC	Product Name	Width	Length	Color	Packaging
55916	0-00-54007-55916-0	3M™ EPS-300 Thin-Wall	1/2 Inch	48 Inch	Black	6 per case
55918	0-00-54007-55918-4	3M™ EPS-300 Thin-Wall	3/8 Inch	48 Inch	Black	10 per case
55919	0-00-54007-55919-1	3M™ EPS-300 Thin-Wall	1/4 Inch	48 Inch	Black	15 per case

3M[™] Heat Shrink Tubing Kits

	37677	38444
Description	3MTM Heat Shrink Tubing FP-301 offers an outstanding balance of electrical, physical and chemical properties for a wide variety of applications. Each kit has a total of 133 pieces and contains seven colors: black, red, white, yellow, blue, green, and clear tubing in sizes of 3/32, size 1/8, size 3/16, size 1/4, size 3/8, and size 1/2.	3M [™] EPS-300 is an environmental protection sleeve and insulation. It has 5 kits per carton.
Part Number	37677	38444
UPC	0-00-51135-37677-5	0-00-51135-38444-2
Product Name	3M™ Heat Shrink Tubing FP-301-Color-Assortment Kit	3M™ Thin-Wall Flexible Polyolefin Adhesive-Lined Tubing EPS-300
Color	Assorted	Black/Red
Packaging	5 per case	5 kits per case

Heat Shrink Tubing

3M[™] Heat Shrink Tubing Refill Packs EPS-300

	36592	36593	36594	36595
Description	3M [™] EPS-300 is an environmental protection sleeve and insulation. It comes in 6 inch pieces.	3M™ Tubing EPS-300 is an envi- ronmental protection sleeve and insulation. This tubing comes in 6 inch pieces that come in 8 per bag and has a case quantity of 10.	3M™ EPS-300 is an environmental protection sleeve and insulation. This tubing comes in 6 inch pieces.	3M™ EPS-300 is an environmental protection sleeve and insulation. This tubing comes in 6 inch pieces that come in 14 per bag and has a case quantity of 10.
Part Number	36592	36593	36594	36595
UPC	0-00-51135-36592-2	0-00-51135-36593-9	0-00-51135-36594-6	0-00-51135-36595-3
Product Name	3M [™] Thin-Wall Flexible Polyolefin Adhesive-Lined Tubing EPS-300	3M™ Thin-Wall	3M™ Thin-Wall	3M [™] Thin-Wall Flexible Polyolefin Adhesive-Lined Tubing EPS-300
Length	48 Inch	6 Inch	6 Inch	6 Inch
Diameter	3/16 Inch	1/4 Inch	3/8 Inch	1/2 Inch
Color	Black	Black	Black	Black
Packaging	10 per case	10 per case	10 per case	14 per bag 10 bags per case
	36596	36597	36598	38441
Description	3M™ EPS-300 is an environmental protection sleeve and insulation. This tubing comes in 6 inch pieces that come in 12 per bag and has a case quantity of 10.	3MTM Tubing EPS-300 is an envi- ronmental protection sleeve and insulation. This tubing comes in 6 inch pieces that come in 8 per bag and has a case quantity of 10.	3M™ EPS-300 is an environmental protection sleeve and insulation. This tubing comes in 6 inch pieces.	3M [™] EPS-300 is an environmental protection sleeve and insulation. It comes in 6 in pieces and in quantities of 14 per bag and 10 per case.
Part Number				
	36596	36597	36598	38441
UPC	36596 0-00-51135-36596-0	36597 0-00-51135-36597-7	36598 0-00-51135-36598-4	38441 0-00-51135-38441-1
UPC Product Name	*****	*****	*****	99.11
	0-00-51135-36596-0 3M [™] Thin-Wall Flexible Polyolefin	0-00-51135-36597-7 3M [™] Thin-Wall Flexible Polyolefin	0-00-51135-36598-4 3M™ Thin-Wall Flexible Polyolefin	0-00-51135-38441-1 3M™ Heat Shrink Thin-Wall Flexible Polyolefin Adhesive-Lined
Product Name	0-00-51135-36596-0 3M™ Thin-Wall Flexible Polyolefin Adhesive-Lined Tubing EPS-300	0-00-51135-36597-7 3M™ Thin-Wall Flexible Polyolefin Adhesive-Lined Tubing EPS-300	0-00-51135-36598-4 3MTM Thin-Wall Flexible Polyolefin Adhesive-Lined EPS-300	0-00-51135-38441-1 3M™ Heat Shrink Thin-Wall Flexible Polyolefin Adhesive-Lined Tubing EPS-300
Product Name Length	0-00-51135-36596-0 3M™ Thin-Wall Flexible Polyolefin Adhesive-Lined Tubing EPS-300 6 Inch	0-00-51135-36597-7 3M™ Thin-Wall Flexible Polyolefin Adhesive-Lined Tubing EPS-300 6 Inch	0-00-51135-36598-4 3M™ Thin-Wall Flexible Polyolefin Adhesive-Lined EPS-300 6 Inch	0-00-51135-38441-1 3M™ Heat Shrink Thin-Wall Flexible Polyolefin Adhesive-Lined Tubing EPS-300 6 Inch

Electrical Connectors, Terminals, Ties & Tape

Heat Shrink Tubing

3M™ Heat Shrink Tubing Refill Packs EPS-300 (continued)

	38442	38443
Description	3M [™] EPS-300 is an environmental protection sleeve and insulation. It comes in 6 in pieces and in quantities of 12 per bag and 10 per case.	3M™ EPS-300 is an environmental protection sleeve and insulation. It comes in 6 in pieces and in quantities of 12 per bag and 10 per case.
Part Number	38442	38443
UPC	0-00-51135-38442-8	0-00-51135-38443-5
Product Name	3M [™] Thin-Wall Flexible Polyolefin Adhesive-Lined Tubing EPS-300	3M [™] Thin-Wall Flexible Polyolefin Adhesive-Lined Tubing EPS-300
Length	6 Inch	6 Inch
Diameter	3/4 Inch	1 Inch
Color	Red	Red
Packaging	12 per bag 10 bags per case	12 per bag 10 bags per case

Heat Shrink Tubing

3M™ Heat Shrink Tubing Refill Packs FP301

3MTM Heat Shrink Tubing FP-301 offers an outstanding balance of electrical, physical and chemical properties for a wide variety of applications.



Part Number	Description	UPC	Product Name	Diameter	Color	Packaging
36618	This assortment comes with 5 each of the 7 sizes and in a case quantity of 10.	0-00-51135-36618-9	3M [™] Heat Shrink Tubing Assortment Pack FP-301	3/32 Inch	Assorted	35 per bag 10 bags per case
36619	This assortment comes with 4 each of the 7 sizes and in a case quantity of 10.	0-00-51135-36619-6	3M [™] Heat Shrink Tubing Assortment Pack FP-301	1/8 Inch	Assorted	28 per bag 10 bags per case
36620	This assortment comes with 3 each of the 7 sizes and in a case quantity of 10.	0-00-51135-36620-2	3M [™] Heat Shrink Tubing Assortment Pack FP-301	3/16 Inch	Assorted	21 per bag 10 bags per case
36621	This assortment comes with 3 each of the 7 sizes and in a case quantity of 10.	0-00-51135-36621-9	3M [™] Heat Shrink Tubing Assortment Pack FP-301	1/4 Inch	Assorted	21 per bag 10 bags per case
36622	This assortment comes with 2 each of the 7 sizes and in a case quantity of 10.	0-00-51135-36622-6	3M [™] Heat Shrink Tubing Assortment Pack FP-301	3/8 Inch	Assorted	14 per bag 10 bags per case
36623	This assortment comes with 2 each of the 7 sizes and in a case quantity of 10.	0-00-51135-36623-3	3M [™] Heat Shrink Tubing Assortment Pack FP-301	1/2 Inch	Assorted	14 per bag 10 bags per case

Electrical Connectors, Terminals, Ties & Tape

ScotchCode™ Wire Marker Products

3M™ ScotchCode™ Wire Marker Tape - Colored



Part Number	UPC	Product Name	Color	Packaging
09404	0-00-54007-09404-3	3M™ ScotchCode™ SDR-MC Wire Marker Tape Refill Rolls	Assorted	50 per case
09423	0-00-54007-09423-4	3M™ ScotchCode™ Wire Marker Tape Refill Roll	Black	50 per case
09424	0-00-54007-09424-1	3M™ ScotchCode™ Wire Marker Tape Refill Roll	Blue	50 per case
09425	0-00-54007-09425-8	3M™ ScotchCode™ Wire Marker Tape Refill Roll	Brown	50 per case
09426	0-00-54007-09426-5	3M™ ScotchCode™ Wire Marker Tape Refill Roll	Green	50 per case
09427	0-00-54007-09427-2	3M™ ScotchCode™ Wire Marker Tape Refill Roll	Gray	50 per case
09428	0-00-54007-09428-9	3M™ ScotchCode™ Wire Marker Tape Refill Roll	Orange	50 per case
09429	0-00-54007-09429-6	3M™ ScotchCode™ Wire Marker Tape Refill Roll	Red	50 per case
09430	0-00-54007-09430-2	3M™ ScotchCode™ Wire Marker Tape Refill Roll	White	50 per case
09431	0-00-54007-09431-9	3M™ ScotchCode™ Wire Marker Tape Refill Roll	Yellow	50 per case
09458	0-00-54007-09458-6	3M™ ScotchCode™ Wire Marker Tape Refill Roll	Violet	50 per case

3M[™] ScotchCode[™] Wire Marker Tape - Numbered



Part Number	Description	UPC	Product Name	Packaging
09368	Numerical marker, numbers 0 through 9, 10 rolls of each per pack, 5 packs per case	0-00-54007-09368-8	3M [™] ScotchCode [™] SDR-0-9 Wire Marker Tape Refill Roll	50 per case
09369	Printed wire marker rolls. Printed with number "0".	0-00-54007-09369-5	3M [™] ScotchCode [™] Wire Marker Tape Refill Roll SDR-0	50 per case
09370	Printed wire marker rolls. Printed with number "1".	0-00-54007-09370-1	3M [™] ScotchCode [™] Wire Marker Tape Refill Roll SDR-1	50 per case
09371	Printed wire marker rolls. Printed with number "2".	0-00-54007-09371-8	3M [™] ScotchCode [™] Wire Marker Tape Refill Roll SDR-2	50 per case
09372	Printed wire marker rolls. Printed with number "3".	0-00-54007-09372-5	3M [™] ScotchCode [™] Wire Marker Tape Refill Roll SDR-3	50 per case
09373	Printed wire marker rolls. Printed with number "4".	0-00-54007-09373-2	3M [™] ScotchCode [™] Wire Marker Tape Refill Roll SDR-4	50 per case

ScotchCode™ Wire Marker Products

3M[™] ScotchCode[™] Wire Marker Tape - Numbered (continued)

Part Number	Description	UPC	Product Name	Packaging
09374	Printed wire marker rolls. Printed with number "5".	0-00-54007-09374-9	3M [™] ScotchCode [™] Wire Marker Tape Refill Roll SDR-5	50 per case
09375	Printed wire marker rolls. Printed with number "6".	0-00-54007-09375-6	3M [™] ScotchCode [™] Wire Marker Tape Refill Roll SDR-6	50 per case
09376	Printed wire marker rolls. Printed with number "7".	0-00-54007-09376-3	3M [™] ScotchCode [™] Wire Marker Tape Refill Roll SDR-7	50 per case
09377	Printed wire marker rolls. Printed with number "8".	0-00-54007-09377-0	3M [™] ScotchCode [™] Wire Marker Tape Refill Roll SDR-8	50 per case
09378	Printed wire marker rolls. Printed with number "9".	0-00-54007-09378-7	3M [™] ScotchCode [™] Wire Marker Tape Refill Roll SDR-9	50 per case

3M[™] ScotchCode[™] Wire Marker Tape Dispenser

	12174	49517	49518	49519
	Boo			
Description	Dispenser is filled with 10 rolls of numbered tape (one each of 0-9).	Dispenser filled with 10 rolls of colored tape (one each of black, blue, brown, green, gray, orange, red, violet, white and yellow).	Dispenser filled with 10 rolls of numbered tape (one each of 0-9).	The 3M™ ScotchCode™ Tape Dispenser STD is a compact, carry- along dispenser with ten refillable compartments that hold eight-foot rolls of non-smear polyester tape. Dispenser only.
Part Number	12174	49517	49518	49519
UPC	0-00-54007-12174-9	0-00-54007-49517-8	0-00-54007-49518-5	0-00-54007-49519-2
Product Name	3M [™] ScotchCode [™] Wire Marker Tape Dispenser STD-0-9	3M [™] ScotchCode [™] Wire Marker Tape Dispenser STD-CX	3M [™] ScotchCode [™] Wire Marker Tape Dispenser STD-0-9X	3M [™] ScotchCode [™] Wire Marker Tape Dispenser STD-X
Packaging	25 per case	10 per case	10 per case	10 per case

Electrical Connectors, Terminals, Ties & Tape

Filler, Adhesive & Coating Applicators & Accessories

Filler, Adhesive and Coating -Applicators & Accessories

Filler, Adhesive and Coating - Applicators & Accessories

Adhesives Applicators & Accessories

Adhesives - 200mL Duo-Pack Syringe Applicators & Accessories

	02508	02530	02576	08110
	· · · · · · · · · · · · · · · · · · ·			
Description	Has one door which opens on left. Is lockable. It measures 30-1/8 in high, 14-1/8 in wide and 12-1/8 in deep and is made of sturdy 24 gauge American steel. Weight 26 pounds.	Shop Rack designed to hang on the wall while holding up to 8 open cartridges and 2 applicator guns. Sized to accomodate all 3M 200 mL and 400 mL cartriges.	Rack for holding dispense box of 3M™ Dynamic Mixing Nozzles, PN05847.	Replacement Rachet/Plunger for 3M™ Performance Manual Applicator - 200mL, Part Number 08117.
Part Number	02508	02530	02576	08110
UPC	0-00-51131-02508-0	0-00-51131-02530-1	0-00-51131-02576-9	0-00-51135-08110-5
Product Name	3M [™] Sealers, Coatings and Adhesives Organizer (Right side)	3M™ Shop Rack	3M™ Bulk Nozzle Rack	3M [™] Replacement Applicator Plunger
Color	Black	Black	Red	Black
Packaging	1 per case	1 per case	1 per case	1 per case
	08117	08193	08194	08201
Description	Manual applicator designed for use with all 200 mL cartridges in the 3M™ line of products. This product has a 1:1 mixing ratio.	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.
Part Number	08117	08193	08194	08201
UPC	0-00-51135-08117-4	0-00-51131-08193-2	0-00-51135-08194-5	0-00-51135-08201-0
Product Name	3M™ Performance Manual Applicator	3M™ Mixing Nozzle	3M™ Static Mixing Nozzle	3M [™] 1/4 in Rounded 0EM Seam Sealer Tip
Color	Metallic/Black	Opaque/Gold	Opaque	Opaque
Packaging	1 per case	6 bags per case	6 Boxes per case	6 bags per case
	08202	08203	08204	08205
Description	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.
Part Number	08202	08203	08204	08205
UPC	0-00-51135-08202-7	0-00-51135-08203-4	0-00-51135-08204-1	0-00-51135-08205-8
Product Name	3M [™] 3/8 in Rounded 0EM Seam Sealer Tip	3M [™] 1/2 in Rounded 0EM Seam Sealer Tip	3M [™] Automix [™] 3/8 in Flat 0EM Seam Sealer Tip	3M [™] 3/8 in Double-Rounded 0EM Seam Sealer Tip
Color	Opaque	Opaque	Opaque	Opaque
Packaging	6 bags per case	6 bags per case	6 bags per case	6 bags per case

Filler, Adhesive and Coating - Applicators & Accessories

Adhesives Applicators & Accessories

Adhesives - 200mL Duo-Pack Syringe Applicators & Accessories (continued)

	08571	09930	
Description	Dispenses all 3M TM 200 mL cartridges with 1-1 or 2-1 mix ratios. Heavy Duty metal construction. Rod Driven for balanced product dispensing.	A pneumatic applicator gun designed for use with 3M's 200mL cartridges.	
Part Number	08571	09930	
UPC	0-00-51135-08571-4	0-00-51131-09930-2	
Product Name	3M [™] Manual 200 mL Cartridge Applicator Gun	3M [™] Performance Pneumatic Applicator	
Color	Red/Black	Black	
Packaging	1 per case	1 per case	

Adhesives - 400mL Duo-Pack Syringe Applicators & Accessories

	02508	02530	02576	08193
Description	Has one door which opens on left. Is lockable. It measures 30-1/8 in high, 14-1/8 in wide and 12-1/8 in deep and is made of sturdy 24 gauge American steel. Weight 26 pounds.	Shop Rack designed to hang on the wall while holding up to 8 open cartridges and 2 applicator guns. Sized to accomodate all 3M 200 mL and 400 mL cartridges.	Rack for holding dispense box of 3M™ Dynamic Mixing Nozzles, PN05847.	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.
Part Number	02508	02530	02576	08193
UPC	0-00-51131-02508-0	0-00-51131-02530-1	0-00-51131-02576-9	0-00-51131-08193-2
Product Name	3M™ Sealers, Coatings and Adhesives Organizer (Right side)	3M™ Shop Rack	3M™ Bulk Nozzle Rack	3M [™] Mixing Nozzle
Color	Black	Black	Red	Opaque/Gold
Packaging	1 per case	1 per case	1 per case	6 bags per case

Adhesives Applicators & Accessories

Adhesives - 400mL Duo-Pack Syringe Applicators & Accessories (continued)

	08194	08280	08284	
		=		
Description	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	A pneumatic applicator gun designed for use with 3M's 400 mL cartridges.	A manual applicator gun designed for use with 3M's 400 mL cartridges.	
Part Number	08194	08280	08284	
UPC	0-00-51135-08194-5	0-00-51135-08280-5	0-00-51135-08284-3	
Product Name	3M [™] Static Mixing Nozzle	3M™ Performance Pneumatic Applicator	3M™ Performance Manual Applicator	
Color	Opaque	Black	Black	
Packaging	6 Boxes per case	1 per case	1 per case	

Adhesives - 50mL Duo-Pack Syringe Applicators & Accessories

	08190	38191	38193
Description	A manual applicator gun designed for use with 3M's 1:1 50mL and 2:1 37.5mL cartridges	3M [™] Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhe- sive right on target. Engineered for use with 3M 50mL cartridges.	3M™ Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges.
Part Number	08190	38191	38193
UPC	0-00-51135-08190-7	0-00-51131-38191-9	0-00-51131-38193-3
Product Name	3M™ Performance Manual Applicator	3M™ Static Mixing Nozzle	3M [™] Static Mixing Nozzle
Color	Black/Grey	Opaque/Gold	Opaque/Gold
Packaging	1 per case	12 nozzles per bag 6 bags per case	50 nozzles per bag 6 bags per case

Filler, Adhesive and Coating -Applicators & Accessories

Adhesives Applicators & Accessories

Adhesives - Dynamic Mixing System Applicators & Accessories

	02575	02576	05846	05847
	T		7	
Description	Rack for storing 3M™ Dynamic Mixing Pneumatic Applicator, PN05846.	Rack for holding dispense box of 3M™ Dynamic Mixing Nozzles, PN05847.	Professional pneumatic (air-operat- ed) applicator for cartridge-based Body Repair Materials needing dynamic mixing.	This nozzle's active mixing action completely blends materials, and its short length guarantees low waste.
Part Number	02575	02576	05846	05847
UPC	0-00-51131-02575-2	0-00-51131-02576-9	0-00-51131-05846-0	0-00-51131-05847-7
Product Name	3M™ Dynamic Mixing Gun Shop Rack	3M™ Bulk Nozzle Rack	3M™ Dynamic Mixing Gun - Pneumatic	3M [™] Dynamic Mixing Nozzle
Packaging	1 per case	1 per case	1 per case	50 nozzles per box 6 boxes per case

Adhesives - Other Accessories

	05842	05844	05912
Description	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily.	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily. Assortment consists of 1 ea 4 in, 5 in and 6 in spreaders.	Dispenses single rolls of 24 inch 3M [™] Welding and Spark Deflection Paper. Can be wall or table mounted. Very easy to assemble.
Part Number	05842	05844	05912
UPC	0-00-51131-05842-2	0-00-51131-05844-6	0-00-51131-05912-2
Product Name	3M™ Spreaders	3M™ Spreader Assortment	3M™ Welding and Spark Deflection Paper Dispenser
Color	Yellow	Yellow	
Packaging	50 per case	24 per case	1 per case
	06396	08688	08978
	The second secon		
Description	3M [™] Adhesion Promoter 06396 is a liquid primer used for enhancing adhesion of 3M [™] Acrylic Foam Tapes for interior and exterior trim applications.	Dauber for the application of urethane primers.	Designed to be used with an air chisel to remove bonded moldings but can be used by hand to remove emblems and scripts.
Part Number	06396	08688	08978
UPC	0-00-51131-06396-9	0-00-51135-08688-9	0-00-51135-08978-1
Product Name	3M [™] Automotive Adhesion Promoter	3M™ Urethane Primer Daubers	3M [™] Side Molding and Emblem Removal Tool
Color		White	Metallic
Packaging	25 packs per box 4 boxes per case	5 bags per case	6 per case

Adhesives Applicators & Accessories

Adhesives - Single Component Caulking Cartridge Applicators & Accessories

	08187	08398	08399
Description	Threaded cartridge nozzle for use with 10.5 fl. oz. single component cartridges.	Fully enclosed, all metal, rod driven, friction feed applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages. This tool has a 12:1 ratio.	Fully enclosed, pneumatic applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages.
Part Number	08187	08398	08399
UPC	0-00-51135-08187-7	0-00-51135-08398-7	0-00-51135-08399-4
Product Name	3M™ Threaded Cartridge Nozzle	3M™ Flexible Package Applicator Gun	3M™ Flexible Package Applicator Gun - Pneumatic
Container Volume	10.5 fl oz	310 Millilitre	310 Millilitre
Color	Opaque	Metallic/Black	Black/Metallic
Packaging	6 boxes per case	1 per case	1 per case
	08991	08992	08993
	Fully enclosed all metal, rod driven, friction feed		
Description	applicator gun for use with 450 mL 3M [™] Windshield Urethanes. This tool has an 18:1 ratio.	For use with 3M 1/10 gallon cartridge adhesives and sealants.	A high-performance gun, designed for the pro- fessional. Used for dispensing material from an 1/10 Gallon cartridge.
Part Number	08991	08992	08993
UPC	0-00-51135-08991-0	0-00-51135-08992-7	0-00-51135-08993-4
Product Name	3M™ Flex Pack Heavy Duty Applicator Gun	3M™ Cartridge Applicator Gun	3M™ Professional Caulking Gun
Container Volume	450 Millilitre	1/10 Gallon	1/10 Gallon
Color	Metallic/Black	Blue	Orange/Black
Packaging	1 per case	12 per case	1 per case

Filler, Adhesive and Coating -Applicators & Accessories

Adhesives Applicators & Accessories

Adhesives - Single Component Flexpack/Sachet Applicators & Accessories

	08188	08201	08202	08203
Description	Conical tapered nozzle for use with Flex Pack packaged products.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.
Part Number	08188	08201	08202	08203
UPC	0-00-51135-08188-4	0-00-51135-08201-0	0-00-51135-08202-7	0-00-51135-08203-4
Product Name	3M™ Flex Pack Nozzle	3M [™] 1/4 in Rounded 0EM Seam Sealer Tip	3M™ 3/8 in Rounded 0EM Seam Sealer Tip	3M [™] 1/2 in Rounded 0EM Seam Sealer Tip
Color	Opaque	Opaque	Opaque	Opaque
Packaging	6 per case	6 bags per case	6 bags per case	6 bags per case
	08204	08205	08206	08398
Description	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to use the 3M™ OEM Seam Sealer Tips on 3M™ seam sealer products to duplicate many of the 0EM applied seam sealer beads without a lot of extra time and effort. Six (6) adapters included with each bag.	Fully enclosed, all metal, rod driven, friction feed applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages. This tool has a 12:1 ratio.
Part Number	08204	08205	08206	08398
UPC	0-00-51135-08204-1	0-00-51135-08205-8	0-00-51135-08206-5	0-00-51135-08398-7
Product Name	3M [™] 3/8 in Flat 0EM Seam Sealer Tip	3M [™] 3/8 in Double-Rounded 0EM Seam Sealer Tip	3M™ 0EM Seam Sealer Tip Adapter	3M [™] Flexible Package Applicator Gun
Color	Opaque	Opaque	Opaque	Metallic/Black

Adhesives Applicators & Accessories

Adhesives - Single Component Flexpack/Sachet Applicators & Accessories (continued)

	08399	08991
		and the second
Description	Fully enclosed, pneumatic applicator gun for use with 3M TM Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages.	Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M™ Windshield Urethanes. This tool has an 18:1 ratio.
Part Number	08399	08991
UPC	0-00-51135-08399-4	0-00-51135-08991-0
Product Name	3M [™] Flexible Package Applicator Gun - Pneumatic	3M [™] Flex Pack Heavy Duty Applicator Gun
Color	Black/Metallic	Metallic/Black
Packaging	1 per case	1 per case

Adhesives - Textured Coating Applicators & Accessories

	08801	08966	08997	08998
	2			
Description	One piece metal applicator gun designed for use with all No Cleanup products. Requires no cleaning. Refer to individual No Cleanup products for proper air pressures. Requires the use of No Cleanup Replacement Nozzle 08966.	Designed for use with 3M™ No Cleanup Coatings, part numbers 08804, 08949 and 08964.	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991.	Developed to provide a reusable, inexpensive means of applying 3MTM Rust Fighter-I (Quarts) into hard to reach areas. This is a 36 inch flexible tube that has a specialized tip which provides a 360 degree or 180 degree spray pattern.
Part Number	08801	08966	08997	08998
UPC	0-00-51135-08801-2	0-00-51135-08966-8	0-00-51135-08997-2	0-00-51135-08998-9
Product Name	3M™ No Cleanup Applicator Gun	3M [™] No Cleanup Replacement Nozzles	3M [™] Body Schutz [™] Applicator Gun	3M™ Rust Fighter-I Application Wand
Color	Black	Opaque	Silver	Opaque
Packaging	8 per case	4 bags per case	1 per case	12 per case

Filler, Adhesive and Coating - Applicators & Accessories

Body Fillers, Glazes and Related Products - Applicators & Accessories

Body Fillers, Glazes and Related Products - Applicators & Accessories

	103	105	106	107
		TA POLIVENT		Waters Salary
Description	Bondo® Shaping & Bumping Hammer is used to make small folds and remove small dents in sheet metal.	Bondo® General Purpose Dolly is a multi-sided metal shaper to be used in conjunction with #107 Pick and Bumping Hammer to repair damaged sheet metal.	The Dispensa-Mat is a factory sealed 5 Gallon container of body filler that utilizes a built-in piston to force the filler out through a dispensing valve at the bottom of the unit.	Bondo® Pick & Bumping Hammer is used to hammer out dings and dents. The hammer's flat and pointed tips help to make a precise iMpact™ when straightening metal.
Part Number	103	105	106	107
UPC	0-00-76308-00103-2	0-00-76308-00105-6	0-00-76308-00106-3	0-00-76308-00107-0
Product Name	Bondo® Shaping Hammer	Bondo® General Purpose Dolly	Dynatron™ Dispenser Kit	Bondo® Pick & Bump Hammer
Color	Red/Black	Red	Silver	Red/Black
Packaging	6 per case	3 per case	1 per case	6 per case
	108	109	111	113
Description	The Dispensa-Mat is a factory sealed 3 Gallon container of body filler that utilizes a built-in piston to force the filler out through a dispensing valve at the bottom of the unit.	Bondo® Rubber Mallet helps remove small dents and dings where less iMpact™ in needed. The mallet also helps prevent over- stretching the metal.	Regulates the amount of air that pressurizes the container.	Is and open/Close valve that attaches to the valve adapter allowing the dispensing of material when at the "open" position.
Part Number	108	109	111	113
UPC	0-00-76308-00108-7	0-00-76308-00109-4	0-00-76308-00111-7	0-00-76308-00113-1
Product Name	Dynatron™ Dispenser Kit	Bondo® Rubber Mallet	Dynatron™ Air Regulator	Dynatron™ Dispensing Valve
Color	Silver	Black/Red		
Packaging	1 per case	3 per case	1 per case	1 per case
	114	130	321	344
			Authority or THINNER From the Thinner From the Thinner Transcorp, rose	. Столог
Description	Attaches to the bung hole at the bottom of the pail.	Dynatron TM Cranker Mechanical Dispenser is a manual dispensing unit that allows for body filler to be dispensed at a controller rate. No air required.	Dynatron™ Filler Thinner is a high- quality polyester resin used to thin body fillers to reduce spreader drag.	Dynatron TM Yellow Spreaders are long-lasting tools designed for the body repair professional. A special flexible spreading edge makes precise application of body fillers, putties and glazes a breeze.
Part Number	114	130	321	344
UPC	0-00-76308-00114-8	0-00-76308-00130-8	0-00-76308-00321-0	0-00-76308-00344-9
Product Name	Dynatron™ Valve Adaptor	Dynatron™ Cranker Dispenser	Dynatron™ Filler Thinner	Dynatron™ Yellow Spreader
Color		Silver		Yellow
Packaging	1 per case	1 per case	6 per case	144 per case

Body Fillers, Glazes and Related Products - Applicators & Accessories

Body Fillers, Glazes and Related Products - Applicators & Accessories (continued)

	354	358	363	366
		Section 1.		
Description	Dynatron TM Yellow Spreaders are long-lasting tools designed for the body repair professional. A special flexible spreading edge makes precise application of body fillers, putties and glazes a breeze.	Dynatron Plastic Spreaders are great for applying fillers, putties, glazes and caulks. 3-Pack.	Dynatron TM Yellow Spreaders are long-lasting tools designed for the body repair professional. A special flexible spreading edge makes precise application of body fillers, putties and glazes a breeze.	Dynatron™ Mixing Board offers a clean, wax-free surface for mixing body filler. Cured body filler can be easily removed from the mixing board allowing additional uses.
Part Number	354	358	363	366
UPC	0-00-76308-00354-8	0-00-76308-00358-6	0-00-76308-00363-0	0-00-76308-00366-1
Product Name	Dynatron™ Yellow Spreader	Dynatron™ 3 Pack Spreaders	Dynatron™ Yellow Spreader	Dynatron™ Mixing Board
Color	Yellow	Yellow	Yellow	White
Packaging	144 per case	24 per case	36 per case	25 per case
	368	05842	05844	05854
	368	05842	05844	05854
Description	Bondo® Plastic fits easily inside and around the rim of gallon cans for easy mixing of fillers, paints and primers.	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily.	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily. Assortment consists of 1 ea 4 in, 5 in and 6 in spreaders.	Plastic butterfly valve for use on 5 gallon containers of 3M™ Body Filler. Makes the 5 gallon container into its own dispenser.
Description Part Number	Bondo® Plastic fits easily inside and around the rim of gallon cans for easy mixing of fillers, paints and	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean,	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily. Assortment consists of 1 ea 4 in, 5	Plastic butterfly valve for use on 5 gallon containers of 3M TM Body Filler. Makes the 5 gallon container
·	Bondo® Plastic fits easily inside and around the rim of gallon cans for easy mixing of fillers, paints and primers.	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily.	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily. Assortment consists of 1 ea 4 in, 5 in and 6 in spreaders.	Plastic butterfly valve for use on 5 gallon containers of 3M™ Body Filler. Makes the 5 gallon container into its own dispenser.
Part Number	Bondo® Plastic fits easily inside and around the rim of gallon cans for easy mixing of fillers, paints and primers.	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily. 05842	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily. Assortment consists of 1 ea 4 in, 5 in and 6 in spreaders.	Plastic butterfly valve for use on 5 gallon containers of 3M™ Body Filler. Makes the 5 gallon container into its own dispenser.
Part Number UPC	Bondo® Plastic fits easily inside and around the rim of gallon cans for easy mixing of fillers, paints and primers. 368 0-00-76308-00368-5	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily. 05842 0-00-51131-05842-2	Designed for spreading body and fiberglass fillers, finishing putties, and resins. They have sharp edges, are flexible, durable, easy to clean, and cured filler pops off easily. Assortment consists of 1 ea 4 in, 5 in and 6 in spreaders. 05844 0-00-51131-05844-6	Plastic butterfly valve for use on 5 gallon containers of 3M™ Body Filler. Makes the 5 gallon container into its own dispenser. 05854 0-00-51131-05854-5

Filler, Adhesive and Coating - Applicators & Accessories

Body Fillers, Glazes and Related Products - Applicators & Accessories

Body Fillers, Glazes and Related Products - Applicators & Accessories (continued)

	05860	05861	20311	20380
	Sel by Calif	By Coals Coar Ma		Prenium Basic SPEEDERS from SPEEDERS from Section 1997 (1997)
Description	A method for identifying surface imperfections such as pinholes and deep scratches in primer. Requires no masking and there is no dry time involved. Can be used for both wet and dry sanding. Contains no solvents.	A method for identifying surface imperfections such as pinholes and deep scratches in primer. Requires no masking and there is no dry time involved. Can be used for both wet and dry sanding. Contains no solvents. Kit contains an applicator pad.	Marson" Razor Blades are single- edge, high-carbon steel and indi- vidually wrapped for safety.	Marson® plastic spreaders are spe- cially designed for body repair pro- fessionals. The flexible spreading edge makes precise application of body fillers, putties and glazes. These long-lasting tools allow cured body filler to easily pop off the spreader for additional use.
Part Number	05860	05861	20311	20380
UPC	0-00-51131-05860-6	0-00-51131-05861-3	0-00-51593-20311-8	0-00-51593-20380-4
Product Name	3M™ Dry Guide Coat Cartridge	3M™ Dry Guide Coat	Marson® Razor Blades	Marson® Spreaders
Color	Dark Gray	Dark Gray	Silver	Black
Packaging	10 per case	6 per case	100 per pack 10 packs per case	4 per case
	00000	00000		
	20382	20395	31110	
	2U382	20395	31110	
Description	Marson® Disposable Paper Mixing Board offers a clean surface for mixing body filler.	Marson® plastic spreaders are specially designed for body repair professionals. The flexible spreading edge makes precise application of body fillers, putties and glazes. These long-lasting tools allow cured body filler to easily pop off the spreader for additional use.		
Description Part Number	Marson® Disposable Paper Mixing Board offers a clean surface for	Marson® plastic spreaders are specially designed for body repair professionals. The flexible spreading edge makes precise application of body fillers, putties and glazes. These long-lasting tools allow cured body filler to easily pop off	Marson® Xtend™ Thinner polyester resin used to thin body fillers	
·	Marson® Disposable Paper Mixing Board offers a clean surface for mixing body filler.	Marson® plastic spreaders are specially designed for body repair professionals. The flexible spreading edge makes precise application of body fillers, putties and glazes. These long-lasting tools allow cured body filler to easily pop off the spreader for additional use.	Marson® Xtend™ Thinner polyester resin used to thin body fillers helping to reduce sperader drag.	
Part Number	Marson® Disposable Paper Mixing Board offers a clean surface for mixing body filler.	Marson® plastic spreaders are specially designed for body repair professionals. The flexible spreading edge makes precise application of body fillers, putties and glazes. These long-lasting tools allow cured body filler to easily pop off the spreader for additional use.	Marson® Xtend™ Thinner polyester resin used to thin body fillers helping to reduce sperader drag.	
Part Number UPC	Marson® Disposable Paper Mixing Board offers a clean surface for mixing body filler. 20382 0-00-51593-20382-8 Marson® Large Paper Mixing	Marson® plastic spreaders are specially designed for body repair professionals. The flexible spreading edge makes precise application of body fillers, putties and glazes. These long-lasting tools allow cured body filler to easily pop off the spreader for additional use. 20395 0-00-51593-20395-8	Marson® Xtend™ Thinner polyester resin used to thin body fillers helping to reduce sperader drag. 31110 0-00-51131-31110-7	

Coatings - Applicators & Accessories

Coatings - Applicators & Accessories

	08801	08966	08997	08998
Description	One piece metal applicator gun designed for use with all No Cleanup products. Requires no cleaning. Refer to individual No Cleanup products for proper air pressures. Requires the use of No Cleanup Replacement Nozzle 08966.	Designed for use with 3M™ No Cleanup Coatings, part numbers 08804, 08949 and 08964.	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991.	Developed to provide a reusable, inexpensive means of applying 3MTM Rust Fighter-I (Quarts) into hard to reach areas. This is a 36 inch flexible tube that has a specialized tip which provides a 360 degree or 180 degree spray pattern.
Part Number	08801	08966	08997	08998
UPC	0-00-51135-08801-2	0-00-51135-08966-8	0-00-51135-08997-2	0-00-51135-08998-9
Product Name	3M™ No Cleanup Applicator Gun	3M [™] No Cleanup Replacement Nozzles	3M [™] Body Schutz [™] Applicator Gun	3M [™] Rust Fighter-I Application Wand
Color	Black	Opaque	Silver	Opaque
Packaging	8 per case	8 per bag 4 bags per case	1 per case	12 per case
	16000	16001	16022	
	6	Park Andrews Control of the Control		
Description	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part number 16001.	Standard, hard cup that supports and holds the PPS small flexible liner, part number 16000, 16300 and 16301.	Adapter converts specific Sata and the Sagola models for use with 3M™ PPS™ System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two options.	
Description Part Number	micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with	and holds the PPS small flexible liner, part number 16000, 16300	the Sagola models for use with 3M™ PPS™ System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two	
·	micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part number 16001.	and holds the PPS small flexible liner, part number 16000, 16300 and 16301.	the Sagola models for use with 3M™ PPS™ System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two options.	
Part Number	micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part number 16001.	and holds the PPS small flexible liner, part number 16000, 16300 and 16301.	the Sagola models for use with 3M™ PPS™ System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two options.	
Part Number UPC	micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). Maximum capacity of 25 oz/750 mL when filled to within 1/8 inch of rim. For use with part number 16001. 16000 0-00-51131-16000-2	and holds the PPS small flexible liner, part number 16000, 16300 and 16301. 16001 0-00-51131-16001-9	the Sagola models for use with 3M™ PPS™ System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two options. 16022 0-00-51131-16022-4	

Filler, Adhesive and Coating -Applicators & Accessories

Seam Sealers - Applicators & Accessories

Seam Sealers - Applicators & Accessories

	02508	02530	02576	08110
Description	Has one door which opens on left. Is lockable. It measures 30-1/8 in high, 14-1/8 in wide and 12-1/8 in deep and is made of sturdy 24 gauge American steel. Weight 26 pounds.	Shop Rack designed to hang on the wall while holding up to 8 open cartridges and 2 applicator guns. Sized to accomodate all 3M 200 mL and 400 mL cartridges.	Rack for holding dispense box of 3M™ Dynamic Mixing Nozzles, PN05847.	Replacement Rachet/Plunger for 3M™ Performance Manual Applicator - 200 mL, PN08117.
Part Number	02508	02530	02576	08110
UPC	0-00-51131-02508-0	0-00-51131-02530-1	0-00-51131-02576-9	0-00-51135-08110-5
Product Name	3M [™] Sealers, Coatings and Adhesives Organizer (Right side)	3M™ Shop Rack, 02530	3M™ Bulk Nozzle Rack	3M [™] Replacement Applicator Plunger
Color	Black	Black	Red	Black
Packaging	1 per case	6 per case	1 per case	1 per case
	08117	08187	08188	08190
Description	Manual applicator designed for use with all 200 mL cartridges in the 3M™ line of products. This product has a 1:1 mixing ratio.	Threaded cartridge nozzle for use with 10.5 fl. oz. single component cartridges.	Conical tapered nozzle for use with Flex Pack packaged products.	A manual applicator gun designed for use with 3M's 1:1 50mL and 2:1 37.5mL cartridges
Part Number	08117	08187	08188	08190
UPC	0-00-51135-08117-4	0-00-51135-08187-7	0-00-51135-08188-4	0-00-51135-08190-7
Product Name	3M [™] Performance Manual Applicator	3M™ Threaded Cartridge Nozzle	3M [™] Flex Pack Nozzle	3M™ Performance Manual Applicator
Color	Metallic/Black	Opaque	Opaque	Black/Gray
Packaging	1 per case	50 nozzles per bag 6 bags per case	6 per case	1 per case
	08193	08194	08201	08202
Description	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.
Part Number	08193	08194	08201	08202
UPC	0-00-51131-08193-2	0-00-51135-08194-5	0-00-51135-08201-0	0-00-51135-08202-7
Product Name	3M [™] Mixing Nozzle, 08193	3M [™] Static Mixing Nozzle, 08194	3M [™] 1/4 in Rounded 0EM Seam Sealer Tip	3M™ 3/8 in Rounded 0EM Seam Sealer Tip
Color	Opaque/Gold	Opaque	Opaque	Opaque
Packaging	6 nozzles per bag 6 bags per case	50 nozzles per bag 6 bags per case	6 bags per case	6 bags per case

Seam Sealers - Applicators & Accessories

Seam Sealers - Applicators & Accessories (continued)

	08203	08204	08205	08206
Description	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to use the 3M™ OEM Seam Sealer Tips on 3M™ seam sealer products to duplicate many of the 0EM applied seam sealer beads without a lot of extra time and effort. Six (6) adapters included with each bag.
Part Number	08203	08204	08205	08206
UPC	0-00-51135-08203-4	0-00-51135-08204-1	0-00-51135-08205-8	0-00-51135-08206-5
Product Name	3M [™] 1/2 in Rounded 0EM Seam Sealer Tip	3M™ 3/8 in Flat 0EM Seam Sealer Tip	3M [™] 3/8 in Double-Rounded 0EM Seam Sealer Tip	3M™ OEM Seam Sealer Tip Adapter
Color	Opaque	Opaque	Opaque	Opaque
Packaging	6 bags per case	6 bags per case	6 per case	6 bags per case
	08398	08399	08571	08991
				and the second
Description	Fully enclosed, all metal, rod driven, friction feed applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages. This tool has a 12:1 ratio.	Fully enclosed, pneumatic applicator gun for use with 3M TM Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages.	Dispenses all 3M™ 200 mL cartridges with 1-1 or 2-1 mix ratios. Heavy Duty metal construction. Rod Driven for balanced product dispensing.	Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M™ Windshield Urethanes. This tool has an 18:1 ratio.
Part Number	08398	08399	08571	08991
UPC	0-00-51135-08398-7	0-00-51135-08399-4	0-00-51135-08571-4	0-00-51135-08991-0
Product Name	3M [™] Flexible Package Applicator Gun	3M [™] Flexible Package Applicator Gun - Pneumatic	3M [™] Manual 200 mL Cartridge Applicator Gun	3M [™] Flex Pack Heavy Duty Applicator Gun
Color	Metallic/Black	Black/Metallic	Red/Black	Metallic/Black
Packaging	12 per case	1 per case	1 per case	1 per case

Filler, Adhesive and Coating -Applicators & Accessories

Seam Sealers - Applicators & Accessories

Seam Sealers - Applicators & Accessories (continued)

	08992	08993	09930	38191
Description	For use with 3M 1/10 gallon cartridge adhesives and sealants.	A high-performance gun, designed for the professional. Used for dis- pensing material from an 1/10 Gallon cartridge.	A pneumatic applicator gun designed for use with 3M's 200mL cartridges.	3M™ Static Mixing Nozzle is a cas- cade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges.
Part Number	08992	08993	09930	38191
UPC	0-00-51135-08992-7	0-00-51135-08993-4	0-00-51131-09930-2	0-00-51131-38191-9
Product Name	3M [™] Cartridge Applicator Gun	3M [™] Professional Caulking Gun	3M [™] Performance Pneumatic Applicator	3M [™] Static Mixing Nozzle - 50mL
Color	Blue	Orange/Black	Black	Opaque/Gold
Packaging	12 per case	1 per case	1 per case	12 nozzles per bag 6 bags per case
	38193			
Description	3M [™] Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges.			
Part Number	38193			
UPC	0-00-51131-38193-3			
Product Name	3M [™] Static Mixing Nozzle - 50 mL			
Color	Opaque/Gold			
Packaging	50 nozzles per bag 6 bags per case			

Sound Deadening & NVH - Applicators & Accessories

Sound Deadening & NVH - Applicators & Accessories

	08118	08190	08193	08801
Description	Conical tapered nozzle for use with Flex Pack packaged products.	A manual applicator gun designed for use with 3M's 1:1 50mL and 2:1 37.5mL cartridges	3M™ Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	One piece metal applicator gun designed for use with all No Cleanup products. Requires no cleaning. Refer to individual No Cleanup products for proper air pressures. Requires the use of No Cleanup Replacement Nozzle 08966.
Part Number	08188	08190	08193	08801
UPC	0-00-51135-08188-4	0-00-51135-08190-7	0-00-51131-08193-2	0-00-51135-08801-2
Product Name	3M™ Flex Pack Nozzle	3M™ Performance Manual Applicator	3M™ Mixing Nozzle	3M™ No Cleanup Applicator Gun
Container Volume	-	50 Millilitre		
Color	Opaque	Black/Grey	Opaque/Gold	Black
D 1 '	_			_
Packaging	6 per case	1 per Case	6 nozzles per bag 6 bags per case	8 per case
Packaging	6 per case 08966	1 per Case 08991	6 nozzles per bag 6 bags per case 08997	8 per case 38191
Packaging	·			
Packaging Description	·			38191
	08966 Designed for use with 3M™ No Cleanup Coatings, part numbers	Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M™ Windshield Urethanes. This tool has an 18:1	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part num-	38191 3M™ Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL
Description	Designed for use with 3M™ No Cleanup Coatings, part numbers 08804, 08949 and 08964.	Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M™ Windshield Urethanes. This tool has an 18:1 ratio.	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991.	38191 3M™ Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges.
Description Part Number	Designed for use with 3M™ No Cleanup Coatings, part numbers 08804, 08949 and 08964.	Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M™ Windshield Urethanes. This tool has an 18:1 ratio.	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991.	38191 3M™ Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges. 38191
Description Part Number UPC	Designed for use with 3M™ No Cleanup Coatings, part numbers 08804, 08949 and 08964. 08966 0-00-51135-08966-8 3M™ No Cleanup Replacement	Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M™ Windshield Urethanes. This tool has an 18:1 ratio. 08991 0-00-51135-08991-0 3M™ Flex Pack Heavy Duty	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991. 08997 0-00-51135-08997-2 3M™ Body Schutz™ Applicator	3M™ Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges. 38191 0-00-51131-38191-9
Description Part Number UPC Product Name	Designed for use with 3M™ No Cleanup Coatings, part numbers 08804, 08949 and 08964. 08966 0-00-51135-08966-8 3M™ No Cleanup Replacement	Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M™ Windshield Urethanes. This tool has an 18:1 ratio. 08991 0-00-51135-08991-0 3M™ Flex Pack Heavy Duty Applicator Gun	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991. 08997 0-00-51135-08997-2 3M™ Body Schutz™ Applicator	3M™ Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges. 38191 0-00-51131-38191-9

Filler, Adhesive and Coating -Applicators & Accessories

Health & Safety

Health & Safety

3M[™] Personal Air Monitoring Systems

3M[™] Automotive Personal Air Monitoring Systems

	37023	52512	
Description	For use in measuring workplace exposures to organic vapors with prepaid analysis included in the monitor cost. (Technical calls go to OHESD)	End user replaceable waist belt tang for Air-Mate 2000 SCBA systems.	
Part Number	37023	52512	
UPC	0-00-51131-37023-4	0-00-51131-52512-2	
Product Name	3M™ Organic Vapor Monitor	3M™ Waist Belt Tang BAP-1017270	
Packaging	1 per case	1 per case	

3M[™] Environmental Safety

3M™ Automotive Environmental Safety Products

	07164	07165	07166	07167
	and the second			
Description	Ideal for placing in, under and around machines to catch drips. It is highly sorbent and non-granular so it will not damage plant equipment. Each case sorbs 37.5 gallons and contains 100 pads (each 15.5 inches by 20.5 inches).	Used to clean up small spills and wipe down oily tools and equipment. Designed to be placed on machinery to catch leaks at the source. Each case sorbs 31.5 gallons and contains 100 pads (each 7.5 inches by 20.5 inches).	Designed to cover large surfaces and may be easily cut to fit tight corners. Can also be used to cover large spills or as a precaution in areas where large spills may occur. Each roll is 15.5 inches by 150 feet and sorbs 31 gallons.	Designed to cover large surfaces and may be easily cut to fit tight corners. Can also be used to cover large spills or as a precaution in areas where large spills may occur. Each roll is 38 inches by 150 feet and sorbs 76 gallons.
Part Number	07164	07165	07166	07167
UPC	5-00-51131-07164-8	5-00-51131-07165-5	5-00-51131-07166-2	5-00-51131-07167-9
Product Name	3M [™] Maintenance Sorbent Pad M- PD1520DD/M-A2002	3M [™] Maintenance Sorbent Production Pad M-PD720GG	3M™ Maintenance Sorbent Roll M- RL15150DD/M-B2001	3M [™] Maintenance Sorbent Roll M- RL38150DD/M-B2002
Packaging	100 per case	100 per case	1 per case	1 per case

3M[™] Environmental Safety

3M™ Automotive Environmental Safety Products (continued)

	07168	07169	07172	07173
				S S S S S S S S S S S S S S S S S S S
Description	Will sorb most non-aggressive liquids and is used in maintenance applications. Each case contains 6 booms which will absorb 2 gallons each. A case weighs 12 pounds.	The sorbent drum cover is designed to be used on a 55 gallon drum to catch drips and spills that occur during the dispensing of all types of non-aggressive liquids used in daily operations. Contains 25 covers per case and sorbs 12 gallons/case.	This high capacity sorbent has a scrim on one side to increase strength and help eliminate linting. It is dispensed from a carrying/dispenser box in the form of a continuous roll with perforations every 16 inches.	Four sorbents in one. It can be used as a boom, pillow, pad, or roll, which means fewer products need to be stocked to meet your sorbent needs. The folded sorbent is perforated every 16 inches to allow you to select the length required, so theres less waste.
Part Number	07168	07169	07172	07173
UPC	5-00-51131-07168-6	5-00-51131-07169-3	5-00-51131-07172-3	5-00-51131-07173-0
Product Name	3M [™] Maintenance Sorbent Mini- Boom	3M [™] Maintenance Sorbent Drum Cover M-DC22DD/M-R2001	3M [™] Maintenance Sorbent Folded M-FL550DD/M-F2001	3M [™] Petroleum Sorbent Folded P- FL550DD/T-F2001
Packaging	6 per case	25 per case	3 per case	3 per case
	07175	16049	16050	16051
	(A)			
Description	Compact for easy storage, and ideal for rapid response. Can be squeezed/molded into confined areas such as behind truck seats and in the trunks of cars. 3 spill kits/case and each kit contains 1-chemroll, 5 inches by 26 feet and one temporary disposal bag	This highly sorbent pad features a low-profile design, for easy placement in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 43.5 gallons, contains 200 pads(each 17 inches by 19 inches).	This high capacity sorbent pad features a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 37.5 gallons and contains 100 pads (each 17 inches by 19 inches).	This highly sorbent pad features a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 75 gallons and contains 50 pads (each 34 inches by 38 inches).
Description Part Number	for rapid response. Can be squeezed/molded into confined areas such as behind truck seats and in the trunks of cars. 3 spill kits/case and each kit contains 1- chemroll, 5 inches by 26 feet and	low-profile design, for easy place- ment in tight areas. Ideal for clean- ing up small spills and wiping down contaminated areas. Each bale sorbs 43.5 gallons, contains 200	tures a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 37.5 gal- lons and contains 100 pads (each	low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 75 gallons and contains 50 pads (each 34 inches by 38 inch-
·	for rapid response. Can be squeezed/molded into confined areas such as behind truck seats and in the trunks of cars. 3 spill kits/case and each kit contains 1- chemroll, 5 inches by 26 feet and one temporary disposal bag	low-profile design, for easy place- ment in tight areas. Ideal for clean- ing up small spills and wiping down contaminated areas. Each bale sorbs 43.5 gallons, contains 200 pads(each 17 inches by 19 inches).	tures a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 37.5 gal- lons and contains 100 pads (each 17 inches by 19 inches).	low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 75 gallons and contains 50 pads (each 34 inches by 38 inches).
Part Number	for rapid response. Can be squeezed/molded into confined areas such as behind truck seats and in the trunks of cars. 3 spill kits/case and each kit contains 1-chemroll, 5 inches by 26 feet and one temporary disposal bag	low-profile design, for easy place- ment in tight areas. Ideal for clean- ing up small spills and wiping down contaminated areas. Each bale sorbs 43.5 gallons, contains 200 pads(each 17 inches by 19 inches).	tures a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 37.5 gal- lons and contains 100 pads (each 17 inches by 19 inches).	low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Each bale sorbs 75 gallons and contains 50 pads (each 34 inches by 38 inches). 16051

3M[™] Environmental Safety

3M™ Automotive Environmental Safety Products (continued)

	16054	17596	28990	28991
	The same of the sa			
Description	This boom is a 8 inches by 10 feet scrim encased tube of particulate sorbent material secured by a UV resistant netting. Built-in attachment clips are provided at each end of the boom allowing the booms to be linked together, overlapping and preventing seepage between segments.	Mini-booms are typically used to encircle spills and to contain leaks. A 3 inch diameter scrim on the outside of the boom identifies the application. This boom is 4 feet in length.	Designed to cover large surfaces, can be easily placed in tight areas. Ideal for cleaning-up small spills and wiping down contaminated areas. The HP-100 roll sorbs 73 gallons per roll and is 38 inches by 144 feet long.	This high capacity, low profile Sorbent pad, picks up petroleum based fluids, will not absorb water. For routine use, cleaning up small spills and wiping contaminated areas. 100 pads (19 inch X 17 inch) per bale, (37.5 gallons/bale).
Part Number	16054	17596	28990	28991
UPC	0-00-21200-16054-7	5-00-51138-17596-7	0-00-51138-28990-4	5-00-51138-28991-6
Product Name	3M [™] Petroleum Sorbent Boom T- 270	3M [™] Chemical Sorbent Mini-Boom P-200	3M [™] Petroleum Sorbent Roll HP- 100	3M [™] Petroleum Sorbent Pad HP- 156
Packaging	4 per case	12 per case	1 per case	100 per case
	29002	29003	29097	46286
Description	Used in areas where foot and vehicle traffic is a concern. Designed to sorb liquids while enduring the punishment of being tread upon, sorbent rugs are both durable and versatile. Each rug comes in a roll 36 inches by 300 feet and sorbs 32 gallons per roll.	This rug is designed for use in industrial maintenance applications where foot and vehicle traffic is a concern, and will sorb most nonaggressive liquids. Each rug comes in a roll 36 inches by 100 feet and sorbs 10.5 gallons per roll.	Can be easily cut to cover small areas or fit tight corners. May be used to cover bench tops in antici- pation of a spill while also acting as a work surface. Able to sorb 31 Gallons/roll. Each roll is 15.25 inches by 150 feet.	Can be stored indoors or outdoors Easily identified by its bright white color. Packed in an element resist ant 20-gallon drum. Combines botl folded sorbent materials and high capacity pads which allow for selection of product for each response situation.
Part Number	29002	29003	29097	46286
JPC	0-00-51138-29002-3	0-00-51138-29003-0	0-00-51138-29097-9	0-00-51138-46286-4
Product Name	3M [™] Maintenance Sorbent Rug M- RG36300E	3M [™] Maintenance Sorbent Rug M- RGC36100E	3M™ Chemical Sorbent Roll C- RL15150DD	3M [™] Petroleum Sorbent Spill Kit P-SKFL31
Packaging	1 per case	1 per case	1 per case	1 per case
	54203	86807	98706	
	The state of the s	Constant Bright		
Description	Meets the performance criteria for fit testing respirators under the cur- rent OSHA Standard for Respirator Protection: 29 CFR 1910.134, Appendix A.	Scotch® Bundling Straps are the perfect organizing solution. Great for household objects such as computer cables, extension cords and rope. Each strap can be used multiple times.	Versatile power adapter for charg- ing the portable gas detectors equipped with a rechargeable bat- tery. Come with four plug adapters.	
Part Number	54203	86807	98706	
UPC	0-00-51138-54203-0	0-00-51131-86807-6	0-00-51131-98706-7	
Product Name	3M [™] Qualitative Fit Test Apparatus FT-30	Scotch® 8 in Bundling Straps	3M [™] Universal Power Adaptor 457-221-005	
Packaging	1 per case	24 per case	1 per case	

Personal Care

Personal Care

	50863	62040	62041
	Provide 1		
Description	16 fl. oz (500 mL) Instant Hand Antiseptic with Moisturizers (Pump Bottle), (Wall Bracket avail- able through 3M Sales Representative).	1 inch x 3 inch (25mm x 76mm) Flexible Foam Bandages, Strips	3/4 inch x 3 inch (19mm x 76mm) Flexible Foam Bandages, Strips
Part Number	50863	62040	62041
UPC	5-07-07387-50863-5	5-00-51131-62040-2	5-00-51131-62041-9
Product Name	3M [™] Avagard [™] D Instant Hand Antiseptic with Moisturizers (Pump Bottle) 9222	Nexcare [™] Active [™] Strips Flexible Foam Bandages 17021	Nexcare [™] Active [™] Strips Flexible Foam Bandages 17020
Packaging	12 per case	100 per box 12 boxes per case	100 per box 12 boxes per case

3M[™] Automotive Respirators

3M[™] Automotive Buffing, Grinding and Sanding Respirators

	07023	07048	07185	37021
Description	This economical disposable N95 particulate respirator is designed to help provide reliable worker respiratory protection against certain non-oil based particles.	Designed for use in grinding, sand- ing and buffing applications in the automotive aftermarket. Lightweight, two-strap filtering facepiece respirators with an adjustable noseclip and new braid- ed headstraps, this respirator helps provide excellent protection.	Designed for use in grinding, sand- ing and buffing applications. Lightweight, two-strap filtering facepiece respirators with exhala- tion valve for cool comfort and an adjustable nose clip, the 07185 helps provide excellent protection.	Is a breakthrough in comfort and convenience. This three-panel respirator with innovative design is uniquely designed to help provide comfortable, reliable worker protection against non-oil based particles.
Part Number	07023	07048	07185	37021
UPC	5-00-51131-07023-8	0-00-51131-07048-6	0-00-51131-07185-8	5-00-51131-37021-5
Product Name	3M [™] Particulate Respirator N95	3M™ Particulate Respirator N95	3M™ Particulate Respirator N95	3M [™] Particulate Respirator N95
Packaging	160 per case	20 per box 8 boxes per case	10 per box 8 boxes per case	240 per case

3M™ Automotive Respirators

3M™ Automotive Buffing, Grinding and Sanding Respirators (continued)

Description		37022	52750	54143	54285
Description Desc					
Product Name 3M™ Particulate Respirator N95 Packaging 120 per case 80 per case 20 per case 80 per case 20 per case 80 per case 80 per case 3M™ Particulate Respirator N95 3M™ Particulate Respirator N95 3M™ Particulate Respirator N95 3M™ Particulate Respirator R511 is 3M recommended for sanding and working with fiberglass insulation and drywall sanding. Cool layer remove nuisance levels of organic vapors. See product warning for use details.* besometically a particulate Respirator R511 is 3M recommended for sanding and working with fiberglass insulation and drywall sanding. Cool layer we exhalation and heat reduction, which provides cool, dry comfort. NIOSH appoval: N95.	Description	flatfold respirator features soft inner material and 3M™ Cool Flow™ Valve to help provide comfortable, reliable worker respiratory protection. Ideally suited for hot/dusty work settings that require	features of the 3M™ Particulate Respirator 8511, plus a comfortable foam face seal. Is uniquely designed to help provide protection against certain non-oil based parti- cles. It is ideally suited for work settings that involve heat, humidity,	NIOSHs highest rated filtration effi- ciency in a maintenance free respi- rator. It provides a minimum filter efficiency of 99.97% against non-	advanced electret filter media, foam faceseal and 3M™ Cool Flow™ Valve to help provide comfortable worker respiratory protection against certain oil and non-oil
Product Name 3MTM Particulate Respirator N95 Packaging 120 per case 80 per case 20 per case 80 per case 80 per case 76499 This disposable P95 particulate respiratory perotection against certain oil and non-oil based particles. The respirator features a carbon layer to remove nuisance levels of organic vapors. See product warning for use details.* SMTM Particulate Respirator N100 3MTM Particulate Respirator N100 3MTM Particulate Respirator N100 3MTM Particulate Respirator R95 80 per case 3MTM Particulate Respirator 8511 is 3M recommended for sanding and working with fiberglass insulation and drywall sanding. Cool flow™ exhalation valve allows easy exhalation and heat reduction, which provides cool, dry comfort. NIOSH appoval: N95.	Part Number	37022	52750	54143	54285
Packaging 120 per case 80 per case 20 per case 80 per case 3M™ Particulate Respirator 8511 is 3M recommended for sanding and working with fiberglass insulation and drywall sanding. Cool flapse resistant shell for increased durability in most hot, humid condivations. See product warning for use details.*	UPC	5-00-51131-37022-2	5-00-51131-52750-3	5-00-51138-54143-4	5-00-51138-54285-1
This disposable P95 particulate respiratory protection against certain oil and non-oil based particles. The respirator features a carbon layer to remove nuisance levels of organic vapors. See product warning for use details.* It designed to help provide protection against certain oil and non-oil based particles. It features a collapse resistant shell for increased durability in most hot, humid conditions. SM™ Particulate Respirator 8511 is 3M recommended for sanding and working with fiberglass insulation and drywall sanding. Cool flow™ exhalation valve allows easy exhalation and heat reduction, which provides cool, dry comfort. NIOSH appoval: N95.	Product Name	3M [™] Particulate Respirator N95	3M [™] Particulate Respirator N95	3M™ Particulate Respirator N100	3M [™] Particulate Respirator P95
This disposable P95 particulate respiratory protection against certain oil and non-oil based particles. The respirator features a carbon layer to remove nuisance levels of organic vapors. See product warning for use details.* This disposable P95 particulate respiratory by protection against certain oil and non-oil against certain oil and non-oil based particles. It features a collapse resistant shell for increased durability in most hot, humid conditions. SM™ Particulate Respirator 8511 is 3M recommended for sanding and working with fiberglass insulation and drywall sanding. Cool flow™ exhalation valve allows easy exhalation and heat reduction, which provides cool, dry comfort. NIOSH appoval: N95.	Packaging	120 per case	80 per case	20 per case	80 per case
pirator helps provide respiratory protection against certain oil and non-oil based particles. The respirator features a carbon layer to remove nuisance levels of organic vapors. See product warning for use details.* Is designed to help provide protection against certain oil and non-oil based particles. It features a collapse resistant shell for increased durability in most hot, humid conditions. Is designed to help provide protection against certain oil and non-oil based particles. It features a collapse resistant shell for increased durability in most hot, humid conditions. Is designed to help provide protection against certain oil and non-oil based particles. It features a collapse resistant shell for increased durability in most hot, humid conditions. Is designed to help provide protection against certain oil and non-oil based particles. It features a collapse resistant shell for increased durability in most hot, humid condition and drywall sanding. Cool flow™ exhalation valve allows easy exhalation and heat reduction, which provides cool, dry comfort. NIOSH appoval: N95.		54371	66297	76499	
pirator helps provide respiratory protection against certain oil and non-oil based particles. The respirator features a carbon layer to remove nuisance levels of organic vapors. See product warning for use details.* Is designed to help provide protection against certain oil and non-oil based particles. It features a collapse resistant shell for increased durability in most hot, humid conditions. Is designed to help provide protection against certain oil and non-oil based particles. It features a collapse resistant shell for increased durability in most hot, humid conditions. Is designed to help provide protection against certain oil and non-oil based particles. It features a collapse resistant shell for increased durability in most hot, humid conditions. Is designed to help provide protection against certain oil and non-oil based particles. It features a collapse resistant shell for increased durability in most hot, humid condition and drywall sanding. Cool flow™ exhalation valve allows easy exhalation and heat reduction, which provides cool, dry comfort. NIOSH appoval: N95.					
Part Number 54371 66297 76499	Description	pirator helps provide respiratory protection against certain oil and non-oil based particles. The respi- rator features a carbon layer to remove nuisance levels of organic vapors. See product warning for	tion against certain oil and non-oil based particles. It features a col- lapse resistant shell for increased durability in most hot, humid condi-	is 3M recommended for sanding and working with fiberglass insula- tion and drywall sanding. Cool flow™ exhalation valve allows easy exhalation and heat reduction, which provides cool, dry comfort.	
		use details.			
UPC 5-00-51138-54371-1 5-00-51138-66297-9 0-00-51131-76499-6	Part Number	54371	66297	76499	
3M [™] Particulate Respirator with Product Name Nuisance Level Organic Vapor Relief P95		54371			
Packaging 80 per case 120 per case 4 per case	UPC	54371 5-00-51138-54371-1 3M™ Particulate Respirator with Nuisance Level Organic Vapor Relief	5-00-51138-66297-9	0-00-51131-76499-6	

3M[™] Respirator Accessories

	46464
	NIOSH approved for environments containing certain non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridges 6000
Description	Series, and 3M™ Filter Retainer 501.
Part Number	46464
UPC	5-00-51138-46464-1
Product Name	3M™ Particulate Filter N95
Packaging	10 per case

3M[™] Automotive Dual Cartridge Respirators

	07024	07025	07026	07141
	SOS	300		
Description	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	Use with 3M [™] Full Facepiece Respirators 6000 Series. It permits the wearer to use his/her corrective lenses and to make position adjust- ment that is most comfortable.
Part Number	07024	07025	07026	07141
UPC	5-00-51131-07024-5	5-00-51131-07025-2	5-00-51131-07026-9	0-00-51131-07141-4
Product Name	3M [™] Half Facepiece Reusable Respirator Small	3M [™] Half Facepiece Reusable Respirator Medium	3M [™] Half Facepiece Reusable Respirator Large	3M™ Spectacle Kit
Packaging	24 per case	24 per case	24 per case	1 per case
	07162	07163	07178	07179
Description	Provides both respiratory and limit- ed eye protection for the technician when properly worn.	Provides both respiratory and limited eye protection for the technician when properly worn.	Includes the 3M [™] Low Maintenance Half Facepiece 07025 (medium), 1 pair organic vapor cartridges 07046, 1 pair filter retainers 07054, and 2 pairs of P-95 filters 07194.	Includes the 3M™ Low Maintenance Half Facepiece 07026 (large), 1 pair organic vapor cartridges 07046, 1 pair filter retainers 07054, and 2 pairs of P-95 filters 07194.
Part Number	07162	07163	07178	07179
UPC	0-00-51131-07162-9	0-00-51131-07163-6	0-00-51131-07178-0	0-00-51131-07179-7
Product Name	3M [™] Full Facepiece Respirator Packout Medium	3M [™] Full Facepiece Respirator Packout Large	3M [™] Dual Cartridge Respirator Packout Medium	3M [™] Dual Cartridge Respirator Packout Large
Packaging	2 per case	2 per case	4 per case	4 per case
	07191	07192	07193	37077
	Solo	Solo		
Description	3M recommended for spray paint applications, with maintenance free design for convenience.	3M recommended for spray paint applications, with maintenance free design for convenience.	3M recommended for spray paint applications, with maintenance free design for convenience.	3M recommended for paint spray applications.
Part Number	07191	07192	07193	37077
UPC	0-00-51131-07191-9	0-00-51131-07192-6	0-00-51131-07193-3	5-00-51131-37077-2
Product Name	3M™ Dual Cartridge Respirator Assembly Small	3M [™] Dual Cartridge Respirator Assembly Medium	3M™ Dual Cartridge Respirator Assembly Large	3M [™] Professional Series Half Facepiece Paint Spray Packout Small
			12 per case	

3M™ Automotive Dual Cartridge Respirators (continued)

	37078	37079	37081	37082
Description	3M recommended for paint spray applications.	3M recommended for paint spray applications.	This half facepiece reusable respirator 7500 Series uses advanced silicone material to help provide comfortable and durable respiratory protection. The 3M™ Cool Flow™ Valve helps make breathing easier and can reduces heat and moisture build-up for cool, dry comfort.	This half facepiece reusable respirator 7500 Series uses advanced silicone material to help provide comfortable and durable respiratory protection. The 3M™ Cool Flow™ Valve helps make breathing easier and can reduces heat and moisture build-up for cool, dry comfort.
Part Number	37078	37079	37081	37082
UPC	5-00-51131-37078-9	5-00-51131-37079-6	5-00-51131-37081-9	5-00-51131-37082-6
Product Name	3M [™] Professional Series Half Facepiece Paint Spray Packout Medium	3M™ Professional Series Half Facepiece Paint Spray Packout Large	3M [™] Half Facepiece Reusable Respirator Small	3M [™] Half Facepiece Reusable Respirator Medium
Packaging	4 per case	4 per case	10 per case	10 per case
	37083			
Description	This half facepiece reusable respirator 7500 Series uses advanced silicone material to help provide comfortable and durable respiratory protection. The 3M™ Cool Flow™ Valve helps make breathing easier and can reduces heat and moisture build-up for cool, dry comfort.			
Part Number	37083			
UPC	5-00-51131-37083-3			
Product Name	3M [™] Half Facepiece Reusable Respirator Large			
Packaging	10 per case			

3M[™] Automotive Dual Cartridge Replacement Parts

	07046	07047	07054	07065
				The state of the s
Description	For use on all 3M™ Low Maintenance and durable Facepiece Respirators with bayonet style attachment.	The 3M™ Organic Vapor/Acid Gas Cartridge 6003 helps provide respi- ratory protection against certain organic vapors or acid gases. Respirator cartridges work with 3M™ Half and Full Facepiece 6000, 7000 and FF-400 Series Full Facepiece respirators.	For use with the 3M TM 07046 Organic Vapor cartridges and the 07047 Organic Vapor/Acid Gas car- tridges to attach the 07196 P95 fil- ters where there is a need for par- ticulate protection such as in a paint spray application.	Used to clean 3M [™] Elastomeric Facepiece Respirators. Individually packed 8 in x 10 in towelettes are alcohol free and will not damage the facepiece materials.
Part Number	07046	07047	07054	07065
UPC	0-00-51131-07046-2	5-00-51131-07047-4	0-00-51131-07054-7	5-00-51131-07065-8
Product Name	3M™ Organic Vapor Cartridge	3M™ Organic Vapor/Acid Gas Cartridge	3M™ Retainer	3M [™] Respirator Cleaning Wipe
Packaging	2 per pack 30 packs per case	60 per case	20 per box 5 boxes per case	500 per case
	07139	07140	07142	07143
Description	Wide viewing area and low, swept- back cartridge design for an excel- lent line of vision.	Wide viewing area and low, swept- back cartridge design for unob- structed line of vision. This respira- tor is designed with the painter in mind.	Use on 3M™ Full Facepieces 6000 Series to help protect the lens.	For use with the 3M™ Half Facepiece Respirators 6000 Series.
Part Number	07139	07140	07142	07143
UPC	0-00-51131-07139-1	0-00-51131-07140-7	5-00-51131-07142-6	5-00-51131-07143-3
Product Name	3M™ Full Facepiece Medium	3M™ Full Facepiece Large	3M [™] Faceshield Cover	3M™ Exhalation Valve
Packaging	1 per case	1 per case	25 per bag 4 bags per envelope	10 per case
	07144	07145	07194	07195
Description	6893 inhalation valve	Replaceable orange gasket used on the 3M™ Full Facepiece Respirators 6000 Series and 7800S.	NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridges 6000 Series, and 3M™ Filter Retainer 501.	For use with automotive low mainte- nance half and full facepiece respira- tors and the automotive durable style half facepiece respirators.
Part Number	07144	07145	07194	07195
UPC	5-00-51131-07144-0	5-00-51131-07145-7	5-00-51131-07194-5	0-00-51131-07195-7
Product Name	3M™ Inhalation Valve	3M [™] Inhalation Port Gasket	3M [™] Particulate Filter P95	3M [™] Replacement Cartridge/Filter Packout P95
Packaging	200 per case	80 per case	100 per case	5 per case

3M[™] Automotive Dual Cartridge Replacement Parts (continued)

	37000	37004	37005	37006
	310			
Description	This product features a proprietary design exhalation valve that increases user comfort by making breathing exhalation easier. The unique valve cover design also enhances the protection of the exhalation valve from debris.	Use as a replacement part for 3M [™] Full Facepieces 6700, 6800, 6900 (07138, 07139, 07140 AAD).	Use as a replacement part for 3M [™] Full Facepieces 6700, 6800, 6900 (07138, 07139, 07140 AAD).	Use as a replacement part on 3M [™] Full Facepieces 6000 Series.
Part Number	37000	37004	37005	37006
UPC	5-00-51131-37000-0	5-00-51131-37004-8	5-00-51131-37005-5	5-00-51131-37006-2
Product Name	3M [™] Center Adapter Assembly	3M [™] Nose Cup Assembly	3M™ Head Harness Assembly	3M™ Lens Assembly
Packaging	5 per case	5 per case	5 per case	5 per case
	·	·		·
	37007	37080		
	37007	37080		·
Description	Replacement part on 3M [™] Full Facepieces 6000 Series. Use to secure 3M [™] Lens Assembly 6898 to facepiece. Does not include lens.	37080 This kit includes replacement parts to maintain the durable respirator facepiece.		·
Description Part Number	Replacement part on 3M TM Full Facepieces 6000 Series. Use to secure 3M TM Lens Assembly 6898 to facepiece. Does not include	This kit includes replacement parts to maintain the durable respirator		·
·	Replacement part on 3M [™] Full Facepieces 6000 Series. Use to secure 3M [™] Lens Assembly 6898 to facepiece. Does not include lens.	This kit includes replacement parts to maintain the durable respirator facepiece.		
Part Number	Replacement part on 3M [™] Full Facepieces 6000 Series. Use to secure 3M [™] Lens Assembly 6898 to facepiece. Does not include lens. 37007	This kit includes replacement parts to maintain the durable respirator facepiece.		·

3M™ Automotive Fresh Air Kits

	07190	GVP-1	GVP-1U
	3 -36		
Description	This NIOSH-approved powered air purifying respirator system helps provide respiratory protection and includes a comfortable belt-mounted assembly, breathing tube, lightweight headgear and organic vapor/high efficiency cartridge. Use when mobility is necessary.	This belt-mounted powered air purifying respirator assembly includes components needed to make a complete PAPR system. Helps provide respiratory protection when combined with 3M™ Headgear and breathing tube.	Includes the components needed to make a complete 3M™ PAPR System. When combined with the 3M™ Headgear and breathing tube, it provides protection for a wide range of applications.
Part Number	07190	GVP-1	GVP-1U
UPC	0-00-51131-07190-2	0-00-51138-29196-9	0-00-51138-46227-7
Product Name	3M [™] Belt-Mounted Powered Air Purifying Respirator (PAPR) Paint Spray Kit	3M [™] Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly GVP-1	3M [™] Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly GVP-1U
Packaging	1 per case	1 per case	1 per case

3MTM Automotive Fresh Air Components

	07006	07008	07009	07010
Description	This panel is designed to filter and regulate air being delivered to the supplied air respirator. It has a maximum capacity of 50 cfm at 105 psig. Note: This unit will NOT remove carbon monoxide (CO) from compressed air source.	Used where the concentration of liquid aerosols in compressed air are greater than what can be filtered by the 3M™ Compressed Air Filter and Regulating Panel W-2806 alone.	Replacement filter for the 3M [™] Coalescing Filter Assembly W- 3012/37008(AAD).	This hose is 25 feet long and has a 3/8 inch inner diameter. It is equipped with MPT fittings at both ends and accepts 1/4 inch FPT fittings. You may not combine 25 or 50 foot lengths of the 3M™ Supplied Air Hose W-9435.
Part Number	07006	07008	07009	07010
UPC	0-00-51131-07006-6	0-00-51131-07008-0	5-00-51131-07009-2	0-00-51131-07010-3
Product Name	3M [™] Compressed Air Filter and Regulator Panel W-2806	3M [™] Coalescing Filter W-3012	3M™ High Efficiency Filter Element W-3013-4	3M™ Supplied Air Hose W-9435-25
Packaging	1 per case	1 per case	4 per case	1 per case

	07012	07031	07033	07034
Description	This hose is 100 feet long and has a 3/8 inch inner diameter. It is equipped with MPT fittings at both ends and accepts 1/4 inch FPT fittings. 3M™ Supplied Air System approvals allow for 100 foot lengths of this hose to be combined up to a maximum of 300 feet. (3 sections)	Gray vinyl breathing tube is used with 3M™ Hood Supplied Air System H-Series.	Can be used on 3M™ Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fit- tings. This hose can only be used in single lengths. Hoses cannot be combined.	Can be used on 3M™ Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fittings. This hose can only be used in single lengths. Hoses cannot be combined.
Part Number	07012	07031	07033	07034
UPC	0-00-51131-07012-7	0-00-51131-07031-8	0-00-51131-07033-2	0-00-51131-07034-9
Product Name	3M [™] Supplied Air Hose W-9435- 100	3M™ Breathing Tube W-5114	3M [™] Supplied Air Hose W-3020- 25	3M [™] Supplied Air Hose W-3020- 50
Packaging	1 per case	1 per case	1 per case	1 per case
	07035	OFFICE	0=044	07400
	07035	07037	07044	07130
	0/033	0/03/	0/044	0/130
Description	Can be used on 3M TM Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fit- tings. This hose can only be used in single lengths. Hoses cannot be combined.	H-Series hoods provide head and neck protection from pesticide and chemical overspray, lightweight, loose fitting, for use with beltmounted PAPRs or supplied air components. This hood is a replacement for 3M TM Hood Assemblies H-411 and H-412.	This assembly can be used on 3M TM Belt-Mounted Powered Air Purifying Respirator (PAPR)s and Supplied Air Respirator Systems. This hood offers exceptional comfort and can be worn with facial hair and glasses.	NIOSH approved for use with a low pressure pump and includes a 50 foot low pressure hose.
Description Part Number	Can be used on 3M [™] Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fit- tings. This hose can only be used in single lengths. Hoses cannot be	H-Series hoods provide head and neck protection from pesticide and chemical overspray, lightweight, loose fitting, for use with beltmounted PAPRs or supplied air components. This hood is a replacement for 3M™ Hood	This assembly can be used on 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR)s and Supplied Air Respirator Systems. This hood offers exceptional comfort and can be worn with facial	NIOSH approved for use with a low pressure pump and includes a 50
·	Can be used on 3M [™] Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fit- tings. This hose can only be used in single lengths. Hoses cannot be combined.	H-Series hoods provide head and neck protection from pesticide and chemical overspray, lightweight, loose fitting, for use with beltmounted PAPRs or supplied air components. This hood is a replacement for 3M TM Hood Assemblies H-411 and H-412.	This assembly can be used on 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR)s and Supplied Air Respirator Systems. This hood offers exceptional comfort and can be worn with facial hair and glasses.	NIOSH approved for use with a low pressure pump and includes a 50 foot low pressure hose.
Part Number	Can be used on 3M [™] Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fit- tings. This hose can only be used in single lengths. Hoses cannot be combined.	H-Series hoods provide head and neck protection from pesticide and chemical overspray, lightweight, loose fitting, for use with beltmounted PAPRs or supplied air components. This hood is a replacement for 3M™ Hood Assemblies H-411 and H-412.	This assembly can be used on 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR)s and Supplied Air Respirator Systems. This hood offers exceptional comfort and can be worn with facial hair and glasses.	NIOSH approved for use with a low pressure pump and includes a 50 foot low pressure hose.
Part Number UPC	Can be used on 3M [™] Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fittings. This hose can only be used in single lengths. Hoses cannot be combined. 07035 0-00-51131-07035-6 3M [™] Supplied Air Hose W-3020-	H-Series hoods provide head and neck protection from pesticide and chemical overspray, lightweight, loose fitting, for use with beltmounted PAPRs or supplied air components. This hood is a replacement for 3M™ Hood Assemblies H-411 and H-412. 07037 5-00-51131-07037-5	This assembly can be used on 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR)s and Supplied Air Respirator Systems. This hood offers exceptional comfort and can be worn with facial hair and glasses. 07044 0-00-51131-07044-8	NIOSH approved for use with a low pressure pump and includes a 50 foot low pressure hose. 07130 0-00-51131-07130-8 3MTM Half Facepiece Dual Airline

	07153	07154	07196	29208
Description	Includes the 3M™ Air Regulator SA-1009 and Waist Belt GVP-127. Used with breathing tube, facepiece, filters/cartridges and air supply hose, it makes a complete 3M™ Dual Airline Supplied Air Respirator.	Includes the 3M [™] Dual Airline Connector SA-1029 and the Waist Belt GVP-127. This assembly can be used with any 3M [™] Low Pressure Dual Airline Supplied Air Respirator.	This NIOSH-approved organic vapor/high efficiency cartridge helps provide respiratory protection in environments containing certain organic vapors and particulates. Used with 3M™ GVP Belt-Mounted Powered Air Purifying Respirator Systems.	This battery pack supplies the power to operate the motor blower. The nickel cadmium battery has overcharge protection and provides eight hours of use per charge. It has a life of approximately 1000 charge/discharge cycles.
Part Number	07153	07154	07196	29208
UPC	0-00-51131-07153-7	0-00-51131-07154-4	5-00-51131-07196-9	0-00-51138-29208-9
Product Name	3M [™] Dual Airline Air Regulating Valve Assembly SA-1007	3M [™] Dual Airline Connector Assembly SA-1027	3M™ Powered Air Purifying Respirator (PAPR) Organic Vapor/High Efficiency Cartridge	3M™ Powered Air Purifying Respirator Nickel Cadmium Battery Pack
Packaging	1 per case	1 per case	6 per case	1 per case
	29209	37008	37018	37019
	SM O			
Description	This battery charger will keep the battery properly charged and ready for use.	This bumpcap with wide-view faceshield can be used with certain 3M TM Powered Air Purifying Respirators or Supplied Air Respirator systems to help provide respiratory protection for a variety of applications. Allows the user to wear most prescription glasses.	This supplied air respirator assembly, when used with approved breathing tube and headgear, can help regulate the flow and temperature of supplied air system. Cools the air up to 50°F (28°C). Includes the cooling tube, waist belt and holder.	Allows the worker to set the airflow to the most comfortable level. Includes the valve and waist belt. It is strictly a regulator and will not warm or cool supplied air to the worker.
Part Number	29209	37008	37018	37019
UPC	0-00-51138-29209-6	0-00-51131-37008-1	0-00-51131-37018-0	0-00-51131-37019-7
Product Name	3M™ Battery Charger GVP-112	3M™ Bumpcap	3M [™] Supplied Air Respirator	3M™ Versaflo™ Air Regulating
	om battery entriger are the		Vortex Cooling Assembly	Valve Assembly V-300

	37020	37027	37117	66155
Description	This assembly is approved for supplied air systems that use 3M [™] Low Pressure Hoses W-3020- 25/07033(AAD), W-3020- 50/07034(AAD), and W-3020- 100/07035(AAD) at pressures between 6-15 psig. It includes the connector and waist belt.	This carbon monoxide(CO) monitor is designed to connect directly to the 3M [™] Compressed Air Filter and Regulator Panel W-2806.	Used with the 3M [™] Hoods H-410- 10/07037(AAD) and H-420-10.	This helmet can be used with 3M TM Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It meets ANSI Type I, II hardhat requirements. It has shroud options and provides an assigned protection factor of 1000 x PEL.
Part Number	37020	37027	37117	66155
UPC	0-00-51131-37020-3	0-00-51131-37027-2	5-00-51131-37117-5	0-00-51138-66155-7
Product Name	3M [™] Versaflo [™] Low Pressure Connector Assembly V-400	3M [™] Retrofit CO Monitor Kit W- 2808	3M™ Cap Suspension H-213-2	3M™ Helmet L-901
Packaging	1 per case	1 per case	2 per case	1 per case
<u> </u>	. po. case	. per ease	2 por ouco	. por ouco
	6700DIN	6800DIN	6900DIN	CB-1000
	·	,	,	·
Description	·	,	,	·
	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according	G800DIN Use with 3M [™] Filters 2000 Series, 3M [™] Filter 7093, P100, 3M [™] Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according	Use with 3M [™] Filters 2000 Series, 3M [™] Filter 7093, P100, 3M [™] Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according	CB-1000 This adjustable belt is designed to evenly distribute the weight of a 3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR). It can accomodate waist sizes from 26 inches to 54 inches. The PAPR can be positioned in the
Description	Use with 3M [™] Filters 2000 Series, 3M [™] Filter 7093, P100, 3M [™] Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.	Use with 3M [™] Filters 2000 Series, 3M [™] Filter 7093, P100, 3M [™] Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.	Use with 3M [™] Filters 2000 Series, 3M [™] Filter 7093, P100, 3M [™] Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.	CB-1000 This adjustable belt is designed to evenly distribute the weight of a 3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR). It can accomodate waist sizes from 26 inches to 54 inches. The PAPR can be positioned in the back or on either side.
Description Part Number	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals. 6700DIN	Use with 3M TM Filters 2000 Series, 3M TM Filter 7093, P100, 3M TM Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals. 6800DIN	Use with 3M [™] Filters 2000 Series, 3M [™] Filter 7093, P100, 3M [™] Cartridges 6000 Series and powered or supplied air systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals. 6900DIN	CB-1000 This adjustable belt is designed to evenly distribute the weight of a 3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR). It can accomodate waist sizes from 26 inches to 54 inches. The PAPR can be positioned in the back or on either side. CB-1000

	GVP-100	GVP-110	GVP-112	GVP-113
			3M	
Description	Provides a level of air flow that surpasses NIOSH requirements. Depending on headgear and cartridge, the airflow ranges from 7.0-9.5 cfm. This unit weighs only 1.1 pounds and has a life of about 1000 hours.	Provides the necessary connection between the battery and the motor blower.	This battery charger will keep the battery properly charged and ready for use.	This meter measures the system airflow to make certain that it is at the proper level for the headgear and cartridges being used.
Part Number	GVP-100	GVP-110	GVP-112	GVP-113
UPC	0-00-51138-29206-5	0-00-51138-29207-2	0-00-51138-29209-6	0-00-51138-29210-2
Product Name	3M [™] Powered Air Purifying Respirator (PAPR) Unit	3M™ Power Cord GVP-110	3M [™] Battery Charger GVP-112	3M™ Flow Meter GVP-113
Packaging	1 per case	1 per case	1 per case	1 per case
	GVP-115	GVP-119	GVP-122	GVP-123
		(a)		
Description	These blower plugs are a replacement part for 3M™ Belt-Mounted Powered Air Purifying Respirator Systems. Includes five motor blower plugs and five air outlet plugs.	This cover is an optional component for 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) Systems.	This breathing tube is used on 3M™ GVP Systems with H Series Hoods.	This breathing tube is used on 3M [™] GVP Systems that have 3M [™] Full Facepieces 7800S and 6000 DIN Series.
Part Number	GVP-115	GVP-119	GVP-122	GVP-123
UPC	0-00-51138-29212-6	5-00-51138-54304-9	0-00-51138-29214-0	0-00-51138-29215-7
Product Name	3M [™] Blower Plug GVP-115	3M [™] Shower Cover GVP-119	3M [™] Breathing Tube GVP-122	3M™ Breathing Tube GVP-123
Packaging	1 per case	5 per case	1 per case	1 per case
	GVP-128	GVP-401	GVP-402	GVP-403
Description	This web shoulder strap is a component of 3M™ GVP Systems. It supports and balances the battery pack and motor blower.	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.
Part Number	GVP-128	GVP-401	GVP-402	GVP-403
UPC	0-00-51138-29367-3	5-00-51138-29216-9	5-00-51138-29217-6	5-00-51138-29218-3
Product Name	3M [™] Shoulder Strap GVP-128	3M [™] Organic Vapor Cartridge GVP- 401	3M [™] Acid Gas Cartridge GVP-402	3M [™] Organic Vapor/Acid Gas Cartridge GVP-403
Packaging	1 per case	6 per case	6 per case	6 per case

	GVP-404	GVP-405	GVP-440	GVP-442
			A.	
Description	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This NIOSH-approved particulate filter helps provide high efficiency respiratory protection in environments containing particulates. Used with 3M™ GVP Belt-Mounted Powered Air Purifying Respirator Systems.	This cartridge is used with the 3MTM Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.
Part Number	GVP-404	GVP-405	GVP-440	GVP-442
UPC	5-00-51138-29350-0	5-00-51138-29351-7	5-00-51138-29219-0	5-00-51138-29221-3
Product Name	3M™ Ammonia Cartridge GVP-404	3M [™] Formaldehyde Cartridge GVP-405	3M™ Powered Air Purifying Respirator (PAPR) High Efficiency Particulate Filter	3M [™] Acid Gas/High Efficiency Cartridge GVP-442
Packaging	6 per case	6 per case	8 per case	6 per case
	GVP-443	GVP-444	GVP-445	GVP-CB
Description	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.	This PAPR is designed to provide maximum comfort. It offers high airflow to the worker and the comfort belt is adjustable to fit waists from 26 inches to 54 inches.
Description Part Number	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head-	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head-	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head-	maximum comfort. It offers high airflow to the worker and the com- fort belt is adjustable to fit waists
,	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear.	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear.	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear.	maximum comfort. It offers high airflow to the worker and the com- fort belt is adjustable to fit waists from 26 inches to 54 inches.
Part Number	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear. GVP-443	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear. GVP-444	3M TM Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear. GVP-445	maximum comfort. It offers high airflow to the worker and the comfort belt is adjustable to fit waists from 26 inches to 54 inches.
Part Number UPC	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear. GVP-443 5-00-51138-29222-0 3M™ Powered Air Purifying Respirator (PAPR) Organic Vapor/Acid Gas/High Efficiency	3M™ Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear. GVP-444 5-00-51138-29352-4	3M TM Belt-Mounted and Vehicle- Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the head- gear. GVP-445 5-00-51138-29353-1	maximum comfort. It offers high airflow to the worker and the comfort belt is adjustable to fit waists from 26 inches to 54 inches. GVP-CB 0-00-51131-52772-0 3MTM Belt-Mounted Powered Air Purifying Respirator (PAPR)

	L-156	L-181	L-503	L-505
Description	This lens and adapter is used on the 3M™ L-Series Welding Headgear.	This adapter determines airflow for the 3M™ Headgear L-Series and the GVP Series Powered Air Purifying Respirator (PAPR)s.	This bumpcap is used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It is available with an autodarkening lens and other options to enhance productivity and safety. It provides bumpcap protection.	This bumpcap is used with 3M [™] Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It is available with an autodarkening lens for productivity and safety. It provides bumpcap protection.
Part Number	L-156	L-181	L-503	L-505
UPC	0-00-51138-66144-1	0-00-51138-72792-5	0-00-51138-66148-9	0-00-51138-66149-6
Product Name	3M [™] Electronic Lens and Adapter L-156	3M [™] Flow Meter Adapter L-181	3M™ Bumpcap L-503	3M™ Bumpcap L-505
D 1 .				
Packaging	1 per case	1 per case	1 per case	1 per case
Packaging	1 per case L-701	1 per case L-703	1 per case L-705	1 per case L-905
Packaging	·	·	·	·
Packaging Description	·	·	·	·
	L-701 This hardhat is used with 3M [™] Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It can be used in applications where ANSI Type I, II hardhat protection is needed. It has an assigned protection factor of 25 x	L-703 This hardhat can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It is designed for welding operations which must have industrial protective headgear. It has an assigned protection factor	L-705 This hardhat can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. Meets ANSI Type I, II requirements for industrial protective headgear. It has an assigned protection factor of 25 x	This helmet can be used with 3M TM Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It meets ANSI Type1, II hardhat requirements. It has shroud options and provides protection up
Description	This hardhat is used with 3M [™] Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It can be used in applications where ANSI Type I, II hardhat protection is needed. It has an assigned protection factor of 25 x PEL.	This hardhat can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It is designed for welding operations which must have industrial protective headgear. It has an assigned protection factor of 25 x PEL.	L-705 This hardhat can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. Meets ANSI Type I, Il requirements for industrial protective headgear. It has an assigned protection factor of 25 x PEL.	L-905 This helmet can be used with 3M [™] Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It meets ANSI Type1, II hardhat requirements. It has shroud options and provides protection up to 1000 x PEL.
Description Part Number	L-701 This hardhat is used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It can be used in applications where ANSI Type I, II hardhat protection is needed. It has an assigned protection factor of 25 x PEL. L-701	This hardhat can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It is designed for welding operations which must have industrial protective headgear. It has an assigned protection factor of 25 x PEL. L-703	L-705 This hardhat can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. Meets ANSI Type I, Il requirements for industrial protective headgear. It has an assigned protection factor of 25 x PEL. L-705	L-905 This helmet can be used with 3M [™] Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems. It meets ANSI Type1, II hardhat requirements. It has shroud options and provides protection up to 1000 x PEL. L-905

	W281110	W3012	W30134	W3018
Description	The filter assembly reduces the amount of particles that may be present in the compressed air system, including water and oil mist. The treated carbon in the filter material helps to lower nuisance level odors.	Used where the concentration of liquid aerosols in compressed air are greater than what can be filtered by the 3M™ Compressed Air Filter and Regulating Panel W-2806 alone.	Replacement filter for the 3M [™] Coalescing Filter Assembly W- 3012/37008(AAD).	Used to regulate the flow of compressed air to the 3M™ Hoods H-Series and Whitecap™ Helmets operated in low pressure using the 3M™ Supplied Air Hose W-3020. It can operate on pressures of 4-15 psig with and airflow of 6-15 cfm.
Part Number	W281110	W3012	W30134	W3018
UPC	5-00-51131-07007-8	0-00-51131-07008-0	5-00-51131-07009-2	0-00-51131-07032-5
Product Name	3M [™] Filter Cartridge W-2811-10	3M [™] Coalescing Filter W-3012	3M™ High Efficiency Filter Element W-3013	3M™ Connector Assembly W-3018
Packaging	10 per case	1 per case	4 per case	1 per case
	W3020100	W302050	W943550	
Description	Can be used on 3M™ Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fit- tings. This hose can only be used in single lengths. Hoses cannot be combined.	Can be used on 3M™ Low Pressure Compressed Air Systems. It has a 1/2 inch inner diameter and is equipped with MPT's on both ends to accept 3/8 inch FPT fit- tings. This hose can only be used in single lengths. Hoses cannot be combined.	This hose is 50 feet long and has a 3/8 inch inner diameter. It's equipped with MPT fittings at both ends and accepts 1/4 inch FPT fittings. You may not combine 25 or 50 foot lengths of the 3M [™] Supplied Air Hose W-9435.	
Part Number	W3020100	W302050	W943550	
UPC	0-00-51131-07035-6	0-00-51131-07034-9	0-00-51131-07011-0	
Product Name	3M [™] Supplied Air Hose W-3020- 100	3M [™] Supplied Air Hose W-3020- 50	3M [™] Supplied Air Respirator Hose	
Packaging	1 per case	1 per case	1 per case	

3M™ Automotive Fresh Air System Parts

	07036	07038	07039	07041
	0			
Description	This clamp is used to secure the breathing tube on the 3M [™] Hardcap Assembly.	For use as a replacement hood suspension in the 3M [™] Automotive Fresh Air Hood Assembly 07030.	When used with the 3M [™] Head Suspension W-2878, the 3M [™] Hatshell W-3258 meets the require- ments of ANSI standard Z89.1- 2003, Type 1, Class E head protec- tion.	Designed to be used with 3M [™] H- Series Hoods, Whitecap [™] Helmets and Hardcap Assemblies.
Part Number	07036	07038	07039	07041
UPC	5-00-51131-07036-8	0-00-51131-07038-7	5-00-51131-07039-9	5-00-51131-07041-2
Product Name	3M [™] Squeeze Clamp W-3222-2	3M™ Cap Suspension	3M™ Hatshell W-3258-5	3M™ Head Suspension W-2878-2
Packaging	2 per case	1 per case	5 per case	2 per case
	07042	07043	07045	07147
Description	This cover helps keep the lens on the 3M™ H-Series Hoods clean. When vision becomes obstructed, the cover can be peeled off leaving a clean shield.	This cover helps keep the lens on the 3M™ H-Series Hoods clean. When vision becomes obstructed, the cover can be peeled off leaving a clean shield.	Used with the 3M™ W-Series and V-Series Air Control Valves.	Used with the 3M [™] Dual Airline Front-Mounted Adapter Kit SA- 1000LP, Low Pressure.
Part Number	07042	07043	07045	07147
UPC	5-00-51131-07042-9	5-00-51131-07043-6	0-00-51131-07045-5	0-00-51131-07147-6
Product Name	3M™ Faceshield Cover H-110-10	3M [™] Faceshield Cover H-111-100	3M™ Versaflo™ Waist Belt W- 2963	3M [™] Dual Airline Front-Mounted Breathing Tube SA-1500
Packaging	10 per case	100 per case	1 per case	1 per case
	07148	07152	07155	07156
		3		
Description	This tube is part of the 3M [™] Back- Mounted Adapter Kit SA-2000LP (low pressure).	This belt is supplied as part of the 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly GVP-1. It is designed to hold the motor blower unit and battery pack in place.	Used on the 3M [™] Supplied Air Hose W-3020. It has a 3/8 inch FPT fitting.	This plug is a low pressure, 3/8 inch FPT twist lock steel and brass fitting. It may be used on the 3M [™] Supplied Air Hose W-3020.
Part Number	07148	07152	07155	07156
UPC	0-00-51131-07148-3	0-00-51131-07152-0	5-00-51131-07155-6	5-00-51131-07156-3
Product Name	3M [™] Dual Airline Back-Mounted Breathing Tube SA-2500	3M™ Waist Belt GVP-127	3M™ Plug W-3057-2	3M™ Plug W-3198-2
Packaging	1 per case	1 per case	2 per case	2 per case

	07157	07158	37001	37009
Description	This twist lock socket is a low pressure steel and brass fitting. It is used on the 3M™ Supplied Air Hose W-3020.	This socket is used on the 3M [™] Supplied Air Hose W-3020, Low Pressure. It is a 3/8 inch FPT brass fitting.	Used on both the high and low pressure back-mounted combination kits.	Designed for use with 3M [™] L- Series Headgear. The complete assembly includes the chin strap L- 112 (optional), sweat pad L-115- 10/37010(AAD), head pad L-116, hanger suspension L-117 and headband.
Part Number	07157	07158	37001	37009
UPC	5-00-51131-07157-0	5-00-51131-07158-7	0-00-51131-37001-2	5-00-51131-37009-3
Product Name	3M [™] Socket W-3199-2	3M™ Socket W-3224-2	3M™ Combination Dual Airline Back-Mounted Breathing Tube SA- 2600	3M [™] Head Suspension L-113-2
Packaging	2 per case	2 per case	1 per case	2 per case
	37010	37011	37012	37013
	The M-957 / L-115 Comfort Pad can be used on any 3M™ Versaflo™ M-Series Headgear,	Used on 3M™ Bumpcap L-501/37008(AAD). This faceseal	Used with the 3M [™] Headgear L-Series. It is attached to the opening	Used on the 3M [™] Headgear L- Series. This lens is part of the 3M [™] Wide-view Faceshield
Description	3M [™] L-Series Headgear, H-Series Hood, and Whitecap [™] Helmets. It attaches to the headband in the area of the users forehead.	material is designed for applica- tions such as spray painting. It attaches to the extender on the wide view faceshield.	on the headgear. The lower end of the breathing tube is attached to the air control device.	Assembly L-130. It can easily be removed and replaced with a new lens when damaged.
Part Number	37010	37011	37012	37013
UPC	5-00-51131-37010-9	5-00-51131-37011-6	0-00-51131-37012-8	5-00-51131-37013-0
Product Name	3M [™] Versaflo [™] Forehead Comfort Pad/Sweat Pad M-957/L-115	3M™ Faceseal	3M™ Breathing Tube	3M™ Wide-view Lens
Packaging	10 per case	5 per case	1 per case	10 per case
	37014	37015	37016	37017
			The second	Sec.
Description	Used with the 3M™ Wide View Lens. The cover fits over the lens and protects it from scratching or overspray of paint and chemicals. Up to five covers can be attached, one on top of the other.	Used with the 3M [™] Wide View Lens. The cover fits over the lens and protects it from scratching or overspray of paint and chemicals. Up to five covers can be attached, one on top of the other.	Used on 3M [™] Wide View Faceshield L-130. The kit includes the knob and the pivot post on which the faceshield pivots when raised, lowered and repositioned.	Can be used with any 3M™ Headgear L-Series. It protects against the buildup of particles on the outside surface of the headgear shell. This is a disposable item and should be discarded when dam- aged or soiled.
Part Number	37014	37015	37016	37017
UPC	5-00-51131-37014-7	5-00-51131-37015-4	0-00-51131-37016-6	0-00-51131-37017-3
Product Name	3M [™] Lens Cover L-133-25	3M [™] Lens Cover L-133-100	3M [™] Knob and Pivot Kit L-141	3M™ Head Gear Cover L-183
Packaging	25 per case	100 per case	1 per case	1 per case

	66124	66254	66375	GVP-101
			1	
Description	Used with the 3M TM L-Series Headgear. It is a general purpose faceshield which should not, by itself, be used for welding applications. It attaches to the headgear using a positioning cam mechanism.	Attaches to the 3M™ Wide-view Faceshield Assembly L-130. The 3M™ Faceseal L-121 attaches to the extender for spray painting or where there is general particulate exposure.	Used on 3M [™] Headgear L-Series. The head pad is part of the 3M [™] Head Suspension and is attached to the hanger suspension. The pad adds to user comfort.	Provides the seal that allows the motor blower to provide proper air flow to the user. It includes five inlet and five outlet.
Part Number	66124	66254	66375	GVP-101
UPC	0-00-51138-66124-3	0-00-51138-66254-7	5-00-51138-66375-4	0-00-51138-29261-4
Product Name	3M [™] Wide-view Faceshield Assembly L-130	3M [™] Wide-view Faceshield Assembly L-137	3M™ Head Pad L-116-2	3M [™] Motor Blower Gasket GVP- 101
Packaging	1 per case	1 per case	2 per case	10 per case
	GVP-116	GVP-117	L-114-2	L-117-2
Description	This plug is a replacement part for 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) Systems.	This vinyl belt is an optional component of 3M [™] GVP Systems.	Used with 3MTM Headgear L-700 and L-900 Series. It complies with ANSI requirements for impact and penetration protection. The chin strap helps hold the headgear in place on the user.	Used on 3M™ Headgear L-Series. It holds the head pad securely and is attached to the headband which is part of the 3M™ Head Suspension Assembly L-113.
Part Number	GVP-116	GVP-117	L-114-2	L-117-2
UPC	5-00-51138-29213-8	0-00-51138-29223-2	5-00-51138-66380-8	5-00-51138-66376-1
Product Name	3M™ Filter Plug GVP-116	3M™ Waist Belt GVP-117	3M™ Chin Strap L-114-2	3M [™] Hanger Suspension L-117-2
Packaging	10 per case	1 per case	2 per case	2 per case
	L-120-5	L-123-2	L-124-5	L-125-2
Description	Used on 3M [™] Headgear L-500 and L-700 Series. This item is used in applications with high temperatures or when sparks or molten metal may be present.	Used with the 3M [™] Headgear L- 900 Series. This shroud is not intended for welding applications or where high heat or sparks are expected. It drapes over the worker for safety purposes.	Used with 3M™ Headgear L-500 and L-700 Series. This faceseal material is designed for applications with high temperature or where sparks or molten metal may be present.	Used with the 3M™ Headgear L- 900 Series. This shroud is designed for welding applications or where high heat or sparks are expected. It drapes over the worker for safety purposes.
Part Number	L-120-5	L-123-2	L-124-5	L-125-2
UPC	5-00-51138-66377-8	5-00-51138-66234-4	5-00-51138-66118-7	5-00-51138-66119-4
Product Name	3M™ Faceseal L-120-5	3M™ Shroud L-123-2 Tychem® QC	3M™ Faceseal L-124-5	3M [™] Flame Retardant Welding Shroud L-125-2
Packaging	5 per case	2 per case	5 per case	2 per case

	Houve Flesh All System	,		
	L-126-2	L-127	L-128-2	L-129-2
Description	Used with the 3M [™] Headgear L- 900 Series. It is zipped onto the inner part of the 3M [™] Leather Welding Shroud L-127. It can be zipped out for washing.	Used with the 3M [™] Headgear L- 900 Series. This heavy duty shroud is intended for use in welding appli- cations or where high heat or sparks are expected. It drapes over the worker for safety purposes.	Used with the 3M [™] Headgear L- 900 Series. This shroud may be used in place of the 3M [™] Shroud L-123-2, Tychem® QC. It drapes over the worker for safety purpos- es.	Used with the 3M [™] Headgear L-Series (except the L-900 Series Headgear). It is attached to the headgear by two matching 3M [™] Scotchmate [™] Hook-and-Loop Fasteners and drapes over the worker for safety purposes.
Part Number	L-126-2	L-127	L-128-2	L-129-2
UPC	5-00-51138-66120-0	0-00-51138-66121-2	5-00-51138-66122-4	5-00-51138-66123-1
Product Name	3M™ Inner Shroud L-126-2	3M™ Welding Shroud L-127	3M™ Shroud L-128-2	3M™ Welding Bib L-129-2
Packaging	2 per case	1 per case	2 per case	2 per case
	L-132-10	L-134-10	L-136	L-140-10
Description	Used on the 3M TM Headgear L- Series. This lens is part of the 3M TM Wide-view Faceshield Assembly L-130. It can easily be removed and replaced with a new lens when damaged.	Used to hold the 3M™ Wide View Lens L-131 and L-132 in place in the 3M™ Wide View Faceshield Assembly L-130. The latch kit makes it easy to remove and replace the wide view lens.	Used on the 3M™ Headgear L- Series. The kit is used to attach 3M™ Faceshield Assemblies L- 130, L-150, L-151, L-153, L-154, L-184 and L-185 to the headgear. This cam allows the faceshield to be positioned as desired.	Used on the 3M [™] Wide View Faceshield L-130. The faceshield attaches to the headgear using the postioning cam mechanism that is secured by the knob to each side of the headgear.
Part Number	L-132-10	L-134-10	L-136	L-140-10
UPC	5-00-51138-66126-2	5-00-51138-66235-1	0-00-51138-66129-8	5-00-51138-66130-9
Product Name	3M™ Wide-view Lens L-132-10	3M™ Latch Kit L-134-10	3M™ Cam Spring Kit L-136	3M™ Knob L-140-10
Packaging	10 per case	10 per case	1 per case	10 per case
	L-142-2	L-145-10	L-146	L-147-2
Description	This gasket, 4 1/2 inches x 5 1/4 inches, is a component of the welding lens stack. It fits into the lens frame and the other parts of the stack fit over the gasket.	Used on the 3M [™] Welding Shields L-150 and L-151 and also in the 3M [™] Combination Faceshields L- 153, L-154, L-184 and L-185. This knob secures the cam mechanism which is attached to the headgear.	Used on the 3M TM Welding Faceshield and Combination Faceshield. The kit includes the 3M TM Welding Knob L-145 and the pivot post on which the faceshield pivots when raised, lowered and repositioned.	Used to hold all components of the lens stack securely in place. The retainer pivots at one end and can be lifted to replace parts. When closed it fits into slots on the lens frame.
Part Number	L-142-2	L-145-10	L-146	L-147-2
UPC	5-00-51138-66132-3	5-00-51138-66135-4	0-00-51138-66136-6	5-00-51138-66137-8
Product Name	3M™ Welding Gasket L-142-2	3M™ Welding Knob L-145-10	3M [™] Welding Knob and Pivot Kit L- 146	3M [™] Welding Lens Retainer Clip L- 147-2
Packaging	2 per case	10 per case	1 per case	2 per case

	L-149-10	L-150	L-152-5	L-153
Description	This gasket, 4 1/2 inches x 5 1/4 inches is part of the welding lens stack. It is placed between the cover plate and the glass shade lens to prevent glass breakage due to heat buildup. The gasket is not used with the electronic lens.	This shield, 4-1/2 inches x 5-1/4 inches, is designed for use with the 3M™ Bumpcap L-503 and Hardhat L-703. It attaches to the headgear with a positioning cam that is secured by a spring-loaded knob on each side of the headgear.	This cover plate, 4-1/2 inches x 5- 1/4 inches, is part of the lens stack. It is placed between the lens gasket and the film gasket on the welding lens stack. On the electronic lens stack, it is placed between the lens gasket and the lens.	This welding shield, 4 1/2 inches x 5 1/4 inches, is designed for use with the 3M TM Bumpcap L-505, Hardhat L-705 and Helmet L-905. It attaches to the headgear with a positioning cam that is secured by a springloaded knob on each side of the headgear.
Part Number	L-149-10	L-150	L-152-5	L-153
UPC	5-00-51138-66258-0	0-00-51138-66138-0	5-00-51131-37157-1	0-00-51138-66141-0
Product Name	3M™ Fiber Gasket L-149-10	3M™ Welding Shield L-150	3M™ Cover Plate L-152-5	3M™ Welding Shield L-153
Packaging	10 per case	1 per case	5 per case	1 per case
	L-162-2	L-163	L-165	L-182
			1)	
Description	This safety plate, 4-1/2 inches x 5-1/4 inches, is used in the welding lens stacks that use shade glass. It is placed on the outside nearest the wire clip that securely holds all parts of the stack in place. The plate is ANSI approved.	Used on the 3M [™] L-Series Headgear L-700 and L-900. It is installed into the headgear shell before the head suspension is installed. With this foam liner, the headgear is ANSI Class I, II approved for top and side impact.	Used on the 3M™ L-Series Bumpcap L-500. It is used to help prevent leaks around the headgear. The seals are installed into the bot- tom edge of the headgear and should not be removed unless they need to be replaced.	This air deflector is an option for use on any 3M TM Headgear L-Series. In the standard configuration, the airflow is toward the inside of the faceshield lens. With the air deflector, the airflow is redirected towards the face of the user.
Part Number	L-162-2	L-163	L-165	L-182
UPC	5-00-51131-37159-5	0-00-51138-66145-8	0-00-51138-66146-5	0-00-51138-66379-7
Product Name	3M™ Safety Plate L-162-2	3M™ Foam Liner L-163	3M™ Head Seal Kit L-165	3M™ Air Deflector L-182
Packaging	2 per case	1 per case	1 per case	1 per case
	L-191-2	L-550	L-750	
Description	This helmet latch is an accessory to the 3M™ Helmet L-901 and L-905. It is used to latch the wide view lens down to the helmet to prevent lifting.	Replacement part for the 3M TM Bumpcap L-500 Series. This shell is designed to be lightweight and offers no head protection against falling or moving objects.	Replacement part for the 3M TM Hardhat L-700 Series. The shell meets ANSI requirements for indus- trial protective headgear. The shell is intended to be used in applica- tions in which some head protec- tion is required.	
Part Number	L-191-2	L-550	L-750	
UPC	5-00-51138-76945-6	0-00-51138-66150-2	0-00-51138-66154-0	
Product Name	3M™ Helmet Latch L-191-2	3M™ Bumpcap Shell L-550	3M™ Hardhat Shell L-750	
Packaging	2 per case	1 per case	1 per case	

$3M^{\text{TM}}$ Automotive Respirators: $3M^{\text{TM}}$ Automotive Undercoating and Rustproofing Respirator

3M[™] Automotive Undercoating and Rustproofing Respirators

	03286	07183	07186
Description	Designed to provide personal protection against nuisance level organic vapor relief for the work- er. 2 respirators per clam shell, 10 clam shells per case, 20 respirators per case.	3M recommended for use in brake and clutch repair where asbestos exposures may be found.	Filtering facepiece style respirator designed to help provide reliable worker protection against certain oil and non-oil based particles.
Part Number	03286	07183	07186
UPC	5-00-51131-03286-1	0-00-51131-07183-4	0-00-51131-07186-5
Product Name	3M™ Particulate Respirator R95	3M™ Half Facepiece Respirator Packout	3M™ Particulate Respirator R95
Packaging	20 per case	20 per case	20 per box 6 boxes per case

3M[™] Automotive Undercoating and Rustproofing Replacement Filters

	07184
Description	P100 particulate filter helps provide respiratory protection in environments containing certain oil and non-oil based particles. 3M recommended for nuisance level organic vapor relief. Use with 3M™ Half and Full Facepieces according to NIOSH approvals.
Part Number	07184
UPC	5-00-51131-07184-6
Product Name	3M™ Particulate Filter 2097
Packaging	100 per case

3M™ Automotive Respirators: 3M™ Brake and Clutch Respirators

3M™ Brake and Clutch Respirators

	07024	07025	07026	07183
	505	TO S		
Description	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	3M recommended for use in brake and clutch repair where asbestos exposures may be found.
Part Number	07024	07025	07026	07183
UPC	5-00-51131-07024-5	5-00-51131-07025-2	5-00-51131-07026-9	0-00-51131-07183-4
Product Name	3M [™] Half Facepiece Reusable Respirator 6100 Small	3M [™] Half Facepiece Reusable Respirator 6200 Medium	3M [™] Half Facepiece Reusable Respirator 6300 Large	3M [™] Half Facepiece Respirator Packout
Packaging	24 per case	24 per case	24 per case	20 per case

3M[™] Brake and Clutch Respirator Replacement Filters

	07184
	P100 particulate filter helps provide respiratory protection in environments containing certain oil and non-oil based particles. 3M recommended for
Description	nuisance level organic vapor relief. Use with 3M™ Half and Full Facepieces according to NIOSH approvals.
Part Number	07184
UPC	5-00-51131-07184-6
Product Name	3M™ Particulate Filter 2097
Packaging	100 per case

3M[™] Automotive Welding Respirators

	07001	07002	07003	07182
Description	The 3M™ 6291 Half Facepiece Respirator Assembly includes the 3M™ Half Facepiece Respirator 6200 and 3M™ P100 Particulate Filters 2091. Helps provide respiratory protection in environments containing certain oil and non-oil based particles.	NIOSH approved for environments containing certain oil and non-oil based particles.	NIOSH approved for environments containing certain oil and non-oil based particles.	3M recommended for use in brake and clutch repair where asbestos exposures may be found.
Part Number	07001	07002	07003	07182
UPC	5-00-51131-07002-3	5-00-51131-07003-0	5-00-51131-07001-6	0-00-51131-07182-7
Product Name	3M [™] Half Facepiece Respirator Assembly 6291 Medium	3M [™] Half Facepiece Respirator Assembly 6391 Large	3M [™] Half Facepiece Reusable Respirator Assembly 6191	3M [™] Half Facepiece Respirator Packout Medium
Packaging	24 per case	24 per case	24 per case	20 per case
	07183	07187	07189	
Description	3M recommended for use in brake and clutch repair where asbestos exposures may be found.	Provides a minimum filter efficiency of 95% against non-oil based particles. This product's features provide comfortable and durable respiratory protection.	Is designed to help provide com- fortable, reliable worker protection for applications such as welding, soldering, cutting, grinding, and sanding.	
Part Number	07183	07187	07189	
UPC	0-00-51131-07183-4	0-00-51131-07187-2	5-00-51131-07189-1	
Product Name	3M [™] Half Facepiece Respirator Packout Large	3M™ Particulate Respirator N95	3M [™] Particulate Welding Respirator N95	
Packaging	20 per case	10 per box 8 boxes per case	80 per case	

3M[™] Speedglas[™] FlexView with 3M[™] Adflo[™] Powered Air Purifying Respirator

	37124	37125	37126	37127
	FEMANAGARA			
Description	Replacement sweatband in plastic for 3M [™] Speedglas [™] Helmets 9000 Series, FlexView, ProTop and ClearView.	Replacement sweatband in leather for 3M [™] Speedglas [™] Helmets 9000 Series, FlexView, ProTop and ClearView.	Headcover with Velcro® Fasteners attaches to 3M™ Speedglas™ Helmets 9000 Series, FlexView, AP, APC and XL. Made from FR cotton.	Throat protector with Velcro® Fasteners attaches to 3M™ Speedglas™ Helmets 9000 Series, FlexView, ProTop, AP, APC, and XL. Made from FR cotton.
Part Number	37124	37125	37126	37127
UPC	0-00-51131-37124-8	0-00-51131-37125-5	0-00-51131-37126-2	0-00-51131-37127-9
Product Name	3M [™] Speedglas [™] Sweatband 02- 0024-00	3M [™] Speedglas [™] Replacement Sweatband 02-0024-01	3M [™] Speedglas [™] Headcover 02- 0645-00	3M [™] Speedglas [™] Throat Protector 02-0690-00
Packaging	1 per case	1 per case	1 per case	1 per case

3M[™] Speedglas[™] FlexView with 3M[™] Adflo[™] Powered Air Purifying Respirator (continued)

	agias Tiexview with		Tou Air Turnying 1103	
	37129	37137	37140	37141
Description	Replacement "S" stop (right side) for helmet/headband for 3M™ Speedglas™ Helmets Utility, 9000 Series and FlexView.	Replacement batteries for 3M TM Speedglas TM Filters Utility and 9000 Series. Batteries are type CR2032.	Replacement headband, complete with mounting hardware. For use with 3M™ Speedglas™Helmets Utility and 9000 Series.	Replacement mounting hardware for headband for 3M™ Speedglas™ Helmets Utility and 9000 Series. Includes 2 pivot posts, 2 nuts, 1 washer and 1 "S" stop.
Part Number	37129	37137	37140	37141
UPC	5-00-51131-37129-8	5-00-51131-37137-3	0-00-51131-37140-8	0-00-51131-37141-5
Product Name	3M [™] Speedglas [™] Pivot (S) Stop 04-0026-00	3M [™] Speedglas [™] Welding Helmet Battery	3M [™] Speedglas [™] Welding Helmet Headband and Mounting Hardware	3M [™] Speedglas [™] Headband Mounting Hardware 9000
Packaging	10 per case	1 per case	1 per case	1 per case
	37142	37143	37144	37146
				C.MIN.
Description	Replacement spark arrestor for 3M TM Adflo TM Powered Air Purifying Respirator (PAPR). Installs into Adflo turbo filter cover.	Replacement rubber breathing tube assembly for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Connects helmet assembly to turbo unit.	Replacement particulate prefilter for 3M TM Adflo TM Powered Air Purifying Respirator (PAPR). Installs into the Adflo turbo filter cover, between the spark arrestor and the High Efficiency particulate filter.	Replacement battery for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Environmentally- friendly NiMH battery charges in less than 3 hours. Battery can be removed or installed in turbo unit during charging.
Part Number	37142	37143	37144	37146
UPC	5-00-51131-37142-7	0-00-51131-37143-9	5-00-51131-37144-1	0-00-51131-37146-0
Product Name	3M [™] Adflo [™] Spark Arrestor 15- 0009-99X02	3M [™] Adflo [™] Breathing Tube Assembly 15-0099-10	3M [™] Adflo [™] Prefilter 15-0099- 99X06	3M [™] Adflo [™] Powered Air Purifyin Respirator (PAPR) Battery
Packaging	2 per case	1 per case	6 per case	1 per case
	37147	37148		
Description	Replacement kit includes 2 high efficiency particulate filters, 6 pre- filters and 2 spark arrestors. For 3M TM Adflo TM Powered Air Purifying Respirator (PAPR).	Throat and side protectors made in leather for helmets for 3M [™] Speedglas [™] Fresh-air (FA) PA & SA (APC style helmet).		
Part Number	37147	37148		
UPC	0-00-51131-37147-7	0-00-51131-37148-4		
Product Name	3M [™] Adflo [™] High Efficiency Starter Kit 15-1101-99	3M™ Speedglas™ Welding Helmet Throat and Side Protector		
Packaging	1 per case	1 per case		

3M[™] Automotive Welding Respirator Replacement Filters

	07000	07184	29113	37173
	200 P	The state of the s		From Pr.
Description	This NIOSH-approved P100 particulate filter helps provide respiratory protection in environments containing certain oil and non-oil based particles when combined with 3M TM Half and Full Facepiece Respirators according to NIOSH approvals.	P100 particulate filter helps provide respiratory protection in environments containing certain oil and non-oil based particles. 3M recommended for nuisance level organic vapor relief. Use with 3M [™] Half and Full Facepieces according to NIOSH approvals.	Replacement part for 3M [™] Full Facepieces 7800S. Use to attach 3M [™] Filters 2000 Series, 3M [™] Filter 7093, 3M [™] Cartridges 6000 Series or 3M [™] Dual Airline Systems.	This cartridge/ filter is NIOSH approved and provides the highest level of protection against oil and non-oil based particles. Use with 3M™ Half and Full Facepiece Respirators 6000 Series, Half Facepiece Respirator 7500 Series and Full Facepiece Respirator 7800 Series with bayonet filter holders.
Part Number	07000	07184	29113	37173
UPC	5-00-51131-07000-9	5-00-51131-07184-6	5-00-51138-29113-1	5-00-51131-37173-1
Product Name	3M™ Particulate Filter 2091	3M [™] Particulate Filter 2097	3M™ Cartridge/Filter Adapter 701	3M™ Cartridge/Filter 7093C
Packaging	100 per case	100 per case	20 per case	60 per case
	46465	46467	54187	
	NIOSH approved against certain	NIOSH approved against certain	NIOSH approved against certain	
Description	NIOSH approved against certain organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	
Description Part Number	organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge	organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style car-	organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style car-	
·	organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	
Part Number	organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. 46465	organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. 46467	organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. 54187	

3M[™] Speedglas[™] Welding Filters and Replacement Parts

	37122	37124	37125	37126
		BERNHAHARA		
Description	Extra large 4.09 in x 2.13 in (104 mm x 54 mm) viewing area. Handles variety of arc welding processes, including low amp TIG. Helmet has four exhaust vents for reduced stuffiness. Shade 5 SideWindows increase peripheral view.	Replacement sweatband in plastic for 3M [™] Speedglas [™] Helmets 9000 Series, FlexView, ProTop and ClearView.	Replacement sweatband in leather for 3M™ Speedglas™ Helmets 9000 Series, FlexView, ProTop and ClearView.	Headcover with Velcro® Fasteners attaches to 3M™ Speedglas™ Helmets 9000 Series, FlexView, AP, APC and XL. Made from FR cotton.
Part Number	37122	37124	37125	37126
UPC	0-00-51131-37122-4	0-00-51131-37124-8	0-00-51131-37125-5	0-00-51131-37126-2
Product Name	3M [™] Speedglas [™] Welding Helmet 9000 with SideWindows and Auto- Darkening Filter 9002X	3M [™] Speedglas [™] Sweatband 02- 0024-00	3M [™] Speedglas [™] Replacement Sweatband 02-0024-01	3M [™] Speedglas [™] Headcover 02- 0645-00
Packaging	1 per case	1 per case	1 per case	1 per case
	37127	37129	37130	37131
	Throat protector with Velcro®			
Description	Fasteners attaches to 3M™ Speedglas™ Helmets 9000 Series, FlexView, ProTop, AP, APC, and XL. Made from FR cotton.	Replacement "S" stop (right side) for helmet/headband for 3M™ Speedglas™ Helmets Utility, 9000 Series and FlexView.	Replacement "S" stop (left side) for helmet/headband for 3M™ Speedglas™ FlexView System.	Replacement helmet silver front panel for 3M™ Speedglas™ Helmets Utility, 9000 Series, ProTop System and 9000HWR assembly.
Part Number	37127	37129	37130	37131
UPC	0-00-51131-37127-9	5-00-51131-37129-8	5-00-51131-37130-4	0-00-51131-37131-6
Product Name	3M [™] Speedglas [™] Throat Protector 02-0690-00	3M [™] Speedglas [™] Pivot (S) Stop 04-0026-00	3M [™] Speedglas [™] FlexView Headband 04-0126-00/37130(AAD)	3M™ Speedglas™ Silver Front Panel
Packaging	1 per case	10 per case	10 per case	1 per case
	37132	37133	37134	37135
Description	Replacement protection plate for 3M TM FlexView Systems. Clear polycarbonate.	Replacement outside protection plate for 3M™ Speedglas™ Filters Utility and 9000 Series.	Scratch resistant outside protection plate for 3M™ Speedglas™ Filters Utility and 9000 Series.	Replacement inside protection plates for 3M™ Speedglas™ Filters 9002X and 9000X/XF/Xi.
Part Number	37132	37133	37134	37135
UPC	5-00-51131-37132-8	5-00-51131-37133-5	5-00-51131-37134-2	5-00-51131-37135-9
Product Name	3M [™] Speedglas [™] FlexView Welding Helmet Protection Plate	3M [™] Speedglas [™] Outside Protection Plate 9000	3M [™] Speedglas [™] Outside Protection Plate	3M [™] Speedglas [™] Welding Helmet Inside Protection Plate
Packaging	10 per case	10 per case	5 per case	5 per case

3M[™] Speedglas[™] Welding Filters and Replacement Parts (continued)

	37136	37137	37138	37139
Description	Replacement inside protection plates for 3M™ Speedglas™ Filters Utility and 9000V/F.	Replacement batteries for 3M [™] Speedglas [™] Filters Utility and 9000 Series. Batteries are type CR2032.	Replacement accessory kit includes 10 outside protection plates, 5 Inside protection plates and 2 bat- teries. For 3M™ Speedglas™ Filters 9002X and 9000X/XF/Xi.	Replacement accessory kit includes 10 outside protection plates, 5 Inside protection plates and 2 bat- teries. For 3M™ Speedglas™ Filters 9000V/F.
Part Number	37136	37137	37138	37139
UPC	5-00-51131-37136-6	5-00-51131-37137-3	0-00-51131-37138-5	0-00-51131-37139-2
Product Name	3M [™] Speedglas [™] Welding Helmet Inside Protection Plate	3M™ Speedglas™ Welding Helmet Battery	3M [™] Speedglas [™] Accessory Kit 9000 X/XF	3M [™] Speedglas [™] Accessory Kit 9000V/F
Packaging	5 per case	1 per case	1 per case	1 per case
	37140	37141	37149	37165
Description	Replacement headband, complete with mounting hardware. For use with 3M [™] Speedglas [™] Helmets Utility and 9000 Series.	Replacement mounting hardware for headband for 3M [™] Speedglas [™] Helmets Utility and 9000 Series. Includes 2 pivot posts, 2 nuts, 1 washer and 1 "S" stop.	9000 Series welding helmet with headband. Helmet has four exhaust vents for reduced stuffiness. Two shade 5 side filters increase peripheral viewing area by 100%. No auto-darkening filter. Accepts all 3MTM SpeedglasTM Filters Utility and 9000 Series.	To be used with the 3M™ Welding Auto-Darkening Filter WS- 020/37156(AAD) and the 3M™ Welding Shield with Auto-Darkening Filter WS-320/37154(AAD). Replacement part for WS-Series welding helmets.
Part Number	37140	37141	37149	37165
UPC	0-00-51131-37140-8	0-00-51131-37141-5	0-00-51131-37149-1	5-00-51131-37165-6
Product Name	3M [™] Speedglas [™] Welding Helmet Headband and Mounting Hardware	3M™ Speedglas™ Headband Mounting Hardware 9000	3M [™] Speedglas [™] Helmet Hard Hat 9000 with SideWindows	3M [™] Auto-Darkening Welding Filter Inside Protection Plate WS- 363/37165(AAD) 5/Case
Packaging	1 per case	1 per case	1 per case	5 per case
	37172	98559		
Description	The Speedglas 9100X, dark shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch cutting modes. All new headgear makes this helmet extremely comfortable and versatile. Viewing area 9.12 sq in.	Scratch-resistant and silver-painted outside protection plate for 3M [™] Speedglas [™] Filter SL.		
Part Number	37172	98559		
UPC	0-00-51131-37172-9	5-00-51131-98559-4		
	3M [™] Speedglas [™] Welding Helmet	3M™Speedglas™ Outside		
Product Name Packaging	9100 with Auto Darkening Filter 9100X	Protection Plate SL 05-0250-01		

3M[™] Speedglas[™] 100 Full Helmet Assemblies

	37191	37230	37231	37232
Description	The Speedglas 9100XX, dark shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch cutting modes. All new headgear makes this helmet extremely comfortable and versatile. Viewing area 12.11 sq in.	The Speedglas 100 Black Helmet with Auto-Darkening Filter 100S-10, is good for Stick, MIG and most TIG welding processes. It provides outstanding optical clarity. Factoryset dark shade 10 and viewing area of 6.05 sq.in. Light state shade 3.	The Speedglas 100 Black Helmet with Auto-Darkening Filter 100S-11, is good for Stick, MIG and most TIG welding processes. It provides outstanding optical clarity. Factoryset dark shade 11 and viewing area of 6.05 sq.in. Light state shade 3.	The Speedglas 100 Black Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.
Part Number	37191	37230	37231	37232
UPC	0-00-51131-37191-0	0-00-51131-37230-6	0-00-51131-37231-3	0-00-51131-37232-0
Product Name	3M [™] Speedglas [™] Welding Helmet 9100 with Auto Darkening Filter 9100XX	3M [™] Speedglas [™] Black Welding Helmet 100 with Auto-Darkening Filter 100S-10	3M [™] Speedglas [™] Black Welding Helmet 100 with Auto-Darkening Filter 100S-11	3M [™] Speedglas [™] Black Welding Helmet 100 with Auto-Darkening Filter 100V
Packaging	1 per case	1 per case	1 per case	1 per case
	37233	37234	37235	37236
Description	The Speedglas 100 blazed welding helmet with 100V auto-darkening filter delivers outstanding protection, comfort and performance for Stick, MIG and most TIG welding processes. Its distinct design and adjustable shade can help increase welding performance.	The Speedglas 100 Tribal Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 Chrome Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 Mechanical Skull Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.
Part Number	37233	37234	37235	37236
UPC	0-00-51131-37233-7	0-00-51131-37234-4	0-00-51131-37235-1	0-00-51131-37236-8
	3M™ Speedglas™ Blazed Welding	3M™ Speedglas™ Tribal Welding	3M [™] Speedglas [™] Chrome Welding Helmet 100 with Auto-	3M™ Speedglas™ Mechanical Skull Welding Helmet 100 with Auto-
Product Name	Helmet 100 with Auto-Darkening Filter 100V	Helmet 100 with Auto-Darkening Filter 100V 07-0012-31TR	Darkening Filter 100V 07-0012- 31CH	Darkening Filter 100V 07-0012- 31MS

3M[™] Speedglas[™] 100 Full Helmet Assemblies (continued)

	37237	37238	37239	89356
Description	The Speedglas 100 Aces High Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 American Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 Trojan Warrior Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 9100X with sidewindows, shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versatile. Viewing area 9.12 sq in.
Part Number	37237	37238	37239	89356
UPC	0-00-51131-37237-5	0-00-51131-37238-2	0-00-51131-37239-9	0-00-51135-89356-2
Product Name	3M [™] Speedglas [™] Aces High Welding Helmet 100 with Auto- Darkening Filter 100V	3M™ Speedglas™ American Pride Welding Helmet 100 with Auto- Darkening Filter 100V	3M TM Speedglas TM Trojan Warrior Welding Helmet 100 with Auto- Darkening Filter 100V 07-0012- 31TW	3M [™] Speedglas [™] Welding Helmet 9100 with Auto Darkening Filter 9100X
Packaging	1 per case	1 per case	1 per case	1 per case
	89387	92988	93271	98564
Description	The Speedglas 9100XX with sidewindows, shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versatile. Viewing area 12.11 sq in.	The 9002V ("V" for "Variable" dark shades) is a highly versatile autodarkening filter able to handle a variety of arc welding processes, including extremely stable, low amp TIG. Helmet has four exhaust vents for reduced stuffiness.	Complete helmet assembly (except for auto-darkening filter). The 3M TM Speedglas TM Helmet 9000HWR-FV (FlexView) connects to 3M TM Adflo TM Powered Air Purifying Respirator (PAPR) or to 3M TM Speedglas TM Fresh-air II Supplied Air Respirator (SAR) 9000.	Be the featherweight champ with the 3M™ Speedglas™ SL. At only 12.6 oz. (including filter), it's 25% lighter than our current auto-darkening welding helmets. New head suspension increases adjustability. ADF shades 8-12 and 4 sensitivity levels.
Description Part Number	sidewindows, shades 8-13, sensi- tivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versa-	shades) is a highly versatile auto- darkening filter able to handle a variety of arc welding processes, including extremely stable, low amp TIG. Helmet has four exhaust vents	for auto-darkening filter). The 3M TM Speedglas TM Helmet 9000HWR-FV (FlexView) connects to 3M TM Adflo TM Powered Air Purifying Respirator (PAPR) or to 3M TM Speedglas TM Fresh-air II Supplied	the 3MTM SpeedglasTM SL. At only 12.6 oz. (including filter), it's 25% lighter than our current auto-darkening welding helmets. New head suspension increases adjustability. ADF shades 8-12 and 4 sensitivity
·	sidewindows, shades 8-13, sensi- tivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versa- tile. Viewing area 12.11 sq in.	shades) is a highly versatile auto- darkening filter able to handle a variety of arc welding processes, including extremely stable, low amp TIG. Helmet has four exhaust vents for reduced stuffiness.	for auto-darkening filter). The 3M TM Speedglas TM Helmet 9000HWR-FV (FlexView) connects to 3M TM Adflo TM Powered Air Purifying Respirator (PAPR) or to 3M TM Speedglas TM Fresh-air II Supplied Air Respirator (SAR) 9000.	the 3MTM SpeedglasTM SL. At only 12.6 oz. (including filter), it's 25% lighter than our current auto-darkening welding helmets. New head suspension increases adjustability. ADF shades 8-12 and 4 sensitivity levels.
Part Number	sidewindows, shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versatile. Viewing area 12.11 sq in. 89387 0-00-51135-89387-6	shades) is a highly versatile auto- darkening filter able to handle a variety of arc welding processes, including extremely stable, low amp TIG. Helmet has four exhaust vents for reduced stuffiness.	for auto-darkening filter). The 3M TM Speedglas TM Helmet 9000HWR-FV (FlexView) connects to 3M TM Adflo TM Powered Air Purifying Respirator (PAPR) or to 3M TM Speedglas TM Fresh-air II Supplied Air Respirator (SAR) 9000.	the 3MTM SpeedglasTM SL. At only 12.6 oz. (including filter), it's 25% lighter than our current auto-darkening welding helmets. New head suspension increases adjustability. ADF shades 8-12 and 4 sensitivity levels.

3M[™] Speedglas[™] 100 Spare Parts and Accessories

	17157	17158	17159	17195
Description	The Speedglas 100 silver front frame is a replaceable spare part for use if the original helmet is in need of replacement.	The Speedglas 100 black front frame is a replaceable spare part for use if the original helmet is in need of replacement.	The Speedglas 100 chrome front frame is a replaceable spare part for use if the original helmet is in need of replacement.	The Speedglas 100 magnifying lens holder is an accessory that allows users to be able to insert magnification plates into their Speedglas TM Welding Helmet 100 Series.
Part Number	17157	17158	17159	17195
UPC	0-00-51131-17157-2	0-00-51131-17158-9	0-00-51131-17159-6	5-00-51131-17195-9
Product Name	3M [™] Speedglas [™] Silver Front Frame 100	3M [™] Speedglas [™] Black Front Frame 100	3M [™] Speedglas [™] Chrome Front Frame 100	3M [™] Speedglas [™] Magnifying Lens Holder
Packaging	1 per case	1 per case	1 per case	2 per case
	17196	17232	37174	37175
Description	The Speedglas sweatband is designed to help absorb sweat and provide a comfortable interface for the headgear. To be used with welding helmets SL and 100 Series.	The Speedglas 100 black matte front frame is a replaceable spare part for use if the original helmet is in need of replacement.	The Speedglas 9100 standard outside protection plate is designed to protect the filter from spark and spatter. Failure to use an outside protection plate with the filter voids the warranty if spark or spatter contaminates the glass.	The Speedglas 9100 sweatband is designed to help absorb sweat and provide a comfortable interface for the headgear.
Part Number	17196	17232	37174	37175
UPC	5-00-51131-17196-6	0-00-51131-17232-6	5-00-51131-37174-8	5-00-51131-37175-5
Product Name	3M [™] Speedglas [™] Sweatband Fleece 07-0024-02	3M [™] Speedglas [™] Black Matte Front Frame 100	3M [™] Speedglas [™] Welding Helmet Outside Protection Plate 9100	3M [™] Speedglas [™] Sweatband 9100
Packaging	2 per case	1 per case	10 per case	3 per case
	37176	37177	37178	37179
Description	The Speedglas 9100X inside protection plate is designed to protect the inside surface of the filter from spark and spatter. Failure to use an inside protection plate with the filter voids the warranty if spark or spatter cause damage to the glass.	The Speedglas 9100XX inside protection plate is designed to protect the inside surface of the filter from spark and spatter. Failure to use an inside protection plate with the filter voids the warranty if spark or spatter cause damage to the glass.	The Speedglas 9100 Silver Front Panel is a replaceable spare part for use if the original panel becomes damaged or contaminated from weld spark and spatter.	The Speedglas 9100 Headband is a replaceable part for use if the original headband becomes worn or damaged during use.
Part Number	37176	37177	37178	37179
UPC	5-00-51131-37176-2	5-00-51131-37177-9	0-00-51131-37178-1	0-00-51131-37179-8
Product Name	3M [™] Speedglas [™] Inside Protection Plate 9100X	3M [™] Speedglas [™] Inside Protection Plate 9100XX	3M [™] Speedglas [™] Silver Front Panel 9100	3M [™] Speedglas [™] Headband 9100 including Assembled Parts
Packaging	5 per case	5 per case	1 per case	1 per case

3M[™] Speedglas[™] 100 Spare Parts and Accessories (continued)

	07400	07400	07400	07400
	37180	37188	37189	37190
Description	The Speedglas 9100 Pivot Mechanism are replaceable spare parts for the headgear for use if the original pivots become worn or damaged during use.	The Speedglas 9100 Headband Front Part is a replaceable spare part replacing only the front portion of the headband if the original parts become worn or damaged during use.	The Speedglas 9100 Headband Back Part is a replaceable spare part replacing only the back portion of the headband if the original parts become worn or damaged during use.	The Speedglas 9100 Battery Holder is a replaceable spare part for use if the original battery holder becomes worn or damaged during use.
Part Number	37180	37188	37189	37190
UPC	0-00-51131-37180-4	0-00-51131-37188-0	0-00-51131-37189-7	5-00-51131-37190-8
Product Name	3M™ Speedglas™ Pivot Mechanism 9100 Headband for Left and Right Side	3M [™] Speedglas [™] Headband 9100 Front Part	3M [™] Speedglas [™] Headband 9100 Back Part/3M [™] Versaflo [™] Ratchet 06-0400-54/M-953	3M [™] Speedglas [™] Battery Holder 9100
Packaging	1 per case	1 per case	1 per case	2 per case
	37240	37241	37242	37243
Description	The Speedglas Auto-Darkening Filter 100S-10, is good for Stick, MIG and most TIG welding process- es. It provides excellent optical clarity. Factory-set dark shade 10 and viewing area of 6.05 sq.in. Filter only. Fits 3M™ Speedglas™ Helmets 100 Series.	The Speedglas Auto-Darkening Filter 100S-11, is good for Stick, MIG and most TIG welding process- es. It provides outstanding optical clarity. Factory-set dark shade 11 and viewing area of 6.05 sq.in. Filter only. Fits 3M™ Speedglas™ Helmets 100 Series.	The Speedglas Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. It provides outstanding optical clarity, user selectable dark shades 8 through 12, and sensitivity adjust- ment. Viewing area of 6.05 sq.in.	The Speedglas 100 standard out- side protection plate is designed to protect the filter from spark and spatter. Failure to use an outside protection plate with the filter voids the warranty if spark or spatter contaminates the glass. This option is standard.
Part Number	37240	37241	37242	37243
UPC	0-00-51131-37240-5	0-00-51131-37241-2	0-00-51131-37242-9	5-00-51131-37243-1
Product Name	3M [™] Speedglas [™] Auto-Darkening Filter 100S-10	3M [™] Speedglas [™] Auto-Darkening Filter 100S-11	3M [™] Speedglas [™] Auto-Darkening Filter 100V 07-0000-31	3M [™] Speedglas [™] Outside Protection Plate 100
Packaging	1 per case	1 per case	1 per case	10 per case
	37244	37245	89380	89381
Description	The Speedglas 100 scratch resist- ant outside protection plate is hard- coated and available for use in demanding environments to help resist scratching, abrasion and spark and spatter.	The Speedglas 100 high temperature outside protection plate is formulated from an engineered resin to resist higher heat applications. This is recommended for use in high amperage welding or conditions where long weld beads may generate radiant heat.	The 1.5X Magnifier is used for magnifying object 1.5X's the normal power. Can be inserted into the Speedglas 9100 ADF on the inside slot.	The 2.0X Magnifier is used for magnifying object 2.0X's the normal power. Can be inserted into the Speedglas 9100 ADF on the inside slot.
Part Number	37244	37245	89380	89381
UPC	5-00-51131-37244-8	5-00-51131-37245-5	0-00-51135-89380-7	0-00-51135-89381-4
Product Name	3M [™] Speedglas [™] Outside Protection Plate 100	3M [™] Speedglas [™] Outside Protection Plate 100	3M [™] Speedglas [™] Magnification Plate 1.5X	3M [™] Speedglas [™] Magnification Plate 2.0X
Packaging	10 per case	10 per case	1 per case	1 per case

3M[™] Speedglas[™] 100 Spare Parts and Accessories (continued)

	89382	93014	93033	93038
		a Speeds		+
Description	The 2.5X Magnifier is used for magnifying object 2.5X's the normal power. Can be inserted into the Speedglas 9100 ADF on the inside slot.	MSA [™] hard hat with mounting hardware (adapter) for 3M [™] Speedglas [™] Helmets 9000 Series, AP, APC, and XL.	High temperature outside protection plate for 3M™ Speedglas™ Filters Utility and 9000 Series.	Inside protection plate with passive filter shade #1 for 3M™ Speedglas™ Filters Utility and 9000F.
Part Number	89382	93014	93033	93038
UPC	0-00-51135-89382-1	0-00-51131-93014-8	5-00-51131-93033-4	5-00-51131-93038-9
Product Name	3M [™] Speedglas [™] Magnification Plate 2.5X	3M [™] Speedglas [™] Hard Hat with Mounting Hardware 02-0023-00	3M [™] Speedglas [™] Welding Helmet Outside Protection Plate 9000	3M [™] Speedglas [™] Inside Protection Plate 9000F 04-0290-01
Packaging	1 per case	1 per case	5 per case	5 per case
	93039	93068	93219	98558
Description	Inside protection plate with passive filter shade #2 for 3M™ Speedglas™ Filters Utility and 9000F, shade 10 or 11 models only (total shade level must not exceed shade #13).	Replacement outside protection plates for 3M [™] Speedglas [™] Filters AP, APC and APC-V.	Replacement welding hood with pivot mechanism for 3M TM Speedglas TM ProTop System (does not include hard hat or strap). Accepts all 3M TM Speedglas TM Filters 9000 Series.	Replacement outside protection plate for 3M™ Speedglas™Filter SL.
Part Number	93039	93068	93219	98558
UPC	5-00-51131-93039-6	5-00-51131-93068-6	0-00-51131-93219-7	5-00-51131-98558-7
Product Name	3M [™] Speedglas [™] Inside Protection Plate 9000F	3M [™] Speedglas [™] Outside Protection Plate	3M [™] Speedglas [™] ProTop Welding Hood with Pivot Mechanism 04- 0025-00	3M [™] Speedglas [™] Outside Protection Plate SL 05-0250-00
Packaging	5 per case	10 per case	1 per case	5 per case
	98561	98562	98563	
Description	Replacement headband, complete with mounting hardware. For use with 3M™ Speedglas™ Helmet SL.	Assembly parts for headband for 3M™ Speedglas™ Helmet SL.	Replacement battery holder for 3M™ Speedglas™ Filter SL.	
Part Number	98561	98562	98563	
UPC	0-00-51131-98561-2	0-00-51131-98562-9	0-00-51131-98563-6	
Product Name	3M™ Speedglas™ Headband and Mounting Hardware SL 05-0650-00	3M™ Speedglas™ Headband Assembly Kit SL 05-0660-00	3M [™] Speedglas [™] Battery Holder SL 05-0370-00	
Packaging	1 per case	1 per case	1 per case	

3M™ Automotive Eye Protection Products

meters the High Impact age, polycarbonate construction, for a comfortable, contoured fit. In an		11228	11326	11328	11440
Lightweight, unisex Virtua almocate- eigh protective eyewear for a time to severe and protective eyewear for a comfortable construction, for a comfortable, contoured fit. 11228 11326 11328 11328 11328 11328 11440 PC 1-00-78371-1228-5 1-00-78371-62099-5 1-00-78371-6209-9 1-00-783					
Product Name 3MTM VirtuaTM Protective Eyewear 101 10 per case 20 per case 20 per case 20 per case 11474 11475 11472 11473 11474 11475 11476 11476 11474 11475 11476 11476 11474 11475 11476 11476 11476 11474 11475 11476 11476 11476 11476 11476 11477 11476 11476 11476 11477 11476 11476 11476 11477 11476 11476 11477 11476 11476 11477 11476 11476 11477 11476 11476 11477 11476 11476 11477 11476 11476 11477 11476 11476 11477 11476 11476 11477 11477 11476 11476 11477 11476 11476 11477 11476 11476 11477 11476 11476 11477 11476 11477 11476 11476 11477 11476 11476 11477 11476 11477 11476 11476 11477 11476 11476 11477 11477 11476 11476 11477 11476 11476 11477 11477 11476 11476 11477 11477 11476 11476 11477 11477 11476 11476 11477 11477 11476 11476 11477 11477 11476 11477 11477 11476 11477 11477 11476 11477 11477 11477 11477 11477 11476 11477 1	Description	ed) protective eyewear for site visi- tors or single use protection while offering a high wraparound cover- age, polycarbonate construction, for	tive eyewear combines versatility and value with high wraparound coverage, polycarbonate construc- tion and a hard coat, scratch-resist- ant lens for a comfortable, con-	weighs less than one ounce. High wrap offers additional coverage. Meets the High Impact	Orange County Choppers (OCC) extreme safety glasses combine clarity and comfort, while featuring a wraparound aluminum frame, an adjustable nosebridge, spring-hinge temples and impact-resistant poly-
Product Name 3MTM VirtuaTM Protective Eyewear 3MTM VirtuaTM Protective Eyewear 101 100 per case 20 per case 20 per case 20 per case 20 per case 11471 11472 11472 11472 11473 11474 11475 11476 3MTM Orange County Choppers Mile poor hypotective Eyewear 101 Polycarbonate lens with three angles for custom fit. Adjustable and djustable nosebridge. Grange County Choppers (Oc) extreme safety glasses combine carrily and comfort, while featuring carrily the pember provider to restended wear Soft nose bridge. Per stended wear Soft nose bridge or extended wear Soft nose bridge. Soft sistent polycarbonate lens with three angles for custom fit. Adjustable and plants and plant	Part Number	11228	11326	11328	11440
Packaging 100 per case 20 per case 20 per case 20 per case 10 per case 11444 11446 11471 11472	UPC	1-00-78371-11228-5	1-00-78371-62099-5	1-00-78371-62103-9	1-00-78371-62362-0
Polycarbonate lens with three angles for custom fit. Adjustable and adjustable nosebridge. Orange County Choppers (O.C.) carbonate lenses. Part Number	Product Name	3M™ Virtua™ Protective Eyewear	3M [™] Virtua [™] Protective Eyewear	3M [™] Virtua [™] Protective Eyewear	
Description Wraparound aluminum frame. Soft, spring-hinge temples and adjustable nosebridge, lorange County Choppers (OCC) extreme safety glasses combine and adjustable nosebridge, lorange County Choppers™ logo on frame and lens. Meets the High Impact Requirements of ANSI 287.1-2003. Part Number 11444 11446 11471 11472 Product Name Description	Packaging	100 per case	20 per case	20 per case	10 per case
Wraparound aluminum frame, Soft, spring-hinge temples and adjustable nosebridge. Orange County Choppers™ logo on frame and lens. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number		11444	11446	11471	11472
Wraparound aluminum frame, Soft, spring-hinge temples and adjustable nosebridge. Orange County Choppers™ logo on frame and lens. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number					
Product Name 1-00-78371-62366-8 Product Name 1-00-78371-62366-8 Product Name 1-00-78371-62366-2 3M™ Orange County Choppers™ Protective Eyewear 201 10 per case 10 per case 10 per case 20 per case 11476 11476 Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 11473 11474 11475 11476 Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 11473 11474 11475 11476 11476 11476 11475 11476 11475 11476 11476 11475 11476 11476 11476 11475 11476 11476 11476 11476 11476 11476 11476 11476 11477 11476 11476 11478 11476 11476 11476 11476 11476 11476 11476 11476 11477 11476 11477 11476 11476 11476 11476 11476 11476 11477 11476 11476 11476 11477 11476 11476 11476 11476 11476 11476 11476 1	Description	spring-hinge temples and adjustable nosebridge. Orange County Choppers™ logo on frame and lens. Meets the High Impact	Orange County Choppers (OCC) extreme safety glasses combine clarity and comfort, while featuring a wraparound aluminum frame, an adjustable nosebridge, spring-hinge temples and impact-resistant poly-	angles for custom fit. Adjustable soft-tip temples provide comfort for extended wear. Soft nose bridge. Meets the requirements of CSA Z94.3-2007 and the High Impact	angles for custom fit. Adjustable soft-tip temples provide comfort for extended wear. Soft nose bridge. Meets the requirements of CSA Z94.3-2007 and the High Impact
Product Name 3MTM Orange County ChoppersTM Protective Eyewear 201 3MTM Drange County ChoppersTM Protective Eyewear 203 3MTM BXTM Protective Eyewear 203 20 per case 20 per case 20 per case 11473 11474 11475 11476 Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 11473 11474 11475 Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 11473 11474 11475 11476 An illuminating choice for detailed ficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 11473 11474 11475 11476 An illuminating choice for detailed ficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 11473 11474 11475 11476 An illuminating choice for detailed ficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. 287.1-2003. 287.1-2003. 287.1-2003. 287.1-2003. 3MTM BXTM Reader Protective Eyewear 28MTM BXTM Reader Protective Eyewear 28MTM Light VisionTM 2 Protective Eyewear	Part Number	11444	11446	11471	11472
Product Name Protective Eyewear 201 Protective Eyewear 203 Protective Eyewear 203 Protective Eyewear 203 Protective Eyewear 203 10 per case 10 per case 20 per case 20 per case 20 per case 11476 Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI 287.1-2003. Part Number 11473 Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI 287.1-2003. Part Number 11473 11474 11475 11476 An illuminating choice for detailed indoor or outdoor work, LightVision protective eyewear features angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI 287.1-2003. Part Number 11473 11474 11475 11476 An illuminating choice for detailed indoor or outdoor work, LightVision protective eyewear features angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI 287.1-2003. Part Number 11473 11474 11475 11476 An illuminating choice for detailed indoor or outdoor work, LightVision protective eyewear features angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI 287.1-2003. 287.1-2003. 287.1-2003. Part Number 11473 11474 11475 11476 1-00-78371-62069-8 1-00-78371-62069-8 1-00-78371-62069-8 1-00-78371-62069-8 1-00-78371-62069-8 3MTM BXTM Reader Protective Eyewear Eyewear 3MTM BXTM Reader Protective Eyewear	UPC	1-00-78371-62366-8	1-00-78371-62368-2	1-00-78371-62065-0	1-00-78371-62066-7
Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 11473 Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 11473 11474 11475 An illuminating choice for detailed indoor or outdoor work, LightVision protective eyewear features angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 11473 11474 11475 11476 Product Name 3MTM BXTM Reader Protective Eyewear 3MTM BXTM Reader Protective Eyewear Eyewear 3MTM BXTM Reader Protective Eyewear Eyewear	Product Name			3M [™] BX [™] Protective Eyewear	3M™ BX™ Protective Eyewear
Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 11473 11474 11475 11476 Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 11473 11474 11475 11476 Product Name Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Tar. 1-2003. Tar. 1-2003. Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Tar. 1-2003. Tar. 1	Packaging	10 per case	10 per case	20 per case	20 per case
ficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 11473 11474 11475 11476 1-00-78371-62067-4 1-00-78371-62068-1 287.10 Signer Reader Protective Eyewear 13M™ BX™ Reader Protective Eyewear ficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles and gest in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. 787.1-2003. 11474 11475 11476		11473	11474	11475	11476
ficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Part Number 11473 11474 11475 11476 1-00-78371-62067-4 1-00-78371-62068-1 287.10 Signer Reader Protective Eyewear 13M™ BX™ Reader Protective Eyewear ficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles and gest in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. 787.1-2003. 11474 11475 11476		9			5
UPC 1-00-78371-62067-4 1-00-78371-62068-1 1-00-78371-62069-8 1-00-78371-62111-4 Product Name 3M™ BX™ Reader Protective Eyewear	Description	ficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI	ficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge.Meets the High Impact Requirements of ANSI	ficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the High Impact Requirements of ANSI	indoor or outdoor work, LightVision protective eyewear features adjustable, hands-free LED lights, while its high wrap lens offers addi-
Product Name 3M™ BX™ Reader Protective Eyewear	Part Number	11473	11474	11475	11476
Eyewear Eyewear Eyewear Eyewear	UPC	1-00-78371-62067-4	1-00-78371-62068-1	1-00-78371-62069-8	1-00-78371-62111-4
Packaging 20 per case 20 per case 20 per case 10 per case	Product Name				_
	Packaging	20 per case	20 per case	20 per case	10 per case

3M[™] Automotive Eye Protection Products (continued)

	11524	11732	11733	11735
	~	3	3	
Description	Polycarbonate lens with three angles for custom fit. Adjustable soft-tip temples provide comfort for extended wear. Soft nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003.	Lightweight, sporty half-frame design. Soft temples and nose-bridge. Orange County Choppers™ logo on temple. Meets the High Impact Requirements of ANSI Z87.1-2003.	Lightweight and sport-styled, Orange County Choppers (OCC) extreme safety glasses combine clarity and comfort, while featuring a wraparound aluminum frame, an adjustable nosebridge, spring-hinge temples and impact-resistant poly- carbonate lenses.	Designed and styled especially for women, Refine protective eyewear are lightweight, slim frame safety glasses that fit and adjust comfortably to the female facial profile. Antifog coating and polycarbonate lens deliver clarity of vision.
Part Number	11524	11732	11733	11735
UPC	1-00-78371-62079-7	1-00-78371-62183-1	1-00-78371-62184-8	1-00-78371-62186-2
Product Name	3M [™] BX [™] Protective Eyewear	3M [™] Orange County Choppers [™] Protective Eyewear 700	3M [™] Orange County Choppers [™] Protective Eyewear 700	3M [™] Refine [™] Protective Eyewear 201
Packaging	20 per case	10 per case	10 per case	20 per case
	11737	11778	11780	11781
			6	
Description	Specially sized for the smaller face profile of women. Lightweight, slim frame design. Wrap-around lens. Padded, adjustable nosebridge. Meets the High Impact Requirements of ANSI Z87.1-2003.	Motorcycle-inspired design and solid frame construction. Wraparound frame with wide temples. Soft, adjustable nosebridge. Orange County Choppers logo on temples.Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003	Motorcycle-inspired design and solid frame construction. Lightweight half-frame. Soft, adjustable nosebridge. Orange County Choppers logo on temples. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003	Motorcycle-inspired design and solid frame construction. Lightweight half-frame. Soft, adjustable nosebridge. Orange County Choppers logo on temples. Meets the High Impact Requirements of ANSI Z87.1-2003.
Part Number	11737	11778	11780	11781
UPC	1-00-78371-62188-6	1-00-78371-11778-5	1-00-78371-11780-8	1-00-78371-11781-5
Product Name	3M [™] Refine [™] Protective Eyewear 203	3M [™] Orange County Choppers [™] Protective Eyewear 1200	3M [™] Orange County Choppers [™] Protective Eyewear 1200	3M [™] Orange County Choppers [™] Protective Eyewear 1200
Packaging	20 per case	10 per case	10 per case	10 per case
	13407	13633	13752	13753
Description	Adjust brilliantly with photochromic SmartLens protective eyewear, featuring abrasion-resistant hard coat polycarbonate lenses, and a soft adjustable nosebridge, nylon brow and magnesium alloy spring-hinged temple for a flexible fit.	Planogram kit includes a selection of high moving safety products (35 eyewear, 3 head/face, 4 respiratory), header card, re-order tags, counter mat, window cling, customer order form, safety pays cataloge, planogram labels and set-up sheet.	Convenient countertop rack holds 36 pairs of protective eyewear. Rotates 360 degrees for easy selection. Includes mirror to aid customer selection.	Convenient countertop rack holds 12 pairs of protective eyewear. Rotates 360 degrees for easy selection. Includes mirror to aid customer selection.
Part Number	13407	13633	13752	13753
UPC	1-00-78371-62033-9	1-00-78371-13633-5	1-00-78371-13752-3	1-00-78371-13753-0
Product Name	3M [™] Smart Lens [™] Protective Eyewear	AAD Eyewear Planogram 13633- 00000	3M [™] Rotational Protective Eyewear Display Rack	3M [™] Rotational Protective Eyewear Display Rack
Packaging	5 per case	1 per case	1 per case	1 per case

3M[™] Automotive Eye Protection Products (continued)

	15100	15200	15204	15250
	0		0	
Description	Combines extra wide viewing range and contoured design. Lightweight, high wrap offers additional coverage. Fully customizable with multiple lens options, three lens angles and four temple lengths. Meets the High Impact Requirements of ANSI Z87.1-2003.	Help protect your vision with this value choice, Lexa protective eyewear. Lexa combines an extra wide viewing range and adjustable lens angles with four temple lengths.	Combines extra wide viewing range and contoured design. Lightweight, high wrap offers additional coverage. Fully customizable with multiple lens options, three lens angles and four temple lengths. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Help protect your vision around welding applications. Lexa features switchable lenses, and helps protect from some infrared radiation. Combines extra wide viewing range and adjustable lens angles with four temple lengths.
Part Number	15100	15200	15204	15250
UPC	1-00-78371-62277-7	1-00-78371-62287-6	1-00-78371-62289-0	1-00-78371-62299-9
Product Name	3M [™] Lexa [™] Protective Eyewear Large	3M [™] Lexa [™] Protective Eyewear Medium	3M [™] Lexa [™] Protective Eyewear Medium	3M [™] Lexa [™] Protective Eyewear Medium
Packaging	20 per case	20 per case	20 per case	20 per case
	16644	29114	40698	40709
			200	3.7
Description	Lightweight, contoured, low profile design. Three lens angle adjustments for custom fit. Vent channels at top and bottom designed to help minimize fogging. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Replacement part for 3M™ Full Facepieces 7000 Series.	Nylon frame. Vented for comfort and reduced fogging. Vented air seal designed to help minimize fog- ging. Elastic headband for comfort- able secure fit. Meets the High Impact requirements of ANSI Z87.1- 2003.	E.V.P. tactical protective eyewear was designed for the rigors of combat. Its wraparound lens offers a wide field of vision, and cushioned browguard, adjustable nosebridge and thin temples are comfortable with most tactical communications headsets.
Part Number	16644	29114	40698	40709
UPC	1-00-78371-62336-1	5-00-51138-29114-8	1-00-78371-40698-8	1-00-78371-61208-2
Product Name	3M [™] Lexa [™] GoggleGear [™] Safety Splash Goggle Medium	3M™ Lens 7884	3M [™] Maxim [™] Air Flow Safety Goggle 2x2	3M [™] Peltor [™] E.V.P. [™] Tactical Protective Eyewear Kit 40709- 10000
Packaging	10 per case	5 per case	10 per case	10 per case
	40711	40715	40719	40721
	3.	7	00	7
Description	E.V.P. tactical protective eyewear was designed for the rigors of combat. Its wraparound lens offers a wide field of vision, and cushioned browguard, adjustable nosebridge and thin temples are comfortable with most tactical communications headsets.	Dual wrap around lens for wide field of view. Lightweight frame. DX™ anti-fog hard coat. Lenses absorb 99.9% UV.	The NightHawk tactical protective eyewear prescription insert fits E.V.P. combat support eyewear with a modular slot-and-tab design that ensures precise positioning without vision shifts.	DX [™] anti-fog hard coat. Absorbs 99.9% UV.
Part Number	40711	40715	40719	40721
UPC	1-00-78371-61210-5	1-00-78371-61214-3	1-00-78371-40719-0	1-00-78371-61218-1
UI U				
Product Name Packaging	3M [™] Peltor [™] E.V.P. [™] Tactical Protective Eyewear Kit 40711- 10000	3M™ Peltor™ E.V.P.™ Replacement Lens 40715-10000 Clear Lens	3M [™] Peltor [™] E.V.P. [™] Prescription Lens Insert 40719-00000	3M™ Peltor™ E.V.P.™ Replacement Lens 40721-10000 Clear Lens

3M[™] Automotive Eye Protection Products (continued)

	40726	41076	60417	60418
		A.		
Description	DX [™] anti-fog hard coat. Absorbs 99.9% UV.	Designed to fit the Airlite Goggle perfectly for enhanced wearer com- fort. Absorbs sweat to keep droplets from streaming into the eyes.	Use with 3M [™] Full Facepieces 7000 Series to help protect lens.	Use with 3M™ Full Facepieces 7000 Series to help protect lens.
Part Number	40726	41076	60417	60418
UPC	1-00-78371-61222-8	1-00-78371-41076-3	5-00-21200-60417-6	5-00-21200-60418-3
Product Name	3M [™] Peltor [™] E.V.P. [™] Replacement Lens 40726-10000 Amber Lens	3M™ Airlite™ Foundry Goggle Replacement Facelet	3M™ Lens Cover 7899-25/7899- 25-AM	3M TM Lens Cover 7899-100/7899- 100-AM
Packaging	25 per case	50 per case	100 per case	100 per case
	62034	62038	62058	62059
Description	Unisex styling. Lightweight design. Soft, dual injected temples for increased comfort. Adjustable nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003.	Unisex styling. Lightweight design. Soft, dual injected temples for increased comfort. Adjustable nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003.	Contemporary unisex styling. Lightweight, wrapped design provides excellent fit. Integral side shields offer excellent side protection. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Lightweight, retro-styled Nuvo pro- tective eyewear features adjustable temples, a cushioned brow bar and soft nosepiece. Contoured frame and integral sideshields offer additional comfort.
Part Number	62034	62038	62058	62059
UPC	1-00-78371-62034-6	1-00-78371-62038-4	1-00-78371-62058-2	1-00-78371-62059-9
Product Name	3M [™] Virtua [™] Protective Eyewear V4	3M [™] Virtua [™] Protective Eyewear V4	3M [™] Zora [™] Protective Eyewear	3M [™] Nuvo [™] Protective Eyewear
Packaging	20 per case	20 per case	20 per case	20 per case
	62060	62062	62063	62064
	₩			5
Description	Adjustable length temples with soft tips. Integral sideshields provide profile protection. Soft nosepiece and cushioned brow bar. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Lightweight, retro-styled Nuvo pro- tective reader eyewear features adjustable temples, a cushioned brow bar and soft nosepiece. Contoured frame and integral sideshields offer additional safety coverage.	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003.	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003.
Part Number	62060	62062	62063	62064
UPC	1-00-78371-62060-5	1-00-78371-62062-9	1-00-78371-62063-6	1-00-78371-62064-3
Product Name	3M [™] Nuvo [™] Protective Eyewear	3M [™] Nuvo [™] Reader Protective Eyewear	3M [™] Nuvo [™] Protective Eyewear	3M [™] Nuvo [™] Protective Eyewear
Packaging	20 per case	20 per case	20 per case	20 per case

3M[™] Automotive Eye Protection Products (continued)

		,		
	62070	62071	62084	62112
			6	5
Description	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003.	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Adjustable length temples with soft tips. Integral sideshields provide profile protection. Meets the High Impact Requirements of ANSI Z87.1-2003.	Sleek unisex sport styling look. Comfortable, lightweight frame. High wrap lens for front/side cover- age.Meets the requirements of CSA Z94.3-2007 and the High Impact requirements of ANSI Z87.1-2003.	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Dual LED lights provide hands-free lighting. Meets the High Impact requirements of ANSI Z87.1-2003.
Part Number	62070	62071	62084	62112
UPC	1-00-78371-62070-4	1-00-78371-62071-1	1-00-78371-62084-1	1-00-78371-62112-1
Product Name	3M [™] Nuvo [™] Reader Protective Eyewear	3M [™] Nuvo [™] Reader Protective Eyewear	3M [™] Virtua [™] Sport Protective Eyewear	3M™ Light Vision2™ Reader Protective Eyewear
Packaging	20 per case	20 per case	20 per case	10 per case
	62113	62114	62169	62198
	5	5	6	
Description	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Dual LED lights provide hands-free lighting. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Designed for workers who have difficulty reading small print or who are engaged in small detail work. Dual LED lights provide hands-free lighting. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Versatile design for military and law enforcement. Air seal for comfort and protection. Side ventilation designed to help minimize fogging. Meets the High Impact require- ments of ANSI Z87.1-2003.	Sleek, frameless design. Unique inter-crossed black and silver temples. Soft nosebridge. Orange County Choppers™ logo on lens. Meets the High Impact Requirements of ANSI Z87.1-2003.
Part Number	62113	62114	62169	62198
UPC	1-00-78371-62113-8	1-00-78371-62114-5	1-00-78371-62169-5	1-00-78371-62198-5
Product Name	3M [™] Light Vision2 [™] Reader Protective Eyewear	3M [™] Light Vision2 [™] Reader Protective Eyewear	3M™ Maxim™ Safety Goggle 2x2	3M [™] Orange County Choppers [™] Protective Eyewear 800
Packaging	10 per case	10 per case	10 per case	10 per case
	62206	62207	62211	62222
	~	\sim	3	\sim
Description	Sleek, seamless wraparound lens. DX™ anti-fog hard coat protects from fog, scratching, and many chemicals. Adjustable temples with changeable lengths. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Sleek, seamless wraparound lens. DX™ anti-fog hard coat protects from fog, scratching, and many chemicals. Adjustable temples with changeable lengths. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Sleek, seamless wraparound lens. DX™ anti-fog hard coat protects from fog, scratching, and many chemicals. Adjustable temples with changeable lengths. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Stylish, lightweight KX protective eyewear for site visitors or general use offers high impact protection, wraparound sideshields and polycarbonate construction. Comfortable, contoured fit safety glasses for all-day, indoor or outdoor use.
Part Number	62206	62207	62211	62222
UPC	1-00-78371-62206-7	1-00-78371-62207-4	1-00-78371-62211-1	1-00-78371-62222-7
Product Name	3M [™] QX [™] Protective Eyewear 1000	3M [™] QX [™] Protective Eyewear 1000	3M [™] QX [™] Protective Eyewear 3000	3M [™] KX [™] Protective Eyewear
Packaging	20 per case	20 per case	20 per case	20 per case

3M[™] Automotive Eye Protection Products (continued)

	62224	62226	62227	62235
			\sim	9
Description	Designed to fit over most prescription glasses. Seamless lens with built-in sideshields provides a wide field of vision. Wide frame fits a variety of face shapes and sizes. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Sturdy, durable OX protective eye- wear delivers high impact protec- tion, wraparound sideshields and flexible, polycarbonate construction with over-the-glass coverage. Its lightweight frame and anti-fog hard coat lens deliver clarity.	Sleek, seamless wraparound lens. DX™ anti-fog hard coat protects from fog, scratching, and many chemicals. Adjustable temples with changeable lengths. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Lightweight Maxim protective eye- wear is both stylish and durable, featuring adjustable temples and nosebridge, a cushioned browguard and a ventilation channel designed to help prevent fogging and vent heat away from the face.
Part Number	62224	62226	62227	62235
UPC	1-00-78371-62224-1	1-00-78371-62226-5	1-00-78371-62227-2	1-00-78371-62235-7
Product Name	3M [™] OX [™] Protective Eyewear	3M TM OX TM Protective Eyewear 2000	3M [™] QX [™] Protective Eyewear 2000	3M [™] Maxim [™] Protective Eyewear
Packaging	20 per case	20 per case	20 per case	20 per case
	62245	62269	62282	62301
				£
Description	Sporty, colorful Maxim Sport protective eyewear is both stylish and durable, featuring dual-injected temples, a soft, cushioned browguard and a scratch-resistant, antifog coating. Contemporary, stylish safety glasses at an affordable price.	Single piece high impact polycarbonate lens includes a comfortable flared nose bridge. DX™ anti-fog hard coat protects lens from fog, scratching, and many chemicals. Lens absorbs 99.9% UV.	Combines extra wide viewing range and contoured design. Lightweight, high wrap offers additional coverage. Fully customizable with multiple lens options, three lens angles and four temple lengths. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Protect your vision with a valueable choice in Lexa protective eyewear. Lexa combines an extra wide viewing range and adjustable lens angles with four temple lengths. Lightweight, high wrap offers additional coverage.
Part Number	62245	62269	62282	62301
UPC	1-00-78371-62245-6	1-00-78371-62269-2	1-00-78371-62282-1	1-00-78371-62301-9
Product Name	3M [™] Maxim [™] Sport Protective Eyewear	3M [™] Nassau Plus [™] Protective Eyewear Replacement Lens	3M [™] Lexa [™] Fighter Protective Eyewear Medium	3M [™] Lexa [™] Protective Eyewear Medium
Packaging	20 per case	100 per case	100 per case	100 per case
	62302	62321	62328	62329
			8	8
Description	Dependable Seepro protective eye- wear features integrated sideshields, brow and nose bridge, as well as an anti-fog, polycarbon- ate lens for indoor or outdoor use, and adjustable temples.	Lightweight, durable Fectoggles performs as safety impact goggles yet has the soft comfort of glasses. Snug fit strap and foam flange seal offer extra protection, while the polycarbonate, anti-fog coating pro- vides a clear, UV-free lens.	Top and bottom vent channels increase airflow, designed to help minimize fogging. Soft foam flange seals entire lens perimeter to help keep out particulates. Can be used with existing Lexa™ eyewear. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Top and bottom vent channels increase airflow, designed to help minimize fogging. Soft foam flange seals entire lens perimeter to help keep out particulates. Can be used with existing Lexa TM eyewear. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.
Part Number	62302	62321	62328	62329
UPC	1-00-78371-62302-6	1-00-78371-62321-7	1-00-78371-62328-6	1-00-78371-62329-3
Product Name	3M [™] Seepro [™] Protective Eyewear	3M [™] Fectoggles [™] Safety Goggles	3M™ GoggleGear™ Safety Goggle	3M [™] GoggleGear [™] Safety Goggle
Packaging	100 per case	10 per case	10 per case	10 per case

3M[™] Automotive Eye Protection Products (continued)

	62331	62341	62342	62343
Description	Top and bottom vent channels increase airflow, designed to help minimize fogging. Soft foam flange seals entire lens perimeter to help keep out particulates. Can be used with existing Lexa™ eyewear. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Sleek, low profile design. Wide wraparound lens design. Soft polymeric inner seal for enhanced comfort. Indirect ventilation designed for improved air flow and to help reduce fogging Adjustable headband. Meets the High Impact requirements of ANSI Z87.1-2003.	Economical protection for visitors. Polycarbonate construction. Integral sideshields provide wraparound protection. Large lens fits over prescription eyewear. Comes in readyto-use wall dispenser.	Standard, economical Tour-Guard protective eyewear for site visitors or general use offers impact protection, wraparound sideshields and flexible, polycarbonate construction with over-the-glass coverage. Indoor or outdoor use safety glasses.
Part Number	62331	62341	62342	62343
UPC	1-00-78371-62331-6	1-00-78371-62341-5	1-00-78371-62342-2	1-00-78371-62343-9
Product Name	3M™ GoggleGear™ Safety Goggle	3M™ Maxim™ Safety Splash Goggle OTG	3M [™] Tour-Guard [™] III Protective Eyewear	3M [™] Tour-Guard [™] III Protective Eyewear
Packaging	10 per case	10 per case	100 per case	100 per case
	62367	62369	62380	62382
				8
Description	Wraparound aluminum frame. Soft, spring-hinge temples and adjustable nosebridge. Orange County Choppers™ logo on frame and lens. Meets the High Impact Requirements of ANSI Z87.1-2003.	Wraparound aluminum frame. Soft, spring-hinge temples and adjustable nosebridge. Orange County Choppers™ logo on frame and lens. Meets the High Impact Requirements of ANSI Z87.1-2003.	Distinctive style. High wrap offers additional coverage. Impact-resist-ant polycarbonate lenses. Anti-fog hardcoat. Soft, adjustable nose bridge and temple tips. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Distinctive style. High wrap offers additional coverage. Impact-resist-ant polycarbonate lenses. Anti-fog hardcoat. Soft, adjustable nose bridge and temple tips. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.
Part Number	62367	62369	62380	62382
UPC	1-00-78371-62367-5	1-00-78371-62369-9	1-00-78371-62380-4	1-00-78371-62382-8
Product Name	3M [™] Orange County Choppers [™] Protective Eyewear 202	3M [™] Orange County Choppers [™] Protective Eyewear 204	3M [™] Metaliks [™] Protective Eyewear	3M [™] Metaliks [™] Protective Eyewear
Packaging	10 per case	10 per case	20 per case	20 per case
	62386	62390	83735	89158
			SUPER-CLEAR TO THE STATE OF THE	
Description	Sport Grip™ temples. High wrap offers additional coverage and excellent peripheral vision. Lens with DX™ anti-fog hard coat protects from fog, scratching, and many chemicals. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	High wrap offers additional coverage. Large lens opening to accommodate prescription and safety eyewear. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.	Contains 16 oz. pump and bottle of cleaning fluid. Also contains 1500 sheets of lens cleaning paper. Ready to hang.	Functional design with a 6 base curve lens, 5-position adjustment, and built in side shields. Soft pivoting nosepiece for greater comfort and fit. The hard-coated polycarbonate lens reduces UV radiation by 99% and resists scratches. Red frame, clear lens.
Part Number	62386	62390	83735	89158
UPC	1-00-78371-62386-6	1-00-78371-62390-3	1-00-78371-83735-5	5-00-51135-89158-7
Product Name	3M [™] X.Sport [™] Protective Eyewear	3M [™] Centurion [™] Safety Splash Goggle 454AF	3M [™] Super-Clear [™] Disposable Lens Cleaning Station	3M [™] Protective Eyewear 1770- 1AF
	_jooa.	00	Ü	

3M[™] Automotive Eye Protection Products (continued)

	89164	90525-80025	90552-80025	90596-00000
	4			
Description	These bifocal safety glasses feature adjustable temple settings, a soft nosepiece provides greater comfort and fit. The hard-coated polycarbonate lens reduces UV radiation by 99% and resists scratches. Black frame, clear lens, +1.5 bifocal magnification.	Virtua's lightweight and wrap- around lens design provides distor- tion-free optics, provides 99.9% UV protection and is constructed of a polycarbonate, blue mirror lens. Meets ANSI Z87.1 and complies with OSHA regulations for industrial eye protection.	Wraparound, lightweight polycar- bonate lens design. Meets ANSI Z87.1 regulations and complies with OSHA standards.	Classic dual lens design with anti- scratch coating provides 99.9% UV protection. Blue translucent frame and clear lens with soft nose pads. Impact tested to meet ANSI Z87.1 and OSHA regulations.
Part Number	89164	90525-80025	90552-80025	90596-00000
UPC	5-00-51135-89164-8	1-00-78371-61294-5	1-00-78371-90552-8	0-00-78371-90596-5
Product Name	3M [™] Protective Eyewear 1790-15	3M [™] Virtua® Safety Glasses 90525-80025	3M [™] Stylish Outdoor Safety Glasses 90552-80025	3M [™] XF707 X-Factor® Safety Glasses 90596-00000 Clear Lens
Packaging	24 per case	6 per case	6 per case	5 per case
	90834-80025	90970-80002	90974-80025	
Description	Wraparound, lightweight polycar- bonate lens design. Clear frames with clear lens. Convenient, bulk 4 pack. Meets ANSI Z87.1 and OSHA standards.	Wraparound , anti -fog, anti-scratch lens design provides 99.9% UV pro- tection. Adjustable temples with comfort grip tips. Black frame and clear lens. Comfortable and light- weight. Meets ANSI Z87.1, CSA Z94.3 and OSHA standards.	Semi-rimless, dual lens anti- scratch lens design provides 99.9% UV protection. Black frame with indoor/outdoor mirror lens. Soft nosepiece and adjustable temples for added comfort. Meets ANSI Z87.1, CSA Z94.3 and OSHA safety standards.	
Part Number	90834-80025	90970-80002	90974-80025	
UPC	1-00-78371-61246-4	1-00-78371-61125-2	1-00-78371-61236-5	
Product Name	3M [™] Stylish Indoor/Contractor Safety Glasses	3M [™] XF1 X-Factor® Safety Glasses 90970-80002 Black Frame	3M [™] XF4 X-Factor® Safety Glasses 90974-80025 Black Frame	
Packaging	4 per pack 6 packs per case	6 per case	6 per case	

3M[™] Automotive Face Protection Products

	00413	28882	37301
Description	Combination head, face and hearing protection system is designed for forestry and agriculture.	NIOSH approved against ammonia and methylamine. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	The 3M [™] Versaflo [™] S-757 Hood Assembly consists of a S-950 Premium Head Suspension and a S-707 Hood. It is approved for use with certain 3M [™] Powered Air Purifying and Supplied Air Respirator Systems.
Part Number	00413	28882	37301
UPC	1-00-78371-00413-9	5-00-51138-28882-7	0-00-51131-37301-3
Product Name	LumberJack™ Hard Hat G413B	3M [™] Ammonia Methylamine Organic Vapor Cartridge 6004	3M [™] Versaflo [™] Painter's Hood Assembly with Inner Shroud and Premium Head Suspension S- 757
Packaging	1 per case	60 per case	1 per case

3M™ Automotive Face Protection Products (continued)

	52789	82701	82783
Description	A clip-on welding attachment for the 3M [™] Full Facepiece 7800S.	Standard size, molded general purpose polycarbonate faceshield offers high impact face protection. Faceshield mounts quickly to any 3M TM Headgear without tools, snaps or cams. Requires protective eyewear, sold separately.	A combination headgear and faceshield safety system. Includes 3M™ H8A Ratchet Headgear and 3M™ WP96 Polycarbonate Faceshield. Adjustable ratchet suspension. Molded faceshield provides impact protection. Requires protective eyewear, sold separately.
Part Number	52789	82701	82783
UPC	0-00-51131-52789-8	1-00-78371-82701-1	1-00-78371-82783-7
Product Name	3M [™] Clip-on Welding Shield Kit 7990/7990-AM	3M [™] Clear Polycarbonate Faceshield WP96	3M [™] Ratchet Headgear H8A With Clear WP96 Polycarbonate Faceshield
Packaging	1 per case	10 per case	5 per case

3M[™] Automotive Face Protection Products Replacement Parts

	00413	12193	17094	17102
Description	Combination head, face and hear- ing protection system is designed for forestry and agriculture.	Used with 3M™ Hardcap Assemblies. This cover is 5 1/2 inches x 10 1/2 inches and helps prevent scratching of the faceshield.	The 3M™ Versaflo™ S-657 Hood Assembly consists of a S-950 Premium Head Suspension and a S-607 Hood. It is approved for use with certain 3M™ Powered Air Purifying and Supplied Air Respirator Systems.	The 3M [™] Versaflo [™] S-951 Headband is a spare part for the S- 950 Premium Head Suspension.
Part Number	00413	12193	17094	17102
UPC	1-00-78371-00413-9	5-00-51138-12193-3	0-00-51131-17094-0	0-00-51131-17102-2
Product Name	LumberJack™ Hard Hat G413B	3M™ Faceshield Cover W-9410-3	3M [™] Versaflo [™] Hood Assembly with Inner Shroud and Premium Head Suspension S-657	3M [™] Versaflo [™] Headband for Premium Head Suspension S-951
Packaging	1 per case	200 per case	1 per case	1 per case

3M™ Automotive Face Protection Products Replacement Parts (continued)

	19222	21294	21297	21303
				-10
Description	This shroud is used on the 3M [™] Whitecap [™] Helmet W-8000.	This assembly is designed for abrasive blasting. The double faceshield design helps protect the face and eyes from airborne particles. The outer shell is constructed of polyethelene. The helmet is black.	This assembly includes the 3M [™] Shroud Clamp W-8061. The shroud provides added protection for certain applications. It is used on 3M [™] Whitecap [™] Helmet W-8000.	This cover is used on 3M [™] Whitecap [™] Helmets W-8000 to protect the faceshield from damage.
Part Number	19222	21294	21297	21303
UPC	5-00-51138-19222-3	0-00-51138-21294-0	0-00-51138-21297-1	0-00-51138-21303-9
Product Name	3M™ Inner Shroud W-8020-2	3M [™] Whitecap [™] Abrasive Blasting Helmet Assembly W-8100B	3M™ Shroud Assembly W-8052	3M™ Faceshield Cover W-8045-25
Packaging	2 per case	1 per case	1 per case	25 per case
	21306	21340	21421	21584
			٥	
Description	This faceshield is used on all 3M [™] Whitecap [™] Helmets. It is mandatory for use in all abrasive blasting applications.	Replacement part for 3M™ Full Facepieces 7000 Series.	Gray vinyl breathing tube used on 3M™ Whitecap™ Helmets. It attaches at the back of the helmet and to the air regulating valve and carries the air into the helmet environment for user comfort.	This cover is used on the 3M [™] Whitecap [™] Abrasive Blasting Helmet Assembly W-8100B, Black. Provides excellent vision and is easy to replace.
Part Number	21306	21340	21421	21584
UPC	5-00-51138-21306-5	5-00-51138-21340-9	0-00-51138-21421-0	5-00-51138-21584-7
Product Name	3M™ Inner Faceshield W-8160-10	3M [™] Head Strap/Harness Assembly 7893S	3M [™] Whitecap [™] Helmet Breathing Tube W-8003	3M [™] Outer Faceshield W-8101-10
Packaging	10 per case	2 per case	1 per case	10 per case
	21585	21587	28882	37301
	1	1		
Description	Used on the 3M TM Whitecap TM Helmet W-8100B. This cover provides excellent vision and helps keep the faceshield clean.	Used on the 3M™ Whitecap™ Helmet W-8100B. This cover pro- vides excellent vision and helps keep the faceshield clean.	NIOSH approved against ammonia and methylamine. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayo- net style cartridge holders.	The 3M [™] Hood Assembly S-757 consists of a S-950 Premium Head Suspension and a S-707 Hood. It is approved for use with certain 3M [™] Powered Air Purifying and Supplied Air Respirator Systems
Part Number	21585	21587	28882	37301
UPC	0-00-51138-21585-9	5-00-51138-21587-8	5-00-51138-28882-7	0-00-51131-37301-3
		3M™ Faceshield Cover W-8102-	3M™ Ammonia Methylamine	3M™ Painter's Hood Assembly with
Product Name	3M [™] Faceshield Cover W-8102-25	250	Cartridge 6004	Inner Shroud and Premium Head Suspension S-757

3M™ Automotive Face Protection Products Replacement Parts (continued)

	37302	46526	52754	52755
			0	
Description	The 3M™ Versaflo™ S-922 Visor Cover is a transparent covering that can be applied to the all S-600, S-700, and S-800 hood assemblies to protect the visor from contaminants and scratches.	The perfect choice for work envi- ronments that do not require ANSI compliance. Bump caps help to prevent minor bumps and bruises from overhead hazards.	This is a replacement inhalation valve designed for 3M™ Half Facepiece Respirators 7501, 7502, and 7503.	This valve is used with the 3M [™] Half Facepiece Respirators 7000 Series, and also used with the 3M [™] Center Adapter 6864 on the 3M [™] Full Facepiece Respirators 6000 Series.
Part Number	37302	46526	52754	52755
UPC	5-00-51131-37302-5	1-00-78371-46526-8	5-00-51131-52754-1	5-00-51131-52755-8
Product Name	3M [™] Versaflo [™] Peel-Off Visor Cover S-922	Bump Cap 46526-00000	3M™ Inhalation Valve 7582	3M™ Exhalation Valve 7583
Packaging	40 per case	30 per case	10 per case	10 per case
	52789	52799	54145	54146
Description	A clip-on welding attachment for the 3M [™] Full Facepiece 7800S.	Adjustable shade, electronic auto darkening lens for use with 3M™ Clip-on Welding Faceshield Kit 7990/7990-AM.	This full facepiece reusable respirator offers lightweight comfort and ease of use. Combine with appropriate 3M™ particulate filters or cartridges to help provide respiratory protection against particulates and/or a variety of gases and vapors.	This full facepiece reusable respirator offers lightweight comfort and ease of use. Combine with appropriate 3M™ Particulate Filters or Cartridges, to help provide respiratory protection against particulates and/or a variety of gases and vapors.
Part Number	52789	52799	54145	54146
UPC	0-00-51131-52789-8	0-00-51131-52799-7	5-00-51138-54145-8	5-00-51138-54146-5
Product Name	3M™ Clip-on Welding Shield Kit 7990/7990-AM	3M [™] Electronic Lens Assembly 7991/7991-AM	3M™ Full Facepiece Reusable Respirator 6700 Small	3M™ Full Facepiece Reusable Respirator 6800 Medium
Packaging	1 per case	1 per case	4 per case	4 per case
	54159	54257	54258	54259
Description	This full facepiece reusable respirator offers lightweight comfort and ease of use. Combine with appropriate 3M™ Particulate Filters or Cartridges, to help provide respiratory protection against particulates and/or a variety of gases and vapors.	Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, P100 and 3M™ Cartridges 6000 Series. Also use with powered and supplied air systems against a variety of gases, vapors and particulates according to NIOSH approvals.	Use with 3M TM Filters 2000 Series, 3M TM Cartridges 6000 Series, 3M TM Cartridges and Filters 7000 Series and powered and supplied air systems against a variety of gases, vapors and particulates according to NIOSH approvals.	Use with 3M [™] Filters 2000 Series, 3M [™] Cartridges 6000 Series, 3M [™] Cartridges and Filters 7000 Series and powered and supplied air systems against a variety of gases, vapors and particulates according to NIOSH approvals.
Part Number	54159	54257	54258	54259
UPC	5-00-51138-54159-5	0-00-51138-54257-3	0-00-51138-54258-0	0-00-51138-54259-7
Product Name	3M [™] Full Facepiece Reusable Respirator 6900 Large	3M™ Full Facepiece 7800S Small	3M™ Full Facepiece 7800S Medium	3M [™] Full Facepiece 7800S Large
Packaging	4 per case	1 per case	1 per case	1 per case

3M™ Automotive Face Protection Products Replacement Parts (continued)

	66098	76567	76624	82701
Description	This hood is a replacement part for 3M [™] Hood Assemblies H-421 and H-422.	Use as a replacement part for 3M [™] Half Facepieces 6000 Series.	Use as a replacement part for 3M™ Full Facepieces 6000 Series. Use to seal 3M™ Center Adapter Assembly 6892 or 3M™ DIN Port Adapter Assembly 6884 to facepiece.	Standard size, molded general purpose polycarbonate faceshield offers high impact face protection. Faceshield mounts quickly to any 3MTM Headgear without tools, snaps or cams. Requires protective eyewear, sold separately.
Part Number	66098	76567	76624	82701
UPC	5-00-51138-66098-2	5-00-51138-76567-0	5-00-51138-76624-0	1-00-78371-82701-1
Product Name	3M™ Respirator Hood	3M [™] Head Harness Assembly 6281	3M™ Center Adapter Gasket 6896	3M™ Clear Polycarbonate Faceshield WP96
Packaging	10 per case	20 per case	20 per case	10 per case
	82783	90028	90028-00000	90030
Description	A combination headgear and faceshield safety system. Includes 3M TM H8A Ratchet Headgear and 3M TM WP96 Polycarbonate Faceshield. Adjustable ratchet suspension. Molded faceshield provides impact protection. Requires protective eyewear, sold separately.	Professional faceshield protects the face and neck from flying particles and chemical splash. High strength polycarbonate window and crown protector are ideal for projects that include grinding, weed trimming, woodworking and more. ANSI Z87.1/CSA Z94.3	Professional faceshield protects the face and neck from flying particles and chemical splash. High strength polycarbonate window and crown protector are ideal for projects that include grinding, weed trimming, woodworking and more. ANSI Z87.1/CSA Z94.3.	Premolded clear polycarbonate window is high strength and is designed to fit the patented professional or deluxe faceshields. ANSI Z87.1/CSA Z94.3.
Part Number	82783	90028	90028-00000	90030
UPC	1-00-78371-82783-7	1-00-78371-61232-7	1-00-78371-90028-8	1-00-78371-90030-1
Product Name	3M [™] Ratchet Headgear H8A With Clear WP96 Polycarbonate Faceshield	3M™ Professional Faceshield 90028-80025	3M [™] Professional Faceshield 90028-00000	3M [™] Clear Replacement Polycarbonate Faceshield Window 90030-00000
Packaging	5 per case	5 per case	5 per case	5 per case
	L-112-2	L-184	L-950	
Description	The M-958/L-112 Chin Strap is for use with all 3M™ Versaflo™ M-Series or 3M™ L-Series products. It helps hold the headgear in place on the user. The chin strap is optional and is not required for safe use of the headgear.	This shield, 4 1/2 inches x 5 1/4 inches, can be used with 3M™ Headgear L-505, L-705 and L-905. It is used to improve protection against radiated high temperatures of welding operations.	Designed for use with 3M™ Helmet L-900 Series. This shell meets both ANSI and CSA Class G standards for industrial headgear protection. This shell is for use in applications in which top and side impact may occur.	
Part Number	L-112-2	L-184	L-950	
UPC	5-00-51138-66256-6	0-00-51138-66394-0	0-00-51138-66157-1	
Product Name	3M™ Versaflo™ Chin Strap M- 958/L-112	3M [™] High Temperature Welding Shield L-184	3M™ Helmet Shell L-950	
Packaging	2 per case	1 per case	1 per case	

3M™ Ear Muffs

	05163	07063	08061	08073
				50
Description	Deluxe personal hearing protector, cap-mount earmuffs deliver soft, cushioned comfort and solid, dependable hearing protection.	Great comfort and fit with the large multi-position ear cups. Creates a comfortable and consistent ear cup seal with the wide forked headband. Offers excellent fit and comfort with the soft sealing cushions.	For noise levels up to 95dBA, the lightweight and comfortable Optime 95 features low-profile ear cups that fit well with most helmets, eyewear, and other safety equipment.	3M [™] Peltor [™] Optime [™] 101 Cap- Mount Earmuffs, Hearing Conservation H7P3E 10 EA/Case
Part Number	05163	07063	08061	08073
UPC	0-73-18640-05163-8	0-00-51131-07063-9	1-00-93045-08061-5	1-00-93045-08073-8
Product Name	Orange Hi-Viz™ Series Cap-Mount Earmuffs H31P3E	3M [™] General Purpose Ear Muff 07063	Optime™ 95 Over-the-Head Earmuffs H6A/V	3M [™] Peltor [™] Optime [™] 101 Cap- Mount Earmuffs
Packaging	10 per case	20 per case	10 per case	10 per case
	08091	08101	20006	22004
Description	For noise levels up to 98dBA, delivers effective protection for midrange environments comfortably.	3M [™] Peltor [™] Optime [™] 105 Over-the-Head Earmuff Hearing Conservation H10A 10 EA/Case	Soft, E-A-Rform™ foam tips keep feeling and fitting better as the day goes on. The hybrid foam formulation reacts to body temperature, warms, conforms, and becomes softer with wear time.	E-A-R™ Swerve Banded Hearing Protector
Part Number	08091	08101	20006	22004
UPC	1-00-93045-08091-2	1-00-93045-08101-8	1-00-80529-20006-5	1-00-80529-22004-9
Product Name	Optime™ 98 Over-the-Head Earmuffs H9A	3M [™] Peltor [™] Optime [™] 105 Over-the-Head Earmuff Hearing Conservation H10A	E-A-Rflex [™] Semi-Aural Hearing Protector 320-1000	3M [™] E-A-R [™] Swerve [™] Banded Hearing Protector 322-2000
Packaging	10 per case	10 per case	100 per case	10 per case
	30000	30001	90537-00002	90540-00000
Description	Low-profile and lightweight protection may be worn over-the-head, behind-the-head, or under-the-chin.	Versatile wearing positions accommodate a wide range of wearers and work processes. • Large earcup openings with soft, foamfilled cushions provide excellent protection and comfort.	NRR 28dB. Lightweight and adjustable. Store around neck when not being used. Pods are washable, detachable & replaceable.	NRR 20dB. Economical hearing pro- tection. Adjustable.
Part Number	30000	30001	90537-00002	90540-00000
UPC	1-00-80529-30000-0	1-00-80529-30001-7	1-00-80529-90537-3	0-00-78371-90540-8
Product Name	3M [™] E-A-R [™] Earmuffs	E-A-R™ Earmuffs 330-3002	3M [™] Banded Style Hearing Protector 90537-00002	3M [™] Basic Earmuff 90540-00000
Packaging	24 per case	24 per case	10 per case	6 per case

3M[™] Ear Muffs (continued)

	90560-0001	90560-80025	H10B	H6B/V
Description	NRR 21dB. Low profile cup design. Ideal for moderately loud condi- tions.	NRR 21dB. Low profile cup design. Ideal for moderately loud condi- tions.	For noise levels up to 105 dBA, these earmuffs with double-shell technology provide optimal protec- tion.	For noise levels up to 95dBA, the lightweight and comfortable Optime 95 features low-profile ear cups that fit well with most helmets, eyewear, and other safety equipment.
Part Number	90560-0001	90560-80025	H10B	H6B/V
UPC	0-00-78371-90560-6	1-00-78371-62022-3	1-00-93045-08102-5	1-00-93045-08062-2
Product Name	3M [™] Low Profile Folding Earmuff 90560-00001	3M [™] Stowaway® Earmuff 90560- 80025 Cut Case	3M [™] Peltor [™] Optime [™] 105 Behind-the-Head Earmuffs	3M™ Peltor™ Optime™ 95 Behind-the-Head Earmuffs
Packaging	4 per case	8 per case	10 per case	10 per case
	H7A			
Description	For noise levels up to 101dBA, the Optime 101 combines excellent hearing protection and comfort for louder environments.			
Part Number	H7A			
UPC	1-00-93045-08071-4			
Product Name	3M [™] Peltor [™] Optime [™] 101 Over-the-Head Earmuffs			
Packaging	10 per case			

3M™ Foam and Reusable Ear Plugs

	00399	01400	01401	11011
				SALES TO SAL
Description	Starter sku for AAD Planogram. Contains 14 different 3M earplug sku's - one box of each, plus a free box of Skull Screws a free box of Pistonz, and 2 free One Touch Dispensers.	The Pistonz push-to-fit, uncorded earplug features soft foam tips with a metallic look and a convenient thumb-grip stem. No-roll foam makes fitting easy; simply push the foam into the earcanal and twist to adjust the fit.	Pistonz corded, push-to-fit earplugs are stylish hearing protection that feature soft foam tips with a metallic look and a convenient thumbgrip stem. No-roll foam makes fitting easy; simply push the earplug into the earcanal and twist to adjust the fit.	3M™ E-A-R™ Express™ Pod Plugs™ Corded Earplugs, Hearing Conservation Assorted Grips 311- 1115 in Pillow Pak
Part Number	00399	01400	01401	11011
UPC	1-00-80529-19085-4	1-00-93045-93401-7	1-00-93045-93402-4	1-00-80529-11011-1
Product Name	3M [™] AAD Hearing Planogram 399- 1000	3M [™] Pistonz [™] Uncorded Earplugs P1400	3M™ Pistonz™ Corded Earplug	3M [™] E-A-R [™] Express [™] Pod Plugs [™] Corded Earplugs
Packaging	1 per case	400 per case	400 per case	400 per case

industry. industry. quick visual compliance check. 2 al earplug today. Conservation 312-129 in Poly Bag 1002 1-00-80529-11033-3 1-00-80529-11059-3 1-00-80529-12002-8 1-00-80529-12013-4 3MITM E-A-RIM E-A-RISORTIM fellow Neons Corded Earplugs Packaging 2 000 per case 3 12077 1 2083 1 2077 1 2083 1 2077 1 2083 1 2077 1 2083 1 2077 1 2083 1 2077 1 2083 1 2077 1 2083 1 2077 1 2083 1 2077 1 2083 1 2077 1 2083 1 2077 1 2083 2 3 1 2077 1 2083 2 3 1 2077 2 3 1 2083 2 3 1 2077 3 1 2083 3 1 2077 3 1 2083 3 1 2077 4 2083 3 1 2077 4 2083 3 1 2077 4 2083 3 1 2077 4 2083 3 1 2077 4 2083 3 1 2077 4 2083 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		11033	11059	12002	12013
the highest NRR available in the industry. a quick visual compliance check care that the most widely used cylindric cale arplug today. Conservation 312-1219 in Poly Bag Conservation 312-1210 in Poly Bag		0	Q		
### 1-00-80529-11033-3 1-00-80529-11093-3 1-00-80529-12002-8 3MT** E-A-R*** E-A-Rsoft*** Yellow Neons Corded Earplugs Packaging 2000 per case 3MT** E-A-R*** E-A-Rsoft*** Yellow Neons Uncorded Earplugs, Hearing Conservation 312-1230 in Poly Bag Regular Size Regular Size 3MT** E-A-R*** Texation 1 = 12017 12063 12077 12083 1-00-80529-12007-6 1-00-80529-12007-7 12083 1-00-80529-12007-6 1-00-80529-12008-6 1-00-80529-12008-6 1-00-80529-12008-6 1-00-80529-12008-6 1-00-80529-12008-6 1-00-80529-12008-6 1-00-80529-12008-8 1-00-8	Description	the highest NRR available in the	a guideline for proper insertion and	still the most widely used cylindri-	
And we will be a support of the proper insertion and a quick visual compliance check. Secription will be a support of the proper insertion and a quick visual compliance check. Sand Number 12017 12063 12077 12033 Smooth, self-adjusting foam provides an individualized fit for improved seal and good attenuation. The trademarked yellow assures you of E-A-R s proven protection assures you of E-A-R s proven provides and provided the highest RNR available in the industry. Proprietary bell shape and supersoft foam seals more effectively to provide sacks in more effectively to provide the highest NNR available in the industry. Bescription and the provides and supersoft foam inserts more easily and seals more effectively to provide the highest NNR available in the industry. Bescription and the provides and supersoft foam inserts more easily and seals more effectively to provide the highest NNR available in the industry. Bescription and the provide of the highest NNR available in the industry. Bescription and the provided the highest NNR available in the industry. Bescription and the provide of the highest NNR available in the industry. Bescription and the provide of the highest NNR available in the industry. Bescription and the provide of the highest NNR available in the industry. Bescription and the provide of the highest NNR available in the industry. Bescription and the provide of the highest NNR available in the industry. Bescription and the provided the highest NNR available in the industry. Bescription and the provided the highest NNR available in the industry. Bescription and the provided the highest NNR available in the industry. Bescription and the provided the highest NNR available in the industry. Bescription and the provided the highest NNR available in the industry. Bescription and the provided the highest NNR available in the industry. Bescription and the provided the highest NNR available in the industry. Bescription and the provided the highest NNR available in the industry. Bescript	Part Number	11033	11059	12002	12013
Neons Corded Earplugs 2000 per case 2000 per	UPC	1-00-80529-11033-3	1-00-80529-11059-3	1-00-80529-12002-8	1-00-80529-12013-4
Smooth, self-adjusting foam provides an individualized fit for improved seal and good attenuation. The tradmarked yellow color assures you of E-A-R's proven protection. Part Number 12017 12063 12077 12083 PrC 1-00-80529-12017-2 1-00-80529-12063-9 1-00-80529-12077-6 1-00-80529-12083-7 Product Name Proprietary bell shape and supersoft foam inserts more easily and seals more effectively to provide the highest NRR available in the industry. Part Number 12085 12086 18000 18002 Product Name Proprietary bell shape and supersoft foam inserts more easily and seals more effectively to provide the highest NRR available in the industry. Part Number 12085 12086 18000 18002 Product Name 12085 18080	Product Name				
Smooth, self-adjusting foam provides an individualized fit for improved seal and good attenuation. The trademarked yellow color assures you of E-A-R's proven protection. Part Number 12017 12063 12077 12083 PC 1-00-80529-12017-2 1-00-80529-12063-9 1-00-80529-12077-6 1-00-80529-12083-7 Product Name Regular Corded Earplugs Regular Size 12000 per case 2000 per case	Packaging	2000 per case	2000 per case	2000 per case	2000 per case
vides an individualized fit for improved seal and good attenuation. The trademarked yellow color assures you of E-A-R's proven protection. Part Number 12017 12063 12077 12083 PPC 1-00-80529-12017-2 1-00-80529-12063-9 1-00-80529-12077-6 1-00-80529-12083-7 Product Name Regular Corded Earplugs 2000 per case		12017	12063	12077	12083
vides an individualized fit for improved seal and good attenuation. The trademarked yellow color assures you of E-A-R's proven protection. Part Number 12017 12063 12077 12083 PPC 1-00-80529-12017-2 1-00-80529-12063-9 1-00-80529-12077-6 1-00-80529-12083-7 Product Name Regular Corded Earplugs 2000 per case			 	₫	
Product Name 1-00-80529-12017-2 1-00-80529-12063-9 1-00-80529-12077-6 1-00-80529-12083-7 3M™ E-A-R™ TaperFit™ 2 Regular Corded Earplugs Product Name 2000 per case 2000 per case 2	Description	vides an individualized fit for improved seal and good attenua- tion. The trademarked yellow color assures you of E-A-R's proven pro-	Neons Uncorded Earplugs, Hearing Conservation 312-1250 in Poly Bag	a guideline for proper insertion and	
Product Name 3M™ E-A-R™ TaperFit™ 2 Regular Corded Earplugs 2000 per case 200	Part Number	12017	12063	12077	12083
Regular Corded Earplugs Regular Corded Earplu	UPC	1-00-80529-12017-2	1-00-80529-12063-9		1-00-80529-12083-7
Proprietary bell shape and supersoft foam inserts more easily and seals more effectively to provide the highest NRR available in the industry. Part Number 12085 12086 18000 18002 Proprietary E-A-Rform™ foam tip provides protection with the ultimate comfort throughout the day. Patented E-A-Rform™ foam tip provides protection with the ultimate comfort throughout the day. Part Number 12085 12086 18000 18002 Product Name 3M™ E-A-R™ E-A-Rsoft™ FX™ Corded Earplugs 3M™ E-A-R™ E-A-Rsoft™ FX™ Uncorded Earplugs 3M™ E-A-R™ E-A-Rsoft™ FX™ Uncorded Earplugs 318-1000 18002 Push-Ins™ Uncorded Earplugs 318-1000	Product Name				
Proprietary bell shape and supersoft foam inserts more easily and seals more effectively to provide the highest NRR available in the industry. Part Number 12085 12086 1-00-80529-12085-1 1-00-80529-12086-8 1-00-80529-18000-8 2000 20	Packaging	2000 per case	2000 per case	2000 per case	2000 per case
Soft foam inserts more easily and seals more effectively to provide the highest NRR available in the industry. Part Number 12085 12086 1-00-80529-12085-1 1-00-80529-12086-8 Product Name 12085 12086 13000 18002 1-00-80529-18000-8		12085	12086	18000	18002
Soft foam inserts more easily and seals more effectively to provide the highest NRR available in the industry. Part Number 12085 12086 1-00-80529-12085-1 1-00-80529-12086-8 Product Name 12085 12086 13000 18002 1-00-80529-18000-8		65			
IPC 1-00-80529-12085-1 1-00-80529-12086-8 1-00-80529-18000-8 1-00-80529-18000-2 Product Name 3MTM E-A-RTM E-A-RsoftTM FXTM Corded Earplugs 3MTM E-A-RTM E-A-R	Description	soft foam inserts more easily and seals more effectively to provide the highest NRR available in the	inserts more easily and seals more effectively to provide the highest	provides protection with the ulti-	provides protection with the ulti-
Product Name 3M TM E-A-R TM E-A-Rsoft TM FX TM	Part Number	12085			
Corded Earplugs Uncorded Earplugs 318-1000 318-1002	UPC				
Packaging 2000 per case 2000 per case 400 per case 2000 per case	Product Name				
	Packaging	2000 per case	2000 per case	400 per case	2000 per case

	18003	19063	19066	21011
		S		Charles .
Description	Patented E-A-Rform™ foam tip provides protection with the ultimate comfort throughout the day.	Replacement Pods for E-A-Rflex 28 Hearing Protector (#320-1000).	Replacement Pods for E-A-R Caps Model 200 Hearing Protector (#350-2100 and #321-2101).	Advanced "no-roll" foam and pad- dle-style grips make getting a good fit easier than ever.
Part Number	18003	19063	19066	21011
UPC	1-00-80529-18003-9	1-00-80529-19063-2	1-00-80529-19066-3	1-00-80529-21011-8
Product Name	3M [™] E-A-R [™] Push-Ins [™] Corded Earplugs	E-A-Rflex [™] 28 Replacement Pods 320-1001	E-A-R Caps™ Model 200 Hearing Protector Replacement Pods 321- 2103 10 PK/Case	3M [™] E-A-R [™] Express [™] Pod Plugs [™] Corded Earplugs
Packaging	2000 per case	50 per case	10 per case	400 per case
	29008	29009	310-1001	311-1101
Description	3M [™] Uncorded Foam Earplugs, Hearing Conservation 1100	The comfortable fit of soft foam ear plugs with the convenience of a cord. Recommended for moderate to high noise (up to 100 dBA TWA). Disposable, orange	3M [™] E-A-R [™] Classic [™] Uncorded Earplugs, Hearing Conservation in Pillow Pak 310-1001	The world's first foam earplugs and still the most widely used cylindrical earplug today.
Part Number	29008	29009	310-1001	311-1101
UPC	5-00-51138-29008-0	5-00-51138-29009-7	1-00-80529-10000-6	1-00-80529-11001-2
Product Name	3M [™] Uncorded Foam Earplugs	3M™ Corded Foam Earplugs	3M [™] E-A-R [™] Classic [™] Uncorded Earplugs	3M [™] E-A-R [™] Classic [™] Corded Earplugs
Packaging	1000 per case	500 per case	2000 per case	2000 per case
	311-1252	312-1252	37153	391-1000
	Q			
Description	3M™ E-A-R™ E-A-Rsoft™ Yellow Neon Blasts Corded Earplugs, Hearing Conservation 311-1252 in Poly Bag Regular Size 2000 PR/Case These corded foam earplugs offer a soft, low-pressure solution with a exciting flame graphics.	Serious protection with a fun twist that improves voluntary compli- ance. The world's softest earplugs with the highest NRR available.	Optional heavy base for 3M [™] Foam Ear Plug Dispenser Assembly 1100-DP or 1120-DP/37151(AAD). For use on horizontal surfaces such as counters or table tops.	Quick, clean and convenient access to a wide selection of earplugs with NRR of up to 33 dB available.
Part Number	311-1252	312-1252	37153	391-1000
UPC	1-00-80529-11035-7	1-00-80529-12065-3	5-00-51131-37153-3	1-00-80529-91000-1
Product Name	3M [™] E-A-R [™] E-A-Rsoft [™] Yellow Neon Blasts Corded Earplugs	3M™ E-A-R™ E-A-Rsoft™ Yellow Neon Blasts Uncorded Earplugs	3M [™] Ear Plug Dispenser Base DSP-B	E-A-R™ One Touch™ Earplug Dispenser 391-1000 1 EA/Case
Packaging	2000 per case	2000 per case	4 per case	1 per case

	391-1001	391-1010	40001	40003
	Cinal	and Add States		2
Description	The world's first foam earplugs and still the most widely used cylindrical earplug today. Packaged in convenient Refill Bottles to fit your One Touch dispenser.	Serious protection with a fun twist that improves voluntary compli- ance. The world's softest earplugs with the highest NRR available.	Patented curved flange design gently hugs the ear canal to provide an effective seal protecting against noise. • Patented, premolded, triple-flange design inserts easily.	3M [™] E-A-R [™] UltraFit [™] Corded Earplugs, Hearing Conservation 340-4004 in Poly Bag 400 PR/Case
Part Number	391-1001	391-1010	40001	40003
UPC	1-00-80529-91001-8	1-00-80529-91012-4	1-00-80529-40001-4	1-00-80529-40003-8
Product Name	E-A-R™ Classic™ One Touch™ Refill 391-1001 2000 PR/Case	E-A-Rsoft™ Yellow Neon Blasts One Touch™ Dispenser Refill 391- 1010	3M™ E-A-R™ UltraFit™ Corded Earplugs	3M™ E-A-R™ UltraFit™ Corded Earplugs
Packaging	2000 per case	2000 per case	200 per case	400 per case
	52845	61273	90579-00000	90580-00000
	100			
Description	This reusable, multi-flange designed ear plug fits securely in the ear canal and helps provide reliable protection. The bright orange color provides high visibility to allow employers to identify employees wearing their ear plugs. Recommended for moderate noise (up to 95 dBA TWA).	This Peltor headset allows the wearer to listen to music while wearing hearing protection. The 2600 E-A-Rbud corded earplugs are comfortable in-ear, noise-isolating earplugs specifically designed for MP3 and other digital entertainment players.	NRR 29dB, #1 selling earplug in the world. Soft foam comfortable to wear over extended time. Expands slowly to fit virtually any ear canal.	NRR 29dB, #1 selling earplug in the world. Soft foam comfortable to wear over extended time. Expands slowly to fit virtually any ear canal. Comes with handy storage container.
Part Number	52845	61273	90579-00000	90580-00000
UPC	5-00-51131-52845-6	1-00-78371-61273-0	1-00-78371-90579-5	0-00-78371-90580-4
Product Name	3M™ Reusable Ear Plug 1260	3M [™] Peltor [™] E-A-Rbud [™] Corded Earplugs 2600	3M [™] Traditional Disposable Earplugs 90579-00000	3M [™] Traditional Disposable Earplugs 90580-00000
Packaging	500 per case	1 per case	50 packs per box 10 boxes per case	40 pair per case

	90585	90586-00000	91004	97317-00000
			E ARROTT	Q
Description	NRR 25dB. Triple flange design for a comfortable, snug fit. Handy storage container keeps earplugs clean when not being worn. Washable.	NRR 25dB. Triple flange design for a comfortable, snug fit. Handy storage container keeps earplugs clean when not being worn. Washable. Cord reduces the chance of earplugs falling into work area and allows for easier in/out application.	The world's softest earplugs and the highest NRR available in the industry.	3 pair of corded re-usable triple flange earplugs with convenient car- rying case. NRR 26. Washable
Part Number	90585	90586-00000	91004	97317-00000
UPC	1-00-78371-90585-6	1-00-78371-90586-3	1-00-80529-91004-9	1-00-78371-61006-4
Product Name	3M™ Tri-Flange® Reusable earplugs 90585-00000	3M [™] Tri-Flange® reusable corded earplugs 90586-00000	3M [™] E-A-R [™] E-A-Rsoft [™] Yellow Neons One Touch [™] Refill Uncorded Earplugs	3M [™] Peltor® Tri-Flange® Next Earplugs
Packaging	10 per case	10 per case	2000 per case	3 per pack 10 packs per case
i adiaging	10 por 0000	10 poi 0000	2000 po. 0000	o por paore to paore por caco
1 actualing	98015	P1300	P1301	P3000
. acraiging	•	·	•	
Description	•	·	•	
	98015 Bright purple earplug with convenient grips keeps insertion easy and	P1300 Skull Screw corded foam earplugs sport the tough look of threaded metal, but feel of soft foam, while offering hygienic no-roll convenience and noise attenuation with attitude. Effective hearing protection and compliance with a clean,	P1301 No-roll convenience Look of metal, soft feel of foam Twist-to-seal design Noise jamming NRR of 30db	P3000 Earplugs with triple flanges provide
Description	98015 Bright purple earplug with convenient grips keeps insertion easy and hygienic.	Skull Screw corded foam earplugs sport the tough look of threaded metal, but feel of soft foam, while offering hygienic no-roll convenience and noise attenuation with attitude. Effective hearing protection and compliance with a clean, easy twist.	No-roll convenience Look of metal, soft feel of foam Twist-to-seal design Noise jamming NRR of 30db Corded P1301	P3000 Earplugs with triple flanges provide multiple seals against noise.
Description Part Number	98015 Bright purple earplug with convenient grips keeps insertion easy and hygienic.	P1300 Skull Screw corded foam earplugs sport the tough look of threaded metal, but feel of soft foam, while offering hygienic no-roll convenience and noise attenuation with attitude. Effective hearing protection and compliance with a clean, easy twist. P1300	No-roll convenience Look of metal, soft feel of foam Twist-to-seal design Noise jamming NRR of 30db Corded P1301	P3000 Earplugs with triple flanges provide multiple seals against noise. P3000

Masking Tapes

Scotch® Performance Masking Tapes 233+

Highly conformable, provides the best adhesive transfer resistance, hugs curves, contours and provides outstanding paint lines. Goes on quickly and easily, sticks at a touch and stays put. Perfectly balanced to give outstanding masking results. Waterborne paint system compatible.

Color Green

Length 55 Linear Metre

	26332	26334	26336
	S TO A	We will be a second at a secon	
Part Number	26332	26334	26336
UPC	0-00-51131-26332-1	0-00-51131-26334-5	0-00-51131-26336-9
Product Name	Scotch® Performance Masking Tape 233+	Scotch® Performance Masking Tape 233+	Scotch® Performance Masking Tape 233+
Width	12 Millimetre	18 Millimetre	24 Millimetre
Packaging	48 per case	48 per case	24 per case
	26338	26340	26341
	26338	26340	26341
Part Number	26338 26338	26340 26340	26341 26341
Part Number UPC			To the second se
	26338	26340	26341
UPC	26338 0-00-51131-26338-3	26340 0-00-51131-26340-6	26341 0-00-51131-26341-3

3M™ Automotive Refinish Masking Tape

3M[™] Automotive Refinish Masking Tape is designed to meet today's paint technicians requirements for masking before painting; no adhesive transfer; no edge lifting; waterborne paint system compatible.

Color Yellow
Length 55 Linear Metre

	03424	06652	06653
	The state of the s		
Part Number	03424	06652	06653
UPC	0-00-51131-03424-2	0-00-51131-06652-6	0-00-51131-06653-3
Product Name	3M™ Automotive Refinish Masking Tape	3M™ Automotive Refinish Masking Tape	3M [™] Automotive Refinish Masking Tape
Width	18 Millimetre	18 Millimetre	24 Millimetre
Packaging	24 per case	48 per case	36 per case

Masking Tapes

3M[™] Automotive Refinish Masking Tape (continued)

	06654	06656	
Part Number	06654	06656	
UPC	0-00-51131-06654-0	0-00-51131-06656-4	
Product Name	3M™ Automotive Refinish Masking Tape	3M™ Automotive Refinish Masking Tape	
Width	36 Millimetre	48 Millimetre	
Packaging	24 per case	24 per case	

Highland™ Masking Tape

An automotive refinish masking tape designed with balanced construction for consistent unwind, conformability and easy tear. Waterborne paint system compatible.

Color Natural Length 55 Linear Metre



Part Number	UPC	Product Name	Width	Packaging
06541	0-00-51131-06541-3	Highland™ Masking Tape 2727	18 Millimetre	48 per case
06542	0-00-51131-06542-0	Highland™ Masking Tape 2727	36 Millimetre	24 per case
06543	0-00-51131-06543-7	Highland™ Masking Tape 2727	48 Millimetre	24 per case
06544	0-00-51131-06544-4	Highland™ Masking Tape 2727	24 Millimetre	36 per case

3M[™] Automotive Masking Tape

	03430	03432	06545	06547
		STATE OF THE PARTY		
Description	General purpose automotive mask- ing tape for non-critical paint masking applications. Waterborne paint system compatible.	General purpose automotive masking tape for non-critical paint masking applications. Waterborne paint system compatible.	Natural colored crepe paper. A general purpose masking tape for holding, bundling, sealing, general paint masking and a vast number of other jobs where a pressure-sensitive tape is needed. Waterborne paint system compatible.	Natural colored crepe paper. A general purpose masking tape for holding, bundling, sealing, general paint masking and a vast number of other jobs where a pressure-sensitive tape is needed. Waterborne paint system compatible.
Part Number	03430	03432	06545	06547
UPC	0-00-51131-03430-3	0-00-51131-03432-7	0-00-51131-06545-1	0-00-51131-06547-5
Product Name	3M™ Automotive Masking Tape	3M™ Automotive Masking Tape	3M [™] Automotive Masking Tape	3M™ Automotive Masking Tape
Length	32 Linear Metre	32 Linear Metre	55 Linear Metre	55 Linear Metre
Width	18 Millimetre	36 Millimetre	18 Millimetre	36 Millimetre
Packaging	24 rolls per case	24 rolls per case	48 per case	24 per case

Masking Tapes

3M™ Automotive Masking Tape (continued)

	06548	46545	46547
			SIM.
Description	Natural colored crepe paper. A general purpose masking tape for holding, bundling, sealing, general paint masking and a vast number of other jobs where a pressure-sensitive tape is needed. Waterborne paint system compatible.	Individually wrapped roll designed for automotive aftermarket masking applications prior to painting; balanced construction features include consistent adhesive coating, adhesive transfer resistance, consistent unwind, and leaves an excellent paint edge. Waterborne paint system compatible.	Individually wrapped roll designed for automotive aftermarket masking applications prior to painting; balanced construction features include consistent adhesive coating, adhesive transfer resistance, consistent unwind, and leaves an excellent paint edge. Waterborne paint system compatible.
Part Number	06548	46545	46547
UPC	0-00-51131-06548-2	0-00-51131-46545-9	0-00-51131-46547-3
Product Name	3M™ Automotive Masking Tape	3M™ Masking Tape 2308	3M™ Masking Tape 2308
Length	55 Linear Metre	55 Linear Metre	55 Linear Metre
Width	48 Millimetre	18 Millimetre	36 Millimetre
Packaging	24 per case	48 rolls per case	24 rolls per case

Scotch® Automotive Refinish Masking Tape 233

Color Tan

	06330	06334	06336	06338
Description	Designed for automotive paint refinish applications, conformable, hugs curves and contours, applies quickly and easily, and removes cleanly. Waterborne paint system compatible.	For 3/4 inch masking. Conformable, hugs curves and contours. Goes on quickly and easily, sticks at a touch and stays put. Every feature perfectly balanced to give outstanding masking results. Waterborne paint system compatible.	For 1 inch masking. Conformable, hugs curves and contours. Goes on quickly and easily, sticks at a touch and stays put. Every feature perfectly balanced to give outstanding masking results. Waterborne paint system compatible.	Conformable, hugs curves and contours. Goes on quickly and easily, sticks at a touch and stays put. Every feature perfectly balanced to give outstanding masking results. Waterborne paint system compatible.
Part Number	06330	06334	06336	06338
UPC	0-00-21200-06330-5	0-00-21200-06334-3	0-00-21200-06336-7	0-00-21200-06338-1
Product Name	Scotch® Automotive Refinish Masking Tape 233	Scotch® Automotive Refinish Masking Tape 233	Scotch® Automotive Refinish Masking Tape 233	Scotch® Automotive Refinish Masking Tape 233
Length	60 Linear Yard	55 Linear Metre	55 Linear Metre	55 Linear Metre
Width	1/4 Inch	19 Millimetre	25 Millimetre	55 Millimetre
Packaging	144 per case	48 per case	36 per case	24 per case

Masking Tapes

Scotch® Automotive Refinish Masking Tape 233 (continued)

	06340	06341	06343	06344
Description	For 2 inch masking. Conformable, provides the best adhesive transfer resistance, hugs curves, contours and provides outstanding paint lines. Goes on quickly and easily, sticks at a touch and stays put. Perfectly balanced to give outstanding masking results. Waterborne paint system compatible.	For 3 inch masking. Conformable, provides the best adhesive transfer resistance, hugs curves, contours and provides outstanding paint lines. Goes on quickly and easily, sticks at a touch and stays put. Perfectly balanced to give outstanding masking results. Waterborne paint system compatible.	Designed for automotive paint refinish applications, conformable, hugs curves and contours, applies quickly and easily, and removes cleanly. Waterborne paint system compatible.	Designed for automotive paint refinish applications, conformable, hugs curves and contours, applies quickly and easily, and removes cleanly. Waterborne paint system compatible.
Part Number	06340	06341	06343	06344
UPC	0-00-21200-06340-4	0-00-21200-06341-1	0-00-21200-06343-5	0-00-21200-06344-2
Product Name	Scotch® Automotive Refinish Masking Tape 233	Scotch® Automotive Refinish Masking Tape 233	Scotch® Automotive Refinish Masking Tape 233	Scotch® Automotive Refinish Masking Tape 233
Length	55 Linear Metre	55 Linear Metre	55 Linear Metre	60 Linear Yard
Width	48 Millimetre	72 Millimetre	3 Millimetre	1/4 Inch
Packaging	24 per case	12 per case	48 per case	12 per case

Tartan[™] Paper Tape 000

General use masking tape. Not designed for critical paint masking applications. Best used for seaming or tacking masking paper and film.

Color Natural
Length 55 Linear Metre



Part Number	UPC	Product Name	Width	Packaging
06532	0-00-51131-06532-1	Tartan™ Paper Tape 000	18 Millimetre	48 per case
06534	0-00-51131-06534-5	Tartan™ Paper Tape 000	36 Millimetre	24 per case
06535	0-00-51131-06535-2	Tartan™ Paper Tape 000	48 Millimetre	24 per case

Masking Tapes

Scotch-Blue™ Painter's Tape for Multi-Surfaces 2090

This tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight. It is a medium adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.

Color Blue

Length 60 Linear Yard

	06817	06818	06819
	34	311	an a
Part Number	06817	06818	06819
UPC	0-00-51115-06817-1	0-00-51115-06818-8	0-00-51115-06819-5
Product Name	Scotch-Blue™ Painters Masking Tape for MultiSurfaces 2090.75ABK	Scotch-Blue™ Painters Tape for MultiSurfaces 2090	Scotch-Blue™ Painters Tape for MultiSurfaces 2090
Width	3/4 Inch	1 Inch	1.5 Inch
Packaging	48 per case	36 per case	24 per case
	06820	06910	
Part Number	06820	06910	
	*** *	*** *	
UPC	0-00-51115-06820-1	0-00-51115-06910-9	
Product Name	Scotch-Blue™ Painters Tape for MultiSurfaces 2090	Scotch-Blue™ Painters Masking Tape for MultiSurfaces 20903ABK	
Width	2 Inch	3 Inch	
Packaging	24 per case	16 per case	

Scotch® Performance Masking Tapes 233+ (Individually Wrapped)

Highly conformable, provides the best adhesive transfer resistance, hugs curves, contours and provides outstanding paint lines. Goes on quickly and easily, sticks at a touch and stays put. Perfectly balanced to give outstanding masking results. Waterborne paint system compatible.

Color Green

Length 55 Linear Metre

	26343	26344	46334	46338
	To mile the state of the state			S S S S S S S S S S S S S S S S S S S
UPC	0-00-51131-26343-7	0-00-51131-26344-4	0-00-51131-46334-9	0-00-51131-46338-7
Part Number	26343	26344	46334	46338
Product Name	Scotch® Performance Masking Tapes 233+	Scotch® Performance Masking Tapes 233+	Scotch® Performance Masking Tapes 233+	Scotch® Performance Masking Tapes 233+
Width	3 Millilitre	6 Millilitre	18 Millilitre	36 Millilitre
Packaging	12 per case	96 per case	48 per case	24 per case

Jamb Masking Tapes

3M™ Soft Edge Foam Masking Tape

Foam tape for jamb masking and other areas that need to be sealed during painting.

	06293	06297	06298
	SM NOVY STATE SECURITY STATE SECURITY S	and top feed the state of the s	and from trans the first process of the control of
Part Number	06293	06297	06298
UPC	0-00-51131-06293-1	0-00-51131-06297-9	0-00-51131-06298-6
Product Name	3M™ Soft Edge Foam Masking Tape +	3M™ Soft Edge Foam Masking Tape	3M™ Soft Edge Foam Masking Tape
Length	49 Linear Metre	50 Linear Metre	35 Linear Metre
Width	21 Millimetre	13 Millimetre	19 Millimetre
Packaging	1 per case	1 per case	1 per case

3M™ Smooth Transition Tape

This tape leaves a smooth paint transition - no hard edge line for collision repair painters. Used in jamb masking and on outside body lines.



06800 0-00-51131-06800-1 3M™ Smooth Transition Tape 30 Linear Foot 60 per case	ŀ	Part Number	UPC	Product Name	Length	Packaging
	(06800	0-00-51131-06800-1	3M™ Smooth Transition Tape	30 Linear Foot	60 per case

Specialty Tapes

3M™ Trim Masking Tape

	06342	06345	06347
		St. AUS	M MAST
Description	3M [™] Trim Masking Tape Introductory Kit, part number 06342 contains 1 each of Part Numbers 06345, 06347, 06349 and 06348. The reusable carton provides convenient storage of all 4 products.	5 mm wide hard band designed to actually lift up the molding from the vehicle, allowing paint to flow under the molding. This tape works par- ticularly well on flush mount windshield and back glass moldings.	7 mm wide hard band designed to actually lift up the molding from the vehicle, allowing paint to flow under the molding. This tape works particularly well on flush mount windshield and back glass moldings.
Part Number	06342	06345	06347
UPC	0-00-51131-06342-6	0-00-51131-06345-7	0-00-51131-06347-1
Product Name	3M™ Trim Masking Tape Introductory Kit	3M™ Trim Masking Tape	3M™ Trim Masking Tape
Length	-	10 Linear Metre	10 Linear Metre
Width	-	50.8 Millmetre	50.8 Millmetre
Packaging	1 per case	6 per case	6 per case
	06348	06349	
	St. Miles		
Description	15 mm wide hard band designed to actually lift up the molding from the vehicle, allowing paint to flow under the molding. This tape works particularly well on flush mount windshield and back glass moldings.	10 mm wide hard band designed to actually lift up the molding from the vehicle, allowing paint to flow under the molding. This tape works particularly well on flush mount windshield and back glass moldings.	
Part Number	06348	06349	
UPC	0-00-51131-06348-8	0-00-51131-06349-5	
Product Name	3M™ Trim Masking Tape	3M™ Trim Masking Tape	
Length	10 Linear Metre	10 Linear Metre	
Width	50.8 Millmetre	50.8 Millmetre	
Packaging	6 per case	6 per case	

Specialty Tapes

Scotch® Fine Line Tapes

	6404	6405	6408	6409
Description	3M™ Vinyl Tape 471+ Indigo, vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, maintain color throughout not printed, dead stretch properties to provide straighter lines, clean removability.	3M™ Vinyl Tape 471+ Indigo, vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, maintain color throughout not printed, dead stretch properties to provide straighter lines, clean removability.	3M™ Vinyl Tape 471+ Indigo, vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, maintain color throughout not printed, dead stretch properties to provide straighter lines, clean removability.	3M™ Vinyl Tape 471+ Indigo, vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, maintain color throughout not printed, dead stretch properties to provide straighter lines, clean removability.
Part Number	6404	6405	6408	6409
UPC	0-00-51131-06404-1	0-00-21200-06405-0	0-00-51131-06408-9	0-00-51131-06409-6
Product Name	3M™ Vinyl Tape 471+			
Length	36 Linear Yard	36 Linear Yard	36 Linear Yard	36 Linear Yard
Width	1/8 Inch	1/4 Inch	1/2 Inch	3/4 Inch
Color	Indigo	Indigo	Indigo	Indigo
Packaging	144 per case	144 per case	72 per case	48 per case
	06300	06301	06302	06303
				The second secon
Description	Scotch® Fine Line Tape 218 is a high-performance film backed tape with low profile and high adhesion to achieve excellent paint lines and for other masking and holding applications.	Scotch® Fine Line Tape 218 is a high-performance film backed tape with low profile and high adhesion to achieve excellent paint lines and for other masking and holding applications.	Scotch® Fine Line Tape 218 is a high-performance film backed tape with low profile and high adhesion to achieve excellent paint lines and for other masking and holding applications.	Scotch® Fine Line Tape 218 is a high-performance film backed tape with low profile and high adhesion to achieve excellent paint lines and for other masking and holding applications.
Part Number	06300	06301	06302	06303
UPC	0-00-21200-06300-8	0-00-21200-06301-5	0-00-21200-06302-2	0-00-21200-06303-9
Product Name	Scotch® Fine Line Tape 218			
Length	60 Linear Yard	60 Linear Yard	60 Linear Yard	60 Linear Yard
Width	1/8 Inch	1/4 Inch	3/8 Inch	1/2 Inch
Color	Green	Green	Green	Green
Packaging	144 per case	144 per case	96 per case	72 per case


Specialty Tapes

Scotch® Fine Line Tapes (continued)

	06305	06306	06307	06308
	00303	00300		00300
	Manual — Mills			
Description	Scotch® Fine Line Tape 218 is a high-performance film backed tape with low profile and high adhesion to achieve excellent paint lines and for other masking and holding applications.	Scotch® Fine Line Tape 218 is a high-performance film backed tape with low profile and high adhesion to achieve excellent paint lines and for other masking and holding applications.	Scotch® Fine Line Tape 218 is a high-performance film backed tape with low profile and high adhesion to achieve excellent paint lines and for other masking and holding applications.	Scotch® Fine Line Tape 218 is a high-performance film backed tape with low profile and high adhesion to achieve excellent paint lines and for other masking and holding applications.
Part Number	06305	06306	06307	06308
UPC	0-00-21200-06305-3	0-00-21200-06306-0	0-00-21200-06307-7	0-00-21200-06308-4
Product Name	Scotch® Fine Line Tape 218	Scotch® Fine Line Tape 218	Scotch® Fine Line Tape 218	Scotch® Fine Line Tape 218
Length	60 Linear Yard	60 Linear Yard	60 Linear Yard	60 Linear Yard
Width	3/4 Inch	1/16 Inch	3/16 Inch	3/32 Inch
Color	Green	Green	Green	Green
Packaging	48 per case	144 per case	144 per case	144 per case
	06314	36404	36405	36408
	Secret SAV Free L'e Strong lieu Strong lie	SM CAPTURE OF THE PARTY OF THE	SV ST	
Description	Polypropylene film tape for multi- color striping. This specially-engi- neered tape is slit to provide 1/16 inch and 1/8 inch pull-out pieces for paint striping.	3M™ Vinyl Tape 471 Blue, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	3MTM Vinyl Tape 471 Blue, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.	3M™ Vinyl Tape 471 Blue, 5.2 mil (0.13 mm), vinyl backing with a rubber adhesive, maintain color even when exposed to heavy abrasion, conformable, dead stretch properties to provide straighter lines, clean removal, good solvent resistance.
Part Number	06314	36404	36405	36408
UPC	0-00-21200-06314-5	0-00-51131-36404-2	0-00-51131-36405-9	0-00-51131-36408-0
Product Name	Scotch® Fine Line Striping Tape	3M™ Vinyl Tape 471	3M™ Vinyl Tape 471	3M™ Vinyl Tape 471
Length	36 Linear Yard	36 Linear Yard	36 Linear Yard	36 Linear Yard
Width	1 Inch	1/8 Inch	1/4 Inch	1/2 Inch
Color	Green	Blue	Blue	Blue
COIOI	dicon	Diuc	Diuc	Diue

Specialty Tapes

Scotch® Fine Line Tapes (continued)



Plastic Sheeting & Pre-folded Film

3M™ Overspray Protective Sheeting

High-density, tear-resistant, clear durable film that is treated for excellent paint overspray adhesion. Twenty foot roll accommodates larger vans, full size pick up trucks, and large SUV's. Sixteen foot accommodates larger sedans, mini- vans, small pick up trucks, and SUVs. Twelve foot film accommodates smaller cars. Use with Masker PN 06780.





Part Number	UPC	Length	Width
06727	0-00-51131-06727-1	400 Linear Foot	12 Linear Foot
06728	0-00-51131-06728-8	350 Linear Foot	16 Linear Foot
06742	0-00-51131-06742-4	250 Linear Foot	20 Linear Foot

Plastic Sheeting & Pre-folded Film

3M™ Plastic Sheeting

	06723	06724	06725
Description	3M [™] Plastic Sheeting is a high-density, tear- resistant, clear durable film that is treated for excellent paint overspray adhesion. Twelve foot width accommodates small to mid-size vehi- cles. Use with Masker (Part Number 06780).	A high-density, tear-resistant, clear durable film that is treated for excellent paint overspray adhesion. Sixteen foot accommodates larger sedans, mini- vans, small pick up trucks, and SUVs. Use with Masker PN 06780.	A premium high density plastic sheeting that resists moisture imprinting or ghosting on painted vehicle surfaces; .65 mil. thickness allows for ease of handling and increases cling to vehicle; treated to resist primer, base and clear coat flaking.
Part Number	06723	06724	06725
UPC	0-00-51131-06723-3	0-00-51131-06724-0	0-00-51131-06725-7
Product Name	3M™ Plastic Sheeting	3M™ Plastic Sheeting	3M™ Moisture Resistant Protective Sheeting
Length	400 Linear Foot	350 Linear Foot	250 Linear Foot
Width	12 Linear Foot	16 Linear Foot	16 Linear Foot
Packaging	1 per case	1 per case	1 per case

3M™ Hand-Masker™ Pre-Folded Masking Film

	06845	06846	06848
Description	3M TM Hand-Masker Masking Film Plus (24 in x 180 ft.) Pre-folded, high-density, nonporous film for paint masking and paint overspray protection. Flake resistant for multiple coat use. May be used with lacquers. 6 in product folds out to 24 in.	MF72++ 3M™ Hand-Masker Pre-Folded Masking Film 72"x 90 ft. Pre-folded, high-density, nonporous film for paint masking and paint overspray protection. Flake resistant for multiple coat use.May be used with lacquers. 9 in product folds down to 72 in.	3M™ Hand-Masker Masking Film Plus (48 in x 180 ft.) Pre-folded, high-density, nonporous film for paint masking and paint overspray protection. Flake resistant for multiple coat use. May be used with lacquers. 12 in product folds out to 48 in.
Part Number	06845	06846	06848
UPC	0-00-51131-06845-2	0-00-51131-06846-9	0-00-51131-06848-3
Product Name	3M [™] Hand-Masker [™] PreFolded Masking Film MF24	3M [™] Hand-Masker [™] PreFolded Masking Film MF72++	3M™ Hand-Masker™ Masking Film Plus
Length	180 Linear Foot	90 Linear Foot	180 Linear Foot
Width	24 Inch	72 Inch	48 Inch
Packaging	12 per case	12 per case	12 per case

Plastic Sheeting & Pre-folded Film

3M[™] Hand-Masker[™] Pre-Folded Masking Film (continued)

	06849	06860	
Description	3M™ Hand-Masker™ Pre-Folded Masking Film 99 in x 90 ft. Pre-folded, high-density, non- porous film for paint masking and paint over- spray protection. Flake resistant for multiple coat use. May be used with lacquers. 12 in product unfolds to 99 in.	3M™ Hand-Masker Masking Film Plus (36 in x 90 ft.) Pre-folded, high-density, nonporous film for paint masking and paint overspray protection. Flake resistant for multiple coat use. May be used with lacquers. 6 in product folds out to 36 in.	
Part Number	06849	06860	
UPC	0-00-51131-06849-0	0-00-51131-06860-5	
Product Name	3M [™] Hand-Masker [™] PreFolded Masking Film MF99++	3M™ Hand-Masker™ Masking Film Plus	
Length	90 Linear Foot	90 Linear Foot	
Width	99 Inch	36 Inch	
Packaging	12 per case	12 per case	

3M[™] Hand-Masker[™] Dispensers and Accessories

	06787	06788	06794	
Description	Attachment for the 3M TM Hand-Masker TM Dispenser, part number 06788. Fits an additional roll of masking tape for tacking down loose ends of masking paper during masking application.	The 3M TM Hand-Masker TM M3000 Dispenser applies masking tape to masking film up to 144 inch or paper up to 18 inch in one continuous application. Compact, lightweight, saves time. For professional heavy duty use.	3M [™] Hand-Masker [™] Paper Blade is a durable stainless steel blade.	
Part Number	06787	06788	06794	
UPC	0-00-51131-06787-5	0-00-51131-06788-2	0-00-51131-06794-3	
Product Name	3M™ Hand-Masker™ Tack Down Tape Dispenser TDTD	3M™ Hand-Masker™ Kit M3000KML	3M™ Hand-Masker™ Paper Blade PB6	
Length	-	-	6 Inch	
Packaging	6 per case	4 per case	6 per case	
	06795	06802	06804	
Description	3M [™] Hand-Masker [™] Paper Blade is a durable stainless steel blade.	3M [™] Hand-Masker [™] Film Blades are made from durable stainless steel with a protective plastic blade guard.	3M [™] Hand-Masker [™] Film Blades are made from durable stainless steel with a protective plastic blade guard.	
Part Number	06795	06802	06804	
UPC	0-00-51131-06795-0	0-00-51131-06802-5	0-00-51131-06804-9	
Product Name	3M™ Hand-Masker™ Paper Blade PB9	3M™ Hand-Masker™ Film Blade FB12	3M™ Hand-Masker™ Film Blade FB6	
Length	9 Inch	12 Inch	6 Inch	
Packaging	6 per case	6 per case	6 per case	

Plastic Sheeting & Pre-folded Film

3M[™] Pre-Taped Film with Scotch® 2090 Tape

	06696	06697
Description	Scotch-Blue [™] Pre-taped film combines the versatility of Scotch-Blue [™] Painters Tape for Multi-Surfaces with the added protection of film drop cloth to protect against those accidental paint splatters and drips. Film unfolds to 24 inches.	3M [™] Hand-Masker [™] Pre-Taped Plastic Drop Cloth PT2090-35 This is a pre-folded high density plastic drop cloth pre-taped with Scotch® 2090 Long-Mask [™] tape. Plastic folds out to 35 in.
Part Number	06696	06697
UPC	0-00-51131-06696-0	0-00-51131-06697-7
Product Name	Scotch-Blue™ Pretaped Film	3M™ Hand-Masker™ PreTaped Plastic Drop Cloth PT209035
Length	30 Linear Yard	12 Linear Yard
Width	24 Inch	35 Inch
Color	Blue	Blue
Packaging	6 per case	12 per case

Masking Paper

3M™ Scotchblok™ Masking Paper

6 per case

Color Gold

Masking paper with Excellent resistance to paint solvents, urethanes, base coats and clear coats. Has a polycoated backing to prevent solvent bleed-through.

	06706	06712	06718
Part Number	06706	06712	06718
UPC	0-00-51131-06706-6	0-00-51131-06712-7	0-00-51131-06718-9
Product Name	3M™ Scotchblok™ Masking Paper	3M™ Scotchblok™ Masking Paper	3M™ Scotchblok™ Masking Paper
Length	750 Linear Foot	750 Linear Foot	750 Linear Foot
Width	6 Inch	12 Inch	18 Inch

3 per case

Packaging

2 per case

Masking Paper

3M[™] Scotchblok[™] Masking Paper (continued)

	06732	06736	06738
Part Number	06732	06736	06738
UPC	0-00-51131-06732-5	0-00-51131-06736-3	0-00-51131-06738-7
Product Name	3M™ Scotchblok™ Masking Paper	3M™ Scotchblok™ Masking Paper	3M™ Scotchblok™ Masking Paper
Length	180 Linear Foot	750 Linear Foot	180 Linear Foot
Width	12 Inch	36 Inch	18 Inch
Packaging	12 per case	1 per case	12 per case

3M[™] White Masking Paper

Masking paper with excellent resistance to paint solvents, urethanes, base coats and clear coats. Conformable. Tightly bonded paper for little or no lint and fiber contamination.

Length 750 Linear Foot Color White

	06537	06538	06539	06540
Part Number	06537	06538	06539	06540
rait Number	00337	00000	00339	00340
UPC	0-00-51131-06537-6	0-00-51131-06538-3	0-00-51131-06539-0	0-00-51131-06540-6
Product Name	3M™ White Masking Paper			
Width	6 Inch	12 Inch	18 Inch	36 Inch
Packaging	6 per case	3 per case	2 per case	1 per case

Scotch® Steel Gray Masking Paper

A strong, flexible, and pliable masking paper used for paint masking applications.

Color Gray

Length 1000 Linear Foot

	06506	06512	06518
	JE ME		
Part Number	06506	06512	06518
UPC	0-00-21200-06506-4	0-00-21200-06512-5	0-00-21200-06518-7
Product Name	Scotch® Steel Gray Masking Paper	Scotch® Steel Gray Masking Paper	Scotch® Steel Gray Masking Paper
Width	6 Inch	12 Inch	18 Inch
Packaging	6 per case	3 per case	2 per case

Masking Paper

Scotch® Steel Gray Masking Paper (continued)

	06524	06536	
Part Number	06524	06536	
UPC	0-00-21200-06524-8	0-00-21200-06536-1	
Product Name	Scotch® Steel Gray Masking Paper	Scotch® Steel Gray Masking Paper	
Width	24 Inch	36 Inch	
Packaging	2 per case	1 per case	

Masking Machines

Masking Machines

	06780	06781	06864
Description	Portable masker designed to dispense 3M [™] Overspray Protective Sheeting, part numbers 06727, 06728 and 06742. Can be used horizon- tally, vertically, or wall mounted.	Dispenses masking paper up to 18 inches wide on each of two levels. Has large, deep storage trays on the top and bottom.	Dispenses three widths of masking paper up to 18 inches wide. Side hooks hold different tape widths for special needs. Can be moved from job to job with one hand mobility. Maintains proper paper and tape alignment. Doesn't require adjusting.
Part Number	06780	06781	06864
UPC	0-00-51131-06780-6	0-00-51131-06781-3	0-00-21200-06864-5
Product Name	3M [™] Overspray Protective Sheeting Masker	Scotch® Cart Masker	Scotch® Slimline Apron Taper
Packaging	1 per case	1 per case	1 per case
	06865	06866	
Description	Dispenses masking paper up to 18 inches. NOTE: PAPER IS NOT INCLUDED WITH MASKER.	Dispenses masking paper up to 36 inches wide. NOTE: PAPER IS NOT INCLUDED WITH MASKER	
Part Number	06865	06866	
UPC	0-00-21200-06865-2	0-00-21200-06866-9	
Product Name	Scotch® Apron Taper	Scotch® Apron Taper	
Packaging	1 per case	1 per case	

Liquid Masking

3M™ Overspray Masking Liquid - Dry

Water-based, sprayable masking liquid designed that dries to a non-tacky film, protecting against automotive paint and primer overspray.

	06847	06851	06856	06857
	The state of the s			
Part Number	06847	06851	06856	06857
UPC	0-00-51131-06847-6	0-00-51131-06851-3	0-00-51131-06856-8	0-00-51131-06857-5
Product Name	3M [™] Overspray Masking Liquid Dry	3M [™] Overspray Masking Liquid Dry	3M™ Overspray Masking Liquid Dry	3M [™] Overspray Masking Liquid Dry
Container Volume	1 Gallon (US)	5 Gallon (US)	15 Gallon (US)	55 Gallon (US)
Packaging	4 per case	1 per case	1 per case	1 per case

3M[™] Overspray Masking Liquid

	06854	06855
	100 A	
Description	Specially designed sprayable liquid to provide overspray protection to vehicles. This product remains tacky, traps dust and dirt under its protective film and dust and dirt on top of its protective film.	Specially designed sprayable liquid to provide overspray protection to vehicles. This product remains tacky, traps dust and dirt under its protective film and dust and dirt on top of its protective film.
Part Number	06854	06855
UPC	0-00-51131-06854-4	0-00-51131-06855-1
Product Name	3M™ Overspray Masking Liquid	3M™ Overspray Masking Liquid
Container Volume	15 Gallon (US)	55 Gallon (US)
Packaging	1 per case	1 per case

Paint Booth Protection Products

Dirt Trap

	36851	36852	36853	36856
		0		
Description	White non-woven surface protection material with adhesive backing. Designed to protect surfaces while trapping dust, dirt and paint overspray.	White non-woven surface protection material with adhesive backing. Designed to protect surfaces while trapping dust, dirt and paint overspray. PN36862 Dispenser/Applicator available for installation.	White non-woven surface protection material with adhesive backing. Designed to protect surfaces while trapping dust, dirt and paint overspray.	3M™ Dirt Trap Clear Film 36856, is an adhesive backed surface protec- tion material clear in color. Clear protective adhesive backed film. Designed to protect window, light coverings and other clear surfaces. PN36863 Dispenser/Applicator available for installation.
Part Number	36851	36852	36853	36856
UPC	0-00-51131-36851-4	0-00-51131-36852-1	0-00-51131-36853-8	0-00-51131-36856-9
Product Name	3M [™] Dirt Trap Protection Material	3M™ Dirt Trap Material	3M™ Dirt Trap Protection Material	3M™ Dirt Trap Clear Film
Length	300 Linear Foot	300 Linear Foot	300 Linear Foot	100 Linear Foot
Width	14 Inch	28 Inch	56 Inch	18 Inch
Packaging	1 per case	1 per case	1 per case	1 per case
	36861	36862	36863	36865
			-	
	Installation Kit containing 1 roll of 3M™ Dirt Trap Material, 1 Dirt Trap	Metal Dispenser for application of 3M™ Dirt Trap Material, Designed	Metal Dispenser for application of 3M™ Dirt Trap Clear Film.	
Description	Clear Film, 1 3M [™] Dirt Trap Material Dispenser, 1 Dirt Trap Clear Film Dispenser, 2 Applicators. Includes all materials needed for initial installation of 3M [™] Dirt Trap System	with high strength magnets that secure dispenser on a vertial metal surface while 3M™ Dirt Trap Material is dispensed and applied. For use with 3M™ Dirt Trap Material.	Designed with high strength magnets that secure dispenser on a vertial metal surface while 3M [™] Dirt Trap Clear Film is dispensed and applied. For use with 3M [™] Dirt Trap Clear Film.	Metal Dispenser for application of 3M(TM) Dirt Trap Protection Material PN 36852
Description Part Number	Material Dispenser, 1 Dirt Trap Clear Film Dispenser, 2 Applicators. Includes all materials needed for initial installation of 3M™ Dirt Trap	with high strength magnets that secure dispenser on a vertial metal surface while 3M™ Dirt Trap Material is dispensed and applied. For use with 3M™ Dirt Trap	Designed with high strength magnets that secure dispenser on a vertial metal surface while 3M TM Dirt Trap Clear Film is dispensed and applied. For use with 3M TM Dirt	3M(TM) Dirt Trap Protection
·	Material Dispenser, 1 Dirt Trap Clear Film Dispenser, 2 Applicators. Includes all materials needed for initial installation of 3M™ Dirt Trap System	with high strength magnets that secure dispenser on a vertial metal surface while 3M™ Dirt Trap Material is dispensed and applied. For use with 3M™ Dirt Trap Material.	Designed with high strength magnets that secure dispenser on a vertial metal surface while 3M [™] Dirt Trap Clear Film is dispensed and applied. For use with 3M [™] Dirt Trap Clear Film.	3M(TM) Dirt Trap Protection Material PN 36852
Part Number	Material Dispenser, 1 Dirt Trap Clear Film Dispenser, 2 Applicators. Includes all materials needed for initial installation of 3M™ Dirt Trap System 36861	with high strength magnets that secure dispenser on a vertial metal surface while 3M™ Dirt Trap Material is dispensed and applied. For use with 3M™ Dirt Trap Material. 36862	Designed with high strength magnets that secure dispenser on a vertial metal surface while 3M TM Dirt Trap Clear Film is dispensed and applied. For use with 3M TM Dirt Trap Clear Film. 36863	3M(TM) Dirt Trap Protection Material PN 36852 36865
Part Number UPC	Material Dispenser, 1 Dirt Trap Clear Film Dispenser, 2 Applicators. Includes all materials needed for initial installation of 3M™ Dirt Trap System 36861 0-00-51131-36861-3	with high strength magnets that secure dispenser on a vertial metal surface while 3M™ Dirt Trap Material is dispensed and applied. For use with 3M™ Dirt Trap Material. 36862 0-00-51131-36862-0	Designed with high strength magnets that secure dispenser on a vertial metal surface while 3M TM Dirt Trap Clear Film is dispensed and applied. For use with 3M TM Dirt Trap Clear Film. 36863 0-00-51131-36863-7 3M TM Dirt Trap Clear Film	3M(TM) Dirt Trap Protection Material PN 36852 36865 0-00-51131-36865-1 3M™ Dirt Trap Material 28" Floor
Part Number UPC Product Name	Material Dispenser, 1 Dirt Trap Clear Film Dispenser, 2 Applicators. Includes all materials needed for initial installation of 3M™ Dirt Trap System 36861 0-00-51131-36861-3	with high strength magnets that secure dispenser on a vertial metal surface while 3M™ Dirt Trap Material is dispensed and applied. For use with 3M™ Dirt Trap Material. 36862 0-00-51131-36862-0	Designed with high strength magnets that secure dispenser on a vertial metal surface while 3M TM Dirt Trap Clear Film is dispensed and applied. For use with 3M TM Dirt Trap Clear Film. 36863 0-00-51131-36863-7 3M TM Dirt Trap Clear Film	3M(TM) Dirt Trap Protection Material PN 36852 36865 0-00-51131-36865-1 3M™ Dirt Trap Material 28" Floor Applicator

Paint Booth Protection Products

3M™ Booth Coating

Water-based liquid specifically designed to protect paint booth walls, lights, etc. from paint and primer overspray. Dries to a clear film. Can be applied with a conventional paint gun. Can be removed with water.

	06839	06840
	Mach Coating The	
Part Number	06839	06840
UPC	0-00-51131-06839-1	0-00-51131-06840-7
Container Volume	1 Gallon (US)	5 Gallon (US)
Packaging	4 per case	1 per case

3M™ Dust Control Spray

Water-based formula designed to attract and trap dust and dirt commonly found on paint booth and body shop floors. Holds paint and dust particles down onto the floor and makes sweeping up with a broom easy.



Part Number	UPC	Container Volume	Packaging
06837	0-00-51131-06837-7	1 Gallon (US)	4 per case

Interior Protection Products

Interior Protection

	36900	36901	36902
Description	Disposable plastic seat cover designed to protect Automotive seats during maintenance and repair. Single Pocket design combined with nonslip technology keeps seat cover in place.	Disposable paper floor mat designed to protect Automotive floors during maintenance and repair. Unique non-slip technology keeps floor mat in place.	Disposable steering wheel cover designed to protect steering wheel surfaces during maintenance and repair. Elastic band stretches to fit and keeps cover in place.
Part Number	36900	36901	36902
UPC	0-00-51131-36900-9	0-00-51131-36901-6	0-00-51131-36902-3
Product Name	3M™ Interior Protection Automotive Seat Cover	3M [™] Interior Protection Automotive Floor Mat	3M [™] Interior Protection Automotive Steering Wheel Cover
Packaging	250 per box 1 box per case	250 per box 1 box per case	10 per bundle 25 bundles per case
	36903	36905	
		3M	
Description	Plastic Wall mounted dispenser designed to hold and dispense 3M [™] Interior Protection Products. Mounting hardware included.	Pre-Packed Wall mount dispenser designed to hold and dispense 3M™ Interior Protection Products. Mounting hardware included. Kit includes 1 Roll 3M™ Seat Covers (250/roll), 1 Box 3M™ Floor Mats (250/Box), 1 Box 3M™ Steering Wheel Covers (250/box), 1 Wall Mount Dispenser	
Part Number	36903	36905	
UPC	0-00-51131-36903-0	0-00-51131-36905-4	
Product Name	3M [™] Interior Protection Product Wall Dispenser	3M™ Interior Protection Kit	
Packaging	1 per case	1 per case	

Paint Protection Film

Paint Protection Film

Door Edge Guards

Scotchgard™ Paint Protection Film Door Edge Guards

Used to protect the door edges of vehicles from potential nicks and abrasion. 6 mil, clear coated urethane film that helps preserve the vehicle finish. The application is meant to be permanent; however, it can be removed if desired

Packaging 12 per case



Part Number	UPC	Width	Length
84901	0-00-51141-84901-0	.4 Inch	10 Linear Yard
84905	0-00-51141-84905-8	.4 Inch	40 Linear Yard

Rolls

Scotchgard™ Paint Protection Film, Rolls

An alternative to bug shields or vehicle bras. Clear-coated urethane film that helps preserve the vehicle finish. The application is meant to be permanent; however, it can be removed if desired.



Part Number	UPC	Length	Width	Thickness	Packaging
84701	0-00-51141-84701-6	12.5 Linear Yard	1 Inch	12 mil	6 per case
84706	0-00-51141-84706-1	20 Linear Yard	6 Inch	12 mil	4 per case
84712	0-00-51141-84712-2	20 Linear Yard	12 Inch	12 mil	1 per case
84718	0-00-51141-84718-4	20 Linear Yard	18 Inch	12 mil	1 per case
84724	0-00-51141-84724-5	20 Linear Yard	24 Inch	12 mil	1 per case
84748	0-00-51141-84748-1	20 Linear Yard	48 Inch	12 mil	1 per case
84802	0-00-51141-84802-0	40 Linear Yard	2 Inch	6 mil	24 per case
84804	0-00-51141-84804-4	40 Linear Yard	4 Inch	6 mil	12 per case
84806	0-00-51141-84806-8	40 Linear Yard	6 Inch	6 mil	8 per case
84808	0-00-51141-84808-2	40 Linear Yard	8 Inch	6 mil	4 per case
84812	0-00-51141-84812-9	40 Linear Yard	12 Inch	6 mil	1 per case
84818	0-00-51141-84818-1	40 Linear Yard	18 Inch	6 mil	1 per case
84824	0-00-51141-84824-2	40 Linear Yard	24 Inch	6 mil	1 per case

Paint Protection Film

Rolls

Scotchgard™ Paint Protection Film, Rolls (continued)

Part Number	UPC	Length	Width	Thickness	Packaging
84830	0-00-51141-84830-3	40 Linear Yard	30 Inch	6 mil	1 per case
84836	0-00-51141-84836-5	40 Linear Yard	36 Inch	6 mil	1 per case
84848	0-00-51141-84848-8	40 Linear Yard	48 Inch	6 mil	1 per case
84850	0-00-51141-84850-1	72 Linear Yard	48 Inch	6 mil	1 per case

Strips

Scotchgard™ Paint Protection Film, Strips

An alternative to bug shields or vehicle bras. Clear-coated urethane film that helps preserve the vehicle finish. application is meant to be permanent; however, it can be removed if desired.



Part Number	UPC	Length	Width	Thickness	Packaging
84904	0-00-51141-84904-1	84 Inch	4 Inch	6 mil	20 per case
84906	0-00-51141-84906-5	84 Inch	6 Inch	6 mil	15 per case
84911	0-00-51141-84911-9	84 Inch	12 Inch	6 mil	18 per case

3MTM PPSTM Mix Ratio Inserts



Part Number	Description	UPC	Product Name	Paint Company	Packaging
16055	Mix ratio printed on film insert. Accomodates mix ratios required for PPG Paint. For use with the 650 mL cup. Used with 1:1:1:1, 1:1.5, 2:1:0.5:1, 3:1:1:1, 4:1:1 ratios and 3M Tri-Scale. Tip: Film inserts must be placed between the hard cup and flexible liner.	0-00-51131-16055-2	3M TM PPS TM Mix Ratio Insert - PPG1	PPG	100 per case
16056	Mix ratio printed on film insert. Accomodates mix ratios required for PPG Paint. For use with the 650 mL cup. Used with 4:1:2, 4:1:1:1, 4:2:1:1, 4:2:2:1, 5:1 ratios and 3M Tri-Scale. Tip: Film inserts must be placed between the hard cup and flexible liner.	0-00-51131-16056-9	3M TM PPS TM Mix Ratio Insert - PPG2	PPG	100 per case
16057	Mix ratio printed on film insert. Accomodates mix ratios required for the following brands: BASF, R-M, Glasurit and Limco paints. For use with the 650 mL cup. Used with 1:3/4, 2:1:1, 3:1:1:1, 3:2:1:1 ratios and 3M Tri-Scale	0-00-51131-16057-6	3M TM PPS TM Mix Ratio Insert - BASF1	BASF	100 per case
16058	Mix ratio printed on film insert. Accomodates mix ratios required for the following brands: BASF, R-M, Glasurit and Limco paints. For use with the 650 mL cup. Used with 5:1:1:1, 5:1:2:4, 5:2:1:1.5, 6:1:1 ratios and 3M Tri-Scale.	0-00-51131-16058-3	3M TM PPS TM Mix Ratio Insert - BASF2	BASF	100 per case
16059	Mix ratio printed on film insert. Accomodates mix ratios required for the following brands: BASF, R-M, Glasurit and Limco paints. For use with the 650 mL cup. Used with 4:1:1, 4:2:1:1, 6:1:2, 8:2:1, 10:1:4 ratios and 3M Tri-Scale.	0-00-51131-16059-0	3M TM PPS TM Mix Ratio Insert - BASF3	BASF	100 per case
16060	Mix ratio printed on film insert. Accomodates mix ratios required for the following brands: DuPont. For use with 650 mL cup. Used with 1:1, 2:1, 3:1, 4:1:1:1.5, 6:1:1, 8:1 ratios and 3M Tri-Scale.	0-00-51131-16060-6	3M TM PPS TM Mix Ratio Insert - DuPont	DuPont	100 per case
16061	Mix ratio printed on film insert. Accomodates mix ratios required for Sherwin-Williams Paint. For use with the 650 mL cup. Used with 6:2:1:1, 8:2:1, 8:4:1, 8:8:1 ratios and 3M Tri-Scale.	0-00-51131-16061-3	3M TM PPS TM Mix Ratio Insert - SW1	Sherwin Williams	100 per case
16062	Mix ratio printed on film insert. Accomodates mix ratios required for Sherwin-Williams Paint. For use with the 650 mL cup. Used with 2:1, 4:1:1, 4:2:1:1, 4:3:1:1, 4:4:1 ratios and 3M Tri-Scale.	0-00-51131-16062-0	3M TM PPS TM Mix Ratio Insert - SW2	Sherwin Williams	100 per case
16064	Mix ratio printed on film insert. Accomodates mix ratios required for Sikkens Paint. For use with the 650 mL cup. Used with 100:50:30, 100:25:35, 1:1 +20%, 2:1:1, 3:1:1, 4:1 ratios and 3M Tri-Scale.	0-00-51131-16064-4	3M TM PPS TM Mix Ratio Insert - Sikkens	Sikkens	100 per case

PPS™ Paint Preparation System Products

3M™ PPS™ Mix Ratio Inserts (continued)

Part Number	Description	UPC	Product Name	Paint Company	Packaging
16065	Mix ratio printed on film insert. For common paint mixes. For use with the 650 mL cup. Used with 1:1, 2:1:1, 4:1:1, 6:1:1, and 8:1:1 ratios and 3M Tri-Scale.	0-00-51131-16065-1	3M [™] PPS [™] Mix Ratio Insert - Generic	Generic	100 per case
6066	Mix ratio printed on film insert for generic paint mixes. For use with the 6 fl oz cup. Used with 1:1, 2:1:1, 3:1:1, 4:1:1, 5:1:1 and 6:1:1 ratios and 3M Tri-Scale, scalers 1-11. Also available in 15 mL increments and 1/2 oz increments	0-00-51131-16066-8	3M TM PPS TM Mix Ratio Mini Cup Insert	Generic	50 per case
6067	Mix ratios printed on film insert for generic solventborne paint mixes. For use with the 6 fl oz cup PN16115 or PN16121 and 3 fl. oz. lids and liners PN16028 or PN16328. Mix ratios of 1:1, 2:1:1, 3:1:1, 4:1:1, 5:1:1 and 6:1:1 including 3M Tri-Scale scalers 1-6 with graduated increments of 15 ml and .5 oz to a total of 90 ml and 3 oz.	0-00-51131-16067-5	3M TM PPS TM Mix Ratio Insert - Generic	Generic	50 per case
6068	Mix ratios printed on film insert for use with waterborne paint mixes. For use with the 6 fl oz cup PN16115 or PN16121 and 3 fl. oz. lids and liners PN16028 or PN16328. Mix ratios of 1 +5%, 10%, 15%, 1 +20%, 25%, 30% and 3M Tri-Scale scalers 1-6 with graduated increments of 15 ml and .5 oz to a total of 90 ml and 3 oz.	0-00-51131-16068-2	3M TM PPS TM Mix Ratio Insert - Generic Waterborn e	Generic	50 per case
6072	Mix ratio printed on film insert. Accomodates mix ratios required for Standox & Spies Hecker Paint. For use with the 650 mL cup. Used with 1 +5%, 10, 15, 20%, 1 + 30%, 40, 50, 65% ratios and 3M Tri-Scale.	0-00-51131-16072-9	3M TM PPS TM Mix Ratio Insert - Standox & Spies- Hecker	Standox & Spies Hecker	100 per case
6073	Mix ratio printed on film insert. Accomodates mix ratios required for Standox & Spies Hecker Paint. For use with the 650 mL cup. Used with 2:1 + 5%, 10, 15, 20%, 3:1 + 5%, 10, 15, 20%, 4:1 + 20%, 30% ratios and 3M Tri-Scale.	0-00-51131-16073-6	3M TM PPS TM Mix Ratio Insert - Standox & Spies- Hecker	Standox & Spies-Hecker	100 per case
6074	Mix ratio printed on film insert. Accomodates mix ratios required for Standox & Spies Hecker Paint. For use with the 850 mL cup. Used with 1 +5%, 10, 15, 20%, 1 + 30%, 40, 50, 65% ratios and 3M Tri-Scale.	0-00-51131-16074-3	3M TM PPS TM Mix Ratio Insert Large - Standox & Spies- Hecker	Standox & Spies-Hecker	100 per case
6075	Mix ratio printed on film insert. Accomodates mix ratios required for Standox & Spies Hecker Paint. For use with the 850 mL cup. Used with 2:1 + 5%, 10, 15, 20%, 3:1 + 5%, 10, 15, 20%, 4:1 + 20%, 30% ratios and 3M Tri-Scale.	0-00-51131-16075-0	3M TM PPS TM Mix Ratio Insert Large - Standox & Spies- Hecker	Standox & Spies-Hecker	100 per case
6076	Mix ratio printed on film insert. Accomodates mix ratios required for BASF Paint. For use with the 650 mL cup. Used with 1:1 + 30%, 2:1 + 10%, 25%, 30%; 3:1 + 10%, 20% 30%; 4:1 + 10%, 15%, 20% ratios and 3M Tri-Scale.	0-00-51131-16076-7	3M TM PPS TM Mix Ratio Inserts Regular Cup - BASF	BASF	100 per case

3M™ PPS™ Mix Ratio Inserts (continued)

Part Number	Description	UPC	Product Name	Paint Company	Packaging
16077	Mix ratio printed on film insert. Accomodates mix ratios required for BASF Paint. For use with the 850 mL cup. Used with 1:1 + 30%, 2:1 + 10%, 25%, 30%; 3:1 + 10%, 20% 30%; 4:1 + 10%, 15%, 20% ratios and 3M Tri-Scale.	0-00-51131-16077-4	3M TM PPS TM Mix Ratio Inserts Large Cup - BASF	BASF	100 per case
16078	Mix ratios printed on mylar film insert. Accomodates mix ratios for waterborne paints. For use with the 650 ml cup. Used with 1 +5%, 10%, 15%, 1 +20%, 25%, 30% ratios and 3M Tri-Scale.	0-00-51131-16078-1	3M TM PPS TM Mix Ratio Insert - Waterborn e	Waterborne	100 per case
16079	Mix ratios printed on mylar film insert. Accomodates mix ratios for waterborne paints. For use with the 840 ml cup. Used with 1 +5%, 10%, 15%, 1 +20%, 25%, 30% ratios and 3M Tri-Scale.	5-00-51131-16079-3	3M TM PPS TM Large Mix Ratio Insert - Waterborn e	Waterborne	100 per case
16080	Mix ratios printed on mylar film insert. Accomodates mix ratios for waterborne paints. For use with the 6 oz. cup. Used with 1 +5%, 10%, 15%, 1 +20%, 25%, 30% ratios and 3M Tri-Scale.	0-00-51131-16080-4	3M TM PPS TM Mini Mix Ratio Insert - Waterborn e	Waterborne	50 per case
16081	Mix ratio printed on film insert. Accomodates mix ratios required for PPG Paint. For use with the 850 mL cup. Used with 1:1:1:1, 1:1.5, 2:1:0.5:1, 3:1:1:1, 4:1:1 ratios and 3M Tri-Scale. Tip: Film inserts must be placed between the hard cup and flexible liner.	0-00-51131-16081-1	3M TM PPS TM Mix Ratio Insert Large - PPG1	PPG	100 per case
16082	Mix ratio printed on film insert. Accomodates mix ratios required for PPG Paint. For use with the 850 mL cup. Used with 4:1:2, 4:1:1:1, 4:2:1:1, 4:2:2:1, 5:1 ratios and 3M Tri-Scale. Tip: Film inserts must be placed between the hard cup and flexible liner.	0-00-51131-16082-8	3M TM PPS TM Mix Ratio Insert Large - PPG2	PPG	100 per case
16083	Mix ratio printed on film insert. Accomodates mix ratios required for the following brands: BASF, R-M, Glasurit and Limco paints. For use with the 850 mL cup. Used with 1:3/4, 2:1:1, 3:1:1:1, 3:2:1:1 ratios and 3M Tri-Scale	0-00-51131-16083-5	3M TM PPS TM Mix Ratio Insert Large - BASF1	BASF	100 per case
16084	Mix ratio printed on film insert. Accomodates mix ratios required for the following brands: BASF, R-M, Glasurit and Limco paints. For use with the 850 mL cup. Used with 5:1:1:1, 5:1:2:4, 5:2:1:1.5, 6:1:1 ratios and 3M Tri-Scale.	0-00-51131-16084-2	3M TM PPS TM Mix Ratio Insert Large - BASF2	BASF	100 per case
16085	Mix ratio printed on film insert. Accomodates mix ratios required for the following brands: BASF, R-M, Glasurit and Limco paints. For use with the 850 mL cup. Used with 4:1:1, 4:2:1:1, 6:1:2, 8:2:1, 10:1:4 ratios and 3M Tri-Scale.	0-00-51131-16085-9	3M TM PPS TM Mix Ratio Insert Large - BASF3	BASF	100 per case

PPS™ Paint Preparation System Products

3M™ PPS™ Mix Ratio Inserts (continued)

Part Number	Description	UPC	Product Name	Paint Company	Packaging
16086	Mix ratio printed on film insert. Accomodates mix ratios required for the following brands: DuPont. For use with 850 mL cup. Used with 1:1, 2:1, 3:1, 4:1:1:1.5, 6:1:1, 8:1 ratios and 3M Tri-Scale.	0-00-51131-16086-6	3M™ PPS™ Mix Ratio Insert Large - DuPont	DuPont	100 per case
16087	Mix ratio printed on film insert. Accomodates mix ratios required for Sherwin-Williams Paint. For use with the 850 mL cup. Used with 6:2:1:1, 8:2:1, 8:4:1, 8:8:1 ratios and 3M Tri-Scale.	0-00-51131-16087-3	3M TM PPS TM Mix Ratio Insert Large - SW1	Sherwin Williams	100 per case
16088	Mix ratio printed on film insert. Accomodates mix ratios required for Sherwin-Williams Paint. For use with the 850 mL cup. Used with 2:1, 4:1:1, 4:2:1:1, 4:3:1:1, 4:4:1 ratios and 3M Tri-Scale.	0-00-51131-16088-0	3M TM PPS TM Mix Ratio Insert Large - SW2	Sherwin Williams	100 per case
16090	Mix ratio printed on film insert. Accomodates mix ratios required for Sikkens Paint. For use with the 850 mL cup. Used with 100:50:30, 100:25:35, 1:1 +20%, 2:1:1, 3:1:1, 4:1 ratios and 3M Tri-Scale.	0-00-51131-16090-3	3M TM PPS TM Mix Ratio Insert Large - Sikkens	Sikkens	100 per case
16091	Mix ratio printed on film insert. For common paint mixes. For use with the 850 mL cup. Used with 1:1, 2:1:1, 4:1:1, 6:1:1, and 8:1:1 ratios and 3M Tri-Scale.	0-00-51131-16091-0	3M™ PPS™ Mix Ratio Insert Large - Generic	Generic	100 per case
16092	Mix ratio printed on film insert. Accomodates mix ratios for Akzo Nobel Grip Guard sign paint. For use with 650 mL cup. Used with 1:1, 2:1, 3:1, 4:1, 5:1 ratios and 3M Tri-Scale.	0-00-51131-16092-7	3M™ PPS™ Mix Ratio Insert - Akzo Nobel Grip Gard Sign Paint 1	Akzo Nobel	100 per case
16093	Mix ratio printed on film insert. Accomodates mix ratios for Akzo Nobel Grip Gaurd sign paint. For use with 650 mL cup. Used with 100:50:75, 100:50:90, 100:50:100, 100:50:110, 100:50:125, 100:50:150 ratios and 3M Tri-Scale.	0-00-51131-16093-4	3M™ PPS™ Mix Ratio Insert - Akzo Nobel Grip Gard Sign Paint 2	Akzo Nobel	100 per case
16094	Mix ratio printed on film insert. Accomodates mix ratios for Akzo Nobel Grip Gaurd sign paint. For use with 850 mL cup. Used with 1:1, 2:1, 3:1, 4:1, 5:1 ratios and 3M Tri-Scale.	0-00-51131-16094-1	3M™ PPS™ Mix Ratio Insert - Akzo Nobel Grip Gard Sign Paint 1	Akzo Nobel	100 per case

3M™ PPS™ Mix Ratio Inserts (continued)

Part Number	Description	UPC	Product Name	Paint Company	Packaging
16095	Mix ratio printed on film insert. Accomodates mix ratios for Akzo Nobel Grip Gaurd sign paint. For use with 850 mL cup. Used with 100:50:75, 100:50:90, 100:50:100, 100:50:110, 100:50:125, 100:50:150 ratios and 3M Tri-Scale.	0-00-51131-16095-8	3M™ PPS™ Mix Ratio Insert - Akzo Nobel Grip Gard Sign Paint 2	Akzo Nobel	100 per case

Cups & Collars

	16001	16023	16115
	Total Control of State	and the second s	
Description	Standard, hard cup that supports and holds the PPS flexible liner, part number 16000, 16300 and 16301.	Large hard cup that supports and holds the PPS flexible liner, part number 16024, 16324 and 16325.	Mini hard cup that supports and holds the PPS flexible liner, part number 16028, 16114,16314 and 16328.
Part Number	16001	16023	16115
UPC	0-00-51131-16001-9	0-00-51131-16023-1	0-00-51131-16115-3
Product Name	3M™ PPS™ Standard Cup & Collar	3M™ PPS™ Large Cup and Collar	3M™ PPS™ Mini Cup & Collar
Packaging	8 per case	4 per case	8 per case
	16121	16124	
Description	This product is intended for use in place of metal cups on most pressure cup guns. Setting up the pressure cup vs. standard PPS TM is connecting the pressure hose from the cup port to the pressure port on the spray gun, or spray gun regulator.	This product is intended for use in place of metal cups on most pressure cup guns. Setting up the Type H/O pressure cup vs standard PPS TM is connecting the pressure hose from the cup port to the pressure port on the spray gun, or spray gun regulator.	
Description Part Number	metal cups on most pressure cup guns. Setting up the pressure cup vs. standard PPS™ is connecting the pressure hose from the cup port to the pressure port on the spray gun, or spray gun	metal cups on most pressure cup guns. Setting up the Type H/O pressure cup vs standard PPS™ is connecting the pressure hose from the cup port to the pressure port on the spray gun,	
	metal cups on most pressure cup guns. Setting up the pressure cup vs. standard PPS TM is connecting the pressure hose from the cup port to the pressure port on the spray gun, or spray gun regulator.	metal cups on most pressure cup guns. Setting up the Type H/O pressure cup vs standard PPS TM is connecting the pressure hose from the cup port to the pressure port on the spray gun, or spray gun regulator.	
Part Number	metal cups on most pressure cup guns. Setting up the pressure cup vs. standard PPS™ is connecting the pressure hose from the cup port to the pressure port on the spray gun, or spray gun regulator. 16121	metal cups on most pressure cup guns. Setting up the Type H/O pressure cup vs standard PPS TM is connecting the pressure hose from the cup port to the pressure port on the spray gun, or spray gun regulator. 16124	

Dispensers & Accessories

	16010	16019	16098	16099
Description	Six-pack Paint Preparation System cup holder with wall attachment hardware. This carrier will hold all PPS cup sizes.	Wall mountable dispenser designed to hold both 650 mL and 850 mL PPS liners. Holds at least 50 of either size. Easy access for top loading and dispenses one liner at a time. Keeps liners clean, neat, organized and free from contamination.	Wall mountable dispenser which is designed to hold at least 50 3M™ PPS™ Mini lids and liners. Easy loading from top with easy access to a new lid and liner. Keeps lids and liners clean, organized and safe from outside contamination.	Wall mountable dispenser designed to hold at least 50 PPS lids with strainers. Easy loading from the top and easy access to obtain a new lid. Keeps lids clean, organized and safe form contamination.
Part Number	16010	16019	16098	16099
UPC	0-00-51131-16010-1	0-00-51131-16019-4	0-00-51131-16098-9	0-00-51131-16099-6
Product Name	3M™ PPS™ Carrier	3M [™] PPS [™] Liner Dispenser	3M™ PPS™ Mini Lid and Liner Dispenser	3M™ PPS™ Lid Dispenser
Packaging	1 per case	1 per case	1 per case	1 per case
	16117	16123	16236	16237
Description	Used to transport multiple Mini- Cups needed to complete a spot repair start to finish.	This product is intended for use in place of metal cups on most pressure cup guns. Setting up the Type H/O pressure cup vs. standard PPSTM is connecting the pressure hose from the cup port to the pressure port on the spray gun, or spray gun regulator.	Magnetic spray gun holder. Holds one gun.	Bench mount spray gun holder. Holds two spray guns.
Part Number	16117	16123	16236	16237
UPC	0-00-51131-16117-7	0-00-51131-16123-8	0-00-51131-16236-5	0-00-51131-16237-2
Product Name	3M™ PPS™ Mini Cup Carrier	3M [™] PPS [™] Type H/O Pressure Hose	3M™ PPS™ Spray Gun Holder	3M™ PPS™ Spray Gun Holder
Packaging	1 per case	24 per case	5 per case	1 per case
	16238	37720		
Description	Wall mount spray gun holder. Holds 4 spray guns.	Ketchup style squeeze bottle. Includes spout top. Use for dispensing compounds, glazes, polishes and liquid wax. Can also be used to dispense solvents to clean spray gun in 3M™ Paint Preparation System.		
Part Number	16238	37720		
UPC	0-00-51131-16238-9	0-00-51131-37720-2		
Product Name	3M [™] PPS [™] Spray Gun Holder	3M [™] Detailing Squeeze Bottle		
Packaging	1 per case	24 per case		

PPS™ Adapters



Part Number	Description	UPC	Product Name	Packaging
16003	Adapter converts paint spray guns for use with the 3M [™] Paint Preparation System requiring 16 mm Female, 1.5 mm Thread.	0-00-51131-16003-3	3M [™] PPS [™] Adapter 2	4 per case
16005	Adapter converts the De Vilbiss Finishline (FLG-1), NTL-1261 for use with 3M™ Paint Preparation System. 12 mm Female, 1.0 mm Thread	0-00-51131-16005-7	3M [™] PPS [™] Adapter 4	4 per case
16006	Adapter converts paint spray guns for use with the 3M [™] Paint Preparation System requiring 12 mm Male, 1.5 mm Thread. When using with Sata models, adapter is taken off metal cup.	0-00-51131-16006-4	3M™ PPS™ Adapter 5	4 per case
16007	Adapter converts gravity feed paint spray guns for use with the 3M [™] Paint Preparation System requiring 1/4 Male, 19 Thread (British Std. Pipe). Used with 3M Adapter Insert 60-4401-0092-7. Insert available thru 3M Rep.	0-00-51131-16007-1	3M [™] PPS [™] Adapter 6	4 per case
16008	Adapter converts gravity feed paint spray gun models for use with the 3M [™] Paint Preparation System requiring 3/8 Female, 18 Thread (NPS).	0-00-51131-16008-8	3M™ PPS™ Adapter 7	4 per case
16015	Adapter converts paint spray gun for use with the 3M™ Paint Preparation System requiring 12 mm Male, 1.0 mm Thread.	0-00-51131-16015-6	3M™ PPS™ Adapter 8	4 per case
16016	Adapter converts paint spray guns for use with the 3M [™] Paint Preparation System requiring 16 mm Female, 1.5 mm Thread. If using Sata spray guns, click on Full Description in 3M electronic catalog for more information.	0-00-51131-16016-3	3M™ PPS™ Adapter 9	4 per case
16017	Adapter converts paint spray gun models for use with 3M™ Paint Preparation System requiring right angle 1/4 Female, 19 Thread BSP for Side Cup Mount.	0-00-51131-16017-0	3M [™] PPS [™] Adapter 10	4 per case
16018	Adapter converts paint spray guns for use with the 3M [™] Paint Preparation System requiring 3/8 Male, 18 Thread (NPS).	0-00-51131-16018-7	3M™ PPS™ Adapter 11	4 per case
16022	Adapter converts specific Sata and the Sagola models for use with 3M TM PPS TM System. 10 mm Male, 1.0 mm Thread. Click on Full description for more information in 3M's electronic catalog to view two options.	0-00-51131-16022-4	3M [™] PPS [™] Adapter 12	4 per case
16046	Converts paint spray guns with 3/8 inch Male, 19 Thread (British Std. Pipe) for use with 3M™ Paint Preparation System.	0-00-51131-16046-0	3M™ PPS™ Adapter 15	4 per case
16053	Adapter converts mini paint spray gun for use with the 3M™ Paint Preparation System requiring 7/16 inch Male, 14 Thread UNC.	0-00-51131-16053-8	3M™ PPS™ Adapter 14	4 per case
16054	Adapter converts full size siphon feed paint spray guns with North American 3/8 Female- 18 Thread NPS guns for use with 3M™ Paint Preparation System.	0-00-51131-16054-5	3M [™] PPS [™] Adapter 18	4 per case
16102	Adapter converts the siphon feed paint spray guns from Europe with 3/8 inch Female, 19 Thread BSP for use with 3M™ Paint Preparation System.	0-00-51131-16102-3	3M [™] PPS [™] Adapter 16	4 per case
16103	Adapter converts full size siphon feed guns with European 3/8 Female-19 Thread BSP for use with 3M™ Paint Preparation System.	0-00-51131-16103-0	3M [™] PPS [™] Adapter 19	4 per case
16104	Adapter converts mini-paint spray guns for use with the 3M™ Paint Preparation System requiring 1/8 inch Male, 27 Thread UPSM.	0-00-51131-16104-7	3M [™] PPS [™] Adapter 20	4 per case
16105	Adapter converts paint spray guns for use with the 3M [™] Paint Preparation System requiring 14 mm Female, 1.0 mm Thread.	0-00-51131-16105-4	3M [™] PPS [™] Adapter 21	4 per case
16106	Adapter converts paint spray gun for use with 3M TM Paint Preparation System requiring 8 mm Male, 0.75 mm Thread.	0-00-51131-16106-1	3M [™] PPS [™] Adapter 22	4 per case
16109	Adapter converts mini siphon feed, paint spray gun models for use with 3M™ Paint Preparation System requiring 1/4 inch Female, 18 Thread NPS.	0-00-51131-16109-2	3M™ PPS™ Adapter 23	4 per case

PPS™ Paint Preparation System Products

PPS™ Adapters (continued)

Part Number	Description	UPC	Product Name	Packaging
16110	Adapter converts the paint spray gun for use with 3M™ Paint Preparation System requiring 1/4 inch Female, 18 Thread NPS. Side mount gravity feed gun cup. Elbow swivel nut.	0-00-51131-16110-8	3M™ PPS™ Adapter 24	4 per case
16111	Adapter converts mini-siphon paint spray guns with European 1/4 Female, 19 Thread BSP for use with 3M™ Paint Preparation System.	0-00-51131-16111-5	3M™ PPS™ Adapter 17	4 per case
6116	Adapter converts paint spray gun models for use with 3M™ Paint Preparation System requiring 1/4 Female, 19 Thread BSP.	0-00-51131-16116-0	3M™ PPS™ Adapter 25	4 per case
6118	Adapter converts DeVilbiss FinishLine/StartingLine (Starter Kit) Mini Spray Gun for use with 3M™ Paint Preparation System. 11 mm Male, 1.0 mm Thread	0-00-51131-16118-4	3M™ PPS™ Adapter 26	4 per case
6119	Adapter converts paint spray guns for use with 3M [™] Paint Preparation System requiring 16 mm Male, 1.5 mm Thread.	0-00-51131-16119-1	3M™ PPS™ Adapter 27	4 per case
6120	Adapter converts Krautsberger-HS25 HVLP Gravity Feed Spray Gun for use with 3M [™] Paint Preparation System. 17.5 mm Male, 19 mm Thread Gg.	0-00-51131-16120-7	3M™ PPS™ Adapter 28	4 per case
6125	Adapter converts SATA Mini Jet-4 w/ QCC Spray Gun (in conjunction with 3M plastic insert) for use with 3M™ PPS™ System. 8 mm Female,1.25 mm Thread used with 3M Adapter Insert 60-4401-0116-4. Insert available thru 3M Rep.	0-00-51131-16125-2	3M [™] PPS [™] Adapter 29	4 per case
6126	Adapter converts Ingersoll Rand spray guns for use with the 3M [™] Paint Preparation System. 5/8 Female, 18 Thread NPS	0-00-51131-16126-9	3M™ PPS™ Adapter 30	4 per case
6127	Adapter converts the Iwata LPH-80 spray gun for use with the 3M [™] Paint Preparation System. 1/8 Male, 28 Thread BSP	0-00-51131-16127-6	3M™ PPS™ Adapter 31	4 per case
6128	Adapter converts paint spray guns for use with the 3M [™] PPS [™] Paint Preparation System.	0-00-51131-16128-3	3M™ PPS™ Adapter 33	4 per case
6129	Adapter converts paint spray guns for use with the 3M™ PPS™ Paint Preparation System.	0-00-51131-16129-0	3M™ PPS™ Adapter 34	4 per case
6130	Adapter converts paint spray guns for use with the 3M™ PPS™ Paint Preparation System.	0-00-51131-16130-6	3M [™] PPS [™] Adapter 35	4 per case
6131	Adapter converts paint spray guns for use with the 3M™ PPS™ Paint Preparation System.	0-00-51131-16131-3	3M™ PPS™ Adapter 36	4 per case
6132	Adapter converts paint spray guns for use with the 3M TM PPS TM Paint Preparation System.	0-00-51131-16132-0	3M [™] PPS [™] Adapter 37	4 per case
6135	Adapter converts paint spray guns for use with the 3M™ PPS™ Paint Preparation System.	0-00-51131-16135-1	3M [™] PPS [™] Adapter 40	4 per case
6136	Adapter converts paint spray guns for use with the 3M [™] PPS [™] Paint Preparation System.	0-00-51131-16136-8	3M [™] PPS [™] Adapter 32	4 per case
6137	Adapter converts paint spray guns for use with the 3M [™] PPS [™] Paint Preparation System.	0-00-51131-16137-5	3M [™] PPS [™] Adapter 41	4 per case
6138	Adapter converts paint spray guns for use with the 3M [™] PPS [™] Paint Preparation System.	0-00-51131-16138-2	3M [™] PPS [™] Adapter 42	4 per case
6139	Adapter converts paint spray guns for use with the 3M [™] PPS [™] Paint Preparation System.	0-00-51131-16139-9	3M™ PPS™ Adapter 43	4 per case

SUN GUNTM

	16396	16398	16399
Description	The battery charger includes a Power Supply and Cord.	Recommended replacement battery for 3M TM PPS TM SUN GUN TM Color-Matching Light.	Color Corrective bulb for the new 3M [™] SUN GUN [™] Color-Matching Light.
Part Number	16396	16398	16399
UPC	0-00-51131-16396-6	0-00-51131-16398-0	0-00-51131-16399-7
Product Name	3M [™] PPS [™] SUN GUN [™] Battery Charger	3M [™] PPS [™] SUN GUN [™] NI-CAD Battery	3M™ PPS™ SUN GUN™ 35W Color Corrective Bulb
Packaging	1 per case	4 per case	6 per case
	16400	16414	16415
Description	Kit includes: 1- SUN GUN™ Color Matching Light, 1- SUN GUN™ Color Corrective Bulb 16399, 1- SUN GUN™ NiCad Battery Pack 16398, 1- SUN GUN™ Battery Charger with Power Supply and chord 16396. Conveniently packaged in a durable protective carrying case.	Conveniently designed to hold the SUN GUN™ Light with Battery, Battery Charger with Power Supply, Spare Battery and Bulb.	Designed to conveniently hang the SUN GUN TM Light on a wall or shop cart ready for use.
Part Number	16400	16414	16415
UPC	0-00-51131-16400-0	0-00-51131-16414-7	0-00-51131-16415-4
Product Name	3M [™] PPS [™] SUN GUN [™] Color Matching Light Kit	3M™ PPS™ SUN GUN™ Wall Mount Shop Caddy	3M™ PPS™ SUN GUN™ Wall/Shop Cart Mount Holster
Packaging	1 per case	1 per case	1 per case

PPS™ Paint Preparation System Products: Lids & Liners

125 Micron Filters

	16300	16301	16314
Description	Kit contains 50 lids with 125 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). For use with part number 16001.	Kit contains 50 lids with 125 micron filters (full diameter), 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). For use with part number 16001.	Kit contains 50 lids with 125 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 5 1/2 oz (with generic mix ratio film insert). For use with part number 16115.
Part Number	16300	16301	16314
UPC	0-00-51131-16300-3	0-00-51131-16301-0	0-00-51131-16314-0
Product Name	3M™ PPS™ Kit	3M™ PPS™ Kit	3M™ PPS™ Kit
Packaging	1 kit per case	1 kit per case	1 kit per case

PPS™ Paint Preparation System Products: Lids & Liners

125 Micron Filters (continued)

	16324	16325	16328
Description	Kit contains 25 lids with 125 micron filters, 25 liners, and 10 sealing plugs. Graduated measurement to 28 oz/840 mL (with mix ratio film insert). For use with part number 16023 or 16124 (H/O pressure cup).	Kit contains 25 lids with 125 micron filters (full diameter), 25 liners, and 10 sealing plugs. Graduated measurement to 28 oz/840 mL (with mix ratio film insert). For use with part number 16023 or 16124 (H/O pressure cup).	Kit contains 50 lids with 125 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 3 oz/90 mL (with mix ratio film insert). For use with part number 16115 or 16121 (H/O pressure cup).
Part Number	16324	16325	16328
UPC	0-00-51131-16324-9	0-00-51131-16325-6	0-00-51131-16328-7
Product Name	3M™ PPS™ Kit	3M™ PPS™ Kit	3M™ PPS™ Kit
Packaging	1 kit per case	1 kit per case	1 kit per case

200 Micron Filters

	16000	16024	16028
Description	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 20.3 oz/600 mL (with mix ratio film insert). For use with part number 16001.	Kit contains 25 lids with 200 micron filters, 25 liners, and 10 sealing plugs. Graduated measurement to 28 oz/840 mL (with mix ratio film insert). For use with part number 16023 or 16124 (H/O pressure cup).	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 3 oz/90 mL (with mix ratio film insert). For use with part number 16115 or 16121 (H/O pressure cup).
Part Number	16000	16024	16028
UPC	0-00-51131-16000-2	0-00-51131-16024-8	0-00-51131-16028-6
Product Name	3M™ PPS™ Kit	3M™ PPS™ Kit	3M™ PPS™ Kit
Packaging	1 kit per case	1 kit per case	1 kit per case
	16113	16114	
Description	Introductory kit contains 2 each PPS Mini Cups and Collars, 50 PPS Mini Lids and Liners, 20 PPS Plugs, 2 PPS Film Inserts and 1 dispenser.	Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 5 1/2 oz (with generic mix ratio film insert). For use with part number 16115.	
Part Number	16113	16114	
UPC	0-00-51131-16113-9	0-00-51131-16114-6	
Product Name	3M™ PPS™ Mini-Cup Intro Kit	3M™ PPS™ Kit	
Packaging	1 per case	1 kit per case	

PPS™ Paint Preparation System Products: Lids & Liners

Lids Only

	16199	16200	16201
Description	Kit contains 25 standard/large size lids with 125 micron filters (full diameter) and 10 sealing plugs. These are replacement lids which fit both sizes: 3M™ PPS™ Standard (PN 16301) and 3M™ PPS™ Large (PN 16325).	Case contains 25 standard/large size lids with 200 Micron Filters. These are replacement lids which fit both the standard size 3M [™] PPS [™] Kit (PN 16000) and large size 3M [™] PPS [™] Kit (PN 16024).	Case contains 25 Mini lids with 200 Micron Filters. These are replacement lids which fit 3M™ PPS™ Mini Lids and Liners (PN 16114) and 3 oz. lids (PN 16028).
Part Number	16199	16200	16201
UPC	0-00-51131-16199-3	0-00-51131-16200-6	0-00-51131-16201-3
Product Name	3M™ PPS™ Lids	3M™ PPS™ Lids w/200 Micron Filters	3M™ PPS™ Mini Lids w/200 Micron Filters
Packaging	1 kit per case	25 per case	25 lids per case
	16202	16203	
Description	Case contains 25 standard/large size lids with 125 Micron Filters. These are replacement lids which fit both sizes: 3M TM PPS TM Standard (PN 16300) and 3M TM PPS TM Large (PN 16324).	Case contains 25 Mini lids with 125 Micron Filters. These are replacement lids which fit 3M [™] PPS [™] Mini (PN 16314) and 3 oz. (PN 16328).	
Part Number	16202	16203	
UPC	0-00-51131-16202-0	0-00-51131-16203-7	
Product Name	3M™ PPS™ Lids w/125 Micron Filters	3M™ PPS™ Mini Lids w/125 Micron Filters	
Packaging	25 per case	25 lids per case	

Spray Equipment Products

3M[™] Accuspray[™] System

	16570	16571	16572	16573
Description	Provides the equivalent of a brand new primer spray gun for a fraction of the cost. Kit contains 1 spray gun, 3 atomizing heads and 1 air flow control valve.	Replaceable fluid needle for 3M [™] Accuspray [™] Spray Gun Model HG09.	Provides the ability to test the 3M™ Accuspray™ Spray Gun Model HG09, part number 16570, for HVLP compliance.	Air flow control valve for use with the 3M™ Accuspray™ Spray Gun Model HG09, part number 16570. Gauge face is color-coded to indi- cate appropriate air pressure set- tings.
Part Number	16570	16571	16572	16573
UPC	0-00-51131-16570-0	0-00-51131-16571-7	0-00-51131-16572-4	0-00-51131-16573-1
Product Name	3M™ Accuspray™ Spray Gun Model HG09	3M™ Accuspray™ Fluid Needle	3M™ Accuspray™ HG09 HVLP Test Air Cap	3M [™] Accuspray [™] Air Flow Control Valve
Packaging	1 per case	1 per box	1 per case	1 per case

Spray Equipment Products

3M[™] Accuspray[™] System (continued)

	16577	16600	16610	16611
				के य व
Description	Provides the equivalent of a brand new spray gun on demand for a fraction of the cost. Kit contains 1 spray gun, 3 atomizing heads and an airflow control valve.	Promotional Kit which includes 1, 3M™ Accuspray™ HG14 gun and 3 kits of 1.4mm Accuspray™ Atomizing Heads.	Dispenser with replaceable atomizing heads for use with the 3M™ Accuspray™ Spray Gun Model HG09. Dispenser with 2 refill kits, 4 atomizing heads per kit.	Replaceable atomizing heads for use with the 3M™ Accuspray™ Spray Gun Model HG09. Refill kit contains 4 atomizing heads.
Part Number	16577	16600	16610	16611
UPC	0-00-51131-16577-9	0-00-51131-16600-4	0-00-51131-16610-3	0-00-51131-16611-0
Product Name	3M™ Accuspray™ Spray Gun Model HG14	3M [™] Accuspray [™] HG14 Promotion	3M [™] Accuspray [™] Atomizing Head Dispenser and Refill Kits	3M [™] Accuspray [™] Atomizing Head
Packaging	1 per case	1 per case	1 per case	24 per case
	16612	16613		
Description	Replaceable atomizing heads for use with the 3M [™] Spray Gun Model HG10.	Dispenser to store replaceable atomizing heads for use with any 3M™ Accuspray™ Spray Gun		
Part Number	16612	16613		
UPC	0-00-51131-16612-7	0-00-51131-16613-4		
Product Name	3M [™] Accuspray [™] Atomizing Head	3M [™] Accuspray [™] Atomizing Head Dispenser		
Packaging	4 atomizing heads per kit 6 kits per case	1 per case		

Standard HVLP Spray Guns



Part Number	Description	UPC	Product Name	Packaging
07HS-PR01	Used with compressed air systems and created to spray high solid automotive clears. Most frequently sold in sign, automotive refinish, aerospace and marine applications.	0-00-51115-91404-1	3M™ 07HS Spray Gun	1 per case
07HS-PR02	Used with compressed air systems and created to spray high solid automotive clears. Most frequently sold in sign, automotive refinish, aerospace and marine applications.	0-00-51115-91405-8	3M™ 07HS Spray Gun	1 per case
07HS-PR03	Used with compressed air systems and created to spray high solid automotive clears. Most frequently sold in sign, automotive refinish, aerospace and marine applications.	0-00-51115-91406-5	3M™ 07HS Spray Gun	1 per case
07HS-PR04	Used with compressed air systems and created to spray high solid automotive clears. Most frequently sold in sign, automotive refinish, aerospace and marine applications.	0-00-51115-91407-2	3M™ 07HS Spray Gun	1 per case
07HS-PR05	Used with compressed air systems and created to spray high solid automotive clears. Most frequently sold in sign, automotive refinish, aerospace and marine applications.	0-00-51115-91408-9	3M™ 07HS Spray Gun	1 per case

Spray Equipment Products

Standard HVLP Spray Guns (continued)

Part Number	Description	UPC	Product Name	Packaging
07HS-PR06	Used with compressed air systems and created to spray high solid automotive clears. Most frequently sold in sign, automotive refinish, aerospace and marine applications.	0-00-51115-91409-6	3M [™] 07HS Spray Gun	1 per case
10G-PR01	Used with a portable turbine system or a compressed air source (with a 36-00 psi mini regulator and gauge) to spray coatings in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91416-4	3M [™] 10G Spray Gun	1 per case
10G-PR02	Used with a portable turbine system or a compressed air source (with a 36-00 psi mini regulator and gauge) to spray coatings in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91417-1	3M [™] 10G Spray Gun	1 per case
10G-PR03	Used with a portable turbine system or a compressed air source (with a 36-00 psi mini regulator and gauge) to spray coatings in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91418-8	3M [™] 10G Spray Gun	1 per case
0GP-PR01	Used with a portable turbine or a compressed air source (with a 0 - 10 psi mini regulator and gauge) to spray coatings, gel coat and adhesives in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91419-5	3M [™] 10GP Spray Gun	1 per case
0GP-PR02	Used with a portable turbine or a compressed air source (with a 0 - 10 psi mini regulator and gauge) to spray coatings, gel coat and adhesives in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91420-1	3M [™] 10GP Spray Gun	1 per case
0GP-PR03	Used with a portable turbine or a compressed air source (with a 0 - 10 psi mini regulator and gauge) to spray coatings, gel coat and adhesives in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91421-8	3M [™] 10GP Spray Gun	1 per case
0GP-PR04	Used with a portable turbine or a compressed air source (with a 0 - 10 psi mini regulator and gauge) to spray coatings, gel coat and adhesives in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91422-5	3M [™] 10GP Spray Gun	1 per case
0GP-PR05	Used with a portable turbine or a compressed air source (with a 0 - 10 psi mini regulator and gauge) to spray coatings, gel coat and adhesives in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91423-2	3M [™] 10GP Spray Gun	1 per case
0GP-PR06	Used with a portable turbine or a compressed air source (with a 0 - 10 psi mini regulator and gauge) to spray coatings, gel coat and adhesives in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91424-9	3M [™] 10GP Spray Gun	1 per case

Spray Equipment Products: Accessories

Accessories - Air Caps



Part Number	Description	UPC	Product Name	Packaging
91-071-5	Machined out of aluminum for incresed precision	0-00-51115-90160-7	3M™ Standard Air Cap	1 per case
91-071-6	Machined out of aluminum for incresed precision	0-00-51115-90161-4	3M™ Standard Air Cap	1 per case
91-071-7	Machined out of aluminum for incresed precision	0-00-51115-90162-1	3M™ Standard Air Cap	1 per case
91-071-8	Machined out of aluminum for incresed precision	0-00-51115-90163-8	3M™ Standard Air Cap	1 per case
91-071-9	Machined out of aluminum for incresed precision	0-00-51115-90164-5	3M™ Standard Air Cap	1 per case
97-009-704	Machined out of aluminum for incresed precision	0-00-51115-90476-9	3M™ Gravity Air Cap	1 per case
97-009-705	Machined out of aluminum for incresed precision	0-00-51115-90477-6	3M™ Gravity Air Cap	1 per case
97-009-706	Machined out of aluminum for incresed precision	0-00-51115-90478-3	3M™ Gravity Air Cap	1 per case
97-009-707	Machined out of aluminum for incresed precision	0-00-51115-90479-0	3M™ Gravity Air Cap	1 per case
97-009-708	Machined out of aluminum for incresed precision	0-00-51115-90480-6	3M™ Gravity Air Cap	1 per case
97-077-725	Machined out of aluminum for incresed precision	0-00-51115-90511-7	3M™ High Solids Air Cap	1 per case
97-077-726	Machined out of aluminum for incresed precision	0-00-51115-90512-4	3M™ High Solids Air Cap	1 per case

Accessories - Complete Atomizing Sets



Part Number	Description	UPC	Product Name	Packaging
91-502	Often used for the following applications; Stains, Dye, Bleaches	0-00-51115-90621-3	3M [™] Atomizing Set	1 per case
91-503	Often used for the following applications; Automotive Basecoat, Tub Finishes, Glazes, Nitrocellulose Lacquer, Varnish	0-00-51115-90622-0	3M [™] Atomizing Set	1 per case
91-504	Often used for the following applications; Enamels, Urethanes, Automotive Clearcoat, Adhesives, Epoxies, DTM	0-00-51115-90623-7	3M [™] Atomizing Set	1 per case
91-505	Often used for the following applications; Interior Latex, Enamels, Heavy Body Urethanes, Waterborne DTM, Gelcoat	0-00-51115-90624-4	3M [™] Atomizing Set	1 per case
91-506	Often used for the following applications; Interior & Exterior Latex, High Build Primers, Boat Bottom Paint, Gelcoat	0-00-51115-90625-1	3M [™] Atomizing Set	1 per case

Spray Equipment Products: Accessories

Accessories - Complete Atomizing Sets (continued)

Part Number	Description	UPC	Product Name	Packaging
97-501	Often used for the application of, Basecoat	0-00-51115-90634-3	3M [™] Atomizing Set	1 per case
97-502	Often used for the application of, Primer, Single Stage	0-00-51115-90635-0	3M [™] Atomizing Set	1 per case
97-503	Often used for the application of, High Solid Clearcoat and Waterborne Basecoat	0-00-51115-90636-7	3M [™] Atomizing Set	1 per case

Accessories - Cup Parts



Part Number	Description	UPC	Product Name	Packaging
94-034/4	For standard 1 quart cup with one piece lid.	0-00-51115-90314-4	3M™ Gasket	4 per case
94-049/3	For any 1 quart and 1/2 pint pressurized cups	0-00-51115-90316-8	3M™ Check Valve	3 per case
94-064/3	For any 1 quart cup assemblies	0-00-51115-90321-2	3M™ Spring Clips for Diaphragm	3 per case
94-084/4	For 1/2 pint cup assemblies	0-00-51115-90323-6	3M™ Gasket	4 per case
97-233/2	For 200 mL aluminum gravity cup	0-00-51115-90535-3	3M™ Gasket	2 per case
97-262/2	For 600 mL and 1000 mL aluminum gravity cups	0-00-51115-90545-2	3M™ Gasket	2 per case

Accessories - Cups



Part Number	Description	UPC	Product Name	Packaging
41-11	Full cup assembly including check valve and cup gastket	0-00-51115-90042-6	3M™ Pressurized Cup	1 per case
41-22	Standard 1 quart cup with 1 piece lid assembly	0-00-51115-90044-0	3M [™] Pressurized Cup	1 per case
97-044	Plastic cup with screw on lid	0-00-51115-90501-8	3M™ Gravity Cup	1 per case
97-247	Aluminum with screw on lid	0-00-51115-90539-1	3M [™] Gravity Cup	1 per case
97-257	Aluminum with screw on lid	0-00-51115-90540-7	3M™ Gravity Cup	1 per case
97-258	Aluminum with screw on lid	0-00-51115-90541-4	3M [™] Gravity Cup	1 per case

Spray Equipment Products: Accessories

Accessories - Cups (continued)

Part Number	Description	UPC	Product Name	Packaging
97-284	Plastic cup with screw on lid	0-00-51115-90547-6	3M™ Gravity Cup	1 per case

Accessories - Filter & Maintenance Kits



Part Number	Description	UPC	Product Name	Packaging
91-028	For Series 10, 11, 14 and 15 spray guns.	0-00-51115-90146-1	3M™ Spray Gun Maintenance Kit	1 per case
91-028-G	For Series 10G, 10GP and 11G spray guns	0-00-51115-90147-8	3M™ Spray Gun Maintenance Kit	1 per case
91-470	Contains over 20 different brush and pick sizes	0-00-51115-90226-0	3M™ Gun Brush Kit	1 per case
92-171	For Series 22sp backpack turbine units	0-00-51115-90236-9	3M™ Filter Kit	1 per case
92-172	For Series 24 and 240C turbine units	0-00-51115-90237-6	3M™ Filter Kit	1 per case
92-254	For Series 23 turbine units	0-00-51115-90240-6	3M™ Filter Kit	1 per case
92-255	For Series 230 and black BE-30 turbine units	0-00-51115-90241-3	3M™ Filter Kit	1 per case
97-049	For Series 07, 07HS, 07HSP spray guns	0-00-51115-90504-9	3M™ Spray Gun Maintenance Kit	1 per case

Accessories - Miscellaneous



Part Number	Description	UPC	Product Name	Packaging
36-00	Low pressure regulator that allows a series 10, 10G or 10GP spray gun to be used with a compressed air source.	0-00-51115-90020-4	3M™ Mini- Regulator and Gauge Assembly	1 per case
60-5433030	5/16 inch ID, red reinforced rubber air hose for use with compressed air.	0-00-51115-90091-4	3M™ Air Hose	1 per case
61-2344030	3/8 inch ID, black lined rubber fluid hose for use with most waterborne and solvent borne materials.	0-00-51115-90099-0	3M™ Fluid Hose	1 per case
80-983	For use with low pressure inlet spray guns. Includes shut off valve.	0-00-51115-90113-3	3M™ Quick Disconnect Assembly	1 per case
91-043	To hold the air cap on the front of any Accuspray spray gun.	0-00-51115-90150-8	3M [™] Retaining Ring	1 per case

Spray Equipment Products: Accessories

Accessories - Miscellaneous (continued)

Part Number	Description	UPC	Product Name	Packaging
92-500	Connect this fitting to the end of a turbine hose to direct the high volume turbine air and use it to blow dust and debris off of any substrate.	0-00-51115-90615-2	3M™ Turbine Blow Off Tool	1 per case
93-103	For use with any high pressure inlet spraygun	0-00-51115-90292-5	3M [™] Mini- Regulator and Gauge Assembly	1 per case
98-076-35	3/8 inch ID, red reinforced rubber air hose for use with portable compressor systems.	0-00-51115-90558-2	3M™ Air Hose	1 per case
98-077-35	3/8 inch ID, black lined rubber fluid hose for use with most waterborne and solvent borne materials. For use with portable compressor system.	0-00-51115-90559-9	3M™ Fluid Hose	1 per case
LFG-465	Connection on gun for check valve assembly to pressurize an attached cup	0-00-51115-90579-7	3M™ Air Pressure Stem	1 per case
LG-27/5	Used on hand held spray guns.	0-00-51115-91143-9	3M [™] Needle Return Spring	5 per case
UH-1405/10	For self adjusting packing assembly.	0-00-51115-90600-8	3M [™] 0-Ring	10 per case

Accessories - Needle Tips & Needle Shafts



Part Number	Description	UPC	Product Name	Packaging
91-078	For composite handled spray guns	0-00-51115-90166-9	3M™ Stainless Steel Needle Shaft	1 per case
91-107-021/4	Must match the nozzle size and style	0-00-51115-90167-6	3M [™] Standard Composite Tips	1 per case
91-107-028/4	Must match the nozzle size and style	0-00-51115-90168-3	3M™ Standard Composite Tips	4 per case
91-107-036/4	Must match the nozzle size and style	0-00-51115-90169-0	3M™ Standard Composite Tips	4 per case
91-107-043/4	Must match the nozzle size and style	0-00-51115-90170-6	3M™ Standard Composite Tips	4 per case
91-107-051/4	Must match the nozzle size and style	0-00-51115-90171-3	3M [™] Standard Composite Tips	4 per case
91-107-061/4	Must match the nozzle size and style	0-00-51115-90172-0	3M™ Standard Composite Tips	4 per case
91-107-072/4	Must match the nozzle size and style	0-00-51115-90173-7	3M™ Standard Composite Tips	4 per case
91-107-084/4	Must match the nozzle size and style	0-00-51115-90174-4	3M [™] Standard Composite Tips	4 per case
91-107-110/4	Must match the nozzle size and style	0-00-51115-90175-1	3M™ Standard Composite Tips	4 per case
97-019-728/4	Must match the nozzle size and style	0-00-51115-90483-7	3M™ Gravity/HS Composite Tips	4 per case
97-019-736/4	Must match the nozzle size and style	0-00-51115-90484-4	3M™ Gravity/HS Composite Tips	4 per case
97-019-743/4	Must match the nozzle size and style	0-00-51115-90485-1	3M™ Gravity/HS Composite Tips	4 per case
97-019-751/4	Must match the nozzle size and style	0-00-51115-90486-8	3M™ Gravity/HS Composite Tips	4 per case
97-019-761/4	Must match the nozzle size and style	0-00-51115-90487-5	3M™ Gravity/HS Composite Tips	4 per case
97-019-772/4	Must match the nozzle size and style	0-00-51115-90488-2	3M™ Gravity/HS Composite Tips	4 per case
97-019-784/4	Must match the nozzle size and style	0-00-51115-90489-9	3M™ Gravity/HS Composite Tips	4 per case
97-020	For series 07, 07HS and 07HSP spray guns	0-00-51115-90490-5	3M™ Stainless Steel Needle Shaft	1 per case

Spray Equipment Products: Accessories

Accessories - Tip & Nozzle Sets

Composite Tip and Stainless Steel Nozzle Set

Part Number	UPC	Product Name	Packaging
91-143-021/DT	0-00-51115-90191-1	3M™ Standard Tip and Nozzle	1 per case
91-143-028/DT	0-00-51115-90192-8	3M™ Standard Tip and Nozzle	1 per case
91-143-036/DT	0-00-51115-90193-5	3M™ Standard Tip and Nozzle	1 per case
91-143-043/DT	0-00-51115-90194-2	3M™ Standard Tip and Nozzle	1 per case
91-143-051/DT	0-00-51115-90195-9	3M™ Standard Tip and Nozzle	1 per case
91-143-061/DT	0-00-51115-90196-6	3M™ Standard Tip and Nozzle	1 per case
91-143-072/DT	0-00-51115-90197-3	3M™ Standard Tip and Nozzle	1 per case
91-143-084/DT	0-00-51115-90198-0	3M™ Standard Tip and Nozzle	1 per case
91-143-110/DT	0-00-51115-90199-7	3M™ Standard Tip and Nozzle	1 per case
97-050-751	0-00-51115-90505-6	3M™ Gravity Tip and Nozzle	1 per case
97-050-761	0-00-51115-90506-3	3M™ Gravity Tip and Nozzle	1 per case
97-050-772	0-00-51115-90507-0	3M™ Gravity Tip and Nozzle	1 per case
97-050-784	0-00-51115-90508-7	3M™ Gravity Tip and Nozzle	1 per case
97-079-728	0-00-51115-90513-1	3M™ High Solids Tip and Nozzle	1 per case
97-079-736	0-00-51115-90514-8	3M™ High Solids Tip and Nozzle	1 per case
97-079-743	0-00-51115-90515-5	3M™ High Solids Tip and Nozzle	1 per case
97-079-751	0-00-51115-90516-2	3M™ High Solids Tip and Nozzle	1 per case
97-079-761	0-00-51115-90517-9	3M™ High Solids Tip and Nozzle	1 per case
97-079-772	0-00-51115-90518-6	3M™ High Solids Tip and Nozzle	1 per case

Spray Equipment Products: Mobile Refinish Equipment

Turbine Packages

Packaging 1 per case



Part Number	Description	UPC	Product Name
230GP-PR01	A cooling fan and heavy-duty bearings deliver hours of extended use. Portable spray package that can be used to spray a wide variety of coatings. It is frequently used for wood finishing, mobile automotive spot repairs and light construction.	0-00-51115-91452-2	3M™ 230GP Turbine Pkg
230GP-PR02	A cooling fan and heavy-duty bearings deliver hours of extended use. Portable spray package that can be used to spray a wide variety of coatings. It is frequently used for wood finishing, mobile automotive spot repairs and light construction.	0-00-51115-91453-9	3M [™] 230GP Turbine Pkg
230G-PR01	A cooling fan and heavy-duty bearings deliver hours of extended use. Portable spray package that handles a variety of coatings. It is most often used for marine, sign market, mobile wood and mobile automotive refinishing.	0-00-51115-91448-5	3M [™] 230G Turbine Pkg
230G-PR02	A cooling fan and heavy-duty bearings deliver hours of extended use. Portable spray package that handles a variety of coatings. It is most often used for marine, sign market, mobile wood and mobile automotive refinishing.	0-00-51115-91449-2	3M [™] 230G Turbine Pkg
23GP-PR01	Portable spray package that can be used to spray a wide variety of coatings including stains, sealers, urethanes, oil base and automotive finishes. It is frequently used for wood finishing, mobile automotive spot repairs and light construction.	0-00-51115-91440-9	3M TM 23GP Turbine Pkg
23GP-PR02	Portable spray package that can be used to spray a wide variety of coatings including stains, sealers, urethanes, oil base and automotive finishes. It is frequently used for wood finishing, mobile automotive spot repairs and light construction.	0-00-51115-91441-6	3M [™] 23GP Turbine Pkg
23G-PR01	Portable spray package that can be used to spray a variety of coatings including solvent based stains, sealers, ure-thanes, oil base and automotive finishes. It is frequently used in mobile automotive and wood spot repairs.	0-00-51115-91436-2	3M™ 23G Turbine Pkg
23G-PR02	Portable spray package that can be used to spray a variety of coatings including solvent based stains, sealers, ure-thanes, oil base and automotive finishes. It is frequently used in mobile automotive and wood spot repairs.	0-00-51115-91437-9	3M™ 23G Turbine Pkg
240GP-PR01	Offers additional pressure for increased speed and atomization over 230 series turbines and a cooling fan. Sprays heavier bodied, high solids coatings. Frequently sold in marine, sign market, mobile wood and mobile automotive refinish applications.	0-00-51115-91464-5	3M [™] 240GP Turbine Pkg
240GP-PR02	Offers additional pressure for increased speed and atomization over 230 series turbines and a cooling fan. Sprays heavier bodied, high solids coatings. Frequently sold in marine, sign market, mobile wood and mobile automotive refinish applications.	0-00-51115-91465-2	3M TM 240GP Turbine Pkg
240G-PR01	Offers additional pressure for increased speed and atomization over 230 series turbines and a cooling fan. Sprays heavier bodied, high solids coatings. Frequently sold in marine, sign market, mobile wood and mobile automotive refinish applications.	0-00-51115-91460-7	3M TM 240G Turbine Pkg

Spray Equipment Products: Mobile Refinish Equipment

Turbine Packages (continued)

Part Number	Description	UPC	Product Name
240G-PR02	Offers additional pressure for increased speed and atomization over 230 series turbines and a cooling fan. Sprays heavier bodied, high solids coatings. Frequently sold in marine, sign market, mobile wood and mobile automotive refinish applications.	0-00-51115-91461-4	3M TM 240G Turbine Pkg

Turbine Spray Guns



Part Number	Description	UPC	Product Name	Packaging
10GP-PR01	Used with a portable turbine or a compressed air source (with a 0 - 10 psi mini regulator and gauge) to spray coatings, gel coat and adhesives in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91419-5	3M [™] 10GP Spray Gun	1 per case
10GP-PR02	Used with a portable turbine or a compressed air source (with a 0 - 10 psi mini regulator and gauge) to spray coatings, gel coat and adhesives in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91420-1	3M [™] 10GP Spray Gun	1 per case
10GP-PR03	Used with a portable turbine or a compressed air source (with a 0 - 10 psi mini regulator and gauge) to spray coatings, gel coat and adhesives in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91421-8	3M [™] 10GP Spray Gun	1 per case
10GP-PR04	Used with a portable turbine or a compressed air source (with a 0 - 10 psi mini regulator and gauge) to spray coatings, gel coat and adhesives in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91422-5	3M [™] 10GP Spray Gun	1 per case
10GP-PR05	Used with a portable turbine or a compressed air source (with a 0 - 10 psi mini regulator and gauge) to spray coatings, gel coat and adhesives in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91423-2	3M [™] 10GP Spray Gun	1 per case
10GP-PR06	Used with a portable turbine or a compressed air source (with a 0 - 10 psi mini regulator and gauge) to spray coatings, gel coat and adhesives in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91424-9	3M [™] 10GP Spray Gun	1 per case
10G-PR01	Used with a portable turbine system or a compressed air source (with a 36-00 psi mini regulator and gauge) to spray coatings in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91416-4	3M [™] 10G Spray Gun	1 per case
10G-PR02	Used with a portable turbine system or a compressed air source (with a 36-00 psi mini regulator and gauge) to spray coatings in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91417-1	3M [™] 10G Spray Gun	1 per case
10G-PR03	Used with a portable turbine system or a compressed air source (with a 36-00 psi mini regulator and gauge) to spray coatings in the automotive refinish, marine, aerospace, mobile refinish and woodworking markets.	0-00-51115-91418-8	3M [™] 10G Spray Gun	1 per case

Reclosable Fasteners

Reclosable Fasteners

$3M^{\text{TM}}$ Dual Lock $^{\text{TM}}$ Reclosable Fasteners: $3M^{\text{TM}}$ Dual Lock $^{\text{TM}}$ Reclosable Fasteners - Acrylic Adhesive

Acrylic Adhesive - Black

Color Black
Length 50 Linear Yard

	65817	74379	86278
			Je.
Description	3M [™] Dual Lock [™] Reclosable Fastener SJ3550 is a general purpose, acrylic adhesive on the back of a black, polypropylene reclosable fastener. 250 stems per square inch23 inch engaged thickness. Closure life 1,000.	3M [™] Dual Lock [™] Reclosable Fastener SJ3550 is a general purpose, acrylic adhesive on the back of a black, polypropylene reclosable fastener. 250 stems per square inch23 inch engaged thickness. Closure life 1,000.	3M™ Dual Lock™ Reclosable Fastener SJ3551 is a black, polypropylene reclosable fastener with white acrylic adhesive on a clear polyethylene film liner with red 3M logo, 400 stems per square inch, 0.22 in (5.6 mm) engaged thickness.
Part Number	65817	74379	86278
UPC	0-00-21200-65817-4	0-00-21200-74379-5	0-00-21200-86278-6
Product Name	3M [™] Dual Lock [™] Reclosable Fastener SJ3550 250	3M [™] Dual Lock [™] Reclosable Fastener SJ3550 250	3M [™] Dual Lock [™] Reclosable Fastener SJ3551 400
Width	2 Inch	1 Inch	1 Inch
Packaging	1 per case	2 per case	2 per case
	86279	87590	
Description	3M [™] Dual Lock [™] Reclosable Fastener SJ3552 is a general purpose, acrylic adhesive on the back of a black, polypropylene reclosable fastener. 170 stems per square inch23 inch engaged thickness. Closure life 1,000.	3M [™] Dual Lock [™] Reclosable Fastener SJ3551 is a black, polypropylene reclosable fastener with white acrylic adhesive on a clear polyethylene film liner with red 3M logo, 400 stems per square inch, 0.22 in (5.6 mm) engaged thickness.	
Part Number	86279	87590	
UPC	0-00-21200-86279-3	0-00-21200-87590-8	
Product Name	3M [™] Dual Lock [™] Reclosable Fastener SJ3552 170	3M [™] Dual Lock [™] Reclosable Fastener SJ3551 400	
Width	1 Inch	1-1/2 Inch	
Packaging	2 per case	2 per case	

3M[™] Dual Lock[™] Reclosable Fasteners: 3M[™] Dual Lock[™] Reclosable Fasteners - Acrylic Adhesive

Acrylic Adhesive - Clear

Color Clear
Width 1 Inch
Length 50 Linear Yard
Packaging 2 per case

	45027	86282
Description	3M [™] Dual Lock [™] Reclosable Fastener SJ3561 is a clear acrylic adhesive on the back of a clear polypropylene reclosable fastener. 400 stems per square inch23 inch engaged thickness. Closure life 1,000.	3M [™] Dual Lock [™] Reclosable Fastener SJ3560 is a clear acrylic adhesive on the back of a clear polypropylene reclosable fastener. 250 stems per square inch23 inch engaged thickness. Closure life 1,000.
Part Number	45027	86282
UPC	0-00-21200-45027-3	0-00-21200-86282-3
Product Name	3M [™] Dual Lock [™] Reclosable Fastener SJ3561 400	3M™ Dual Lock™ Reclosable Fastener SJ3560 250

3M[™] Dual Lock[™] Reclosable Fasteners: 3M[™] Dual Lock[™] Reclosable Fasteners - Rubber Adhesive - Black

Rubber Adhesive - Black

	65812	65813	86277	86309
Description	3M™ Dual Lock™ Reclosable Fastener SJ3540 is a rubber based adhesive on the back of a black, polypropylene reclosable fastener. 250 stems per square inch23 inch engaged thickness. Closure life 1,000.	3M™ Dual Lock™ Reclosable Fastener SJ3540 is a rubber based adhesive on the back of a black, polypropylene reclosable fastener. 250 stems per square inch23 inch engaged thickness. Closure life 1,000.	3M™ Dual Lock™ Reclosable Fastener SJ3541 is a rubber based adhesive on the back of a black, polypropylene reclosable fastener. 400 stems per square inch23 inch engaged thickness. Closure life 1,000.	3M™ Dual Lock™ Reclosable Fastener SJ3542 is a rubber based adhesive on the back of a black, polypropylene reclosable fastener. 170 stems per square inch23 inch engaged thickness. Closure life 1,000.
Part Number	65812	65813	86277	86309
UPC	0-00-21200-65812-9	0-00-21200-65813-6	0-00-21200-86277-9	0-00-21200-86309-7
Product Name	3M [™] Dual Lock [™] Reclosable Fastener SJ3540	3M [™] Dual Lock [™] Reclosable Fastener SJ3540 250	3M [™] Dual Lock [™] Reclosable Fastener SJ3541 400	3M [™] Dual Lock [™] Reclosable Fastener SJ3542 170
Color	Black	Black	Black	Black
Width	1 Inch	2 Inch	1 Inch	1 Inch
Length	50 Linear Yard	50 Linear Yard	50 Linear Yard	50 Linear Yard
Packaging	2 per case	1 per case	2 per case	2 per case

3M[™] Dual Lock[™] Reclosable Fasteners: 3M[™] Dual Lock[™] Reclosable Fasteners Mini Packs

Mini Packs - Rubber Adhesive - Black

	06483
	M sure
Description	3M [™] Dual Lock [™] Reclosable Fastener MP3541/MP3542 is a rubber based adhesive on the back of a black, polypropylene reclosable fastener. 400 stems per square inch23 inch engaged thickness. Closure life 1,000.
Part Number	06483
UPC	0-00-51131-06483-6
Product Name	3M [™] Dual Lock [™] Reclosable Fastener MP3541/MP3542 400/170
Color	Black
Width	1 Inch
Length	5 Linear Yard
Packaging	5 per case

Mini Packs - Acrylic Adhesive


Width 1 Inch Length 5 Linear Yard

	06463	06484
	St New Market	St. Company of the co
Description	3M [™] Dual Lock [™] Reclosable Fastener MP3560 is a clear acrylic adhesive on the back of a clear polypropylene reclosable fastener. 250 stems per square inch23 inch engaged thickness. Closure life 1,000.	3M [™] Dual Lock [™] Reclosable Fastener MP3551/MP3552 is a general purpose, acrylic adhesive on the back of a black, polypropylene reclosable fastener. 400 stems per square inch23 inch engaged thickness. Closure life 1,000.
Part Number	06463	06484
UPC	0-00-51131-06463-8	0-00-51131-06484-3
Product Name	3M [™] Dual Lock [™] Reclosable Fastener MP3560 250	3M™ Dual Lock™ Reclosable Fastener MP3551/MP3552 400/170
Color	Clear	Black
Packaging	2 per pack 5 packs per case	5 per case

Reclosable Fasteners

3M[™] Dual Lock[™] Reclosable Fasteners: 3M[™] Dual Lock[™] Reclosable Fasteners Trial Bags

Acrylic Adhesive



$3M^{\text{TM}}$ Hook and Loop Fasteners: $3M^{\text{TM}}$ Hook and Loop Fasteners (Polyester) - Acrylic Adhesive

3M[™] Hook and Loop Fasteners (Polyester) - Acrylic Adhesive

	23725
Description	3M™ Fastener SJ3576 is a premium performance PSA polyester hook reclosable fastener with acrylic tape and clear polyethylene film liner100 mil to 150 mil engaged thickness, black
Part Number	23725
UPC	0-00-21200-23725-6
Product Name	3M™ Fastener SJ3576 Hook SO30
Color	Black
Width	1 Inch
Length	50 Linear Yard
Packaging	3 per case

$3M^{\text{\tiny TM}}$ Hook and Loop Fasteners: $3M^{\text{\tiny TM}}$ Hook and Loop Fasteners - Acrylic Adhesive

Acrylic Adhesive Hook - Beige

	40677
Description	Premium performance PSA nylon hook with acrylic tape and clear polyethylene film liner. 100 mil to 160 mil engaged thickness, 3.5 mil printed liner, beige
Part Number	40677
UPC	0-00-21200-40677-5
Product Name	3M™ Fastener SJ3572 Hook S005
Color	Beige
Width	2 Inch
Length	50 Linear Yard
Packaging	2 per case

Acrylic Adhesive Hook - Black

3M[™] Fastener Hook SJ3572 is a premium performance PSA nylon hook with acrylic tape and clear polyethylene film liner. 100 mil to 160 mil engaged thickness, 3.5 mil printed liner.

Color Black
Length 50 Linear Yard



Part Number	UPC	Product Name	Width	Packaging
86286	0-00-21200-86286-1	3M™ Fastener Hook SJ3572	1 Inch	3 per case
86377	0-00-21200-86377-6	3M™ Fastener Hook SJ3572	2 Inch	2 per case
86378	0-00-21200-86378-3	3M™ Fastener Hook SJ3572	1-1/2 Inch	2 per case

$3M^{\text{TM}}$ Hook and Loop Fasteners: $3M^{\text{TM}}$ Hook and Loop Fasteners - Acrylic Adhesive

Acrylic Adhesive Loop - Black

3M[™] Fastener Loop SJ3571 is a premium performance PSA nylon loop with acrylic tape and clear polyethylene film liner. 100 mil to 160 mil engaged thickness, 3.5 mil printed liner.

Color Black
Length 50 Linear Yard



Part Number	UPC	Product Name	Width	Packaging
86285	0-00-21200-86285-4	3M™ Fastener Loop SJ3571	1 Inch	3 per case
87297	0-00-21200-87297-6	3M™ Fastener Loop SJ3571	2 Inch	2 per case
87314	0-00-21200-87314-0	3M [™] Fastener Loop SJ3571	1-1/2 Inch	2 per case

$3M^{\text{TM}}$ Hook and Loop Fasteners: $3M^{\text{TM}}$ Hook and Loop Fasteners - Flame Resistant Adhesive

Flame Resistant Adhesive

Color Black
Width 1-1/2 Inch
Length 50 Linear Yard
Packaging 2 per case



Part Number	Description	UPC	Product Name
23194	Flame resistant, rubber adhesive, nylon, woven loop reclosable fastener and meets F.A.R. 25.853 paragraph (a)(1)(i) 60 second vertical burn test. Mates with SJ3519FR, black.	0-00-21200-23194-0	3M™ Fastener SJ3518FR Loop Flame Resistant
74262	3M™ Fastener SJ3519FR is a flame resistant, rubber adhesive, nylon, woven hook reclosable fastener and meets F.A.R. 25.853 paragraph (a)(1)(i) 60 second vertical burn test. Mates with SJ3518FR.	0-00-21200-74262-0	3M™ Fastener SJ3519FR Hook Flame Resistant

$3M^{\text{TM}}$ Hook and Loop Fasteners: $3M^{\text{TM}}$ Hook and Loop Fasteners - Modified Acrylic Adhesive

Modified Acrylic Adhesive Hook - Black

3M™ Fastener Hook SJ3526N is a high performance PSA nylon hook with rubber adhesive and white polypropylene film liner. 100 mil to 160 mil engaged thickness, 3 mil printed liner.

Color Black
Length 50 Linear Yard



Part Number	UPC	Product Name	Width	Packaging
46079	0-00-21200-46079-1	3M [™] Fastener SJ3526N Hook S030	4 Inch	1 per case
86243	0-00-21200-86243-4	3M™ Fastener Hook SJ3526N	1 Inch	3 per case
86245	0-00-21200-86245-8	3M™ Fastener SJ3526N Hook S030	2 Inch	2 per case

Modified Acrylic Adhesive Hook - White

	86247
Description	3M [™] Fastener SJ3526N is a high performance PSA nylon hook with rubber adhesive and white polypropylene film liner. 100 mil to 160 mil engaged thickness, 3 mil printed liner, white.
Part Number	86247
UPC	0-00-21200-86247-2
Product Name	3M™ Fastener SJ3526N Hook S001
Color	White
Width	2 Inch
Length	50 Linear Yard
Packaging	2 per case

$3M^{\mathsf{TM}}$ Hook and Loop Fasteners: $3M^{\mathsf{TM}}$ Hook and Loop Fasteners - Modified Acrylic Adhesive

Modified Acrylic Adhesive Loop - Black

3M[™] Fastener Loop SJ3527N is a high performance PSA nylon loop with rubber adhesive and white polypropylene film liner. 100 mil to 160 mil engaged thickness, 3 mil printed liner.

Color Black
Length 50 Linear Yard



Part Number	UPC	Product Name	Width	Packaging
56106	0-00-21200-56106-1	3M™ Fastener SJ3527N Loop S030	4 Inch	1 per case
86252	0-00-21200-86252-6	3M™ Fastener Loop SJ3527N	1 Inch	3 per case
86255	0-00-21200-86255-7	3M™ Fastener SJ3527N Loop S030	2 Inch	2 per case

$3M^{\text{TM}}$ Hook and Loop Fasteners: $3M^{\text{TM}}$ Hook and Loop Fasteners - Plain Back Flame Resistant, Non Adhesive

Plain Back Flame Resistant Hook - Black

Part Number	Description	UPC	Product Name	Color	Width	Length	Packaging
62949	Flame resistant, no adhesive, nylon, woven hook reclosable fastener, 0.15 in engaged thickness, temperature resistant to 250 degrees F and meets F.A.R. 25.853 paragraph (a)(1)(i) 60 second vertical burn test. Mates with SJ3418FR, beige.	0-00-21200-62949-5	3M TM Fastener SJ3419FR Hook Flame Resistant	Black	5/8 Inch	50 Linear Yard	18 per case

$3M^{\text{\tiny TM}}$ Hook and Loop Fasteners: $3M^{\text{\tiny TM}}$ Hook and Loop Fasteners - Plain Back, Non Adhesive

Plain Back Hook - Black

Color Black
Length 50 Linear Yard

	62547	62559	67133
Description	No adhesive, nylon hook reclosable fastener, temperature resistant to 250 Degrees F., 100 mil to 150 mil engaged thickness, beige.	3M [™] Fastener SJ3402 Hook S030 is a no adhesive, nylon hook reclosable fastener, tem- perature resistant to 250 Degrees F., 100 mil to 150 mil engaged thickness, beige.	3M™ Fastener SJ3402 Hook S030 is a no adhesive, nylon hook reclosable fastener, tem- perature resistant to 250 Degrees F., 100 mil to 150 mil engaged thickness, beige.
Part Number	62547	62559	67133
UPC	0-00-21200-62547-3	0-00-21200-62559-6	0-00-21200-67133-3
Product Name	3M™ Fastener SJ3402 Hook S030	3M™ Fastener SJ3402 Hook S030	3M™ Fastener SJ3402 Hook S030
Width	5/8 Inch	2 Inch	4 Inch
Packaging	18 per case	6 per case	3 per case

Plain Back Loop - Black

	62544		
Description	3M [™] Fastener SJ3401 Loop S030 is a no adhesive, nylon loop reclosable fastener, temperature resistant to 250 Degrees F., 100 mil to 150 mil engaged thickness, black.		
Part Number	62544		
UPC	0-00-21200-62544-2		
Product Name	3M™ Fastener SJ3401 Loop S030		
Color	Black		
Width	2 Inch		
Length	50 Linear Yard		
Packaging	6 per case		

$3M^{\text{TM}}$ Hook and Loop Fasteners: $3M^{\text{TM}}$ Hook and Loop Fasteners - Rubber Adhesive

Rubber Adhesive Hook - Black

3M[™] Fastener SJ3530 is a general purpose PSA, nylon hook reclosable fastener.

Color Black
Length 50 Linear Yard



Part Number	UPC	Product Name	Width	Packaging
65613	0-00-21200-65613-2	3M™ Fastener SJ3530 Hook S030	1 Inch	3 per case
65615	0-00-21200-65615-6	3M™ Fastener SJ3530 Hook S030	2 Inch	2 per case

Rubber Adhesive Loop - Black

3M[™] Fastener SJ3531 is a general purpose PSA, nylon loop reclosable fastener.

Color Black Length 50 Linear Yard



Part Number	UPC	Product Name	Width	Packaging
65619	0-00-21200-65619-4	3M™ Fastener SJ3531 Loop S030	1 Inch	3 per case
65621	0-00-21200-65621-7	3M™ Fastener SJ3531 Loop S030	2 Inch	2 per case

3M[™] Hook and Loop Fasteners: 3M[™] Hook and Loop Fasteners Mini Packs

3M[™] Hook and Loop Fasteners - Modified Acrylic Adhesive

Width 1 Inch
Length 5 Linear Yard
Packaging 5 per case

	06481	06488
	The state of the s	
Description	3M™ Fastener Hook and Loop MP3526N/MP3527N is a general purpose PSA rubber adhesive backed with nylon hook and loop fastener and white polypropylene film liner. Medium temperature resistance, medium shear and peel strength, high HSE and LSE. 100 mil to 160 mil engaged thickness, 3 mil printed liner.	3M™ Fastener Hook and Loop MP3526N/MP3527N is a general purpose PSA rubber adhesive backed with nylon hook and loop fastener and white polypropylene film liner. Medium temperature resistance, medium shear and peel strength, high HSE and LSE. 100 mil to 160 mil engaged thickness, 3 mil printed liner.
Part Number	06481	06488
UPC	0-00-51131-06481-2	0-00-51131-06488-1
Product Name	3M™ Fastener Hook and Loop MP3526N/MP3527N S030	3M™ Fastener Hook and Loop MP3526N/MP3527N S001
Color	Black	White

3M™ Hook and Loop Fasteners - Plain Back, Non Adhesive

Width 1 Inch
Length 5 Linear Yard
Packaging 5 per case

	06464	06465
	Manage Barrier Control of the Contro	38 Land
Description	Plain back nylon hook and loop fasteners. Non-adhesive, temperature resistant to 250 degrees F. Use as canvas awning attachment and luggage closure. 100 mil to 150 mil engaged thickness.	Plain back nylon hook and loop fasteners. Non-adhesive, temperature resistant to 250 degrees F. Use as canvas awning attachment and luggage closure. 100 mil to 150 mil engaged thickness.
Part Number	06464	06465
UPC	0-00-51131-06464-5	0-00-51131-06465-2
Product Name	3M™ Fastener MP3401/MP3402 Loop and Hook	3M™ Fastener MP3401/MP3402 Loop and Hook
Color	White	Black

Reclosable Fasteners

Miscellaneous Fasteners

Miscellaneous Fasteners

Width 1 Inch

	04862	06480	64284
		Note and Lang St. 366	
Description	Hundreds of mushroom-shaped stems interlock when the two sides are pressed together. "Snap" announces that the fastener is engaged.	3M™ Fastener PN06480 is a premium performance adhesive system. Comprised of two nonwoven nylon strips, one of hook material and one of loop material. Used for various applications in the automotive market.	Scotch® Reclosable Fasteners are the alternative closure to zippers, snaps and hooks, bonding securely to bare or painted metal, many plastics, wood and glass. Provides a convenient way to mount objects in the home, office or car.
Part Number	04862	06480	64284
UPC	0-00-51131-04862-1	0-00-51131-06480-5	0-00-51131-64284-3
Product Name	3M [™] Dual Lock [™] Reclosable Fasteners	3M™ Fastener PN06480	Scotch® Reclosable Fasteners
Color	Clear	Black	Clear
Length	1 Inch	12 Inch	3 Inch
Packaging	4 pair per pack 24 packs per case	6 per case	2 pair
	64293	64294	83306
			Boots Parameter Parameter
Description	3M [™] Self Stick Reclosable Fasteners are the alternative closure to zippers, snaps and hooks, bonding securely to bare or painted metal, many plastics, wood and glass. They deliver thousands of closures and each package contains two pair of fasteners.	3M™ Self Stick Reclosable Fasteners bond to vinyl surfaces and are the alternative closure to zippers, snaps and hooks. They are long lasting and deliver thousands of closures. Each package contains two pair of fasteners.	Scotch® Reclosable Fasteners are the alternative closure to zippers, snaps and hooks, bonding securely to bare or painted metal, many plastics, wood and glass. Provides a convenient way to mount objects in the home, office or car.
Description Part Number	alternative closure to zippers, snaps and hooks, bonding securely to bare or painted metal, many plastics, wood and glass. They deliver thou- sands of closures and each package contains	vinyl surfaces and are the alternative closure to zippers, snaps and hooks. They are long lasting and deliver thousands of closures. Each pack-	tive closure to zippers, snaps and hooks, bond- ing securely to bare or painted metal, many plastics, wood and glass. Provides a convenient
·	alternative closure to zippers, snaps and hooks, bonding securely to bare or painted metal, many plastics, wood and glass. They deliver thou- sands of closures and each package contains two pair of fasteners.	vinyl surfaces and are the alternative closure to zippers, snaps and hooks. They are long lasting and deliver thousands of closures. Each pack- age contains two pair of fasteners.	tive closure to zippers, snaps and hooks, bond- ing securely to bare or painted metal, many plastics, wood and glass. Provides a convenient way to mount objects in the home, office or car.
Part Number	alternative closure to zippers, snaps and hooks, bonding securely to bare or painted metal, many plastics, wood and glass. They deliver thousands of closures and each package contains two pair of fasteners. 64293	vinyl surfaces and are the alternative closure to zippers, snaps and hooks. They are long lasting and deliver thousands of closures. Each pack- age contains two pair of fasteners.	tive closure to zippers, snaps and hooks, bonding securely to bare or painted metal, many plastics, wood and glass. Provides a convenient way to mount objects in the home, office or car. 83306
Part Number UPC	alternative closure to zippers, snaps and hooks, bonding securely to bare or painted metal, many plastics, wood and glass. They deliver thousands of closures and each package contains two pair of fasteners. 64293 0-00-51131-64293-5	vinyl surfaces and are the alternative closure to zippers, snaps and hooks. They are long lasting and deliver thousands of closures. Each package contains two pair of fasteners. 64294 0-00-51131-64294-2	tive closure to zippers, snaps and hooks, bonding securely to bare or painted metal, many plastics, wood and glass. Provides a convenient way to mount objects in the home, office or car. 83306 0-00-51131-83306-7
Part Number UPC Product Name	alternative closure to zippers, snaps and hooks, bonding securely to bare or painted metal, many plastics, wood and glass. They deliver thousands of closures and each package contains two pair of fasteners. 64293 0-00-51131-64293-5 3MTM Self-Stick Reclosable Fasteners 759NA	vinyl surfaces and are the alternative closure to zippers, snaps and hooks. They are long lasting and deliver thousands of closures. Each package contains two pair of fasteners. 64294 0-00-51131-64294-2 3M™ Self-Stick Reclosable Fasteners 760NA	tive closure to zippers, snaps and hooks, bonding securely to bare or painted metal, many plastics, wood and glass. Provides a convenient way to mount objects in the home, office or car. 83306 0-00-51131-83306-7 Scotch® Reclosable Fasteners RF7741

Miscellaneous Fasteners

Miscellaneous Fasteners (continued)

	83307	83308	83314
	State of the state	Scotch Reclosable Fasterials	Personal Programme Control of the Co
Description	Scotch® Reclosable Fasteners are the alternative closure to zippers, snaps and hooks, bonding securely to bare or painted metal, many plastics, wood and glass. Provides a convenient way to mount objects in the home, office or car.	Scotch® Reclosable Fasteners are the alternative closure to zippers, snaps and hooks, bonding securely to bare or painted metal, many plastics, wood and glass. Provides a convenient way to mount objects in the home, office or car.	Scotch® Ultra Strength Reclosable Fasteners are the strongest alternative to conventional hook and loop fastening systems, providing industrial holding power. They provide a safe and easy way to mount objects in the shop or garage.
Part Number	83307	83308	83314
UPC	0-00-51131-83307-4	0-00-51131-83308-1	0-00-51131-83314-2
Product Name	Scotch® Reclosable Fasteners RF7760	Scotch® Reclosable Fasteners RF7761	Scotch® Self-Stick Reclosable Fasteners
Color	White	Black	White
Length	180 Inch	180 Inch	48 Inch
Packaging	4 per case	4 per case	24 per case



www.3MCollision.com 1-877-MMM-CARS

Sealers

Applicators & Accessories

Seam Sealers - Applicators & Accessories

	02508	02530	02576	08110
	· · · · · · · · · · · · · · · · · · ·			
Description	Has one door which opens on left. Is lockable. It measures 30-1/8 in high, 14-1/8 in wide and 12-1/8 in deep and is made of sturdy 24 gauge American steel. Weight 26 pounds.	Shop Rack designed to hang on the wall while holding up to 8 open cartridges and 2 applicator guns. Sized to accomodate all 3M 200 mL and 400 mL cartridges.	Rack for holding dispense box of 3M [™] Dynamic Mixing Nozzles, PN05847.	Replacement Rachet/Plunger for 3M [™] Performance Manual Applicator - 200 mL, PN08117.
Part Number	02508	02530	02576	08110
UPC	0-00-51131-02508-0	0-00-51131-02530-1	0-00-51131-02576-9	0-00-51135-08110-5
Product Name	3M [™] Sealers, Coatings and Adhesives Organizer (Right side)	3M™ Shop Rack, 02530	3M™ Bulk Nozzle Rack	3M [™] Replacement Applicator Plunger
Color	Black	Black	Red	Black
Packaging	1 per case	6 per case	1 per case	1 per case
	08117	08187	08188	08190
Description	Manual applicator designed for use with all 200 mL cartridges in the 3M™ line of products. This product has a 1:1 mixing ratio.	Threaded cartridge nozzle for use with 10.5 fl. oz. single component cartridges.	Conical tapered nozzle for use with Flex Pack packaged products.	A manual applicator gun designed for use with 3M's 1:1 50mL and 2:1 37.5mL cartridges
Part Number	08117	08187	08188	08190
UPC	0-00-51135-08117-4	0-00-51135-08187-7	0-00-51135-08188-4	0-00-51135-08190-7
Product Name	3M [™] Performance Manual Applicator	3M™ Threaded Cartridge Nozzle	3M™ Flex Pack Nozzle	3M [™] Performance Manual Applicator
Color	Metallic/Black	Opaque	Opaque	Black/Gray
Packaging	1 per case	50 nozzles per bag 6 bags per case	6 per case	1 per case
	08193	08194	08201	08202
Description	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	3M™ Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.
Part Number	08193	08194	08201	08202
UPC	0-00-51131-08193-2	0-00-51135-08194-5	0-00-51135-08201-0	0-00-51135-08202-7
Product Name	3M [™] Mixing Nozzle, 08193	3M [™] Static Mixing Nozzle, 08194	3M [™] 1/4 in Rounded 0EM Seam Sealer Tip	3M™ 3/8 in Rounded 0EM Seam Sealer Tip
Color	Opaque/Gold	Opaque	Opaque	Opaque
Packaging	6 nozzles per bag 6 bags per case	50 nozzles per bag 6 bags per case	6 bags per case	6 bags per case


Applicators & Accessories

Seam Sealers - Applicators & Accessories (continued)

	08203	08204	08205	08206
Description	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. 6 tips included with each bag.	Allows you to use the 3M™ OEM Seam Sealer Tips on 3M™ seam sealer products to duplicate many of the OEM applied seam sealer beads without a lot of extra time and effort. Six (6) adapters included with each bag.
Part Number	08203	08204	08205	08206
UPC	0-00-51135-08203-4	0-00-51135-08204-1	0-00-51135-08205-8	0-00-51135-08206-5
Product Name	3M [™] 1/2 in Rounded 0EM Seam Sealer Tip	3M [™] 3/8 in Flat 0EM Seam Sealer Tip	3M [™] 3/8 in Double-Rounded 0EM Seam Sealer Tip	3M™ OEM Seam Sealer Tip Adapter
Color	Opaque	Opaque	Opaque	Opaque
Packaging	6 bags per case	6 bags per case	6 per case	6 bags per case
	08398	08399	08571	08991
		1		
Description	Fully enclosed, all metal, rod driven, friction feed applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages. This tool has a 12:1 ratio.	Fully enclosed, pneumatic applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages.	Dispenses all 3M™ 200 mL cartridges with 1-1 or 2-1 mix ratios. Heavy Duty metal construction. Rod Driven for balanced product dispensing.	Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M™ Windshield Urethanes. This tool has an 18:1 ratio.
Part Number	08398	08399	08571	08991
UPC	0-00-51135-08398-7	0-00-51135-08399-4	0-00-51135-08571-4	0-00-51135-08991-0
Product Name	3M [™] Flexible Package Applicator Gun	3M [™] Flexible Package Applicator Gun - Pneumatic	3M [™] Manual 200 mL Cartridge Applicator Gun	3M [™] Flex Pack Heavy Duty Applicator Gun
Color	Metallic/Black	Black/Metallic	Red/Black	Metallic/Black
Packaging	12 per case	1 per case	1 per case	1 per case
	08992	08993	09930	38191
			= 5	
Description	For use with 3M 1/10 gallon cartridge adhesives and sealants.	A high-performance gun, designed for the professional. Used for dis- pensing material from an 1/10 Gallon cartridge.	A pneumatic applicator gun designed for use with 3M's 200mL cartridges.	3M™ Static Mixing Nozzle is a cas- cade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges.
Part Number	08992	08993	09930	38191
UPC	0-00-51135-08992-7	0-00-51135-08993-4	0-00-51131-09930-2	0-00-51131-38191-9
Product Name	3M™ Cartridge Applicator Gun	3M™ Professional Caulking Gun	3M™ Performance Pneumatic Applicator	3M [™] Static Mixing Nozzle - 50mL
Color	Blue	Orange/Black	Black	Opaque/Gold
Packaging	12 per case	1 per case	1 per case	12 nozzles per bag 6 bags per case

Applicators & Accessories

Seam Sealers - Applicators & Accessories (continued)



Single-Component Moisture Cure Seam Sealers

Single-Component Moisture Cure

	08360	08361	08364
		THE TANK THE	
Description	High solids seam sealer ideal for sealing interior and exterior automotive and RV seams and joints. Adheres well to primed metal and painted surfaces. Can be smoothed to a featheredge and/or brushed. Tack free and paintable in 30 minutes.	High solids seam sealer ideal for sealing interior and exterior automotive and RV seams and joints. Adheres well to primed metal and painted surfaces. Can be smoothed to a featheredge and/or brushed. Tack free and paintable in 30 minutes.	High solids seam sealer ideal for sealing interior and exterior automotive and RV seams and joints. Adheres well to primed metal and painted surfaces. Can be smoothed to a featheredge and/or brushed. Tack free and paintable in 30 minutes. Beige in color.
Part Number	08360	08361	08364
UPC	0-00-51131-16830-5	0-00-51131-16831-2	0-00-51135-08364-2
Product Name	3M™ Urethane Seam Sealer	3M™ Urethane Seam Sealer	3M™ Urethane Seam Sealer
Container Volume	310 Millilitre	310 Millilitre	310 Millilitre
Color	White	Gray	Beige
Packaging	6 per case	6 per case	6 per case

Single-Component Moisture Cure Seam Sealers

Single-Component Moisture Cure (continued)

	08369	08370	08374
	To Congress To Co	TOTAL STATE OF THE PARTY OF THE	
Description	High quality, heavy-bodied, general purpose, moisture-curing seam sealers that are designed for interior and exterior body joints. Adheres well to primed surfaces except acrylic lacquer. Tack free in 30 minutes and immediately paintable up to 72 hours. Use with 3M [™] Flexible Package Applicator Gun, PN08398.	well to primed surfaces except acrylic lacquer.	Gray high-performance, general-purpose seam sealer that can be caulked or sprayed. Adheres well to all primed surfaces except acrylic lacquer.
Part Number	08369	08370	08374
UPC	0-00-51135-08369-7	0-00-51135-08370-3	0-00-51135-08374-1
Product Name	3M™ MSP Seam Sealer	3M™ MSP Seam Sealer	3M™ MSP Sprayable Seam Sealer
Container Volume	310 Millilitre	310 Millilitre	0.1 Gallon (US)
Color	White	Gray	Gray
Packaging	6 per case	6 per case	6 per case

Single-Component Solvent Based Seam Sealers

Single-Component Solvent Based

	08300	08301	08302	08405
		There was any	The state of the s	
Description	Tan heavy bodied seam sealer. Quick skinning, fast curing, flexible sealer. Can be used wherever heavy bodied seam sealers are needed. High solids and low shrinkage. Ideal seam sealer where time and speed are important. Paintable in 45 min.	Tan heavy bodied seam sealer. Quick skinning, fast curing, flexible sealer. Can be used wherever heavy bodied seam sealers are needed. High solids and low shrinkage. Ideal seam sealer where time and speed are important. Paintable in 45 min.	Clear heavy bodied seam sealer. Quick skinning, fast curing, flexible sealer. Can be used wherever heavy bodied seam sealers are needed. High solids and low shrinkage. Ideal seam sealer where time and speed are important. Paintable in 45 min.	High solids clear joint and seam sealer designed to seal interior and exterior joints and seams. Adheres well to clean, bare metal, primed metal and painted surfaces. Clear, non-yellowing. Excellent tooling properties.
Part Number	08300	08301	08302	08405
UPC	0-00-51135-08300-0	0-00-51135-08301-7	0-00-51135-08302-4	0-00-51135-08405-2
Product Name	3M [™] Ultrapro [™] Autobody Sealant	3M [™] Ultrapro [™] Autobody Sealant	3M™ Ultrapro™ Autobody Sealant	3M™ Flexiclear™ Body Seam Sealer
Container Volume	0.1 Gallon (US)	5 Fluid Ounce (US)	5 Fluid Ounce (US)	0.1 Gallon (US)
Color	Tan	Tan	Clear	Clear
Packaging	12 per case	6 per case	6 per case	12 per case

Single-Component Solvent Based Seam Sealers

Single-Component Solvent Based (continued)

	08500	08505	08531	08656
	Name of the state	** 100 10 Tells 10 Tells	The state of the s	Brishable Seam Scaler Seam Scaler Seam Scaler
Description	White, easy to apply sealant that is used fo sealing interior and exterior autobody joints and seams. Applies easily and can be smoothed to a featheredge with a wet finger and sets to a firm, tough, rubber-like water resistant bead.	Firm setting product for sealing interior and exterior joints. Adheres well to clean, bare metal, primed metal and paint surfaces. Skins over quickly. Low shrinkage. Can be painted within 30 minutes. Excellent tooling and sanding properties.	Heavy-based sealer especially designed for verticle seams. Heavier bodied consistancy. Up to 1/8 inch can be applied easily. This product weathers well and does not deteriorate under sunlight.	Designed to seal sheet metal overlap joints that have been spotwelded, riveted, or bolted together. Can be painted when dry. Remains flexible and resistes oil, fuel and other auto- motive fluids.
Part Number	08500	08505	08531	08656
UPC	0-00-51135-08500-4	0-00-51135-08505-9	0-00-51135-08531-8	0-00-51135-08656-8
Product Name	3M [™] All-Around Autobody Sealant	3M™ Fast N Firm™ Seam Sealer	3M [™] Heavy Drip-Chek [™] Sealer	3M™ Brushable Seam Sealer
Container Volume	0.1 Gallon (US)	0.1 Gallon (US)	5 Fluid Ounce (US)	1 Liquid Quart(US)
Color	White	Tan	Light Gray	Gray
Packaging	12 per case	12 per case	6 per case	6 per case
	550	552	570	
	555	33 <u>L</u>	370	
		ODE TOTAL PROPERTY OF THE PRO	370	
Description	L	Dynatron™ Seam Sealer is a fast- skinning, permanently elastic, non- sagging formulation that is brush- able and paintable. Provides excel- lent adhesion to bare metal or painted surfaces and is a non- staining, all-purpose autobody joint and seam sealer.	L	
Description Part Number	Dynatron™ Seam Sealer is a fast- skinning, permanently elastic, non- sagging formulation that is brush- able and paintable. Provides excel- lent adhesion to bare metal or painted surfaces and is a non- staining, all-purpose autobody joint	Dynatron™ Seam Sealer is a fast- skinning, permanently elastic, non- sagging formulation that is brush- able and paintable. Provides excel- lent adhesion to bare metal or painted surfaces and is a non- staining, all-purpose autobody joint	Dynatron™ Seam Sealer is a fast- skinning, permanently elastic, non- sagging formulation that is brush- able and paintable. Provides excel- lent adhesion to bare metal or painted surfaces and is a non- staining, all-purpose autobody joint	
·	Dynatron™ Seam Sealer is a fast- skinning, permanently elastic, non- sagging formulation that is brush- able and paintable. Provides excel- lent adhesion to bare metal or painted surfaces and is a non- staining, all-purpose autobody joint and seam sealer.	Dynatron™ Seam Sealer is a fast- skinning, permanently elastic, non- sagging formulation that is brush- able and paintable. Provides excel- lent adhesion to bare metal or painted surfaces and is a non- staining, all-purpose autobody joint and seam sealer.	Dynatron™ Seam Sealer is a fast- skinning, permanently elastic, non- sagging formulation that is brush- able and paintable. Provides excel- lent adhesion to bare metal or painted surfaces and is a non- staining, all-purpose autobody joint and seam sealer.	
Part Number	Dynatron™ Seam Sealer is a fast- skinning, permanently elastic, non- sagging formulation that is brush- able and paintable. Provides excel- lent adhesion to bare metal or painted surfaces and is a non- staining, all-purpose autobody joint and seam sealer.	Dynatron™ Seam Sealer is a fast- skinning, permanently elastic, non- sagging formulation that is brush- able and paintable. Provides excel- lent adhesion to bare metal or painted surfaces and is a non- staining, all-purpose autobody joint and seam sealer.	Dynatron™ Seam Sealer is a fast- skinning, permanently elastic, non- sagging formulation that is brush- able and paintable. Provides excel- lent adhesion to bare metal or painted surfaces and is a non- staining, all-purpose autobody joint and seam sealer.	
Part Number UPC	Dynatron™ Seam Sealer is a fast- skinning, permanently elastic, non- sagging formulation that is brush- able and paintable. Provides excel- lent adhesion to bare metal or painted surfaces and is a non- staining, all-purpose autobody joint and seam sealer. 550 0-00-76308-00550-4 Dynatron™ Auto Seam Sealer Grey	Dynatron™ Seam Sealer is a fast-skinning, permanently elastic, non-sagging formulation that is brush-able and paintable. Provides excellent adhesion to bare metal or painted surfaces and is a non-staining, all-purpose autobody joint and seam sealer. 552 0-00-76308-00552-8 Dynatron™ Brushable Grey Seam	Dynatron™ Seam Sealer is a fast- skinning, permanently elastic, non- sagging formulation that is brush- able and paintable. Provides excel- lent adhesion to bare metal or painted surfaces and is a non- staining, all-purpose autobody joint and seam sealer. 570 0-00-76308-00570-2 Dynatron™ Auto Seam Sealer	
Part Number UPC Product Name	Dynatron™ Seam Sealer is a fast-skinning, permanently elastic, non-sagging formulation that is brush-able and paintable. Provides excellent adhesion to bare metal or painted surfaces and is a non-staining, all-purpose autobody joint and seam sealer. 550 0-00-76308-00550-4 Dynatron™ Auto Seam Sealer Grey Caulk	Dynatron™ Seam Sealer is a fast-skinning, permanently elastic, non-sagging formulation that is brush-able and paintable. Provides excellent adhesion to bare metal or painted surfaces and is a non-staining, all-purpose autobody joint and seam sealer. 552 0-00-76308-00552-8 Dynatron™ Brushable Grey Seam Sealer	Dynatron™ Seam Sealer is a fast-skinning, permanently elastic, non-sagging formulation that is brush-able and paintable. Provides excellent adhesion to bare metal or painted surfaces and is a non-staining, all-purpose autobody joint and seam sealer. 570 0-00-76308-00570-2 Dynatron™ Auto Seam Sealer White Caulk	

Two-Component Reactive Seam Sealers

Two-Component Reactive

Container Volume 200 Millilitre
Packaging 6 per case

	00007	00000	00010	00000
	08307	08308	08310	08323
	3307 a	Actions, 1830 B. S.		
Description	Two-part epoxy designed for roof ditches (door skin hem flanges) and rear body panels, including tail light areas, wheel well flanges, etc. Has a work time of approximately 15 minutes and can be painted in 30 minutes increasing productivity.	Two-part epoxy for use in vertical or horizontal seams to match OEM sealers. Non-sagging, non-flowing, and easy to tool. Paintable in 30 minutes, worktime, 10 minutes. No shrinkage or cracking.	Two-part epoxy with corrosion inhibitors for use on vertical or horizontal bare metal seams. Heavybodied, non-sagging, non-flowing, and easy tooling formulation for matching OEM seam sealer appearances. Paintable in 30 minutes, worktime, 10 minutes. No shrinkage or cracking.	Used to duplicate factory doorskin seams, as well as various other factory seams. Flows slightly and softens on the edges, without tool- ing, giving a rounded appearance.
Part Number	08307	08308	08310	08323
UPC	0-00-51131-08307-3	0-00-51131-16808-4	0-00-51135-08310-9	0-00-51135-08323-9
Product Name	3M [™] Self-Leveling Seam Sealer	3M™ Heavy-Bodied Seam Sealer	3M™ Bare-Metal Seam Sealer	3M [™] Factory-Match Seam Sealer
Color	Amber	Black	Beige	Black
	08329	38308	38323	
	National Control of the Control of t	365 3550 3650 3650 3650 3650 3650 3650 3650 3650	3000 September 1997	
Description	Controlled-Flow Seam Sealer will run approximately 1 1/2 inches when applied at a 45 degree angle. Excellent for sloped areas. Seals in 40 minutes.	Two-part epoxy for use in vertical or horizontal seams to match OEM sealers. Non-sagging, non-flowing, and easy to tool. Paintable in 30 minutes, worktime, 10 minutes. No shrinkage or cracking.	Two-part urethane for use in vertical or horizontal seams to match OEM sealers. Used to duplicate factory doorskin seams, as well as various other factory seams. Flows slightly and softens on the edges, without tooling, giving a rounded appearance.	
			38323	
Part Number	08329	38308	30323	
Part Number UPC	08329 0-00-51135-08329-1	38308 0-00-51131-38308-1	0-00-51131-38323-4	
	1111			

Silicone Sealants

Silicone Sealants

	08019	08661	08662	08663
	Mortes Shootes	Berry	San	E COM COMMON TO THE COMMON TO
Description	High quality silicone designed for the harsh marine environment. It forms a mildew-resistant, non-yel- lowing seal that remains flexible even after years of exposure.	A paste-like, one-component clear material which cures to a tough, rubbery solid when exposed to moisture in the air. It will adhere to clean metal, glass, wood, ceramic, natural and synthetic fiber, painted surfaces, and many plastics.	A paste-like, one-component black material which cures to a tough, rubbery solid when exposed to moisture in the air. It will adhere to clean metal, glass, wood, ceramic, natural and synthetic fiber, painted surfaces, and many plastics.	A paste-like, one-component clear material which cures to a tough, rubbery solid when exposed to moisture in the air. It will adhere to clean metal, glass, wood, ceramic, natural and synthetic fiber, painted surfaces, and many plastics.
Part Number	08019	08661	08662	08663
UPC	0-00-51135-08019-1	0-00-51135-08661-2	0-00-51135-08662-9	0-00-51135-08663-6
Product Name	3M™ Marine Grade Silicone Sealant	3M™ Super Silicone Seal	3M™ Super Silicone Seal	3M™ Super Silicone Seal
Container Volume	3.0 Fluid Ounce (US)	3 Fluid Ounce (US)	3 Fluid Ounce (US)	0.1 Gallon (US)
Color	Clear	Clear	Black	Clear
Packaging	6 per case	12 per case	12 per case	12 per case
.5.5	0 por 0000	12 por outo	12 pci 0830	12 por 6436
30 0	08664	08672	08700	08704
	·		·	
Description	·		·	
	A paste-like, one-component black material which cures to a tough, rubbery solid when exposed to moisture in the air. It will adhere to clean metal, glass, wood, ceramic, natural and synthetic fiber, painted	Premium grade black silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen	O8700 Premium grade black silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen	Premium grade gray silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen
Description	A paste-like, one-component black material which cures to a tough, rubbery solid when exposed to moisture in the air. It will adhere to clean metal, glass, wood, ceramic, natural and synthetic fiber, painted surfaces, and many plastics.	Premium grade black silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe.	Premium grade black silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe.	Premium grade gray silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe.
Description Part Number	A paste-like, one-component black material which cures to a tough, rubbery solid when exposed to moisture in the air. It will adhere to clean metal, glass, wood, ceramic, natural and synthetic fiber, painted surfaces, and many plastics. 08664	Premium grade black silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe. 08672	Premium grade black silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe. 08700	Premium grade gray silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe. 08704
Description Part Number UPC Product Name Container Volume	A paste-like, one-component black material which cures to a tough, rubbery solid when exposed to moisture in the air. It will adhere to clean metal, glass, wood, ceramic, natural and synthetic fiber, painted surfaces, and many plastics. 08664 0-00-51135-08664-3 3M™ Super Silicone Seal 0.1 Gallon (US)	Premium grade black silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe. 08672 0-00-51135-08672-8 3M™ Ultrapro™ High Temp Silicone Gasket 3 Fluid Ounce (US)	O8700 Premium grade black silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe. O8700 0-00-51135-08700-8 3M™ Ultrapro™ Silicone Gasket 3 Fluid Ounce (US)	Premium grade gray silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe. 08704 0-00-51135-08704-6
Description Part Number UPC Product Name	A paste-like, one-component black material which cures to a tough, rubbery solid when exposed to moisture in the air. It will adhere to clean metal, glass, wood, ceramic, natural and synthetic fiber, painted surfaces, and many plastics. 08664 0-00-51135-08664-3 3M™ Super Silicone Seal	Premium grade black silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe. 08672 0-00-51135-08672-8 3M™ Ultrapro™ High Temp Silicone Gasket	O8700 Premium grade black silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe. O8700 0-00-51135-08700-8 3M™ Ultrapro™ Silicone Gasket	O8704 Premium grade gray silicone compound for form-in-place gasketing. Designed for automotive use, it is suitable for applications that reach temperatures up to 600 F. Oxygen sensor safe. O8704 0-00-51135-08704-6 3M™ Ultrapro™ Silicone Gasket

Seam Sealer Tape

Seam Sealer Tape

Rubber backed, 20.0 mil thick tape designed to duplicate the factory appearance and function typically found in door jams and trunk gutters. Immediately paintable.

Packaging 12 per case



Part Number	UPC	Product Name	Width	Length
08475	0-00-51135-08475-5	3M™ Seam Sealer Tape	3/8 Inch	30 Linear Foot
08476	0-00-51135-08476-2	3M™ Seam Sealer Tape	7/8 Inch	30 Linear Foot

Ribbon Sealers & Strip Caulk

3MTM Strip Caulk

Soft, Non-hardening caulking material in one foot lengths for use in all types of seams, joints and openings. This product is easily thumbed into place and smoothed with a finger. It may be painted immediately.



Part Number	UPC	Color	Packaging
08578	0-00-51135-08578-3	Black	60 per box 12 boxes per case

Ribbon Sealers & Strip Caulk

3M™ Windo-Weld™ Round Ribbon Sealer

Its unique feature of controlled compressability allows easy installation yet will not squeeze out or allow lite to contact pinchweld. One 15 foot roll is sufficient material to replace one windshield or backlite. One 30 foot roll is sufficient material to replace two windshields or backlites.



Part Number	UPC	Product Name	Length	Ribbon Diameter	Packaging
08610	0-00-51135-08610-0	3M™ Windo-Weld™ Round Ribbon Sealer Kit	15 Linear Foot	1/4 Inch	12 per case
08611	0-00-51135-08611-7	3M™ Windo-Weld™ Round Ribbon Sealer Kit	15 Linear Foot	5/16 Inch	12 per case
08612	0-00-51135-08612-4	3M™ Windo-Weld™ Round Ribbon Sealer Kit	15 Linear Foot	3/8 Inch	12 per case
08620	0-00-51135-08620-9	3M™ Windo-Weld™ Round Ribbon Sealer Roll	15 Linear Foot	1/4 Inch	24 per case
08621	0-00-51135-08621-6	3M™ Windo-Weld™ Round Ribbon Sealer Roll	15 Linear Foot	5/16 Inch	24 per case
08622	0-00-51135-08622-3	3M™ Windo-Weld™ Round Ribbon Sealer Roll	15 Linear Foot	3/8 Inch	24 per case
08625	0-00-51135-08625-4	3M™ Windo-Weld™ Round Ribbon Sealer Roll	30 Linear Foot	1/8 Inch x 1/4 Inch	24 per case

Sound Deadening& NVH

Sound Deadening & NVH

Accessories

Accessories/Applicators

	02576	08188	08190	08193
			407	
Description	Rack for holding dispense box of 3M™ Dynamic Mixing Nozzles, PN05847.	Conical tapered nozzle for use with Flex Pack packaged products.	A manual applicator gun designed for use with 3M's 1:1 50mL and 2:1 37.5mL cartridges	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.
Part Number	02576	08188	08190	08193
UPC	0-00-51131-02576-9	0-00-51135-08188-4	0-00-51135-08190-7	0-00-51131-08193-2
Product Name	3M™ Bulk Nozzle Rack	3M™ Flex Pack Nozzle	3M™ Performance Manual Applicator	3M™ Mixing Nozzle
Color	Red	Opaque	Black/Grey	Opaque/Gold
Packaging	1 per case	6 per case	1 per Case	6 nozzles per bag 6 bags per case
Container Volume		-	50 Millilitre	
	08194	08801	08966	08991
				PAT I
Description	3M [™] Static Mixing Nozzle for use with all 3M 200mL and 400mL two-component cartridges.	One piece metal applicator gun designed for use with all No Cleanup products. Requires no cleaning. Refer to individual No Cleanup products for proper air pressures. Requires the use of No Cleanup Replacement Nozzle 08966.	Designed for use with 3M™ No Cleanup Coatings, part numbers 08804, 08949 and 08964.	Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M [™] Windshield Urethanes. This tool has an 18:1 ratio.
Part Number	08194	08801	08966	08991
UPC	0-00-51131-08194-5	0-00-51135-08801-2	0-00-51135-08966-8	0-00-51135-08991-0
Product Name	3M [™] Static Mixing Nozzle	3M™ No Cleanup Applicator Gun	3M [™] No Cleanup Replacement Nozzles	3M [™] Flex Pack Heavy Duty Applicator Gun
Color	Opaque	Black	Opaque	Metallic/Black
Packaging	50 nozzles per box 6 boxes per case	8 per case	8 per bag 4 bags per case	1 per case
Container Volume				450 Millilitre

Sound Deadening & NVH

Accessories

Accessories/Applicators (continued)

	08997	38191	38193	
Description	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991.	3M™ Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges.	3M™ Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Engineered for use with 3M 50mL cartridges.	
Part Number	08997	38191	38193	
UPC	0-00-51135-08997-2	0-00-51131-38191-9	0-00-51131-38193-3	
Product Name	3M [™] Body Schutz [™] Applicator Gun	3M [™] Static Mixing Nozzle - 50mL	3M™ Static Mixing Nozzle	
Color	Silver	Opaque/Gold	Opaque/Gold	
Packaging	1 per case	12 nozzles per bag 6 bags per case	50 nozzles per bag 6 bags per case	
Container Volume			50 Millilitre	

Coatings

Coatings

	08374	08804	08864
			The state of the s
Description	Gray high-performance, general-purpose seam sealer that can be caulked or sprayed. Adheres well to all primed surfaces except acrylic lacquer.	Superior performing, paintable, rubberized undercoating with excellent coverage and corrosion protection, while also meeting the low VOC requirements in most areas. Use with 3M™ No Cleanup Applicator Gun 08801.	Black, rubberized, protective coating developed primarily for use as a sound deadener, protective coating, and underseal. Bonds to a wide variety of surfaces. Use with applicator gun, part number 08997.
Part Number	08374	08804	08864
UPC	0-00-51135-08374-1	0-00-51135-08804-3	0-00-51135-08864-7
Product Name	3M™ MSP Sprayable Seam Sealer	3M™ No Cleanup Waterbased Undercoating	3M [™] Body Schutz [™] Rubberized Coating Black
Container Volume	0.1 Gallon (US)	18.5 fl oz	1 Quart (US)
Color	Gray	Black	Black
Packaging	6 per case	6 per case	6 per case

Coatings

Coatings (continued)

	08874	08881	08882
	Bocker shutz spirit spi	Intervolute The control of the cont	
Description	Fast drying, tintable, paintable, chip resistant coating for use on motor vehicles; resists weathering, salt spray, and abrasion. Texture is coarse. Use with applicator gun, part number 08997.	Black, multi-purpose, low cost, aerosol under- coating. Specifically used for undercarriages, wheel wells, frame rails, and fenders. Designed to protect metal from corrosion and abrasion. Can also be used as a sound dampening coat- ing.	Paintable aerosol undercoating designed to protect surfaces from corrosion and provide sound deadening. Can be applied to bare or primed metal. For painting, let dry for 30 minutes at room temperature or greater than 60 degrees.
Part Number	08874	08881	08882
UPC	0-00-51135-08874-6	0-00-51135-08881-4	0-00-51131-08882-5
Product Name	3M™ Rocker Schutz™ Coating	3M™ Undercoating	3M™ Undercoating
Container Volume	1 Quart	16 oz	17 oz
Color	Beige	Black	Black
Packaging	6 per case	6 per case	6 per case
	08883	08949	08964
		Entry No.	Vi Ckonny
		To Rep 10	ody Schut
Description	A tough, high-performance rubberized aerosol undercoating. Provides rust-proofing and sound deadening for a variety of applications, including fenders, quarter panels, door panels, repaired sections, welded joints, hoods, and decklids.	Paintable, tough, beige-colored coating designed for use as a rocker panel chip-resistant protective surface. Use wherever stone chip protection is needed. Must be applied over a 2K epoxy primer. Use with 08801 applicator gun.	Tough, fast drying, paintable, rubberized undercoating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders. Use with 08801 applicator gun.
Description Part Number	undercoating. Provides rust-proofing and sound deadening for a variety of applications, including fenders, quarter panels, door panels, repaired	designed for use as a rocker panel chip-resist- ant protective surface. Use wherever stone chip protection is needed. Must be applied over a 2K	coating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders.
Part Number	undercoating. Provides rust-proofing and sound deadening for a variety of applications, including fenders, quarter panels, door panels, repaired sections, welded joints, hoods, and decklids.	designed for use as a rocker panel chip-resist- ant protective surface. Use wherever stone chip protection is needed. Must be applied over a 2K epoxy primer. Use with 08801 applicator gun.	coating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders. Use with 08801 applicator gun.
·	undercoating. Provides rust-proofing and sound deadening for a variety of applications, including fenders, quarter panels, door panels, repaired sections, welded joints, hoods, and decklids. 08883	designed for use as a rocker panel chip-resist- ant protective surface. Use wherever stone chip protection is needed. Must be applied over a 2K epoxy primer. Use with 08801 applicator gun. 08949	coating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders. Use with 08801 applicator gun. 08964
Part Number UPC	undercoating. Provides rust-proofing and sound deadening for a variety of applications, including fenders, quarter panels, door panels, repaired sections, welded joints, hoods, and decklids. 08883 0-00-51131-08883-2	designed for use as a rocker panel chip-resist- ant protective surface. Use wherever stone chip protection is needed. Must be applied over a 2K epoxy primer. Use with 08801 applicator gun. 08949 0-00-51135-08949-1	coating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders. Use with 08801 applicator gun. 08964 0-00-51135-08964-4 3M™ No Cleanup High Coverage Body
Part Number UPC Product Name	undercoating. Provides rust-proofing and sound deadening for a variety of applications, including fenders, quarter panels, door panels, repaired sections, welded joints, hoods, and decklids. 08883 0-00-51131-08883-2 3M TM Rubberized Undercoating	designed for use as a rocker panel chip-resist- ant protective surface. Use wherever stone chip protection is needed. Must be applied over a 2K epoxy primer. Use with 08801 applicator gun. 08949 0-00-51135-08949-1 3M TM No Cleanup Rocker Gard TM Coating	coating material that effectively protects and sound deadens door skins, quarter panels, wheel wells, frame rails, trunks and fenders. Use with 08801 applicator gun. 08964 0-00-51135-08964-4 3M™ No Cleanup High Coverage Body Schutz™ Coating

Sound Deadening & NVH

Expandable Foams

Expandable Foams

Container Volume 200 Millilitre
Packaging 6 per case

	08458	08463
	Antenno Bessel	Section 1
Description	Two part urethane which foams in place to fill posts, pillars, and automotive body cavities. Use with the 08117 applicator	Two part urethane which foams in place; designed to replace flexible foams found in OEM applications such as trunks, door cavities, door skins, roof beams, etc.
Part Number	08458	08463
UPC	0-00-51135-08458-8	0-00-51131-08463-6
Product Name	3M™ Rigid Pillar Foam	3M™ Flexible Foam
Color	Yellow/Brown	Black/Brown

Vibration Isolation

Vibration Isolation

	04274	08360	08361
	DURAMIX		
Description	Ideal 2-part urethane product for replacing fac- tory NVH (Noise, Vibration & Harshness) sealants and foams. Can be used for large installations. Remains very soft, yet sturdy and will not degrade. 60 minute work time.	High solids seam sealer ideal for sealing interior and exterior automotive and RV seams and joints. Adheres well to primed metal and painted surfaces. Can be smoothed to a featheredge and/or brushed. Tack free and paintable in 30 minutes.	High solids seam sealer ideal for sealing interior and exterior automotive and RV seams and joints. Adheres well to primed metal and painted surfaces. Can be smoothed to a featheredge and/or brushed. Tack free and paintable in 30 minutes.
Part Number	04274	08360	08361
UPC	0-00-51131-04274-2	0-00-51131-16830-5	0-00-51131-16831-2
Product Name	3M™ NVH Dampening Material	3M™ Urethane Seam Sealer	3M™ Urethane Seam Sealer
Container Volume	200 Millilitre	310 Millilitre	310 Millilitre
Color	Black/Clear	White	Gray
Packaging	6 per case	6 per case	6 per case

Vibration Isolation

Vibration Isolation (continued)

	08364	08369	08370
		Part of the second of the seco	The state of the s
Description	High solids seam sealer ideal for sealing interior and exterior automotive and RV seams and joints. Adheres well to primed metal and painted surfaces. Can be smoothed to a featheredge and/or brushed. Tack free and paintable in 30 minutes. Beige in color.	High quality, heavy-bodied, general purpose, moisture-curing seam sealers that are designed for interior and exterior body joints. Adheres well to primed surfaces except acrylic lacquer. Tack free in 30 minutes and immediately paintable up to 72 hours. Use with 3M TM Flexible Package Applicator Gun, PN08398.	High quality, heavy-bodied, general purpose, moisture-curing seam sealers that are designed for interior and exterior body joints. Adheres well to primed surfaces except acrylic lacquer. Tack free in 30 minutes and immediately paintable up to 72 hours. Use with 3M™ Flexible Package Applicator Gun, PN08398.
Part Number	08364	08369	08370
UPC	0-00-51135-08364-2	0-00-51135-08369-7	0-00-51135-08370-3
Product Name	3M™ Urethane Seam Sealer	3M™ MSP Seam Sealer	3M™ MSP Seam Sealer
Container Volume	310 Millilitre	310 Millilitre	310 Millilitre
Color	Beige	White	Gray
Packaging	6 per case	6 per case	6 per case
	08578	08840	34274
	an topical		34274
Description	Soft non-hardening caulking material in one foot lengths for use in all types of seams, joints and openings. This product is easily thumbed into place and smoothed with a finger. It may be painted immediately.	3M [™] Sound Deadening Pads suppress noise and vibration	Ideal 2-part urethane product for replacing fac- tory NVH (Noise, Vibration & Harshness) sealants and foams. Can be used for large installations. Remains very soft, yet sturdy and will not degrade. 60 minute work time.
Part Number	08578	08840	34274
UPC	0-00-51135-08578-3	0-31-34375-38543-5	0-00-51131-34274-3
Product Name	3M™ Strip Calk	3M™ Sound Deadening Pads	3M™ NVH Dampening Material
Container Volume			47.3 Millilitre
Color	Black		
Packaging	60-1 ft Strips per box 12 boxes per case	10 per case	6 per case

Striping Tape



www.3MCollision.com

Accessories

3M™ Scotchcal™ Accessories

	09346	09347	71601	71602
	and the same of th	and the same of th		
Description	Puncture film that has already been applied to a substrate to remove entrapped air bubbles.	This replacement point is specially designed for use in the 3M™ Air Release Tool 391x.	Application squeegee (blue) used when applying automotive films. See part 71603, which is a sleeve for this squeegee used to protect the surface of the film. PN71601, Blue, 5/Set	Application squeegee (gold) used when applying automotive films. See part 71603, which is a sleeve for this squeegee to protect the surface of the film. PN71602, Gold, 5/Set
Part Number	09346	09347	71601	71602
UPC	0-00-51128-09346-7	0-00-51128-09347-4	0-00-51141-71601-5	0-00-51141-71602-2
Product Name	3M™ Air Release Tool 391x	3M [™] Replacement Point 392x for Air Release Tool 391x	3M™ Scotchcal™ Application Squeegee	3M [™] Scotchcal [™] Application Squeegee
Color	-		Blue	Gold
Size	-			
Packaging	1 per case	1 per case	5 per case	5 per case
	71603	71607	71608	71609
				400
Description	Low friction sleeve. To be placed over the blue or gold squeegees (parts 71601 and 71602) to protect the film surface when applying graphics or striping. PN71603, White, 5/Set	Applicator squeegee that is made from a flexible material recom- mended for paint protection film application. PN71607, Orange, 1 Per Envelope	Pen-like tool that is used to release air bubbles in vehicle striping, graphics, or paint protection film. PN71608, 1 Pen and 1 Replacement Tip/Set. Additional replacement tips available, Part Number 71609.	Replacement tips for pen-like tool that is used to release air bubbles in vehicle striping, graphics, or paint protection film.
Part Number	71603	71607	71608	71609
UPC	0-00-51141-71603-9	0-00-51141-71607-7	0-00-51141-71608-4	0-00-51141-71609-1
Product Name	3M [™] Scotchcal [™] Low Friction Sleeve	3M [™] Scotchcal [™] Application Squeegee	3M™ Air Release Tool	3M [™] Replacement Tips for 3M [™] Air Release Tool
Color	White	Orange		
Size				
Packaging	5 per case	1 per case	1 Pen and 1 Replacement Tip per case	5 Replacement Tips per case
	75906	75951	76051	83005
Description	Premask/Application tape is used to create vehicle pattern when using paint protection film. It also is used on large graphic or wide striping applications. PN75906, 6 in x 150 ft roll	Premask/Application tape is used to create vehicle pattern when using paint protection film. It also is used on large graphic or wide striping applications. PN75951, 15-1/2 in x 150 ft roll	Premask/Application tape is used to create vehicle pattern when using paint protection film. It also is used on large graphic or wide striping applications. PN76051, 23 1/2 in x 150 ft roll	Color card and color/pattern avail- ability chart. These color cards are available through your local 3M dis- tributer.
Part Number	75906	75951	76051	83005
UPC	0-00-51141-75906-7	0-00-51141-75951-7	0-00-51141-76051-3	0-00-51141-83005-6
Product Name	3M™ Premask Application Tape	3M [™] Premask Application Tape	3M™ Premask Application Tape	3M™ Scotchcal™ Color Card
Color				
Size	6 in x 150 ft roll	15-1/2 in x 150 ft roll	23-1/2 in x 150 ft roll	
Packaging	1 per case	1 per case	1 per case	1 per case

Graphic Removal

Graphic Removal Products

	07496	07498	07499
		*	0700
Description	Bulk packaged mandrels for the 3M [™] Soft Urethane Wheel, part number 07497, that is used to remove vinyl decals and striping tape from vehicle surfaces.	Designed for high-speed removal of vinyl, decals, graphics and double sided molding striping and trim. Use on tools with 4,000 RPM . MOS: optimum speed is 2,000 RPM plus or minus 200. Includes a 3/8 in Mandrel.	Designed for high-speed removal of vinyl, decals, graphics and double sided molding striping and trim. Use on tools with 4,000 RPM . MOS: optimum speed is 2,000 RPM plus or minus 200.
Part Number	07496	07498	07499
UPC	0-00-51131-07496-5	0-00-51131-07498-9	0-00-51131-07499-6
Product Name	3M™ Mandrel	3M™ Stripe Off Wheel	3M™ Stripe Off Wheel
Size	3/8 in x 3/8-16 Male	4 in x 5/8 in with Mandrel	4 in x 5/8 in
Packaging	200 per case	5 per case	5 per case
	07501	07502	07517
Description	Used to remove vinyl stripes, numbers, letters and graphics from gel coat and painted marine surfaces without damaging the finish.	Used to remove vinyl decals, graphics and striping tapes. Will not scratch or damage acrylic enamel or urethane paint. No sharp edges to cause damage to surfaces. Can be mounted on a bench motor.	Stacked, solid wafer construction. Use on portable tool for fastest, easiest and most effective removal of tapes and adhesives.
Part Number	07501	07502	07517
UPC	0-00-51131-07501-6	0-00-51131-07502-3	0-00-51131-07517-7
Product Name	Scotch-Brite [™] Molding Adhesive and Stripe Removal Disc	Scotch-Brite™ Molding Adhesive and Stripe Removal Disc	Scotch-Brite™ Large Area Stripe Removal Disc
Size	4 in x 3/8 in	6 in x 3/8 in	8 in x 5/8 in
Packaging	5 per case	8 discs per bag 5 bags per case	1 per case
	08907	08908	08978
	Self Stronger Stronge	Woodpared Programme Control of the C	Co.
Description	For removing woodgrain vinyl and vinyl stripes from acrylic enamel surfaces. Jelly-like consistency keeps remover in place on vertical surfaces to promote fast action when sprayed from the aerosol can.	Cleans off adhesive residue after woodgrain vinyl or vinyl stripes have been removed. Fast-acting remover can be used on all acrylic enamel painted metal surfaces.	Designed to be used with an air chisel to remove bonded moldings but can be used by hand to remove emblems and scripts.
Part Number	08907	08908	08978
UPC	0-00-51135-08907-1	0-00-51135-08908-8	0-00-51135-08978-1
Product Name	3M [™] Woodgrain and Stripe Remover	3M [™] Woodgrain and Stripe Adhesive Remover	3M [™] Side Molding and Emblem Removal Tool
Size	18 Ounce	18 Fluid Ounce (US)	
Packaging	6 per case	6 per case	6 per case

Duo-Tone Double Custom Striping Tape

Two color stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles. Also known as Duo-Tone.

Size 5/16 in x 150 ft
Packaging 1 per case

	74601	74605	74608	74615
	Representation 1	(m-th-0) (m-th-0) (m-0)	Core August 20 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4	See
	746-01 5/107 x 1007 reli	746-05 5/16" x 150" rell	745-03 5/107 x 557 rell	746-15 5/10" x 150" rell
Part Number	74601	74605	74608	74615
UPC	0-00-51141-74601-2	0-00-51141-74605-0	0-00-51141-74608-1	0-00-51141-74615-9
Product Name	3M™ Scotchcal™ Duo-Tone Striping Tape	3M™ Scotchcal™ Duo-Tone Striping Tape	3M [™] Scotchcal [™] Duo-Tone Striping Tape	3M [™] Scotchcal [™] Duo-Tone Striping Tape
Color	Silver Metallic/Burgundy Metallic	Dark Blue/Blue	Camel Beige/Buckskin	Silver Metallic/Black
	74617	74618	74624	74625
	Strands and Strand		And of the second of the secon	
	746-17 5/10' x 100' reli	745-18 57167 x 1507 rell	746-24 5°10' x 150' reli	744-25 5*19" > 150" rel
Part Number	74617	74618	74624	74625
UPC	0-00-51141-74617-3	0-00-51141-74618-0	0-00-51141-74624-1	0-00-51141-74625-8
Product Name	3M [™] Scotchcal [™] Duo-Tone Striping Tape	3M™ Scotchcal™ Duo-Tone Striping Tape	3M [™] Scotchcal [™] Duo-Tone Striping Tape	3M™ Scotchcal™ Duo-Tone Striping Tape
Color	Silver Metallic/Charcoal Metallic	Red/Black	Black/Light Gold Metallic	Dark Red/Black
	74626	74633	74635	74650
	Spiriture III	(git (hand their file and the f	Secretarion (10 1/4	Garbiss VP Norway VP
	746-28 5*10' x 100' reli	745-33 5/16' x 150' reli	746-35 5°10° > 150° rell	745-50 5/16/x 150 rel
Part Number	74626	74633	74635	74650
UPC	0-00-51141-74626-5	0-00-51141-74633-3	0-00-51141-74635-7	0-00-51141-74650-0
Product Name	3M [™] Scotchcal [™] Duo-Tone Striping Tape	3M™ Scotchcal™ Duo-Tone Striping Tape	3M [™] Scotchcal [™] Duo-Tone Striping Tape	3M™ Scotchcal™ Duo-Tone Striping Tape
Color	Bright White/Silver Metallic	Light Charcoal Metallic/Black	Silver Metallic/Light Charcoal Metallic	Dark Red/Pewter
	74653	74660		
	No. No. 17	State of Sta		
	744-53 5°10° × 100° rul	746-60 516's 105 red		
Part Number	74653	74660		
UPC	0-00-51141-74653-1	0-00-51141-74660-9		
Product Name	3M™ Scotchcal™ Duo-Tone Striping Tape	3M [™] Scotchcal [™] Duo-Tone Striping Tape		
Color	Silver Metallic/Burgundy	Silverchips/Ultra Charcoal		

Elite Two-Color Double Stripe Custom Striping Tape

Two color stripe pattern for professional use in matching existing stripes or creating original designs on vehicles. Also known as Elite.

Size 3/6 in x 150 ft
Packaging 1 per case

	74801	74802	74803	74804
	Note that the second of the se	See foods (II)	Was IT! The four of the second	ther from C
	748-01 3°10' x 150' rell	745-02 3767 x 1557 rell	745-03 3/15' x 150' rell	748-04 3716° x 155° rell
Part Number	74801	74802	74803	74804
UPC	0-00-51141-74801-6	0-00-51141-74802-3	0-00-51141-74803-0	0-00-51141-74804-7
Product Name	3M [™] Scotchcal [™] Elite Double Striping Tape	3M [™] Scotchcal [™] Elite Double Striping Tape	3M [™] Scotchcal [™] Elite Double Striping Tape	3M [™] Scotchcal [™] Elite Double Striping Tape
Color	Black/Gold Metallic	Silver Metallic/Black	White/Silver Metallic	Gold Metallic/Brown Metallic
	74806	74807	74808	74809
	<u></u>	1 00	America C	
	748-05 공기단 : 150 rell	748-07 SFIG* x 1507 rell	748-01 3/16" x 150" rell	748-03 3 ⁴ 10" x 150" rell
Part Number	74806	74807	74808	74809
UPC	0-00-51141-74806-1	0-00-51141-74807-8	0-00-51141-74808-5	0-00-51141-74809-2
Product Name	3M [™] Scotchcal [™] Elite Double Striping Tape	3M [™] Scotchcal [™] Elite Double Striping Tape	3M™ Scotchcal™ Elite Double Striping Tape	3M [™] Scotchcal [™] Elite Double Striping Tape
Color	Burgundy/Tomato Red	Silver Metallic/Tomato Red	Light Gold Metallic/Burgundy Metallic	Blue/Dark Blue
	74810	74811	74814	74816
	Jan 19 19 19 19 19 19 19 19 19 19 19 19 19	3 to 1 to	man a second	Approximate (I
	748-19 3°16" x 150" roll	748-11 5/10° × 100° rell	748-14 3/16" x 150" rell	748-15 3°16" × 150" rell
Part Number	74810	74811	74814	74816
UPC				1 1010
	0-00-51141-74810-8	0-00-51141-74811-5	0-00-51141-74814-6	0-00-51141-74816-0
Product Name	0-00-51141-74810-8 3M™ Scotchcal™ Elite Double Striping Tape	0-00-51141-74811-5 3M™ Scotchcal™ Elite Double Striping Tape		0-00-51141-74816-0 3M™ Scotchcal™ Elite Double Striping Tape
	3M™ Scotchcal™ Elite Double	3M™ Scotchcal™ Elite Double	0-00-51141-74814-6 3M™ Scotchcal™ Elite Double	0-00-51141-74816-0 3M™ Scotchcal™ Elite Double
	3M [™] Scotchcal [™] Elite Double Striping Tape	3M [™] Scotchcal [™] Elite Double Striping Tape	0-00-51141-74814-6 3M™ Scotchcal™ Elite Double Striping Tape	0-00-51141-74816-0 3M™ Scotchcal™ Elite Double Striping Tape
	3M [™] Scotchcal [™] Elite Double Striping Tape Silver Metallic/Charcoal Metallic	3M [™] Scotchcal [™] Elite Double Striping Tape Gold Metallic/Silver Metallic	0-00-51141-74814-6 3M™ Scotchcal™ Elite Double Striping Tape Silver Metallic/Burgundy	0-00-51141-74816-0 3M™ Scotchcal™ Elite Double Striping Tape Silver Metallic/Burgundy Metallic
	3M [™] Scotchcal [™] Elite Double Striping Tape Silver Metallic/Charcoal Metallic	3M [™] Scotchcal [™] Elite Double Striping Tape Gold Metallic/Silver Metallic	0-00-51141-74814-6 3M™ Scotchcal™ Elite Double Striping Tape Silver Metallic/Burgundy	0-00-51141-74816-0 3M™ Scotchcal™ Elite Double Striping Tape Silver Metallic/Burgundy Metallic
Color	3M™ Scotchcal™ Elite Double Striping Tape Silver Metallic/Charcoal Metallic 74825	3M [™] Scotchcal [™] Elite Double Striping Tape Gold Metallic/Silver Metallic 74826	0-00-51141-74814-6 3M™ Scotchcal™ Elite Double Striping Tape Silver Metallic/Burgundy 74828	0-00-51141-74816-0 3M™ Scotchcal™ Elite Double Striping Tape Silver Metallic/Burgundy Metallic 74329
Color Part Number	3M™ Scotchcal™ Elite Double Striping Tape Silver Metallic/Charcoal Metallic 74825	3M™ Scotchcal™ Elite Double Striping Tape Gold Metallic/Silver Metallic 74826	0-00-51141-74814-6 3M™ Scotchcal™ Elite Double Striping Tape Silver Metallic/Burgundy 74828	0-00-51141-74816-0 3M™ Scotchcal™ Elite Double Striping Tape Silver Metallic/Burgundy Metallic 74829
Product Name Color Part Number UPC Product Name	3M™ Scotchcal™ Elite Double Striping Tape Silver Metallic/Charcoal Metallic 74825	3M™ Scotchcal™ Elite Double Striping Tape Gold Metallic/Silver Metallic 74826 74826	0-00-51141-74814-6 3M™ Scotchcal™ Elite Double Striping Tape Silver Metallic/Burgundy 74828	0-00-51141-74816-0 3M™ Scotchcal™ Elite Double Striping Tape Silver Metallic/Burgundy Metallic 74829

Elite Two-Color Double Stripe Custom Striping Tape (continued)

	74830	74865	
	Marine Anni M		
	746-35 3/10 / 160 rel	744.65 5/10 / 1907 rell	
Part Number	74830	74865	
UPC	0-00-51141-74830-6	0-00-51141-74865-8	
Product Name	3M [™] Scotchcal [™] Elite Double Striping Tape	3M [™] Scotchcal [™] Elite Double Striping Tape	
Color	Light Charcoal Metallic/Silver Metallic	Silverchips/Ultra Charcoal	

Paint Break Custom Striping Tape

Paint Break Stripe, two color stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles.

Packaging 1 per case

	73810	73831	73860
	an Total Silver	Name of the state	100 T
	738-19 11/10" r 150 rel	738-31 15/76° x 1507 rol	738-40 11/10° x 1507 rest
Description	Fits Ford Aerostar, MY 1991-1992	Fits Ford Aerostar, MY 1991-1992	Fits Ford Aerostar, MY 1991-1992
Part Number	73810	73831	73860
UPC	0-00-51141-73810-9	0-00-51141-73831-4	0-00-51141-73860-4
Product Name	3M™ Scotchcal™ Paint Break Striping Tape	3M™ Scotchcal™ Paint Break Striping Tape	3M™ Scotchcal™ Paint Break Striping Tape
Color	Burgundy/Silver Metallic	Royal Blue/Silver Metallic	Camel Beige/Nutmeg
Size	11/16 in x 150 ft	11/16 in x 150 ft	11/16 in x 150 ft
	74006	74040	
	74006	74040	
	74006	74040	
Description	To the second se	The second secon	
<u> </u>	TO SEE SEE SEE SEE SEE SEE SEE SEE SEE SE	Total Advances	
Part Number	Tits Ford Ranger and F-Series Trucks	Tits Ford Ranger and F-Series Trucks	
Part Number UPC	Fits Ford Ranger and F-Series Trucks 74006	Fits Ford Ranger and F-Series Trucks 74040	
Description Part Number UPC Product Name Color	Fits Ford Ranger and F-Series Trucks 74006 0-00-51141-74006-5	Fits Ford Ranger and F-Series Trucks 74040 0-00-51141-74040-9	

Styline Multiple Color Custom Striping Tape

Two color, multiple stripe for professional use in matching existing stripes or creating original striping designs on vehicles. Also known as Styline.


Size 5/16 in x 150 ft
Packaging 1 per case

	74750	74754	74754	74750
	74750	74751	74754	74756
	Season (State CS) 197 - 197 - 197	Report Service (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Dense Aran, G	See
	747-41 3167 100 rel	741-51 510° x 50° rel	747-54 5107 x 507 rel	747-95 S16" x 150" rell
Part Number	74750	74751	74754	74756
UPC	0-00-51141-74750-7	0-00-51141-74751-4	0-00-51141-74754-5	0-00-51141-74756-9
Product Name	3M [™] Scotchcal [™] Styline Striping Tape	3M [™] Scotchcal [™] Styline Striping Tape	3M [™] Scotchcal [™] Styline Striping Tape	3M [™] Scotchcal [™] Styline Striping Tape
Color	Burgundy Metallic/Silver Metallic	Burgundy Metallic/Red	Charcoal Metallic/Silver Metallic	Black/Silver Metallic
	74759	74761	74764	74766
	See har Sill	No. 17.0 No.	Described SI (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	State of the State
	741.59 S167 x 160 red	743-69 5107 x 1007 rell	743-64 510° x 100° rell	743.66 GYE's 1507 real
Part Number	74759	74761	74764	74766
UPC	0-00-51141-74759-0	0-00-51141-74761-3	0-00-51141-74764-4	0-00-51141-74766-8
Product Name	3M [™] Scotchcal [™] Styline Striping Tape	3M [™] Scotchcal [™] Styline Striping Tape	3M [™] Scotchcal [™] Styline Striping Tape	3M [™] Scotchcal [™] Styline Striping Tape
Color	Dark Blue/Blue	Black/Red	Charcoal Metallic/Pewter	Black/Light Gold Metallic
	74776	74780	74782	
	Sections of the section of the secti	Services Ser	thems to the control of the control	
	747-76 5716" x 150" rell	747-88 S167 x 150 reli	747-82 516 x 150 reli	
Part Number	74776	74780	74782	
UPC	0-00-51141-74776-7	0-00-51141-74780-4	0-00-51141-74782-8	
Product Name	3M [™] Scotchcal [™] Styline Striping Tape	3M [™] Scotchcal [™] Styline Striping Tape	3M [™] Scotchcal [™] Styline Striping Tape	
Color	Black Stardust/Gold Starfire	Dark Red/Pewter	Silverchips/Ultra Charcoal	

Tri-Tone Custom Striping Tape

Three colored stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles. Also known as Tri-Tone.

Size 3/8 in x 150 ft
Packaging 1 per case



3M[™] Scotchcal[™] High Performance Custom Striping Tape: Double Striping Tape

Tape 687, 1/4 in x 150 ft

Double stripe pattern using one color for professional use in matching existing stripes or creating original striping designs on vehicles.

Size 1/4 in x 150 ft
Packaging 1 per case

	68701	68702	68703	68705
	> (9.4 60.4 10.6	7	9 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Part Number	68701	68702	68703	68705
UPC	0-00-51141-68701-8	0-00-51141-68702-5	0-00-51141-68703-2	0-00-51141-68705-6
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	White	Black	Gold	Silver Metallic
	68706	68709	68710	68717
	>	0.00 0.00	2 (C	35 T
Part Number	68706	68709	68710	68717
UPC	0-00-51141-68706-3	0-00-51141-68709-4	0-00-51141-68710-0	0-00-51141-68717-9
UI U				
Product Name	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape

$3M^{\text{\tiny TM}}$ Scotchcal $^{\text{\tiny TM}}$ High Performance Custom Striping Tape: Double Striping Tape

Tape 687, 1/4 in x 150 ft (continued)

	68719	68724	68728	68750
	2 E	22.54 02.54	2 (Career)	9 () () () () () () () () () () () () ()
Part Number	68719	68724	68728	68750
UPC	0-00-51141-68719-3	0-00-51141-68724-7	0-00-51141-68728-5	0-00-51141-68750-6
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Medium Gray	Dark Brown	Pewter	Light Charcoal Metallic
	_			_
	68773	68778	68779	68797
	68773	68778	68779	68797
Part Number		4===	×1	-3===
Part Number UPC	9 1.1 107 co	2 j	* 1	2
	68773	*:	68779	68797

Tape 707, 1/2 in x 50 ft

Double stripe pattern using one color for professional use in matching existing stripes or creating original striping designs on vehicles.

Size 1/2 in x 50 ft
Packaging 1 per case

	70701	70702	70703	70704
	79.41—	70 di	70.01	7
Part Number	70701	70702	70703	70704
UPC	0-00-51141-70701-3	0-00-51141-70702-0	0-00-51141-70703-7	0-00-51141-70704-4
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	White	Black	Gold Metallic	Red
	70705	70706	70707	70708
		70700	70707	70700
	7 A. 27 A.	757-00 774	10101	r:
Part Number		-	-:-	·
Part Number UPC	3 10 dd 32 rm	7) 44 27 cm	70 41 27 cs	70-44 77
	70705	704 — 70706	704 — 70707	70708

Striping Tape

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Double Striping Tape

Tape 707, 1/2 in x 50 ft (continued)

	70709	70710	70720	70750
	7 के 1 10 के -	75 TO M		70 M
Part Number	70709	70710	70720	70750
UPC	0-00-51141-70709-9	0-00-51141-70710-5	0-00-51141-70720-4	0-00-51141-70750-1
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Dark Blue	Burgundy	Silver Starfire	Light Charcoal Metallic
	70763	70785		
	70-43 30 mi	70-45 50 os —		
Part Number	70763	70785		
UPC	0-00-51141-70763-1	0-00-51141-70785-3		
Product Name	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape		
Color	Charcoal Metallic	Light Gold Metallic		

Tape 710, 3/16 in x 50 ft

Double stripe pattern using one color for professional use in matching existing stripes or creating original striping designs on vehicles.

Size 3/16 in x 50 ft
Packaging 1 per case

	71001	71002	71003	71004
	7481_	ਸ ਼ ਸਬ ਲਈ	7180 700	7148
Part Number	71001	71002	71003	71004
UPC	0-00-51141-71001-3	0-00-51141-71002-0	0-00-51141-71003-7	0-00-51141-71004-4
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	White	Black	Gold Metallic	Red
	71005	71,000	=400=	2 4000
	71003	71006	71007	71009
	71003	71006 *:====================================	71007	71009
Part Number	×2====		A)====	*2
Part Number UPC	7144 2 or	79.44 20 cm	7944 20 or	7148_ 20 or
	71005	71.006	71007	71009

$3M^{\text{\tiny TM}}$ Scotchcal $^{\text{\tiny TM}}$ High Performance Custom Striping Tape: Double Striping Tape

Tape 710, 3/16 in x 50 ft (continued)

	71010	71020	71050	71063
	704 -	708 708	7134 7031	760
Part Number	71010	71020	71050	71063
UPC	0-00-51141-71010-5	0-00-51141-71020-4	0-00-51141-71050-1	0-00-51141-71063-1
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Burgundy	Silver Starfire	Light Charcoal Metallic	Charcoal Metallic
	71085			
	7748 <u>———————————————————————————————————</u>			
Part Number	71085			
UPC	0-00-51141-71085-3			
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Light Gold Metallic			

Tape 713, 5/16 in x 50 ft

Double stripe pattern using one color for professional use in matching existing stripes or creating original striping designs on vehicles.

Packagii	ng 1 per case			
	71301	71302	71303	71304
	7134 50 mi	7104 50 mi	71140 50 rai	73.44 59 ml
Part Number	71301	71302	71303	71304
UPC	0-00-51141-71301-4	0-00-51141-71302-1	0-00-51141-71303-8	0-00-51141-71304-5
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	White	Black	Gold Metallic	Red
Size	5/16 in x 50 ft	5/16 in x 50 ft	5/16 in x 50 ft	5/16 in x 50 ft
	71305	71306	71307	71308
	71.86 50 vs	71)4 50 vii	7114 7114	77.34 197 vi
Part Number	71305	71306	71307	71308
UPC	0-00-51141-71305-2	0-00-51141-71306-9	0-00-51141-71307-6	0-00-51141-71308-3
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Silver Metallic	Buckskin	Brown	Blue
Size	5/16 in x 50 ft	5/16 in x 50 ft	5/16 in x 50 ft	5/16 in x 50 ft

Striping Tape

3M[™] Scotchcal[™] High Performance Custom Striping Tape: Double Striping Tape

Tape 713, 5/16 in x 50 ft (continued)

	,	,		
	71309	71310	71314	71316
	713-93 607 root	713-10 (50 rpl	713-14 (57 rpl	752-16 00 rei
Part Number	71309	71310	71314	71316
UPC	0-00-51141-71309-0	0-00-51141-71310-6	0-00-51141-71314-4	0-00-51141-71316-8
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Dark Blue	Burgundy	Light Slate Metallic	Black Stardust
Size	5/16 in x 50 ft			
	71317	71319	71320	71321
			w2.0	
	711-17 © rest	713-19 © rol	719-20 50 red	713-21 © rel
Part Number	71317	71319	71320	71321
JPC	0-00-51141-71317-5	0-00-51141-71319-9	0-00-51141-71320-5	0-00-51141-71321-2
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Tan	Medium Gray	Silver Starfire	Nutmeg
Size	5/16 in x 50 ft			
	71323	71324	71325	71331
	*	× 2	×3	16 (i)
	713-23 50 reit	713-24 50 rpi	713-25 50 rpl	713-31 507 rpil
Part Number	71323	71324	71325	71331
UPC	0-00-51141-71323-6	0-00-51141-71324-3	0-00-51141-71325-0	0-00-51141-71331-1
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Silverchips	Dark Brown	Gold Starfire	Royal Blue
Size	5/16 in x 50 ft			
	71350	71356	71360	71363
	713.44	75.56	735.60	7 h
Part Number	71350	71356	71360	71363
Part Number JPC	0-00-51141-71350-2	0-00-51141-71356-4	0-00-51141-71360-1	0-00-51141-71363-2
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Light Charcoal Metallic	Bright White	Camel Beige	Charcoal Metallic
Size	5/16 in x 50 ft			
J120	3/ 10 III X 30 It	3/ TO III A 30 IL	3/ TO III A 30 IL	3/ 10 III X 30 IL

3M[™] Scotchcal[™] High Performance Custom Striping Tape: Double Striping Tape

Tape 713, 5/16 in x 50 ft (continued)

	74.005	71200	74007	71.270
	71365	71366	71367	71370
		- C-	- 21	
	712-65 60 reli	711-65 50 rps	711-67 07 min	713-70 00 rei
Part Number	71365	71366	71367	71370
UPC	0-00-51141-71365-6	0-00-51141-71366-3	0-00-51141-71367-0	0-00-51141-71370-0
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Dark Blue Metallic	Dark Red	Bright Yellow	Brown Metallic
Size	5/16 in x 150 ft	5/16 in x 50 ft	5/16 in x 50 ft	5/16 in x 50 ft
	71373	71374	71376	71378
	>-2	× 5	×:	7- ×
	711-73 00 rei	713-74 507 rpil	713-76 50 rpl	713-78 50 rpt
Part Number	71373	71374	71376	71378
UPC	0-00-51141-71373-1	0-00-51141-71374-8	0-00-51141-71376-2	0-00-51141-71378-6
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Gray	Burgundy Metallic	Tomato Red	Pastel Sandstone
Size	5/16 in x 50 ft			
	71379	71383	71385	71397
	70 m	× 5	× 5	× ;
	713-78 00 rel	713-83 50 rei	713-85 50 rei	713-97 50 rpl
Part Number	71379	71383	71385	71397
UPC	0-00-51141-71379-3	0-00-51141-71383-0	0-00-51141-71385-4	0-00-51141-71397-7
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Pale Gray	Medium Silver Metallic	Light Gold Met	Med Dark Gray
Size	5/16 in x 50 ft			
	71399			
	No. of Contract			
	711-91 707 mi			
Part Number	71399			
UPC	0-00-51141-71399-1			
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Bright Gold Metallic			
Size	5/16 in x 50 ft			

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Double Striping Tape

Tape 720, 3/16 in x 150 ft

Double stripe pattern using one color for professional use in matching existing stripes or creating original striping designs on vehicles.

Size 3/16 in x 150 ft
Packaging 1 per case

	72001	72002	72003	72004
	yr ½	76. Å	35 to 100	y, 2
	726-01 1007 mm	726-02 100 min	726-03 1007 vois	728-94 1507 resi
Part Number	72001	72002	72003	72004
UPC	0-00-51141-72001-2	0-00-51141-72002-9	0-00-51141-72003-6	0-00-51141-72004-3
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	White	Black	Gold Metallic	Red
	72005	72006	72007	72008
	yo. (i) P	50 G II	y: 0 1	×- ∰ 1
	728-05 1507 roll	728-95 1507 rest	726-07 1007 roll	725-88 1507 roli
Part Number	72005	72006	72007	72008
UPC	0-00-51141-72005-0	0-00-51141-72006-7	0-00-51141-72007-4	0-00-51141-72008-1
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Silver Metallic	Buckskin	Brown	Blue
	72009	72010	72012	72014
	70 m	×21======	y: 0 1	×- <u>€</u> *
	728-03 1507 resi	728-10 100 res	728-12 1007 voli	726-14 100 roli
Part Number	72009	72010	72012	72014
UPC	0-00-51141-72009-8	0-00-51141-72010-4	0-00-51141-72012-8	0-00-51141-72014-2
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Dark Blue	Burgundy	Ultra Charcoal	Light Slate Metallic
	72016	72017	72019	72020
	ye 2	N-2	κ. ⁸ .	×.51====================================
	728-15 1507 resi	726-17 100 res	726-19 100 rel	779-20 100 rel
Part Number	72016	72017	72019	72020
UPC	0-00-51141-72016-6	0-00-51141-72017-3	0-00-51141-72019-7	0-00-51141-72020-3
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Black Stardust	Tan	Medium Gray	Silver Starfire

3M[™] Scotchcal[™] High Performance Custom Striping Tape: Double Striping Tape

Tape 720, 3/16 in x 150 ft (continued)

	72021	72023	72024	72025
	y. 2	× §	y, 5 t	y. 5
	728-21 100 rei	728-23 150 rpi	728-24 150 rpl	728-25 100 rel
Part Number	72021	72023	72024	72025
UPC	0-00-51141-72021-0	0-00-51141-72023-4	0-00-51141-72024-1	0-00-51141-72025-8
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Nutmeg	Silverchips	Dark Brown	Gold Starfire
	72028	72031	72041	72050
	7633 2000 —	76-7 76-7	78-4 78-4	75 de
Part Number	72028	72031	72041	72050
UPC	0-00-51141-72028-9	0-00-51141-72031-9	0-00-51141-72041-8	0-00-51141-72050-0
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Pewter	Royal Blue	Azure Blue	Light Charcoal Metallic
	72051	72056	72060	72063
	778-51 778-51	72-54 725-64	> :	72.43 170.43
Part Number	72051	72056	72060	72063
UPC	0-00-51141-72051-7	0-00-51141-72056-2	0-00-51141-72060-9	0-00-51141-72063-0
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Dark Tundra	Bright White	Camel Beige	Charcoal Metallic
	72065	72066	72069	72070
	.:	.:-	.:	.:-
	728-55 1907 red	728-66 100 res	728-69 100 res	728-78 100 rei
Part Number	72065	72066	72069	72070
UPC	0-00-51141-72065-4	0-00-51141-72066-1	0-00-51141-72069-2	0-00-51141-72070-8
Product Name	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Dark Blue Metallic	Dark Red	Dark Green	Brown Metallic
	72073	72074	72076	72078
	76-52 728-72	76 P4	76-54 778-76	76 % 705 m
Part Number	72073	72074	^{150 red} 72076	72078
UPC	0-00-51141-72073-9	0-00-51141-72074-6	0-00-51141-72076-0	0-00-51141-72078-4
Product Name	3M™ Scotchcal™ Striping Tape			
	1 0 111	. 5	. 5	

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Double Striping Tape

Tape 720, 3/16 in x 150 ft (continued)

	72079	72083	72085	72093
	n j	75 G	758 ————————————————————————————————————	788_
Part Number	72079	72083	72085	72093
UPC	0-00-51141-72079-1	0-00-51141-72083-8	0-00-51141-72085-2	0-00-51141-72093-7
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Pale Gray	Medium Silver Metallic	Light Gold Metallic	Low Gloss Black
	72097	72099		
	7289 107 rai	72.8 107 mi		
Part Number	72097	72099		
UPC	0-00-51141-72097-5	0-00-51141-72099-9		
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape		
Color	Medium Dark Gray	Bright Gold Metallic		

Tape 721, 7/16 in x 150 ft

Double stripe pattern using one color for professional use in matching existing stripes or creating original striping designs on vehicles.

Size 7/16 in x 150 ft
Packaging 1 per case

	72101	72102	72103	72104
	, c)	, 21	, 21	
	721-01 1907 rpi	721-02 1907 roll	721-03 150 rel	721-04 1507 yell
Part Number	72101	72102	72103	72104
UPC	0-00-51141-72101-9	0-00-51141-72102-6	0-00-51141-72103-3	0-00-51141-72104-0
Product Name	3M™ Scotchcal™ Striping Tape			
Color	White	Black	Gold Metallic	Red
	72105	72106	72107	72109
	72105	72106	72107	72109
Part Number	=		4	AS
Part Number UPC	771-84 100 cm	711 d 10 m	771-8 171-8 107-00	ル:
	ns. ™s. 72105	72106	72107	72109

$3M^{\text{\tiny TM}}$ Scotchcal $^{\text{\tiny TM}}$ High Performance Custom Striping Tape: Double Striping Tape

Tape 721, 7/16 in x 150 ft (continued)

	72110	72114	72128	72150
	A STATE OF THE STA	A Parameter Annual Para	A II	70 de
Part Number	72110	72114	72128	72150
UPC	0-00-51141-72110-1	0-00-51141-72114-9	0-00-51141-72128-6	0-00-51141-72150-7
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Burgundy	Light Slate Metallic	Pewter	Light Charcoal Metallic
	72163	72165	72166	72176
	*	*	*:====================================	n=
Part Number	72163	72165	72166	72176
UPC	0-00-51141-72163-7	0-00-51141-72165-1	0-00-51141-72166-8	0-00-51141-72176-7
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Charcoal Metallic	Dark Blue Metallic	Dark Red	Tomato Red
	72183	72185		
	77.14 100 nor	77.8 107 no		
Part Number	72183	72185		
UPC	0-00-51141-72183-5	0-00-51141-72185-9		
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape		
Color	Medium Silver Metallic	Light Gold Metallic		

Tape 722, 1/4 in x 150 ft

Double stripe pattern using one color for professional use in matching existing stripes or creating original striping designs on vehicles.

Size 1/4 in x 150 ft
Packaging 1 per case

	72201	72202	72203	72204
			1000 A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	722-41 (507 rail	722-42 (507 ont	722-40 150 resi	772-84 (Std off
Part Number	72201	72202	72203	72204
UPC	0-00-51141-72201-6	0-00-51141-72202-3	0-00-51141-72203-0	0-00-51141-72204-7
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	White	Black	Gold Metallic	Red

3M[™] Scotchcal[™] High Performance Custom Striping Tape: Double Striping Tape

Tape 722, 1/4 in x 150 ft (continued)

	72205	72206	72207	72209
	722-05	722-06	722-07	722-09
	190 reil	190 rol	190 rol	100 rei
Part Number	72205	72206	72207	72209
UPC	0-00-51141-72205-4	0-00-51141-72206-1	0-00-51141-72207-8	0-00-51141-72209-2
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Silver Metallic	Buckskin	Brown	Dark Blue
	72210	72212	72214	72216
	722-19 1007 rept	723-12 1507 rpl	728-14 100 rpi	722-16
Part Number	72210	72212	72214	72216
UPC	0-00-51141-72210-8	0-00-51141-72212-2	0-00-51141-72214-6	0-00-51141-72216-0
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Burgundy	Ultra Charcoal	Light Slate Metallic	Black Stardust
	72223	72220	72224	72225
	× 5 =======	× 24	w St	× 2
	723-23 193 rei	772-70 (50 red	728-24 100 mi	725-25 100 rel
Part Number	72223	72220	72224	72225
JPC	0-00-51141-72223-8	0-00-51141-72220-7	0-00-51141-72224-5	0-00-51141-72225-2
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Silverchips	Silver Starfire	Dark Brown	Gold Starfire
	72228	72250	72256	72260
	4.5	434	4 S =	<u></u>
	722-28 100 rai	728-50 1007-rpi	722-56 1907 roll	722-60 150 rol
Part Number	72228	72250	72256	72260
JPC	0-00-51141-72228-3	0-00-51141-72250-4	0-00-51141-72256-6	0-00-51141-72260-3
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Pewter	Light Charcoal Metallic	Bright White	Camel Beige
	72263	72265	72266	72273
	y 6 (======	y 5	×5	×21=====
	772-63 100 rai	722-65 1007-rpil	722-66 1907 rol	722-73 1507 rpi
Part Number	72263	72265	72266	72273
UPC	0-00-51141-72263-4	0-00-51141-72265-8	0-00-51141-72266-5	0-00-51141-72273-3
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
	i i i i i i i i i i i i i i i i i i i	i i i i i i i i i i i i i i i i i i i	Journal Julying Jupo	

$3M^{\text{\tiny TM}}$ Scotchcal $^{\text{\tiny TM}}$ High Performance Custom Striping Tape: Double Striping Tape

Tape 722, 1/4 in x 150 ft (continued)

	72274	72276	72278	72283
	7534_	713.7 103.0	713.7 103.0	7 (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
Part Number	72274	72276	72278	72283
UPC	0-00-51141-72274-0	0-00-51141-72276-4	0-00-51141-72278-8	0-00-51141-72283-2
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Burgundy Metallic	Tomato Red	Pastel Sandstone	Medium Silver Metallic
	72285	72297		
	7 12.8 107 ra	778-87 107 mil		
Part Number	72285	72297		
UPC	0-00-51141-72285-6	0-00-51141-72297-9		
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape		
Color	Light Gold Metallic	Medium Dark Gray		

Tape 723, 5/16 in x 150 ft

Double stripe pattern using one color for professional use in matching existing stripes or creating original striping designs on vehicles.

Size 5/16 in x 150 ft
Packaging 1 per case

	72301	72302	72303	72304
	722 d 100 of	73.4 73.6	72.4 72.6	77344—
Part Number	72301	72302	72303	72304
UPC	0-00-51141-72301-3	0-00-51141-72302-0	0-00-51141-72303-7	0-00-51141-72304-4
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	White	Black	Gold Metallic	Red
	72305	72306	72307	72308
	A2	*:	». E.V	*
	723-05 1907 rpsi	773-95 100 rei	723-07 100 red	723-81 100 mpl
Part Number	72305	72306	72307	⁷²³ − 72308
Part Number UPC				
	72305	72306	72307	72308

3M[™] Scotchcal[™] High Performance Custom Striping Tape: Double Striping Tape

Tape 723, 5/16 in x 150 ft (continued)

	72309	72310	72312	72314
	723-05	723-10	723-12	723-14
	150 rpl -	100 rpi	1907 roi	190 reil -
Part Number	72309	72310	72312	72314
UPC	0-00-51141-72309-9	0-00-51141-72310-5	0-00-51141-72312-9	0-00-51141-72314-3
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Dark Blue	Burgundy	Ultra Charcoal	Light Slate Metallic
	72316	72317	72319	72320
	723-16 100 rel	7- 1 100 res	723-91 100 mpr	75 %
Part Number	72316	72317	72319	72320
UPC	0-00-51141-72316-7	0-00-51141-72317-4	0-00-51141-72319-8	0-00-51141-72320-4
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Black Stardust	Tan	Medium Gray	Silver Starfire
	72321	72323	72324	72325
	*- §	>]	× 6	×-}
	723-21 (907 rps)	723-23 100 res	723-24 (50) oili	723-25 100 -uii
Part Number	72321	72323	72324	72325
UPC	0-00-51141-72321-1	0-00-51141-72323-5	0-00-51141-72324-2	0-00-51141-72325-9
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Nutmeg	Silverchips	Dark Brown	Gold Starfire
	72328	72331	72341	72350
	70 G N	×:	×:	76 G
	723-28 150 rps	723-31 (33 रुग	723-41 (50 rail	723-50 (50) res
Part Number	72328	72331	72341	72350
JPC	0-00-51141-72328-0	0-00-51141-72331-0	0-00-51141-72341-9	0-00-51141-72350-1
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Pewter	Royal Blue	Azure Blue	Light Charcoal Metallic
	72351	72356	72360	72363
	723-91 707 rel	75	72.44 100 pt	7-2-43 100 pt
Part Number	72351	72356	72360	72363
UPC	0-00-51141-72351-8	0-00-51141-72356-3	0-00-51141-72360-0	0-00-51141-72363-1
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Dark Tundra	Bright White	Camel Beige	Charcoal Metallic

3M[™] Scotchcal[™] High Performance Custom Striping Tape: Double Striping Tape

Tape 723, 5/16 in x 150 ft (continued)

	72365	72366	72367	72368
	я i ———————————————————————————————————	5 - 2 70 - 2	70 de -	70.00 10.00
Part Number	72365	72366	72367	72368
UPC	0-00-51141-72365-5	0-00-51141-72366-2	0-00-51141-72367-9	0-00-51141-72368-6
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Dark Blue Metallic	Dark Red	Bright Yellow	Bright Orange
	72369	72370	72373	72374
	∴ - 100 5-	72.70 72.70	703 T	73.4 73.4
Part Number	72369	72370	72373	72374
UPC	0-00-51141-72369-3	0-00-51141-72370-9	0-00-51141-72373-0	0-00-51141-72374-7
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Dark Green	Brown Metallic	Gray	Burgundy Metallic
	72376	72378	72379	72383
	72.14 1937 or —	723-71 193 ou	723-71 1937 on	773-86 159 mil
Part Number	72376	72378	72379	72383
UPC	0-00-51141-72376-1	0-00-51141-72378-5	0-00-51141-72379-2	0-00-51141-72383-9
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Tomato Red	Pastel Sandstone	Pale Gray	Medium Silver Metallic
	72385	72393	72397	72399
	nia	70 d	5-7 703 (F	76 d
Part Number	72385	72393	72397	72399
UPC	0-00-51141-72385-3	0-00-51141-72393-8	0-00-51141-72397-6	0-00-51141-72399-0
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Light Gold Metallic	Low Gloss Black	Medium Dark Gray	Bright Gold Metallic

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Double Striping Tape

Tape 724, 1/2 in x 150 ft

Double stripe pattern using one color for professional use in matching existing stripes or creating original striping designs on vehicles.

Size 1/2 in x 150 ft
Packaging 1 per case

	72401	72402	72403	72404
			MARCO CAPACITO	
	× 2	× 5	* }	» (
	124-01 (007-red	100 ra	100 val	1/24-04 100 reli
Part Number	72401	72402	72403	72404
UPC	0-00-51141-72401-0	0-00-51141-72402-7	0-00-51141-72403-4	0-00-51141-72404-1
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	White	Black	Gold Metallic	Red
	72405	72406	72407	72408
	724.05	724.65	724.07	72.03
Part Number	72405	72406	72407	72408
UPC	0-00-51141-72405-8	0-00-51141-72406-5	0-00-51141-72407-2	0-00-51141-72408-9
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Silver Metallic	Buckskin	Brown	Blue
COIOI	72409	72410	72412	72414
	72409	72410	72412	72414
	y 2	, :	» * I	, S .
	724-09 100 real	724-10 100 res	724-12 (50) नव	724-14 1007-mi
Part Number	72409	72410	72412	72414
UPC	0-00-51141-72409-6	0-00-51141-72410-2	0-00-51141-72412-6	0-00-51141-72414-0
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Dark Blue	Burgundy	Ultra Charcoal	Light Slate Metallic
	72416	72417	72419	72420
	× 5	×	×2	× č
	724-16 1907 roll	724-17 100 rol	724-19 100 res	774-70 150 roll
Part Number	72416	72417	72419	72420
UPC	0-00-51141-72416-4	0-00-51141-72417-1	0-00-51141-72419-5	0-00-51141-72420-1
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Black Stardust	Tan	Medium Gray	Silver Starfire

3M[™] Scotchcal[™] High Performance Custom Striping Tape: Double Striping Tape

Tape 724, 1/2 in x 150 ft (continued)

	72423	72425	72428	72431
	× 3	× 3	2 Å	> 3
	124-23 1007 reil	724-25 100 rel	724-28 100 rel	724-31 100 rei
Part Number	72423	72425	72428	72431
UPC	0-00-51141-72423-2	0-00-51141-72425-6	0-00-51141-72428-7	0-00-51141-72431-7
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Silverchips	Gold Starfire	Pewter	Royal Blue
	72441	72450	72451	72456
	75-61 107 rei	74-59 107 rei	78-51 107 mi	78-55 107 mi
Part Number	72441	72450	72451	72456
UPC	0-00-51141-72441-6	0-00-51141-72450-8	0-00-51141-72451-5	0-00-51141-72456-0
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Azure Blue	Light Charcoal Metallic	Dark Tundra	Bright White
	72460	72463	72465	72466
	724-90 1007-pil	724-63 1907 rol	724-65 1907-red	724-66 100 red
Part Number	72460	72463	72465	72466
UPC	0-00-51141-72460-7	0-00-51141-72463-8	0-00-51141-72465-2	0-00-51141-72466-9
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Camel Beige	Charcoal Metallic	Dark Blue Metallic	Dark Red
	72469	72470	72474	72476
	724-65 170 ce	74-79 70-79	76-74 170 mm	74-75 170 mm
Part Number	72469	72470	72474	72476
UPC	0-00-51141-72469-0	0-00-51141-72470-6	0-00-51141-72474-4	0-00-51141-72476-8
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Dark Green	Brown Metallic	Burgundy Metallic	Tomato Red
	72478	72483	72485	72499
	× 2	× 2	×ŝ	× 2
	744-79 150 mil	774-83 100 mm	724-85 1907 real	734-99 100 rpl
Part Number	72478	72483	72485	72499
UPC	0-00-51141-72478-2	0-00-51141-72483-6	0-00-51141-72485-0	0-00-51141-72499-7
Product Name	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Pastel Sandstone	Medium Silver Metallic	Light Gold Metallic	Bright Gold Metallic

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Double Striping Tape

Tape 725, 3/8 in x 150 ft

Double stripe pattern using one color for professional use in matching existing stripes or creating original striping designs on vehicles.

Size 3/8 in x 150 ft
Packaging 1 per case

	72501	72502	72503	72504
	3 () () () () () () () () () (775.02	775.03	3 × 5 1
	100 rei	100 mi	1007-100	100 real
Part Number	72501	72502	72503	72504
UPC	0-00-51141-72501-7	0-00-51141-72502-4	0-00-51141-72503-1	0-00-51141-72504-8
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	White	Black	Gold Metallic	Red
	72505	72506	72507	72508
	725-45 1937 oil	5 - 2 723-46 1037 mi	> () 793-47 100 oil	> [] 775-01 107 rise
Part Number	72505	72506	72507	72508
UPC	0-00-51141-72505-5	0-00-51141-72506-2	0-00-51141-72507-9	0-00-51141-72508-6
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Silver Metallic	Buckskin	Brown	Blue
	72509	72510	72512	72514
	× £	× 8	× 8	× 2
	725-93 1507 rpi	725-10 100 rpi	725-12 1507 rpil	725-14 150 roll
Part Number	72509	72510	72512	72514
UPC	0-00-51141-72509-3	0-00-51141-72510-9	0-00-51141-72512-3	0-00-51141-72514-7
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Dark Blue	Burgundy	Ultra Charcoal	Light Slate Metallic
	72517	72520	72523	72528
	725-17 1727 m	75 % 	75-23 75-32	775-54 175-64
Part Number	72517	72520	72523	72528
UPC	0-00-51141-72517-8	0-00-51141-72520-8	0-00-51141-72523-9	0-00-51141-72528-4
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape

$3M^{\text{\tiny TM}}$ Scotchcal $^{\text{\tiny TM}}$ High Performance Custom Striping Tape: Double Striping Tape

Tape 725, 3/8 in x 150 ft (continued)

	72550	72560	72563	72565
	75-54 75-54	> 1	> 1	2 E 723-04
Part Number	72550	72560	72563	72565
UPC	0-00-51141-72550-5	0-00-51141-72560-4	0-00-51141-72563-5	0-00-51141-72565-9
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Light Charcoal Metallic	Camel Beige	Charcoal Metallic	Dark Blue Metallic
	72566	72570	72574	72576
	* I	* :	* E	7:
Part Number	72566	72570	72574	72576
UPC	0-00-51141-72566-6	0-00-51141-72570-3	0-00-51141-72574-1	0-00-51141-72576-5
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Dark Red	Brown Metallic	Burgundy Metallic	Tomato Red
	72578	72583	72585	72599
	78-38 107 cs	75-6 197 vii	73-84 197 roi	7
Part Number	72578	72583	72585	72599
UPC	0-00-51141-72578-9	0-00-51141-72583-3	0-00-51141-72585-7	0-00-51141-72599-4
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Pastel Sandstone	Medium Silver Metallic	Light Gold Metallic	Bright Gold Metallic

Tape 732, 1/4 in x 150 ft

Double stripe pattern using one color for professional use in matching existing stripes or creating original striping designs on vehicles.

Packaging 1 per case

	73201	73202	73203	73204
	735-01 100 res	735-02 (107 res	725-43 100 res	723.44 (93 opt
Part Number	73201	73202	73203	73204
UPC	0-00-51141-73201-5	0-00-51141-73202-2	0-00-51141-73203-9	0-00-51141-73204-6
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	White	Black	Gold Metallic	Red
Size	1/8 in x 150 ft	1/4 in x 150 ft	1/4 in x 150 ft	1/4 in x 150 ft


3M[™] Scotchcal[™] High Performance Custom Striping Tape: Double Striping Tape

Tape 732, 1/4 in x 150 ft (continued)

	73205	73206	73207	73209
	× 5 (m)	× 5	× 3 	> (
	132-65 1007 epi	732-05 1007 rol	732-07 1007 rol	732-03 1007 rpt
Part Number	73205	73206	73207	73209
UPC	0-00-51141-73205-3	0-00-51141-73206-0	0-00-51141-73207-7	0-00-51141-73209-1
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Silver Metallic	Buckskin	Brown	Dark Blue
Size	1/4 in x 150 ft			
	73210	73212	73214	73216
	× 81	× 8	* 8	× 2 (
	732-16 1507 rpii	738-12 100 roi	732-14 1007 rpi	732-16 100' rol
Part Number	73210	73212	73214	73216
UPC	0-00-51141-73210-7	0-00-51141-73212-1	0-00-51141-73214-5	0-00-51141-73216-9
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Burgundy	Ultra Charcoal	Light Slate Metallic	Black Stardust
Size	1/4 in x 150 ft			
	73219	73220	73221	73223
	× § (× 9 =======	* [1	* }
	732-19 1507 repl	72:70 150 rei	732-21 100 rpl	732-23 100 rei
Part Number	73219	73220	73221	73223
UPC	0-00-51141-73219-0	0-00-51141-73220-6	0-00-51141-73221-3	0-00-51141-73223-7
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Medium Gray	Silver Starfire	Nutmeg	Silverchips
Size	1/4 in x 150 ft			
	73225	73250	73251	73256
	732-25 702 rai	733-54 1907 rol	722-51 100 mi	722-56 1937 pt
Part Number	73225	73250	73251	73256
UPC	0-00-51141-73225-1	0-00-51141-73250-3	0-00-51141-73251-0	0-00-51141-73256-5
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Gold Starfire	Light Charcoal Metallic	Dark Tundra	Bright White
Size	1/4 in x 150 ft			

3M[™] Scotchcal[™] High Performance Custom Striping Tape: Double Striping Tape

Tape 732, 1/4 in x 150 ft (continued)



3M[™] Scotchcal[™] High Performance Custom Striping Tape: Multiple Striping Tape

Tape 696, 11/16 in x 150 ft

One color, multiple stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles.



	69602	69603	69604	69605
	5 E E E E E E E E E E E E E E E E E E E	3 B B B B B B B B B B B B B B B B B B B	56.44 56.47	5 (10 de -
Part Number	69602	69603	69604	69605
UPC	0-00-51141-69602-7	0-00-51141-69603-4	0-00-51141-69604-1	0-00-51141-69605-8
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Black	Gold Metallic	Red	Silver Metallic

3M[™] Scotchcal[™] High Performance Custom Striping Tape: Multiple Striping Tape

Tape 696, 11/16 in x 150 ft (continued)

	69641	69650	69663	69685
	· •		· .	» <u> </u>
	636-41 1507 rpt	834-90 1197 rpt	636-63 1937 rpt	69583 1507 rest
Part Number	69641	69650	69663	69685
UPC	0-00-51141-69641-6	0-00-51141-69650-8	0-00-51141-69663-8	0-00-51141-69685-0
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Azure Blue	Light Charcoal Metallic	Charcoal Metallic	Light Gold Metallic

3M[™] Scotchcal[™] High Performance Custom Striping Tape: Single Striping Tape

Tape 701, 1/16 in x 40 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 1/16 in x 40 ft
Packaging 1 per case

	704.04	704.00	70400	70404
	70101	70102	70103	70104
	y	у	×	у
	701-01 20 rpl	701-02 07 vpl	791-43 47 rpl	781-04 80 rpl
Part Number	70101	70102	70103	70104
UPC	0-00-51141-70101-1	0-00-51141-70102-8	0-00-51141-70103-5	0-00-51141-70104-2
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	White	Black	Gold Metallic	Red
	70105	70106	70107	70108
	×	y. <u> </u>	7- <u> </u>	ж-
	791-05 47 vpi	791-95 40 rpi	701-07 407 roll	791-03 40 rpi
Part Number	70105	70106	70107	70108
UPC	0-00-51141-70105-9	0-00-51141-70106-6	0-00-51141-70107-3	0-00-51141-70108-0
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Silver Metallic	Buckskin	Brown	Blue
	70109	70110	70119	70120
	×	y	yv 	×
	791-09 407 rpi	701-10 407 rpl	781-19 40 rpl	761-26 47 rpl
Part Number	70109	70110	70119	70120
UPC	0-00-51141-70109-7	0-00-51141-70110-3	0-00-51141-70119-6	0-00-51141-70120-2
Product Name	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Dark Blue	Burgundy	Medium Gray	Silver Starfire

Tape 701, 1/16 in x 40 ft (continued)

	70123	70150	70163	70166
	7.00 7.00	7. 2008—	70.0 20.00	70 M
Part Number	70123	70150	70163	70166
UPC	0-00-51141-70123-3	0-00-51141-70150-9	0-00-51141-70163-9	0-00-51141-70166-0
Product Name	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Silverchips	Light Charcoal Metallic	Charcoal Metallic	Dark Red
	70167	70168	70176	70193
	70167 	70168	70176	70193
Part Number			-	-
Part Number UPC	5. 1942. ≪ ⊕	77	7134	71.0
	70167	70168	70176	70193

Tape 702, 1/8 in x 40 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 1/8 in x 40 ft
Packaging 1 per case

	70201	70202	70203	70204
			BOOK STATE	
	792-41 407 rest	785-42 42 rpt	792-43 40 res	785-04 407 ppt
Part Number	70201	70202	70203	70204
UPC	0-00-51141-70201-8	0-00-51141-70202-5	0-00-51141-70203-2	0-00-51141-70204-9
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	White	Black	Gold Metallic	Red
	70205	70206	70207	70208
	710 0 20 20	70 4 27 40 —	,	70 A 20 A
Part Number	70205	70206	70207	70208
				-00 (80
Part Number UPC Product Name	70205	70206	70207	70208

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Single Striping Tape

Tape 702, 1/8 in x 40 ft (continued)

	70209	70210	70212	70214
	782-09 40 rpi	702-10 40 mil	782-12 यी गर्म	782-14 40 rei
Part Number	70209	70210	70212	70214
JPC	0-00-51141-70209-4	0-00-51141-70210-0	0-00-51141-70212-4	0-00-51141-70214-8
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Dark Blue	Burgundy	Ultra Charcoal	Light Slate Metallic
00101	70220	70223	70250	70263
	70220	10223	10230	10203
	>	×	×	34
	702-29 407 rpil	765-23 47 rpl	792-50 40 rpl	782-63 407 rpt
Part Number	70220	70223	70250	70263
UPC	0-00-51141-70220-9	0-00-51141-70223-0	0-00-51141-70250-6	0-00-51141-70263-6
Product Name	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Silver Starfire	Silverchips	Light Charcoal Metallic	Charcoal Metallic
	70266	70267	70268	70269
	» <u> </u>	36 ·	34 ·	э
	102-00 42 res	स्थित । वर्ष क्या	112-01 वर्ष गूर्वा	102-05 3() 7(1)
Part Number	70266	70267	70268	70269
UPC	0-00-51141-70266-7	0-00-51141-70267-4	0-00-51141-70268-1	0-00-51141-70269-8
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Dark Red	Bright Yellow	Bright Orange	Dark Green
	70273	70276	70283	70285
	782-73 40 rei	792-76 47 rei	792-63 47 rei	702-85 40 rpi
Part Number	70273	70276	70283	70285
JPC	0-00-51141-70273-5	0-00-51141-70276-6	0-00-51141-70283-4	0-00-51141-70285-8
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Gray	Tomato Red	Medium Silver Metallic	Light Gold Metallic
	70293			3 ****
	7.0250			
	36.			
	782-83 87 rel			
Part Number	70293			
UPC	0-00-51141-70293-3			
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Low Gloss Black			

Tape 703, 1/4 in x 40 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 1/4 in x 40 ft
Packaging 1 per case

	70301	70302	70303	70304
			WAS TONE	
	785-01 4) or	711-42 41 of	711-43 47 of	713-44 47 mil
Part Number	70301	70302	70303	70304
UPC	0-00-51141-70301-5	0-00-51141-70302-2	0-00-51141-70303-9	0-00-51141-70304-6
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	White	Black	Gold Metallic	Red
	70305	70306	70307	70308
	783-65 47 roi	793-65 47 rpl	793-47 40 reil	783-03 407 mil
Part Number	70305	70306	70307	70308
UPC	0-00-51141-70305-3	0-00-51141-70306-0	0-00-51141-70307-7	0-00-51141-70308-4
Product Name	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Silver Metallic	Buckskin	Brown	Blue
	70309	70310	70314	70317
	783.00	703-90	703-54	780-11
Part Number	70309	70310	70314	70317
UPC	0-00-51141-70309-1	0-00-51141-70310-7	0-00-51141-70314-5	0-00-51141-70317-6
Product Name	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Dark Blue	Burgundy	Light Slate Metallic	Tan
	70320	70323	70350	70363
	76-18 43 rai	783-23 47 cst	783-58 47 os	78-43 40 ml
Part Number	70320	70323	70350	70363
UPC	0-00-51141-70320-6	0-00-51141-70323-7	0-00-51141-70350-3	0-00-51141-70363-3
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Silver Starfire	Silverchips	Light Charcoal Metallic	Charcoal Metallic

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Single Striping Tape

Tape 703, 1/4 in x 40 ft (continued)

	70366	70367	70368	70376
	783-66 	783-47	783-68 80 (10)	783-76 20 mi
Part Number	70366	70367	70368	70376
UPC	0-00-51141-70366-4	0-00-51141-70367-1	0-00-51141-70368-8	0-00-51141-70376-3
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Dark Red	Bright Yellow	Bright Orange	Tomato Red
	70383	70385	70393	
	1840 40 mi	70 Mid. 4 m m m m m m m m m m m m m m m m m m	78-04 78-04	
Part Number	70383	70385	70393	
UPC	0-00-51141-70383-1	0-00-51141-70385-5	0-00-51141-70393-0	
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	

Tape 705, 3/16 in x 40 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 3/16 in x 40 ft
Packaging 1 per case

	70501	70502	70503	70504
	A	К	24341 C 413	-
	785-01 47 rel	785-02 43 rel	785-83 47 rel	785-04 47 rol
Part Number	70501	70502	70503	70504
UPC	0-00-51141-70501-9	0-00-51141-70502-6	0-00-51141-70503-3	0-00-51141-70504-0
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	White	Black	Gold Metallic	Red
	70505	70508	70509	70510
	76 49 47 58	75.44 40.56	ा 76.0 थ ज	78-11
Part Number	70505	70508	70509	70510
Part Number UPC				
	70505	70508	70509	70510

Tape 705, 3/16 in x 40 ft (continued)

	70520	70550	70563	70576
	7	764-50 20 rpl	745-63 40 rpi	765-74 40 7 mi
Part Number	70520	70550	70563	70576
UPC	0-00-51141-70520-0	0-00-51141-70550-7	0-00-51141-70563-7	0-00-51141-70576-7
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Silver Starfire	Light Charcoal Metallic	Charcoal Metallic	Tomato Red

Tape 726, 1/4 in x 150 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 1/4 in x 150 ft
Packaging 1 per case

	72601	72602	72603	72604
	78-41	78-64 107 cm	76.60 105 or -	78-64 107 of
Part Number	72601	72602	72603	72604
UPC	0-00-51141-72601-4	0-00-51141-72602-1	0-00-51141-72603-8	0-00-51141-72604-5
Product Name	3M™ Scotchcal™ Striping Tape			
Color	White	Black	Gold Metallic	Red
	72605	72606	72607	72608
	78.0	TO SEC.	TABLE	75 de
Part Number	72605	72606	72607	72608
UPC	0-00-51141-72605-2	0-00-51141-72606-9	0-00-51141-72607-6	0-00-51141-72608-3
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Silver Metallic	Buckskin	Brown	Blue
	72609	72610	72612	72614
	71-9	75-54 10-10	76-13 70-15	76.4
Part Number	72609	72610	72612	72614
UPC	0-00-51141-72609-0	0-00-51141-72610-6	0-00-51141-72612-0	0-00-51141-72614-4
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Dark Blue	Burgundy	Ultra Charcoal	Light Slate Metallic

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Single Striping Tape

Tape 726, 1/4 in x 150 ft (continued)

	72616	72617	72619	72620
		w		*
	726-56 100 resi	726-17 100 rei	726-19 100 mil	729-20 150 rel
art Number	72616	72617	72619	72620
JPC	0-00-51141-72616-8	0-00-51141-72617-5	0-00-51141-72619-9	0-00-51141-72620-5
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Black Stardust	Tan	Medium Gray	Silver Starfire
	72621	72623	72624	72625
	776-21	776-23	725-24	726-25 190 mil
art Number	72621	72623	72624	72625
IPC	0-00-51141-72621-2	0-00-51141-72623-6	0-00-51141-72624-3	0-00-51141-72625-0
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Nutmeg	Silverchips	Dark Brown	Gold Starfire
	72628	72631	72641	72650
	>	*	× 	У
	726-23 1507 opt	726-31 100 rei	725-41 100 rel	726-50 100' rel
art Number	72628	72631	72641	72650
IPC	0-00-51141-72628-1	0-00-51141-72631-1	0-00-51141-72641-0	0-00-51141-72650-2
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Pewter	Royal Blue	Azure Blue	Light Charcoal Metallic
	72656	72660	72663	72665
	*	× <u></u>	я	,
	726-95 (0) real	726-99 107 min	726-63 100 min	726-65 1507 rpt
art Number	72656	72660	72663	72665
PC	0-00-51141-72656-4	0-00-51141-72660-1	0-00-51141-72663-2	0-00-51141-72665-6
roduct Name	3M™ Scotchcal™ Striping Tape			
color	Bright White	Camel Beige	Charcoal Metallic	Dark Blue Metallic
	72666	72667	72668	72669
	726-65	726-67	726-61	726-69
	139/ (9)	100 100	150 /98	100 100
Part Number	72666	72667	72668	72669
JPC	0-00-51141-72666-3	0-00-51141-72667-0	0-00-51141-72668-7	0-00-51141-72669-4
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Dark Red	Bright Yellow	Bright Orange	Dark Green

Tape 726, 1/4 in x 150 ft (continued)

	72670	72674	72676	72678
	726-70 100 mpi	745-14 100 mil	745-75 (07 mil	726-78 1027 mil
Part Number	72670	72674	72676	72678
UPC	0-00-51141-72670-0	0-00-51141-72674-8	0-00-51141-72676-2	0-00-51141-72678-6
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Brown Metallic	Burgundy Metallic	Tomato Red	Pastel Sandstone
	72679	72683	72685	72699
				H43043F745
	ж	*	*	<i>y</i>
	726-73 1507 roli	724-63 1507 rest	7 25-83 (507 roll	724-93 1507 repl
Part Number	72679	72683	72685	72699
Part Number UPC				
	72679	72683	72685	72699

Tape 727, 1/2 in x 150 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 1/2 in x 150 ft
Packaging 1 per case

	72701	72702	72703	72704
	725-4 725-4 737	7944 197 =-	704 107 al 107 al	73.4 73.9
Part Number	72701	72702	72703	72704
UPC	0-00-51141-72701-1	0-00-51141-72702-8	0-00-51141-72703-5	0-00-51141-72704-2
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	White	Black	Gold Metallic	Red
	72705	72706	72707	72708
	777 de	772-84 102 rot	724 157 mi	7.77.48 102 mi
Part Number	72705	72706	72707	72708
Part Number UPC				
	72705	72706	72707	72708

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Single Striping Tape

Tape 727, 1/2 in x 150 ft (continued)

	72709	72710	72712	72714
			*	
	727-03 1507 rpil	727-10 1907-roli	727-12 100 rei	727-14 1507 rpil
Part Number	72709	72710	72712	72714
JPC	0-00-51141-72709-7	0-00-51141-72710-3	0-00-51141-72712-7	0-00-51141-72714-1
Product Name	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Dark Blue	Burgundy	Ultra Charcoal	Light Slate Metallic
	72716	72717	72719	72720
	72 - 14 127 rpil -	723-47 1037 vpl	723-49 1007 ppl	77.249 150 rel
Part Number	72716	72717	72719	72720
JPC	0-00-51141-72716-5	0-00-51141-72717-2	0-00-51141-72719-6	0-00-51141-72720-2
Product Name	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Black Stardust	Tan	Medium Gray	Silver Starfire
	72721	72723	72724	72725
	70.21 100.70	721.22 103 mi	707.44 100 mi	77 772-25 100 mil
Part Number	72721	72723	72724	72725
JPC	0-00-51141-72721-9	0-00-51141-72723-3	0-00-51141-72724-0	0-00-51141-72725-7
Product Name	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Nutmeg	Silverchips	Dark Brown	Gold Starfire
	72728	72731	72741	72750
	7) 727-28 1507 min	727-31 100 mil	77 727-41 100 mil	77 772-63 100 res
Part Number	72728	72731	72741	72750
IPC	0-00-51141-72728-8	0-00-51141-72731-8	0-00-51141-72741-7	0-00-51141-72750-9
roduct Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Pewter	Royal Blue	Azure Blue	Light Charcoal Metallic
	72751	72756	72760	72763
	722.41 100 res	723.66 103 qui	723.40 100 mm	727-43 1927 mi
Part Number	72751	72756	72760	72763
JPC	0-00-51141-72751-6	0-00-51141-72756-1	0-00-51141-72760-8	0-00-51141-72763-9
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Dark Tundra	Bright White	Camel Beige	Charcoal Metallic

Tape 727, 1/2 in x 150 ft (continued)

	72765	72766	72767	72768
	79 4 1946 1957 air	77. E. T.	79. 171. 18 171. 18	772-48 1937 or -
Part Number	72765	72766	72767	72768
UPC	0-00-51141-72765-3	0-00-51141-72766-0	0-00-51141-72767-7	0-00-51141-72768-4
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Dark Blue Metallic	Dark Red	Bright Yellow	Bright Orange
	72769	72770	72773	72774
	70.00 100.00	100 M	100 at	772.00 772.00 —
Part Number	72769	72770	72773	72774
UPC	0-00-51141-72769-1	0-00-51141-72770-7	0-00-51141-72773-8	0-00-51141-72774-5
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Dark Green	Brown Metallic	Gray	Burgundy Metallic
	72776	72778	72779	72783
	72.34 100 cm	723-78 156 on	722-78 157 ost	772-48
Part Number	72776	72778	72779	72783
UPC	0-00-51141-72776-9	0-00-51141-72778-3	0-00-51141-72779-0	0-00-51141-72783-7
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Tomato Red	Pastel Sandstone	Pale Gray	Medium Silver Metallic
	72785	72793	72797	72799
	79 4 79 4 70 70 -	72.48 129 os	73.48 139.00	773-9 703-90 703-90
Part Number	72785	72793	72797	72799
UPC	0-00-51141-72785-1	0-00-51141-72793-6	0-00-51141-72797-4	0-00-51141-72799-8
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Light Gold Metallic	Low Gloss Black	Medium Dark Gray	Bright Gold Metallic

3M[™] Scotchcal[™] High Performance Custom Striping Tape: Single Striping Tape

Tape 728, 3/4 in x 150 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 3/4 in x 150 ft
Packaging 1 per case

	72801	72802	72803	72804
			MATERIAL STATE	
	7 78-01 1507 on	5 798-42 1037 on	7 78-40 (St) rest	7 728-44 1030 mil
Part Number	72801	72802	72803	72804
UPC	0-00-51141-72801-8	0-00-51141-72802-5	0-00-51141-72803-2	0-00-51141-72804-9
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	White	Black	Gold Metallic	Red
	72805	72806	72807	72808
	778-85 197 opt—	778-96 1937 (w) —	7 78-87 1037 cpt —	y 775-84 100 rei
Part Number	72805	72806	72807	72808
UPC	0-00-51141-72805-6	0-00-51141-72806-3	0-00-51141-72807-0	0-00-51141-72808-7
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Silver Metallic	Buckskin	Brown	Blue
	72809	72810	72812	72814
	y	> 100	я	
	100 701	190 rei	100 roll	100 File.
Part Number	72809	72810	72812	72814
UPC	0-00-51141-72809-4	0-00-51141-72810-0	0-00-51141-72812-4	0-00-51141-72814-8
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Dark Blue	Burgundy	Ultra Charcoal	Light Slate Metallic
	72820	72823	72831	72841
	9 778-90 150 col	778-23 130 cm	1728-31 1007-pil	5- 778-41 100 rei
Part Number	72820	72823	72831	72841
UPC	0-00-51141-72820-9	0-00-51141-72823-0	0-00-51141-72831-5	0-00-51141-72841-4
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Silver Starfire	Silverchips	Royal Blue	Azure Blue

Tape 728, 3/4 in x 150 ft (continued)

	72850	72851	72860	72863
	71134 10 or	7858 10 cc	71540 Title of	78.0 10.0
Part Number	72850	72851	72860	72863
UPC	0-00-51141-72850-6	0-00-51141-72851-3	0-00-51141-72860-5	0-00-51141-72863-6
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Light Charcoal Metallic	Dark Tundra	Camel Beige	Charcoal Metallic
	72865	72866	72867	72868
	716 706 oi	78-86	78-0 78-0	78-di
Part Number	72865	72866	72867	72868
UPC	0-00-51141-72865-0	0-00-51141-72866-7	0-00-51141-72867-4	0-00-51141-72868-1
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Dark Blue Metallic	Dark Red	Bright Yellow	Bright Orange
	72869	72870	72874	72876
	711.64 701.64	725-94 725-94	725-M	785 M
Part Number	72869	72870	72874	72876
UPC	0-00-51141-72869-8	0-00-51141-72870-4	0-00-51141-72874-2	0-00-51141-72876-6
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Dark Green	Brown Metallic	Burgundy Metallic	Tomato Red
	72885	72893		
	78.6	78-80 100 or		
Part Number	72885	72893		
UPC	0-00-51141-72885-8	0-00-51141-72893-3		
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape		
Color	Light Gold Metallic	Low Gloss Black		

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Single Striping Tape

Tape 729, 7/8 in x 150 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 7/8 in x 150 ft
Packaging 1 per case

	72901	72902	72903	72904
	75.0	754 10 c	754	75 de
Part Number	72901	72902	72903	72904
UPC	0-00-51141-72901-5	0-00-51141-72902-2	0-00-51141-72903-9	0-00-51141-72904-6
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	White	Black	Gold Metallic	Red
	72905	72906	72907	72908
	75.0	75-24 10-2-	75.0	784 -
Part Number	72905	72906	72907	72908
UPC	0-00-51141-72905-3	0-00-51141-72906-0	0-00-51141-72907-7	0-00-51141-72908-4
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Silver Metallic	Buckskin	Brown	Blue
	72909	72910	72914	72916
	718-0 10-0	753 de 7	75 de	725-16 126 view
Part Number	72909	72910	72914	72916
UPC	0-00-51141-72909-1	0-00-51141-72910-7	0-00-51141-72914-5	0-00-51141-72916-9
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Dark Blue	Burgundy	Light Slate Metallic	Black Stardust
	72920	72950	72956	72963
	5 1986 1986	735 de 175 de 17	735.0 735.0	725-61 Vot con-
Part Number	72920	72950	72956	72963
UPC	0-00-51141-72920-6	0-00-51141-72950-3	0-00-51141-72956-5	0-00-51141-72963-3
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Silver Starfire	Light Charcoal Metallic	Bright White	Charcoal Metallic

Tape 729, 7/8 in x 150 ft (continued)

	72965	72966	72968	72969
	73:40 -	79.44 100 of	775-04 775-04	5 70.00 70.00
Part Number	72965	72966	72968	72969
UPC	0-00-51141-72965-7	0-00-51141-72966-4	0-00-51141-72968-8	0-00-51141-72969-5
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Dark Blue Metallic	Dark Red	Bright Orange	Dark Green
	72970	72974	72976	72983
	ты	7834 100 cm	775 13	711.0
Part Number	72970	72974	72976	72983
UPC	0-00-51141-72970-1	0-00-51141-72974-9	0-00-51141-72976-3	0-00-51141-72983-1
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Brown Metallic	Burgundy Metallic	Tomato Red	Medium Silver Metallic
	72985			
	778-46			
Part Number	72985			
UPC	0-00-51141-72985-5			
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Light Gold Metallic			

Tape 730, 1 in x 150 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 1 in x 150 ft
Packaging 1 per case

	73001	73002	73003	73004
	79.5	, , , , , , , , , , , , , , , , , , ,	, r	P (As As
Part Number	73001	73002	73003	73004
UPC	0-00-51141-73001-1	0-00-51141-73002-8	0-00-51141-73003-5	0-00-51141-73004-2
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	White	Black	Gold Metallic	Red

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Single Striping Tape

Tape 730, 1 in x 150 ft (continued)

	73005	73006	73007	73008
	100000			
	778-85 1937 opt	1* 728-96 1307 rpt	17 728-97 1307 ppl	11 736-01 100 roll -
Part Number	73005	73006	73007	73008
UPC	0-00-51141-73005-9	0-00-51141-73006-6	0-00-51141-73007-3	0-00-51141-73008-0
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Silver Metallic	Buckskin	Brown	Blue
	73009	73010	73012	73014
	7200	780-2	70.00 70.00	v ms
Part Number	73009	73010	73012	73014
UPC	0-00-51141-73009-7	0-00-51141-73010-3	0-00-51141-73012-7	0-00-51141-73014-1
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Dark Blue	Burgundy	Ultra Charcoal	Light Slate Metallic
	73017	73019	73020	73021
	T 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	76-76 76-76	700.	77 78 1
Part Number	73017	73019	73020	73021
UPC	0-00-51141-73017-2	0-00-51141-73019-6	0-00-51141-73020-2	0-00-51141-73021-9
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Tan	Medium Gray	Silver Starfire	Nutmeg
	73023	73024	73025	73028
	r 70-0 70-0	7. 780 de	79 79 79 79 79 79 79 79 79 79 79 79 79 7	7 70 m
Part Number	73023	73024	73025	73028
UPC	0-00-51141-73023-3	0-00-51141-73024-0	0-00-51141-73025-7	0-00-51141-73028-8
Product Name	3M™ Scotchcal™ Striping Tape			
Color	Silverchips	Dark Brown	Gold Starfire	Pewter
	73031	73041	73050	73051
	77831	7 7841	7 78:54	7864
Part Number	73031	73041	73050	73051
UPC	0-00-51141-73031-8	0-00-51141-73041-7	0-00-51141-73050-9	0-00-51141-73051-6
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
	Royal Blue	Azure Blue	Light Charcoal Metallic	Dark Tundra

Tape 730, 1 in x 150 ft (continued)

	73056	73060	73063	73065
	1* 730-55 150 on	1* 730-93 150 pai	11 736-83 (93) out	1* 738-55 150 reii
Part Number	73056	73060	73063	73065
JPC	0-00-51141-73056-1	0-00-51141-73060-8	0-00-51141-73063-9	0-00-51141-73065-3
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Bright White	Camel Beige	Charcoal Metallic	Dark Blue Metallic
	73066	73067	73068	73069
	7 7784 7784	7844.	73.44	7200
Part Number	73066	73067	73068	73069
JPC	0-00-51141-73066-0	0-00-51141-73067-7	0-00-51141-73068-4	0-00-51141-73069-1
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Dark Red	Bright Yellow	Bright Orange	Dark Green
	73070	73074	73076	73078
	7- 72-31 122-102	726-74.	72.74.	726 Ja 726 Ja
Part Number	73070	73074	73076	73078
JPC	0-00-51141-73070-7	0-00-51141-73074-5	0-00-51141-73076-9	0-00-51141-73078-3
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Brown Metallic	Burgundy Metallic	Tomato Red	Pastel Sandstone
	73083	73085	73093	73097
	r 1764	T 114-0	1* 176-91	3* 726.97
Part Number	73083	73085	73093	73097
IPC	0-00-51141-73083-7	0-00-51141-73085-1	0-00-51141-73093-6	0-00-51141-73097-4
roduct Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Medium Silver Metallic	Light Gold Metallic	Low Gloss Black	Medium Dark Gray
	73099			
	у 7389 1310			
Part Number	73099			
JPC	0-00-51141-73099-8			
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Bright Gold Metallic			

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Single Striping Tape

Tape 731, 2 in x 150 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 2 in x 150 ft
Packaging 1 per case

	73101	73102	73103	73104
	771-01 100 == -2*	71142 - r	711.80 F	721-04 2*
	150 rpl - 2	1507 rol •	150 rei •	150 rei - 4
Part Number	73101	73102	73103	73104
UPC	0-00-51141-73101-8	0-00-51141-73102-5	0-00-51141-73103-2	0-00-51141-73104-9
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	White	Black	Gold Metallic	Red
	73105	73107	73108	73109
	771-45 (30) reli	72147 z*	731-48 z*	731-49 130 reli - 2*
Part Number	73105	73107	73108	73109
UPC	0-00-51141-73105-6	0-00-51141-73107-0	0-00-51141-73108-7	0-00-51141-73109-4
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Silver Metallic	Brown	Blue	Dark Blue
	73110	73120	73150	73163
	721-10 100 mi — 2*	731-50 (50 red _ 2*	721-50 (5) red - 2*	771-83 100 mill - P
Part Number	73110	73120	73150	73163
UPC	0-00-51141-73110-0	0-00-51141-73120-9	0-00-51141-73150-6	0-00-51141-73163-6
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Burgundy	Silver Starfire	Light Charcoal Metallic	Charcoal Metallic
	73165	73166	73167	73168
	731-45 100 mil. P	731-65 (50 cm - 2*	731-47 102 cm	771-64 107 mil - 2*
Part Number	73165	73166	73167	73168
UPC	0-00-51141-73165-0	0-00-51141-73166-7	0-00-51141-73167-4	0-00-51141-73168-1
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Dark Blue Metallic	Dark Red	Bright Yellow	Bright Orange

Tape 731, 2 in x 150 ft (continued)

	73169	73176
	731.49 (30 res	721.76 to 100 cm 2*
Part Number	73169	73176
UPC	0-00-51141-73169-8	0-00-51141-73176-6
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Dark Green	Tomato Red

Tape 733, 3/8 in x 150 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 3/8 in x 150 ft
Packaging 1 per case

	73301	73302	73303	73304
	733-41 150 roli	723-42 1937 opt	733-43 1937 - Will	733-44 150 opt
Part Number	73301	73302	73303	73304
UPC	0-00-51141-73301-2	0-00-51141-73302-9	0-00-51141-73303-6	0-00-51141-73304-3
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	White	Black	Gold Metallic	Red
	73305	73306	73308	73309
	713-85	711-05	73.00	7344
Part Number	73305	73306	73308	73309
UPC	0-00-51141-73305-0	0-00-51141-73306-7	0-00-51141-73308-1	0-00-51141-73309-8
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Silver Metallic	Buckskin	Blue	Dark Blue
	73310	73350	73356	73363
	773-4 703 of —	73.50 713.50	7134 115 di	70 de
Part Number	73310	73350	73356	73363
UPC	0-00-51141-73310-4	0-00-51141-73350-0	0-00-51141-73356-2	0-00-51141-73363-0
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Burgundy	Light Charcoal Metallic	Bright White	Charcoal Metallic

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Single Striping Tape

Tape 733, 3/8 in x 150 ft (continued)

	73366	73376	73383	73385
	733-65 100 reli	743-76 190 resi	733-43 100 mil —	733-45 100 res
Part Number	73366	73376	73383	73385
UPC	0-00-51141-73366-1	0-00-51141-73376-0	0-00-51141-73383-8	0-00-51141-73385-2
Product Name	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Dark Red	Tomato Red	Medium Silver Metallic	Light Gold Metallic

Tape 734, 5/8 in x 150 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 5/8 in x 150 ft
Packaging 1 per case

	73402	73403	73404	73405
	5	>	× •••••	>
Part Number	73402	73403	73404 73404	73405
UPC	0-00-51141-73402-6	0-00-51141-73403-3	0-00-51141-73404-0	0-00-51141-73405-7
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Black	Gold Metallic	Red	Silver Metallic
	73450	73463	73476	73485
	76.00 716.00	70.5 —	7.17.	7648 7648
Part Number	73450	73463	73476	73485
Part Number UPC	73450 0-00-51141-73450-7	73463 0-00-51141-73463-7	73476 0-00-51141-73476-7	73485 0-00-51141-73485-9

Tape 736, 3 in x 50 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 3 in x 50 ft
Packaging 1 per case

	73601	73602	73603
			1945-KI (1945-1
	776-01 50 mi	736-421 pr 507 rpil pr	716-43 55 ost — P
Part Number	73601	73602	73603
UPC	0-00-51141-73601-3	0-00-51141-73602-0	0-00-51141-73603-7
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	White	Black	Gold Metallic
	73604	73605	
	774-04 ⊗ ≈ — P	7846 (7 or - P	
Part Number	73604	73605	
UPC	0-00-51141-73604-4	0-00-51141-73605-1	
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	
Color	Red	Silver Metallic	

Tape 771, 2 in x 50 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 2 in x 50 ft
Packaging 1 per case

	77101	77102	77103	77104
			1900 C C	
	771-01 10 mm - P	77142 00 min = 2*	77143 00 min = 2*	771-84 00 min = 2*
Part Number	77101	77102	77103	77104
UPC	0-00-51141-77101-4	0-00-51141-77102-1	0-00-51141-77103-8	0-00-51141-77104-5
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	White	Black	Gold Metallic	Red
	77105	77106	77107	77108
	110			
	771-05 (0) reli = 2*	771-05 (5) rpil 2*	771-07 (0) rpi 2*	771-03 (5) rpil 2*
Part Number	77105	77106	77107	77108
UPC	0-00-51141-77105-2	0-00-51141-77106-9	0-00-51141-77107-6	0-00-51141-77108-3
UPC Product Name	0-00-51141-77105-2 3M™ Scotchcal™ Striping Tape	0-00-51141-77106-9 3M™ Scotchcal™ Striping Tape	0-00-51141-77107-6 3M™ Scotchcal™ Striping Tape	0-00-51141-77108-3 3M™ Scotchcal™ Striping Tape

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Single Striping Tape

Tape 771, 2 in x 50 ft (continued)

	77109	77110	77114	77116
	771-83 77 == - P	771-10 10 mil 2"	771-54 10 min - 2*	771-16 17 m = 2*
	07 mil - P	(5) (s) Z.	∅ mi - 2*	
Part Number	77109	77110	77114	77116
JPC	0-00-51141-77109-0	0-00-51141-77110-6	0-00-51141-77114-4	0-00-51141-77116-8
Product Name	3M [™] Scotchcal [™] Striping Tape			
Color	Dark Blue	Burgundy	Light Slate Metallic	Black Stardust
	77120	77121	77124	77125
	77.48 □ rel \$*	701-21 □ rei - 2*	771-24 (0) rei	771-54 © rei 2*
Part Number	77120	77121	77124	77125
JPC	0-00-51141-77120-5	0-00-51141-77121-2	0-00-51141-77124-3	0-00-51141-77125-0
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Silver Starfire	Nutmeg	Dark Brown	Gold Starfire
	77131	77141	77150	77156
	771-31 (5) vpi 2*	771.41 50 rpi	771-50 (0) rpil 2 *	771-56 50 mil - 2*
Part Number	77131	77141	77150	77156
JPC	0-00-51141-77131-1	0-00-51141-77141-0	0-00-51141-77150-2	0-00-51141-77156-4
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Royal Blue	Azure Blue	Light Charcoal Metallic	Bright White
	77163	77165	77166	77167
	77.45 10 mil	771-45 50 mil = 2*	771-466 50 mil = 2*	771-67 50 mil P
art Number	77163	77165	77166	77167
IPC	0-00-51141-77163-2	0-00-51141-77165-6	0-00-51141-77166-3	0-00-51141-77167-0
roduct Name	3M™ Scotchcal™ Striping Tape			
Color	Charcoal Metallic	Dark Blue Metallic	Dark Red	Bright Yellow
	77168	77169	77170	77174
	771-64 2*	77148 2*	771-70 50 mil - 2*	771-74 (0 mil 2"
Part Number	77168	77169	77170	77174
JPC	0-00-51141-77168-7	0-00-51141-77169-4	0-00-51141-77170-0	0-00-51141-77174-8
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Bright Orange	Dark Green	Brown	Burgundy Metallic

$3M^{\mathsf{TM}}$ Scotchcal $^{\mathsf{TM}}$ High Performance Custom Striping Tape: Single Striping Tape

Tape 771, 2 in x 50 ft (continued)

	77176	77183	77185	77193
	771.76 2°	77140 2° C	771-45 2°	77143 50 res - 2*
Part Number	77176	77183	77185	77193
UPC	0-00-51141-77176-2	0-00-51141-77183-0	0-00-51141-77185-4	0-00-51141-77193-9
Product Name	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Tomato Red	Medium Silver Metallic	Light Gold Metallic	Low Gloss Black

Tape 774, 4 in x 50 ft

Single stripe pattern for professional use in matching existing stripes or creating original striping designs on vehicles

Size 4 in x 50 ft
Packaging 1 per case

	77401	77402	77403	77404
	774-01 (5) red -4*	774-02 00 rps 4*	774-03 07 min — 4"	774-94 (07 rps) — 4*
Part Number	77401	77402	77403	77404
UPC	0-00-51141-77401-5	0-00-51141-77402-2	0-00-51141-77403-9	0-00-51141-77404-6
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape
Color	White	Black	Gold Metallic	Red
	77405	77407	77408	77409
	774-455 507 roll e	774-97 50 reit -4•	774-03 50 rei	774-93 e ^o
Part Number	77405	77407	77408	77409
UPC	0-00-51141-77405-3	0-00-51141-77407-7	0-00-51141-77408-4	0-00-51141-77409-1
Product Name	3M™ Scotchcal™ Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape
Color	Silver Metallic	Brown	Blue	Dark Blue
	77410	77431	77450	77456
				1000000
	774-10 © rei - 4°	774-31 (5) rei — 4"	774-59 57 voi	774-56 50 rei — 4*
Part Number	77410	77431	77450	77456
UPC	0-00-51141-77410-7	0-00-51141-77431-2	0-00-51141-77450-3	0-00-51141-77456-5
Product Name	3M [™] Scotchcal [™] Striping Tape	3M™ Scotchcal™ Striping Tape	3M [™] Scotchcal [™] Striping Tape	3M [™] Scotchcal [™] Striping Tape
Color	Burgundy	Royal Blue	Light Charcoal Metallic	Bright White

Striping Tape

3M[™] Scotchcal[™] High Performance Custom Striping Tape: Single Striping Tape

Tape 774, 4 in x 50 ft (continued)

	77463
	776-63 © rec
Part Number	77463
UPC	0-00-51141-77463-3
Product Name	3M™ Scotchcal™ Striping Tape
Color	Charcoal Metallic

3M[™] Scotchcal[™] Signwriter Film

Film 769, 16 in x 150 ft

Bulk Signwriter film is designed to be used with computer-aided graphic design equipment that uses friction feed rollers to move the film.

Size 16 in x 150 ft
Packaging 1 per case

	76902	76904	76905	76909
		675		
	769-02 16' s 150	723-04 100 rol	799-05 10" X 150"	7000-002 16" X 150'
Part Number	76902	76904	76905	76909
UPC	0-00-51141-76902-8	0-00-51141-76904-2	0-00-51141-76905-9	0-00-51141-76909-7
Product Name	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Black	Red	Silver Metallic	Dark Blue
	76912	76914	76916	76920
	799-12 16 X 150	769-14 10 X 150	768-16 16 x 1.10	7 99-20 10' A 1-50'
Part Number	76912	76914	76916	76920
UPC	0-00-51141-76912-7	0-00-51141-76914-1	0-00-51141-76916-5	0-00-51141-76920-2
Product Name	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Ultra Charcoal	Light Slate Metallic	Black Stardust	Silver Starfire
	76925	76928	76931	76941
	760-25 16" X 150"	769-28 16" X 150"	709-31 10' x 150'	709-41 16" X 150"
Part Number	76925	76928	76931	76941
UPC	0-00-51141-76925-7	0-00-51141-76928-8	0-00-51141-76931-8	0-00-51141-76941-7
Product Name	3M™ Scotchcal™ Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Gold Starfire	Pewter	Royal Blue	Azure Blue

3M[™] Scotchcal[™] Signwriter Film

Film 769, 16 in x 150 ft (continued)

	76950	76956	76963	76966
	769-50 10 X 150	769-56 16" x 150"	709-63 16" A 150"	700-96 10 k 150
Part Number	76950	76956	76963	76966
UPC	0-00-51141-76950-9	0-00-51141-76956-1	0-00-51141-76963-9	0-00-51141-76966-0
Product Name	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Light Charcoal Metallic	Bright White	Charcoal Metallic	Dark Red
	76974	76985		
	790-74 10' X 150'	10 X 150		
Part Number	76974	76985		
UPC	0-00-51141-76974-5	0-00-51141-76985-1		
Product Name	3M™ Scotchcal™ Signwriter Film	3M [™] Scotchcal [™] Signwriter Film		
Color	Burgundy Metallic	Light Gold Metallic		

Film 770, 24 in x 150 ft

Bulk Signwriter film is designed to be used with computer-aided graphic design equipment that uses friction feed rollers to move the film.

Size 24 in x 150 ft
Packaging 1 per case

	77001	77002	77003	77004
			SHOWLE CO.	
	770-01 20" X 1500	778-42 28" X 150"	778-03 28" X 1507	776-64 @# x 100
Part Number	77001	77002	77003	77004
UPC	0-00-51141-77001-7	0-00-51141-77002-4	0-00-51141-77003-1	0-00-51141-77004-8
Product Name	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M [™] Scotchcal [™] Signwriter Film
Color	White	Black	Gold Metallic	Red
	77005	77006	77007	77008
	TP-06	79-86 ₁₁	DM _{ar} -	77.9% ₁₀
Part Number	77005	77006	77007	77.008
Part Number UPC				
	77005	77006	77007	77008

Striping Tape

3M[™] Scotchcal[™] Signwriter Film

Film 770, 24 in x 150 ft (continued)

	77009	77010	77012	77014
	770-09	778-10	776-12 (6) - 1 (6) -	770-14
	30° X 190			
Part Number	77009	77010	77012	77014
UPC	0-00-51141-77009-3	0-00-51141-77010-9	0-00-51141-77012-3	0-00-51141-77014-7
Product Name	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M [™] Scotchcal [™] Signwriter Film
Color	Dark Blue	Burgundy	Ultra Charcoal	Light Slate Metallic
	77016	77017	77019	77020
	770-16 @# X 1507	770-17 20' x 150	770-19 20" x 150	770-20 or x tou
Part Number	77016	77017	77019	77020
UPC	0-00-51141-77016-1	0-00-51141-77017-8	0-00-51141-77019-2	0-00-51141-77020-8
Product Name	3M [™] Scotchcal [™] Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Black Stardust	Tan	Medium Gray	Silver Starfire
	77021	77023	77024	77025
	776-21 gr x1gg	776-22 of 1-100	778-24 Ser 3: 1001	778-25 26 A 1/20
Part Number	77021	77023	77024	77025
UPC	0-00-51141-77021-5	0-00-51141-77023-9	0-00-51141-77024-6	0-00-51141-77025-3
Product Name	3M™ Scotchcal™ Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Nutmeg	Silverchips	Dark Brown	Gold Starfire
	77028	77031	77041	77050
	770-20 26" X 197	70-31 00-71-50	779-41 de 7/30	770-90 of X 150
Part Number	77028	77031	77041	77050
UPC	0-00-51141-77028-4	0-00-51141-77031-4	0-00-51141-77041-3	0-00-51141-77050-5
Product Name	3M™ Scotchcal™ Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Pewter	Royal Blue	Azure Blue	Light Charcoal Metallic
	77051	77056	77060	77063
		2000		
	778-51 207 X 307	770-56 20" X 150"	779-50 20° X 137	778-50 287 X 150
Part Number	77051	77056	77060	77063
UPC	0-00-51141-77051-2	0-00-51141-77056-7	0-00-51141-77060-4	0-00-51141-77063-5
Product Name	3M™ Scotchcal™ Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M [™] Scotchcal [™] Signwriter Film
Color	Dark Tundra	Bright White	Camel Beige	Charcoal Metallic

3M[™] Scotchcal[™] Signwriter Film

Film 770, 24 in x 150 ft (continued)

	77065	77066	77067	77068
	778-65 @* x 100	770-66 2* x 1/30	770-57_ 24" X 1:50"	770-98 24 X 150
Part Number	77065	77066	77067	77068
UPC	0-00-51141-77065-9	0-00-51141-77066-6	0-00-51141-77067-3	0-00-51141-77068-0
Product Name	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Dark Blue Metallic	Dark Red	Bright Yellow	Bright Orange
	77069	77070	77073	77074
	776-00 20 k 1531	775-70 Ser 3: 1507	778-73 50° + 150′	778-74 20 1-133
Part Number	77069	77070	77073	77074
UPC	0-00-51141-77069-7	0-00-51141-77070-3	0-00-51141-77073-4	0-00-51141-77074-1
Product Name	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Dark Green	Brown Metallic	Gray	Burgundy Metallic
	77076	77078	77079	77083
	778-78 30 X Sur	776-78 20 X 1507	778-79 26 7.150	770-53 28 A 350
Part Number	77076	77078	77079	77083
UPC	0-00-51141-77076-5	0-00-51141-77078-9	0-00-51141-77079-6	0-00-51141-77083-3
Product Name	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Tomato Red	Pastel Sandstone	Pale Gray	Medium Silver Metallic
	77085	77093	77097	77099
				3034035
	778-86 SET 3.150	778-53 26" X 150"	778-97 26" X 150"	778-99 28° X 150
Part Number	77085	77093	77097	77099
UPC	0-00-51141-77085-7	0-00-51141-77093-2	0-00-51141-77097-0	0-00-51141-77099-4
Product Name	3M [™] Scotchcal [™] Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Light Gold Metallic	Low Gloss Black	Medium Dark Gray	Bright Gold Metallic

Striping Tape

3M[™] Scotchcal[™] Signwriter Film

Film 773, 24 in x 30 ft

Bulk Signwriter film is designed to be used with computer-aided graphic design equipment that uses friction feed rollers to move the film.

Size 24 in x 30 ft
Packaging 1 per case

	77301	77302	77303	77304
	773-41 (8' 1,3)	773-02 24 s 30	773-48 89 - 30	773-94 24 - 33
Part Number	77301	77302	77303	77304
JPC	0-00-51141-77301-8	0-00-51141-77302-5	0-00-51141-77303-2	0-00-51141-77304-9
Product Name	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	White	Black	Gold Metallic	Red
	77305	77307	77308	77309
	773-85 24 : 33	772-47 (% + 3)	772-48	773-48 %*1-33
Part Number	77305	77307	77308	77309
UPC	0-00-51141-77305-6	0-00-51141-77307-0	0-00-51141-77308-7	0-00-51141-77309-4
Product Name	3M [™] Scotchcal [™] Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Silver Metallic	Brown	Blue	Dark Blue
	77310	77316	77319	77320
	773-70 84 + 30	773-16 (41 + 33)	772-18 (N = 33)	771-28 24 ; 30 —
Part Number	77310	77316	77319	77320
UPC	0-00-51141-77310-0	0-00-51141-77316-2	0-00-51141-77319-3	0-00-51141-77320-9
Product Name	3M™ Scotchcal™ Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Burgundy	Black Stardust	Medium Gray	Silver Starfire
	77325	77328	77331	77341
	773-25 28 + 30	773-48 (8° - (3) —	773-31 (8°) 32 —	773-41 (8° + 30)
Part Number	77325	77328	77331	77341
JPC	0-00-51141-77325-4	0-00-51141-77328-5	0-00-51141-77331-5	0-00-51141-77341-4
Product Name	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Gold Starfire	Pewter	Royal Blue	Azure Blue
	77350	77356	77363	77366
	773.48 (R - 33)	772-46 (84 : 32)	772-43 64° 130	773-46 (24 - 33)
Part Number	77350	77356	77363	77366
JPC	0-00-51141-77350-6	0-00-51141-77356-8	0-00-51141-77363-6	0-00-51141-77366-7
Product Name	3M™ Scotchcal™ Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film
	Light Charcoal Metallic	Bright White	Charcoal Metallic	Dark Red

3M[™] Scotchcal[™] Signwriter Film

Film 773, 24 in x 30 ft (continued)

	77367	77369	77383	77385
		173-48 (4) 33	173-43 (N° ; 33' –	773-88 84 × 30
Part Number	77367	77369	77383	77385
UPC	0-00-51141-77367-4	0-00-51141-77369-8	0-00-51141-77383-4	0-00-51141-77385-8
Product Name	3M™ Scotchcal™ Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M [™] Scotchcal [™] Signwriter Film	3M™ Scotchcal™ Signwriter Film
Color	Bright Yellow	Dark Green	Medium Silver Metallic	Light Gold Metallic
	77393	77399		
		30.00		
	773-49 SV : 37	773-109 (NF) 30		
Part Number	77393	77399		
UPC	0-00-51141-77393-3	0-00-51141-77399-5		
Product Name	3M™ Scotchcal™ Signwriter Film	3M™ Scotchcal™ Signwriter Film		
Color	Low Gloss Black	Bright Gold Metallic		

3M[™] Scotchlite[™] Reflective Film Series 680

Reflective Film Series 680

Reflective Film - Intended to provide bright, vivid daytime colors that also have light reflective properties in darkness. Safety and nighttime visibility may be improved with 3MTM ScotchliteTM Reflective Series Film 680.

Packaging 1 per case					
	79901	79902	79903	79904	
	793-41 50 rei	7 99-42 00 rei	795-43 (07 rest	795-94 (0) reli	
Part Number	79901	79902	79903	79904	
UPC	0-00-51141-79901-8	0-00-51141-79902-5	0-00-51141-79903-2	0-00-51141-79904-9	
Product Name	3M [™] Scotchlite [™] Reflective Striping Tape	3M™ Scotchlite™ Reflective Striping Tape	3M [™] Scotchlite [™] Reflective Striping Tape	3M [™] Scotchlite [™] Reflective Striping Tape	
Color	White(Silver)	Black	Gold	Red	
Size	1/4 in x 50 ft	1/4 in x 50 ft	1/4 in x 50 ft	1/4 in x 50 ft	
	79905	79907	79908	79921	
		-			
	739-05 07 rel	795-07 507 rpli	795-03 507 roll	799-21 (C) real	
Part Number	79905	79907	79908	79921	
JPC	0-00-51141-79905-6	0-00-51141-79907-0	0-00-51141-79908-7	0-00-51141-79921-6	
Product Name	3M™ Scotchlite™ Reflective Striping Tape	3M™ Scotchlite™ Reflective Striping Tape	3M™ Scotchlite™ Reflective Striping Tape	3M™ Scotchlite™ Reflective Striping Tape	
Color	Blue	Orange	Yellow	White(Silver)	
Size	1/4 in x 50 ft	1/4 in x 50 ft	1/4 in x 50 ft	1/2 in x 50 ft	

3M[™] Scotchlite[™] Reflective Film Series 680

Reflective Film Series 680 (continued)

			2000 4	2005
	79922	79923	79924	79925
		×		×
	799-22 90 rei	791-23 50 mil	799-24 00 mil	799-25 00 roli
Part Number	79922	79923	79924	79925
UPC	0-00-51141-79922-3	0-00-51141-79923-0	0-00-51141-79924-7	0-00-51141-79925-4
Product Name	3M™ Scotchlite™ Reflective Striping Tape	3M [™] Scotchlite [™] Reflective Striping Tape	3M [™] Scotchlite [™] Reflective Striping Tape	3M™ Scotchlite™ Reflective Striping Tape
Color	Black	Gold	Red	Blue
Size	1/2 in x 50 ft			
	79927	79928	79931	79932
	793-27 07 mil	793-18 107 min	799-31	799-12 5' = 50
Part Number	79927	79928	79931	79932
UPC	0-00-51141-79927-8	0-00-51141-79928-5	0-00-51141-79931-5	0-00-51141-79932-2
Product Name	3M [™] Scotchlite [™] Reflective Striping Tape			
Color	Orange	Yellow	White	Black
Size	1/2 in x 50 ft	1/2 in x 50 ft	3 in x 50 ft	3 in x 50 ft
	79933	79934	79935	79937
	799-33 3 - 30	793-34 3 : 20	799-35 3: 50	799-37 8 7 100
Part Number	79933	79934	79935	79937
UPC	0-00-51141-79933-9	0-00-51141-79934-6	0-00-51141-79935-3	0-00-51141-79937-7
Product Name	3M [™] Scotchlite [™] Reflective Striping Tape			
Color	Gold	Red	Blue	Orange
Size	3 in x 50 ft			
	79938	79941	79942	79943
	79-34. 7-19.	19 d 19 d 10 d	74 20-42 20 - 2	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Part Number	79938	79941	79942	79943
UPC	0-00-51141-79938-4	0-00-51141-79941-4	0-00-51141-79942-1	0-00-51141-79943-8
Product Name	3M [™] Scotchlite [™] Reflective Striping Tape			
Color	Yellow	White(Silver)	Black	Gold
Size	3 in x 50 ft	1 in x 50 ft	1 in x 50 ft	1 in x 50 ft

3M[™] Scotchlite[™] Reflective Film Series 680

Reflective Film Series 680 (continued)

	79944	79945	79947	79948
	7 739 44. 20 m	17. 178-06. 187-08.	790-01 20 cd	17. 173-48. 107
Part Number	79944	79945	79947	79948
UPC	0-00-51141-79944-5	0-00-51141-79945-2	0-00-51141-79947-6	0-00-51141-79948-3
Product Name	3M™ Scotchlite™ Reflective Striping Tape	3M [™] Scotchlite [™] Reflective Striping Tape	3M [™] Scotchlite [™] Reflective Striping Tape	3M [™] Scotchlite [™] Reflective Striping Tape
Color	Red	Blue	Orange	Yellow
Size	1 in x 50 ft			
	79961	79962	79963	79964
	-			
	799-61 € ± 50	783-62 2" 100	793-63 2' x 50'	739-94 2' x 50'
Part Number	79961	79962	79963	79964
UPC	0-00-51141-79961-2	0-00-51141-79962-9	0-00-51141-79963-6	0-00-51141-79964-3
Product Name	3M [™] Scotchlite [™] Reflective Striping Tape			
Color	White(Silver)	Black	Gold	Red
Size	2 in x 50 ft			
	79965	79967	79968	79971
	799-45 2" = 30"	793-67 8" 107	793-68 2° × 507	199-11 4' : 10'
Part Number	79965	79967	79968	79971
UPC	0-00-51141-79965-0	0-00-51141-79967-4	0-00-51141-79968-1	0-00-51141-79971-1
Product Name	3M [™] Scotchlite [™] Reflective Striping Tape			
Color	Blue	Orange	Yellow	White(Silver)
Size	2 in x 50 ft	2 in x 50 ft	2 in x 50 ft	4 in x 50 ft
	79972	79973	79974	79975
	193-72 & : 101	795-73	785-74 4 - 100	793-75 4 - 101
Part Number	79972	79973	79974	79975
UPC	0-00-51141-79972-8	0-00-51141-79973-5	0-00-51141-79974-2	0-00-51141-79975-9
Product Name	3M™ Scotchlite™ Reflective Striping Tape	3M [™] Scotchlite [™] Reflective Striping Tape	3M [™] Scotchlite [™] Reflective Striping Tape	3M [™] Scotchlite [™] Reflective Striping Tape
Color	Black	Gold	Red	Blue
Size	4 in x 50 ft			

Striping Tape

3M[™] Scotchlite[™] Reflective Film Series 680

Reflective Film Series 680 (continued)

	79978	79981	79982	79983
	799-78 4' + 50'	799-81 0' = 00	799-42 0° - 80'	799-43 6' = 10'
Part Number	79978	79981	79982	79983
UPC	0-00-51141-79978-0	0-00-51141-79981-0	0-00-51141-79982-7	0-00-51141-79983-4
Product Name	3M [™] Scotchlite [™] Reflective Striping Tape	3M™ Scotchlite™ Reflective Striping Tape	3M [™] Scotchlite [™] Reflective Striping Tape	3M [™] Scotchlite [™] Reflective Striping Tape
Color	Yellow	White (Silver)	Black	Gold
Size	4 in x 50 ft	6 in x 50 ft	6 in x 50 ft	6 in x 50 ft
	79984	79985	79987	79988
	79984	79985	79987	79988
	79984	79985	79987	79988
Part Number				
	798-84 6 1 13	700-86 6 + 50	799-47 0 1 30	700 48 6 + 50
Part Number UPC Product Name	79984 79984	79945 6° - 50	79987	79988 79988
UPC	79984 0-00-51141-79984-1 3M™ Scotchlite™ Reflective	79985 0-00-51141-79985-8 3M™ Scotchlite™ Reflective	79987 0-00-51141-79987-2 3M™ Scotchlite™ Reflective	79988 0-00-51141-79988-9 3M™ Scotchlite™ Reflective

Tools

Tools

Adhesive Applicators

Adhesive Applicators

	05846	08117	08280	08284
			=	
Description	Professional pneumatic (air-operat- ed) applicator for cartridge-based Body Repair Materials needing dynamic mixing.	Manual applicator designed for use with all 200 mL cartridges in the 3M™ Automix™ line of products. This product has a 1:1 mixing ratio.	A pneumatic applicator gun designed for use with 3M's 400 mL cartridges.	A manual applicator gun designed for use with 3M's 400 mL car- tridges.
Part Number	05846	08117	08280	08284
UPC	0-00-51131-05846-0	0-00-51135-08117-4	0-00-51135-08280-5	0-00-51135-08284-3
Product Name	3M™ Dynamic Mixing Gun - Pneumatic	3M™ Performance Manual Applicator	3M™ Performance Pneumatic Applicator	3M™ Performance Manual Applicator
Color	Red/Black	Metallic/Black	Black	Black
Container Volume	-	200 Millilitre	400 Millilitre	400 Millilitre
Packaging	1 per case	1 per case	1 per case	1 per case
	08398	08399	08571	08801
Description	Fully enclosed, all metal, rod driven, friction feed applicator gun for use with 3M™ Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages. This tool has a 12:1 ratio.	Fully enclosed, pneumatic applicator gun for use with 3M TM Windshield Urethanes, Urethane and MSP Seam Sealers in 310 mL or smaller flexible foil packages.	Dispenses all 3M™ 200 mL AUTOMIX™ and DURAMIX™ car- tridges with 1-1 or 2-1 mix ratios. Heavy Duty metal construction. Rod Driven for balanced product dis- pensing.	One piece metal applicator gun designed for use with all No Cleanup products. Requires no cleaning. Refer to individual No Cleanup products for proper air pressures. Requires the use of No Cleanup Replacement Nozzle 08966.
Part Number	08398	08399	08571	08801
UPC	0-00-51135-08398-7	0-00-51135-08399-4	0-00-51135-08571-4	0-00-51135-08801-2
Product Name	3M™ Flexible Package Applicator Gun	3M [™] Flexible Package Applicator Gun - Pneumatic	3M [™] Manual 200 mL Cartridge Applicator Gun	3M™ No Cleanup Applicator Gun
Color	Metallic/Black	Black/Metallic	Red/Black	Black
Container Volume	310 Millilitre	310 Millilitre		
Containor Foldino			the state of the s	

Adhesive Applicators

Adhesive Applicators (continued)

	08991	08993	08997	09930
	WAY!			
Description	Fully enclosed all metal, rod driven, friction feed applicator gun for use with 450 mL 3M™ Windshield Urethanes. This tool has an 18:1 ratio.	A high-performance gun, designed for the professional. Used for dis- pensing material from an 1/10 Gallon cartridge.	Developed to provide a unique, convenient and inexpensive means for spraying 3M™ Rubberized Body Schutz, part number 08864, 3M™ Rocker Schutz, part number 08874 and 3M™ Rust Fighter-I, part number 08991.	A pneumatic applicator gun designed for use with 3M's 200mL cartridges.
Part Number	08991	08993	08997	09930
UPC	0-00-51135-08991-0	0-00-51135-08993-4	0-00-51135-08997-2	0-00-51131-09930-2
Product Name	3M™ Flex Pack Heavy Duty Applicator Gun	3M™ Professional Caulking Gun	3M™ Body Schutz™ Applicator Gun	3M [™] Performance Pneumatic Applicator
Color	Metallic/Black	Orange/Black	Silver	Black
Container Volume	450 Millilitre			200 Millilitre
Packaging	1 per case	1 per case	1 per case	1 per case

3M[™] Sanders & Buffers

3MTM Buffers

Packaging 1 per case

	28333	28363	28391
			A CONTRACTOR OF THE PARTY OF TH
Description	This tool is designed for use in AOEM paint shop applications for buffing or polishing on the clearcoat, used with 3M™ Finesse-it™ polishes and 3M™ Finesse-it™ foam pads. It provides very uniform finish.	3M [™] Pneumatic Polisher designed to be used with 3M [™] Perfect-It [™] Polishing and Buff Pads to remove abrasive scratches on base coat/clear coat substrates.	Electric variable speed polisher designed to compound/buff/polish various substrates including but not limited to automotive paint, marine finishes, fiberglass gel coat, acrylics, etc. Electric module provides full power/maintains speed, even under load.
Part Number	28333	28363	28391
UPC	0-00-51141-28333-3	0-00-51141-28363-0	0-00-51141-28391-3
Product Name	3M™ Buffer	3M™ Polisher	3M™ Electric Variable Speed Polisher
Diamter	3 Inch	75 Millimetre	7 Inch
Max RPM	11000	11000	

3M™ Sanders & Buffers

3M™ Orbital Sanders

Max RPM 10000
Packaging 1 per case

	20331	20430	20431
Description	3M™ Hookit™ Pad included.	Clean Sanding Hookit™ Pad included.	Clean Sanding Hookit [™] Pad, Filter Bag Adapter and Clean Sanding Filter Bag included.
Part Number	20331	20430	20431
UPC	0-00-51141-20331-7	0-00-51141-20430-7	0-00-51141-20431-4
Product Name	3M™ Orbital Sander	3M™ Orbital Sander	3M™ Orbital Sander
Туре	Non-Vacuum	Central Vacuum	Self-Generated Vacuum

3M™ Random Orbital Sanders - Central Vacuum

Max RPM 12000 Motor HP (W) .28 (209) Packaging 1 per case

	20213	20251	20254	20315
Description	Clean Sanding Hookit™ Disc Pad included.	Hookit™ Clean Sanding Disc Pad and Air Tool Lubricant included.	Hookit™ Clean Sanding Disc Pad and Air Tool Lubricant included.	Clean Sanding Hookit™ Pad included.
Part Number	20213	20251	20254	20315
UPC	0-00-51141-20213-6	0-00-51141-20251-8	0-00-51141-20254-9	0-00-51141-20315-7
Product Name	3M™ Random Orbital Sander	3M™ Random Orbital Sander	3M™ Random Orbital Sander	3M™ Random Orbital Sander
Tool Diameter	6 Inch	3 Inch	5 Inch	3 Inch
Orbit Diameter	5/16 Inch	3/16 Inch	5/16 Inch	3/32 Inch
	20318	20321	20326	20329
Description	Clean Sanding Hookit™ Pad included.	Clean Sanding Hookit™ Pad included.	Clean Sanding Hookit™ Pad included.	Clean Sanding Hookit™ Pad included.
Description Part Number	<u> </u>		_	u u
'	ed.	ed.	ed.	ed.
Part Number	ed. 20318	ed. 20321	ed. 20326	ed. 20329
Part Number UPC	ed. 20318 0-00-51141-20318-8	ed. 20321 0-00-51141-20321-8	ed. 20326 0-00-51141-20326-3	ed. 20329 0-00-51141-20329-4

3M™ Sanders & Buffers

3M™ Random Orbital Sanders - Non Vacuum

Max RPM 12000 Motor HP (W) .28 (209) Packaging 1 per case

	20250	20253	20314	20317
Description	Hookit™ Clean Sanding Disc Pad and Air Tool Lubricant included.	Stikit™ Disc Pad and Air Tool Lubricant included.	Stikit™ Pad included.	Stikit™ Pad included.
Part Number	20250	20253	20314	20317
UPC	0-00-51141-20250-1	0-00-51141-20253-2	0-00-51141-20314-0	0-00-51141-20317-1
Product Name	3M™ Random Orbital Sander	3M™ Random Orbital Sander	3M™ Random Orbital Sander	3M™ Random Orbital Sander
Tool Diameter	3 Inch	5 Inch	3 Inch	5 Inch
Orbit Diameter	3/16 Inch	5/16 Inch	3/32 Inch	3/16 Inch
	20320	20324	20325	20328
Description	Stikit™ Pad included.	Stikit™ Pad included.	Stikit™ Pad included.	Stikit™ Pad included.
Part Number	20320	20324	20325	20328
UPC	0-00-51141-20320-1	0-00-51141-20324-9	0-00-51141-20325-6	0-00-51141-20328-7
Product Name	3M™ Random Orbital Sander	3M™ Random Orbital Sander	3M™ Random Orbital Sander	3M™ Random Orbital Sander
Tool Diameter	5 Inch	6 Inch	6 Inch	6 Inch
Orbit Diameter	3/32 Inch	5/16 Inch	3/16 Inch	3/32 Inch

3M™ Random Orbital Sanders - Self Generating Vacuum

Max RPM 12000 Motor HP (W) .28 (209) Packaging 1 per case

	20208	20252	20255	20316
		8	8	SM BOO
Description	Clean Sanding Hookit™ Pad, Filter Bag Adapter, and Clean Sanding Filter Bag included.	Hookit TM Clean Sanding Disc Pad, Filter Bag Adapter, Clean Sanding Filter Bag and Air Tool Lubricant included.	Hookit TM Clean Sanding Disc Pad, Filter Bag Adapter, Clean Sanding Filter Bag and Air Tool Lubricant included.	Hookit™ Clean Sanding Pad, Filter Bag Adapter, and Clean Sanding Filter Bag included.
Part Number	20208	20252	20255	20316
UPC	0-00-51141-20208-2	0-00-51141-20252-5	0-00-51141-20255-6	0-00-51141-20316-4
Product Name	3M™ Random Orbital Sander	3M™ Random Orbital Sander	3M™ Random Orbital Sander	3M™ Random Orbital Sander
Tool Diameter	6 Inch	3 Inch	5 Inch	3 Inch
Orbit Diameter	5/16 Inch	3/16 Inch	5/16 Inch	3/32 Inch

3M™ Sanders & Buffers

3M™ Random Orbital Sanders - Self Generating Vacuum (continued)

	20319	20322	20327	20330
Description	Clean Sanding Hookit™ Pad, Filter Bag Adapter, and Clean Sanding Filter Bag included.	Clean Sanding Hookit™ Pad, Filter Bag Adapter, and Clean Sanding Filter Bag included.	Clean Sanding Hookit™ Pad, Filter Bag Adapter, and Clean Sanding Filter Bag included.	Clean Sanding Hookit™ Pad, Filter Bag Adapter, and Clean Sanding Filter Bag included.
Part Number	20319	20322	20327	20330
UPC	0-00-51141-20319-5	0-00-51141-20322-5	0-00-51141-20327-0	0-00-51141-20330-0
Product Name	3M™ Random Orbital Sander			
Tool Diameter	5 Inch	6 Inch	6 Inch	6 Inch
Orbit Diameter	3/16 Inch	3/32 Inch	3/16 Inch	3/32 Inch

Pistol Grip Tools

Pistol Grip Tools

Packaging 1 per case

	28353	28354
Description	This powerful, lighweight tool that has excellent balance. The pistol grip design enables the user to sand in those hard to reach areas such as those found in door jambs, bumpers, headlight lens, etc. with tremendous ease.	Powerful .45 HP Motor for faster buffing. Offset design for greater surface visibility. Composite body for greater user comfort. Only weighs 1.6 lbs. for excellent power to weight ratio. Robust gear head design for longer tool life.
Part Number	28353	28354
UPC	0-00-51141-28353-1	0-00-51141-28354-8
Product Name	3M™ Random Orbital Pistol Grip Sander	3M™ Pistol Grip Buffer
Tool Diameter	3 Inch	3 Inch
Orbit Diameter	1/8 Inch	
Max RPM	15000	2200

Denibbing Tools

Denibbing Tools

	07650	07652	07654	07657
				ens
Description	Denibbing power tool that removes and finishes small dust nibs on newly painted vehicles. For use with 3M [™] Denibbing Abrasives. PN02047 and PN02080.	75 mm 3M™ Hookit™ Back Up Pad compatable with the Denib Polisher.	Contains all the equipment needed to perform the 3M TM Denibbing system: 3M TM Perfect-It TM Denibbing Tool, PN07650; 3M TM Perfect-It TM Denibbing Tool Charger Kit - NA, PN07657. Compatitable with most North American outlets.	Contains all the equipment needed to charge a 3M™ Perfect-It™ Denibbing Tool, PN07650; including 1 each 3M™ Perfect-It™ Denibbing Charger, PN07651 and 1 each non-polarized power cord compatitable with most North American outlets.
Part Number	07650	07652	07654	07657
UPC	0-00-51131-07650-1	0-00-51131-07652-5	0-00-51131-07654-9	0-00-51131-07657-0
Product Name	3M™ Perfect-It™ Denibbing Tool	3M™ Denib Polisher Back Up Pad	3M [™] Perfect-It [™] Denibbing Tool Kit - NA	3M [™] Denibbing Tool Charger Kit - NA
Tool Diameter	-			
Max RPM	-	3000		
Packaging	4 per case	1 pad per pack 5 packs per case	1 per case	1 per case
	28353	28354	28363	
		O RESERVED		
Description	This powerful, lighweight tool that has excellent balance. The pistol grip design enables the user to sand in those hard to reach areas such as those found in door jambs, bumpers, headlight lens, etc. with tremendous ease.	Powerful .45 HP Motor for faster buffing. Offset design for greater surface visibility. Composite body for greater user comfort. Only weighs 1.6 lbs. for excellent power to weight ratio. Robust gear head design for longer tool life.	3M [™] Pneumatic Polisher designed to be used with 3M [™] Perfect-It [™] Polishing and Buff Pads to remove abrasive scratches on base coat/clear coat substrates.	
Part Number	28353	28354	28363	
UPC	0-00-51141-28353-1	0-00-51141-28354-8	0-00-51141-28363-0	
Product Name	3M™ Random Orbital Pistol Grip Sander	3M [™] Pistol Grip Buffer	3M™ Polisher	
Tool Diameter	3 Inch	3 Inch	75 Millimetre	
Max RPM	15000	2200	11000	
Packaging	1 per case	1 per case	1 per case	

3M™ Air Line Extensions

Diamter 3/8 Inch

	20209	25119
		THE STATE OF THE S
Description	Moves connection away from the exhaust tube and its 4 foot long extension safely keeps the couplings from hitting the work piece. The 1/4 in NPT fitting attaches directly to the Random Orbital Sander with Self-Generating or Central Vacuum.	Five inch long air line moves the coupling connection away from the exhaust tube. The 1/4 in NPT fitting attaches directly to the Random Orbital Sander with Self-Generating or Central Vacuum.
Part Number	20209	25119
UPC	0-00-51141-20209-9	0-00-51141-25119-6
Product Name	3M™ Random Orbital Sander Air Line Extension	3M™ Random Orbital Sander Mini Air Line Extension
Length	4 Linear Foot	5 Inch
Packaging	1 per case	10 per case

3M[™] Air Tool & Compressor Lubricants

	20451	20466	20467
	The state of the s	CONTRACTOR OF THE PROPERTY OF	
Description	A lubricating oil that keeps the tools running at top efficiency. The oil reduces the coefficient of friction between moving parts and reduces the amount of heat produced by the motor. Use 2-3 drops per day or as needed to maintain tool performance.	A lubricating oil that keeps the tools running at top efficiency. The oil reduces the coefficient of friction between moving parts and reduces the amount of heat produced by the motor. Use 2-3 drops per day or as needed to maintain tool performance.	A lubricating oil that keeps the tools running at top efficiency. The oil reduces the coefficient of friction between moving parts and reduces the amount of heat produced by the motor. Larger size for compressors.
Part Number	20451	20466	20467
UPC	0-00-51141-20451-2	0-00-51141-20466-6	0-00-51141-20467-3
Product Name	3M™ Air Tool Lubricant	3M™ Air Tool and Compressor Lubricant	3M [™] Air Tool and Compressor Lubricant
Container Volume	4 Ounce	1 Quart	1 Gallon
Packaging	12 per case	12 per case	4 per case

3M™ Filter Bags & Vacuum Bag Inserts

	20338	20452	20453	28303
	and and	M SM SM		3M
Description	Paper vacuum bag used to collect sanding dust when using a SGV Orbital or ROS. Connects to 1 in vacuum hose (PN28301) with Adapter (PN28302). Fits inside cloth bag cover (PNA1434).	Used on Random Orbital Sanders with Self-Generated Vacuum to collect sanding dust. Eliminates the need for vacuum hose which improves operator ease of use. Use with 3M™ Filter Bag Adapter to attach bag to sander. HEPA rated.	Used to attach 3M TM Clean Sanding Filter Bag to Self Generating Vacuum Orbital and Random Orbital Sanders. Has a 1 in external hose thread which attaches to 3M TM Sander and 1 in ID tubing with attaches to 3M TM Clean Sanding Filter Bag.	Holds and protects paper Vacuum Bag Insert (PN20338). Color: Black Cloth.
Part Number	20338	20452	20453	28303
UPC	0-00-51141-20338-6	0-00-51141-20452-9	0-00-51141-20453-6	0-00-51141-28303-6
Product Name	3M [™] Vacuum Bag Inserts	3M [™] Clean Sanding Filter Bag	3M™ Filter Bag Adapter	3M [™] Vacuum Bag Cover A1434
Packaging	10 per inner 50 per case	10 per inner 50 per case	10 per case	1 per case
	28364	28365	28383	
		D SI		
		_		
Description	HEPA Rated when used with 3M™ Random Orbital Sanders with Self- Generated Vacuum to collect sand- ing dust. Use with 3M™ Clean Sanding Filter Bag Backpack/Hip Pack Assembly which holds and protects the Filter Bag.	Pack assembly that can be used as a backpack or a hip pack. The pack holds our 3M™ Extra Large Clean Sanding Filter Bag along with the other components used to connect the 3M™ Self-Generated Vacuum Random Orbital Sander to the Filter Bag.	This End Cap is pressed onto the nozzle of the Filter Bag (PN20452 or PN28364) after the filter bag is full to keep dust from escaping. The order guantity of End Caps will be packaged in a poly bag and shipped in a best fit box.	
Description Part Number	Random Orbital Sanders with Self- Generated Vacuum to collect sand- ing dust. Use with 3M [™] Clean Sanding Filter Bag Backpack/Hip Pack Assembly which holds and	a backpack or a hip pack. The pack holds our 3M™ Extra Large Clean Sanding Filter Bag along with the other components used to connect the 3M™ Self-Generated Vacuum Random Orbital Sander to	nozzle of the Filter Bag (PN20452 or PN28364) after the filter bag is full to keep dust from escaping. The order guantity of End Caps will be packaged in a poly bag and	
,	Random Orbital Sanders with Self- Generated Vacuum to collect sand- ing dust. Use with 3M [™] Clean Sanding Filter Bag Backpack/Hip Pack Assembly which holds and protects the Filter Bag.	a backpack or a hip pack. The pack holds our 3M™ Extra Large Clean Sanding Filter Bag along with the other components used to connect the 3M™ Self-Generated Vacuum Random Orbital Sander to the Filter Bag.	nozzle of the Filter Bag (PN20452 or PN28364) after the filter bag is full to keep dust from escaping. The order guantity of End Caps will be packaged in a poly bag and shipped in a best fit box.	
Part Number	Random Orbital Sanders with Self- Generated Vacuum to collect sand- ing dust. Use with 3M [™] Clean Sanding Filter Bag Backpack/Hip Pack Assembly which holds and protects the Filter Bag.	a backpack or a hip pack. The pack holds our 3M™ Extra Large Clean Sanding Filter Bag along with the other components used to connect the 3M™ Self-Generated Vacuum Random Orbital Sander to the Filter Bag. 28365	nozzle of the Filter Bag (PN20452 or PN28364) after the filter bag is full to keep dust from escaping. The order guantity of End Caps will be packaged in a poly bag and shipped in a best fit box.	

3M[™] Hose & Hose Adaptors

	20340	20341	28301	28302
Description	Used to attach a 1 in threaded hose to a 1-1/4 in threaded hose.	1 in internal hose thread x 1-1/2 in OD Hose Adapter.	Red vacuum hose used to properly connect 3M™ Random Orbital and Orbital Sanders to a vacuum sys- tem for superb performance	Vacuum Hose Adapter used to con- nect 1 in External Hose Thread vac- uum hose to paper vacuum bag and cloth cover bag.
Part Number	20340	20341	28301	28302
UPC	0-00-51141-20340-9	0-00-51141-20341-6	0-00-51141-28301-2	0-00-51141-28302-9
Product Name	3M™ Hose End Adapter	3M [™] Vacuum Hose Fitting Adapter	3M™ Vacuum Hose	3M™ Vacuum Hose Adapter
Color	Black	Black	Red	Black
Diamter	-			
Length	-		6 Linear Foot	
Packaging	10 per case	10 per case	1 per case	1 per case
	28304	28393	30324	30439
Description	Used to attach a 1 in ID vacuum hose to the 3M™ Random Orbital Sanders. Has a 1 in vacuum hose external thread (left hand thread), which screws into the ROS exhaust assembly, and a 1 in friction fit barb that pushes into the ID of the vacuum hose.	Red vacuum hose used to properly connect 3M [™] Random Orbital and Orbital Sanders to a vacuum system for superb performance.	Used to attach a 1 in ID vacuum hose to a 3/4 in ID vacuum hose. Has a 1 in internal hose thread in one end of the adapter and a 3/4 in. internal hose thread in the other end of the adapter.	Used to attach a 1 in ID vacuum hose to a 2 in ID vacuum hose. Has a 1 in friction fit barb that pushes into the ID of the 1 in. vacuum hose and has a 2 in friction fit barb that pushes into the ID of the 2 in vacuum hose.
Description Part Number	hose to the 3M™ Random Orbital Sanders. Has a 1 in vacuum hose external thread (left hand thread), which screws into the ROS exhaust assembly, and a 1 in friction fit barb that pushes into the ID of the vacu-	connect 3M™ Random Orbital and Orbital Sanders to a vacuum sys-	hose to a 3/4 in ID vacuum hose. Has a 1 in internal hose thread in one end of the adapter and a 3/4 in. internal hose thread in the other	hose to a 2 in ID vacuum hose. Has a 1 in friction fit barb that pushes into the ID of the 1 in. vacuum hose and has a 2 in friction fit barb that pushes into the ID of the 2 in vacu-
·	hose to the 3M™ Random Orbital Sanders. Has a 1 in vacuum hose external thread (left hand thread), which screws into the ROS exhaust assembly, and a 1 in friction fit barb that pushes into the ID of the vacuum hose.	connect 3M™ Random Orbital and Orbital Sanders to a vacuum sys- tem for superb performance.	hose to a 3/4 in ID vacuum hose. Has a 1 in internal hose thread in one end of the adapter and a 3/4 in. internal hose thread in the other end of the adapter.	hose to a 2 in ID vacuum hose. Has a 1 in friction fit barb that pushes into the ID of the 1 in. vacuum hose and has a 2 in friction fit barb that pushes into the ID of the 2 in vacuum hose. 30439 0-00-51141-30439-7
Part Number	hose to the 3M TM Random Orbital Sanders. Has a 1 in vacuum hose external thread (left hand thread), which screws into the ROS exhaust assembly, and a 1 in friction fit barb that pushes into the ID of the vacuum hose. 28304	connect 3M™ Random Orbital and Orbital Sanders to a vacuum sys- tem for superb performance. 28393	hose to a 3/4 in ID vacuum hose. Has a 1 in internal hose thread in one end of the adapter and a 3/4 in. internal hose thread in the other end of the adapter.	hose to a 2 in ID vacuum hose. Has a 1 in friction fit barb that pushes into the ID of the 1 in. vacuum hose and has a 2 in friction fit barb that pushes into the ID of the 2 in vacuum hose. 30439
Part Number UPC	hose to the 3M TM Random Orbital Sanders. Has a 1 in vacuum hose external thread (left hand thread), which screws into the ROS exhaust assembly, and a 1 in friction fit barb that pushes into the ID of the vacuum hose. 28304 0-00-51141-28304-3	connect 3M™ Random Orbital and Orbital Sanders to a vacuum system for superb performance. 28393 0-00-51141-28393-7	hose to a 3/4 in ID vacuum hose. Has a 1 in internal hose thread in one end of the adapter and a 3/4 in. internal hose thread in the other end of the adapter. 30324 0-00-51141-30324-6	hose to a 2 in ID vacuum hose. Has a 1 in friction fit barb that pushes into the ID of the 1 in. vacuum hose and has a 2 in friction fit barb that pushes into the ID of the 2 in vacuum hose. 30439 0-00-51141-30439-7
Part Number UPC Product Name	hose to the 3M TM Random Orbital Sanders. Has a 1 in vacuum hose external thread (left hand thread), which screws into the ROS exhaust assembly, and a 1 in friction fit barb that pushes into the ID of the vacuum hose. 28304 0-00-51141-28304-3 3M TM Vacuum Hose Fitting Adapter	connect 3M™ Random Orbital and Orbital Sanders to a vacuum system for superb performance. 28393 0-00-51141-28393-7 3M™ Vacuum Hose	hose to a 3/4 in ID vacuum hose. Has a 1 in internal hose thread in one end of the adapter and a 3/4 in. internal hose thread in the other end of the adapter. 30324 0-00-51141-30324-6 3M TM Vacuum Hose End Adapter	hose to a 2 in ID vacuum hose. Has a 1 in friction fit barb that pushes into the ID of the 1 in. vacuum hose and has a 2 in friction fit barb that pushes into the ID of the 2 in vacuum hose. 30439 0-00-51141-30439-7 3M™ Vacuum Hose Adapter
Part Number UPC Product Name Color	hose to the 3M TM Random Orbital Sanders. Has a 1 in vacuum hose external thread (left hand thread), which screws into the ROS exhaust assembly, and a 1 in friction fit barb that pushes into the ID of the vacuum hose. 28304 0-00-51141-28304-3 3M TM Vacuum Hose Fitting Adapter Black	connect 3M™ Random Orbital and Orbital Sanders to a vacuum system for superb performance. 28393 0-00-51141-28393-7 3M™ Vacuum Hose	hose to a 3/4 in ID vacuum hose. Has a 1 in internal hose thread in one end of the adapter and a 3/4 in. internal hose thread in the other end of the adapter. 30324 0-00-51141-30324-6 3M TM Vacuum Hose End Adapter	hose to a 2 in ID vacuum hose. Has a 1 in friction fit barb that pushes into the ID of the 1 in. vacuum hose and has a 2 in friction fit barb that pushes into the ID of the 2 in vacuum hose. 30439 0-00-51141-30439-7 3M TM Vacuum Hose Adapter Black

3M[™] Hose & Hose Adaptors (continued)

	30440	30441	30442	
Description	Used to attach a 1 in ID vacuum hose to a 1-1/2 in ID vacuum hose. Has a 1 in friction fit barb that pushes into the ID of the 1 in. vacuum hose and has a 1-1/2 in friction fit barb that pushes into the ID of the 1-1/2 in vacuum hose.	Used to attach a 1 in ID vacuum hose to a 1-1/4 in ID vacuum hose. Has a 1 in friction fit barb that pushes into the ID of the 1 in. vacuum hose and has a 1-1/4 in. friction fit barb that pushes into the ID of the 1-1/4 in. vacuum hose.	Used to attach a 1 in ID vacuum hose to another 1 in ID vacuum hose. Has a 1 in internal hose thread in both ends of the adapter. Allows the customer to connect 2 lengths of 1 in vacuum hoses to create a longer vacuum hose.	
Part Number	30440	30441	30442	
UPC	0-00-51141-30440-3	0-00-51141-30441-0	0-00-51141-30442-7	
Product Name	3M™ Vacuum Hose Adapter	3M™ Vacuum Hose Adapter	3M™ Vacuum Hose Swivel Adapter	
Color	Black	Black	Red	
Diamter	1 Inch	1 Inch		
Length				
Packaging	1 bag per case	1 bag per case	1 bag per case	

3M™ Orbital/Random Orbital Sander Grips

Packaging 1 per case

	20342	20343	20344
Description	Replaceable grip for small sized hands.	Replaceable grip for medium sized hands. This size grip is the standard size that comes on the tool.	Replaceable grip for large sized hands.
Part Number	20342	20343	20344
UPC	0-00-51141-20342-3	0-00-51141-20343-0	0-00-51141-20344-7
Product Name	3M™ Random Orbital Sander Grip	3M™ Random Orbital Sander Grip	3M™ Random Orbital Sander Grip
Diamter	2-1/2 Inch	2-3/4 Inch	3 Inch

3M™ Random Orbital Sander Drop In Motors

Allows for a very fast and easy way to repair the 3MTM Random Orbital Sander. The complete motor is replaced instead of rebuilding the motor with individual parts.

	01811	01812	20216
Part Number	01811	01812	20216
UPC	0-00-51122-01811-4	0-00-51122-01812-1	0-00-51141-20216-7
Product Name	3M™ Random Orbital Sander Drop In Motor	3M™ Random Orbital Sander Drop In Motor	3M™ Random Orbital Sander Drop In Motor
Tool Diameter	5 Inch	6 Inch	3 Inch
Orbit Diameter	3/16 Inch	3/32 Inch	3/32 Inch
Packaging	1 per case	1 per case	1 per case
	20217	20218	20221
Part Number	20217	20218	20221
UPC	0-00-51141-20217-4	0-00-51141-20218-1	0-00-51141-20221-1
Product Name	3M™ Random Orbital Sander Drop In Motor	3M™ Random Orbital Sander Drop In Motor	3M™ Random Orbital Sander Drop In Motor
Tool Diameter	3 Inch	5 Inch	6 Inch
Orbit Diameter	3/16 Inch	3/32 Inch	3/16 Inch
Packaging	1 per case	1 per case	1 per case
	20222	20256	30445
Part Number	20222	20256	30445
UPC	0-00-51141-20222-8	0-00-51141-20256-3	0-00-51141-30445-8
Product Name	3M™ Random Orbital Sander Drop In Motor	3M™ Random Orbital Sander Drop In Motor	3M™ Random Orbital Buffer Drop In Motor
Tool Diameter	6 Inch	5 inch	3 Inch
Orbit Diameter	5/16 Inch	5/16 Inch	1/2 Inch
Packaging	1 per case	1 per case	1 bag per case

3M™ Service Tool Kits

	20215
	000000 -
Description	This kit contains all of the special tools needed to disassemble and reassemble the 3M™ Orbital and Random Orbital Sanders.
Part Number	20215
UPC	0-00-51141-20215-0
Product Name	3M™ Service Tool Kit
Packaging	1 per case

Traction & Matting Natting Products

Traction & Matting Products

Accessories

3M[™] Safety-Walk[™] Accessories

	19339	19340	19341
	The Wall Primer	- Tribing	of the state of th
Description	Solvent-based adhesive prepares rough or porous surfaces before application of slip-resistant tape and treads. One quart covers approximately 35 square feet.	Liquid, solvent-based sealer help protect exposed edges of slip-resistant tapes and treads from excessive moisture or liquids. One 5-ounce tube with convenient tube applicator seals approximately 75 to 100 linear feet.	Helps provide a firm bond when applying slip- resistant tapes and treads.
Part Number	19339	19340	19341
UPC	5-00-48011-19339-2	5-00-48011-19340-8	5-00-48011-19341-5
Product Name	3M™ Safety-Walk™ Primer 901	3M [™] Safety-Walk [™] Edge Sealing Compound 902	3M [™] Safety-Walk [™] Rubber Hand Roller 903
Color	Tan	Clear	Gray
Packaging	1 per case	1 per case	1 per case

Bathtub Strips

3M[™] Safety-Walk[™] Bathtub Strips

3M™ Safety Walk™ Rolls and Strips are ideal for helping prevent slips and falls. Safety Walk™ comes in a variety of sizes, colors, and materials.

Length 17 Inch Width 3/4 Inch

Packaging 7 per pack 12 packs per case



Part Number	UPC	Product Name	Color
59446	0-00-51131-59446-3	3M™ Safety-Walk™ Bathtub Strips 7644NA	Clear
59447	0-00-51131-59447-0	3M™ Safety-Walk™ Bathtub Strips 7645NA	White

Traction & Matting Products

Coarse Tread

3M™ Safety-Walk™ Coarse Tread Pieces and Rolls

Heavy duty industrial application slip-resistant tape.

Product Name 3M™ Safety-Walk™ Coarse Tread 710

Color Black



Part Number	UPC	Length	Width	Packaging
34729	0-00-48011-34729-5	24 Inch	6 Inch	25 per case
34730	0-00-48011-34730-1	30 Linear Foot	4 Inch	1 per case
34731	0-00-48011-34731-8	30 Linear Foot	6 Inch	1 per case
34734	0-00-48011-34734-9	30 Linear Foot	24 Inch	1 per case

Conformable Tread

3M™ Safety-Walk™ Conformable Tread Pieces and Rolls

Ideal for use on diamond grade safety plates., steps and other irregular surfaces. Mineral coated, slip-resistant with aluminum foil backing. Conforms to irregular surfaces and around edges.



Part Number	UPC	Product Name	Length	Width	Color	Packaging
19279	5-00-48011-19279-1	3M™ Safety-Walk™ SlipResistant Conformable Tapes and Treads 510	24 Inch	6 Inch	Black	50 per case
19280	5-00-48011-19280-7	3M™ Safety-Walk™ SlipResistant Conformable Tapes and Treads 510	60 Linear Foot	2 Inch	Black	2 per case
19281	5-00-48011-19281-4	3M™ Safety-Walk™ SlipResistant Conformable Tapes and Treads 510	60 Linear Foot	4 Inch	Black	1 per case
19282	5-00-48011-19282-1	3M™ Safety-Walk™ SlipResistant Conformable Tapes and Treads 510	60 Linear Foot	6 Inch	Black	1 per case
19283	5-00-48011-19283-8	3M™ Safety-Walk™ SlipResistant Conformable Tapes and Treads 510	60 Linear Foot	12 Inch	Black	1 per case
19284	5-00-48011-19284-5	3M™ Safety-Walk™ SlipResistant Conformable Tapes and Treads 510	60 Linear Foot	18 Inch	Black	1 per case
19288	5-00-48011-19288-3	3M™ Safety-Walk™ SlipResistant Conformable Tapes and Treads 530	60 Linear Foot	2 Inch	Safety Yellow	2 per case
19289	5-00-48011-19289-0	3M™ Safety-Walk™ SlipResistant Conformable Tapes and Treads 530	60 Linear Foot	4 Inch	Safety Yellow	1 per case
19290	5-00-48011-19290-6	3M™ Safety-Walk™ SlipResistant Conformable Tapes and Treads 530	60 Linear Foot	6 Inch	Safety Yellow	1 per case

Fine Resillient Tread

3M™ Safety-Walk™ Fine Resilient Tread Pieces and Rolls

High-friction, fine-resilient textured, slip-resistant material. Reverse side coated with pressuresensitive adhesive protected by a removable liner. For wet, barefoot traffic areas.



Part Number	UPC	Product Name	Width	Length	Color	Packaging
19303	5-00-48011-19303-3	3M™ Safety-Walk™ SlipResistant Fine Resilient Tapes and Treads 220	1 Inch	60 Linear Foot	Clear	4 per case
19304	5-00-48011-19304-0	3M™ Safety-Walk™ SlipResistant Fine Resilient Tapes and Treads 220	2 Inch	60 Linear Foot	Clear	2 per case
19305	5-00-48011-19305-7	3M™ Safety-Walk™ SlipResistant Fine Resilient Tapes and Treads 220	12 Inch	60 Linear Foot	Clear	1 per case
19315	5-00-48011-19315-6	3M™ Safety-Walk™ SlipResistant Fine Resilient Tapes and Treads 280	1 Inch	60 Linear Foot	White	4 per case
19316	5-00-48011-19316-3	3M™ Safety-Walk™ SlipResistant Fine Resilient Tapes and Treads 280	2 Inch	60 Linear Foot	White	2 per case
19317	5-00-48011-19317-0	3M™ Safety-Walk™ SlipResistant Fine Resilient Tapes and Treads 280	4 Inch	60 Linear Foot	White	1 per case
19318	5-00-48011-19318-7	3M™ Safety-Walk™ SlipResistant Fine Resilient Tapes and Treads 280	6 Inch	60 Linear Foot	White	1 per case
19319	5-00-48011-19319-4	3M™ Safety-Walk™ SlipResistant Fine Resilient Tapes and Treads 280	12 Inch	60 Linear Foot	White	1 per case
59501	0-00-51131-59501-9	3M™ Safety-Walk™ Light Duty Resilient Tread 7742		60 Linear Foot	White	1 per case

General Purpose Tread

Tread Pieces and Rolls - Bulk

3M™ Safety Walk™ Rolls and Strips are ideal for helping prevent slips and falls. Safety Walk™ comes in a variety of sizes, colors, and materials.

Length 60 Linear Foot



Traction & Matting Products

General Purpose Tread

Tread Pieces and Rolls - Non Bulk

This mineral-coated, slip-resistant material features a highly durable surface. Low-profile design reduces trip hazard.



Part Number	UPC	Product Name	Length	Width	Color	Packaging
19216	5-00-48011-19216-6	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 610	5.5 Inch	5.5 Inch	Black	50 per case
19218	5-00-48011-19218-0	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 610	24 Inch	6 Inch	Black	50 per case
19219	5-00-48011-19219-7	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 610	60 Linear Foot	0.75 Inch	Black	4 per case
19220	5-00-48011-19220-3	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 610	60 Linear Foot	1 Inch	Black	4 per case
19221	5-00-48011-19221-0	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 610	60 Linear Foot	2 Inch	Black	2 per case
19223	5-00-48011-19223-4	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 610	60 Linear Foot	4 Inch	Black	1 per case
19224	5-00-48011-19224-1	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 610	60 Linear Foot	6 Inch	Black	1 per case
19235	5-00-48011-19235-7	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 610	60 Linear Foot	12 Inch	Black	1 per case
19236	5-00-48011-19236-4	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 610	60 Linear Foot	24 Inch	Black	1 per case
19238	5-00-48011-19238-8	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 610	60 Linear Foot	18 Inch	Black	1 per case
19239	5-00-48011-19239-5	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 610	60 Linear Foot	36 Inch	Black	1 per case
26417	5-00-48011-26417-7	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 620	60 Linear Foot	1 Inch	Clear	4 per case
26418	5-00-48011-26418-4	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 620	60 Linear Foot	4 Inch	Clear	1 per case
26419	5-00-48011-26419-1	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 620	60 Linear Foot	2 Inch	Clear	2 per case
26420	5-00-48011-26420-7	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 630B	60 Linear Foot	4 Inch	Safety Yellow	1 per case
26421	5-00-48011-26421-4	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 630B	60 Linear Foot	2 Inch	Safety Yellow	2 per case
26422	5-00-48011-26422-1	3M™ Safety-Walk™ SlipResistant General Purpose Tapes and Treads 630B	60 Linear Foot	1 Inch	Safety Yellow	4 per case

Heavy Duty Tread

3M™ Safety-Walk™ Heavy Duty Tread

3M[™] Safety Walk[™] Rolls and Strips are ideal for helping prevent slips and falls. Safety Walk[™] comes in a variety of sizes, colors, and materials.

Length 60 Linear Foot
Color Black



Part Number	UPC	Product Name	Width
59512	0-00-51131-59512-5	3M™ Safety-Walk™ Heavy Duty Tread 7733	4 Inch
59515	0-00-51131-59515-6	3M™ Safety-Walk™ Heavy Duty Tread 7732	2 Inch

Home and Recreation Tread

3M™ Safety-Walk™ Home and Recreation Tread

 $3M^{TM}$ Safety WalkTM Rolls and Strips are ideal for helping prevent slips and falls. Safety WalkTM comes in a variety of sizes, colors, and materials.

Length 180 Inch Width 2 Inch



Part Number	UPC	Product Name	Color	Packaging
59437	0-00-51131-59437-1	3M™ Safety-Walk™ Home and Recreation Tread 7635NA	Black	6 per case
59443	0-00-51131-59443-2	3M™ Safety-Walk™ Home and Recreation Tread 7647NA	Gray	6 per case

Traction & Matting Products

Medium Resilient Tread

Medium Duty

3MTM Safety WalkTM Rolls and Strips are ideal for helping prevent slips and falls. Safety WalkTM comes in a variety of sizes, colors, and materials.

	59505	59507	59509
	Tread		Tread
Part Number	59505	59507	59509
UPC	0-00-51131-59505-7	0-00-51131-59507-1	0-00-51131-59509-5
Product Name	3M™ Safety-Walk™ Medium Duty Resilient Tread 7735	3M [™] Safety-Walk [™] Medium Duty Resilient Tread 7740	3M [™] Safety-Walk [™] Medium Duty Resilient Tread 7734
Length	60 Linear Foot	60 Linear Foot	60 Linear Foot
Width	Assorted	2 Inch	Assorted
Color	Gray	Gray	Black
Packaging	1 per case	6 per case	1 per case

Slip Resistant

A resilient, non-mineral, slip-resistant material. Soft surface is suitable for bare feet.




Part Number	UPC	Product Name	Length	Width	Color	Packaging
19292	5-00-48011-19292-0	3M [™] Safety-Walk [™] SlipResistant Medium Resilient Tapes and Treads 310	24 Inch	6 Inch	Black	50 per case
19293	5-00-48011-19293-7	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 310	60 Linear Foot	1 Inch	Black	4 per case
19294	5-00-48011-19294-4	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 310	60 Linear Foot	2 Inch	Black	2 per case
19296	5-00-48011-19296-8	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 310	60 Linear Foot	4 Inch	Black	1 per case
19297	5-00-48011-19297-5	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 310	60 Linear Foot	6 Inch	Black	1 per case
19298	5-00-48011-19298-2	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 310	60 Linear Foot	12 Inch	Black	1 per case
19299	5-00-48011-19299-9	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 310	60 Linear Foot	18 Inch	Black	1 per case
19300	5-00-48011-19300-2	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 310	60 Linear Foot	24 Inch	Black	1 per case
19301	5-00-48011-19301-9	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 310	60 Linear Foot	36 Inch	Black	1 per case
19321	5-00-48011-19321-7	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 370	60 Linear Foot	1 Inch	Gray	4 per case
19322	5-00-48011-19322-4	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 370	60 Linear Foot	4 Inch	Gray	1 per case
19323	5-00-48011-19323-1	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 370	60 Linear Foot	2 Inch	Gray	2 per case
19324	5-00-48011-19324-8	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 370	60 Linear Foot	6 Inch	Gray	1 per case
19325	5-00-48011-19325-5	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 370	60 Linear Foot	12 Inch	Gray	1 per case
19326	5-00-48011-19326-2	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 370	60 Linear Foot	18 Inch	Gray	1 per case
19327	5-00-48011-19327-9	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 370	60 Linear Foot	24 Inch	Gray	1 per case
19328	5-00-48011-19328-6	3M™ Safety-Walk™ SlipResistant Medium Resilient Tapes and Treads 370	60 Linear Foot	36 Inch	Gray	1 per case

3M™ Nomad™ Heavy Traffic Carpet Matting

3M™ Nomad™ Heavy Traffic Carpet Matting 8850

Entrance carpet matting designed for heavy-traffic applications. The dual fiber construction traps, holds and hides dirt and moisture.

Length 5 Linear Foot Width 3 Linear Foot



Part Number	UPC	Color	Packaging
20559	5-00-48011-20559-0	Slate Mix	1 per case
20583	5-00-48011-20583-5	Ebony Mix	1 per case

3M[™] Nomad[™] Carpet Matting

3M™ Nomad™ Carpet Matting 4000

Entrance Carpet matting designed for light traffic applications. The dual fiber construction traps, holds and hides dirt and moisture.



Part Number	UPC	Length	Width	Color	Packaging
23322	5-00-48011-23322-7	5 Linear Foot	3 Linear Foot	Hunter Green	1 per case
23748	5-00-48011-23748-5	3 Linear Foot	2 Linear Foot	Charcoal	6 per case
23749	5-00-48011-23749-2	3 Linear Foot	2 Linear Foot	Brown	6 per case
23750	5-00-48011-23750-8	3 Linear Foot	2 Linear Foot	Light Gray	6 per case
23764	5-00-48011-23764-5	3 Linear Foot	2 Linear Foot	Cranberry Red	6 per case
23766	5-00-48011-23766-9	5 Linear Foot	3 Linear Foot	Cranberry Red	1 per case

Welding & Spark Protection



www.3MCollision.com

Welding & Spark Protection

Accessories

Welding Accessories

	05912	05916	05917	05919
			**dabb* **rimer **: cont	
Description	Dispenses single rolls of 24 inch 3M™ Welding and Spark Deflection Paper. Can be wall or table mount- ed. Very easy to assemble.	A fire retardant paper used to keep welding spatter and grinding sparks from damaging glass and painted surfaces.	Aerosol coating designed to be applied to metal surfaces prior to welding to provide corrosion protection after welding. Dries fast with minimum spatter. Meets MIR requirements.	Unique fabric that provides the ultimate protection from welding spatter and grinding sparks. Unlike other fire resistant blankets the 3M™ High Performance Welding Drape can take extreme heat, sparks and spatter, and not burn through.
Part Number	05912	05916	05917	05919
UPC	0-00-51131-05912-2	0-00-51131-05916-0	0-00-51131-05917-7	0-00-51131-05919-1
Product Name	3M [™] Welding and Spark Deflection Paper Dispenser	3M [™] Welding and Spark Deflection Paper	3M™ Weld-Thru Coating II	3M [™] High Performance Welding Drape
Packaging	1 per case	2 per case	6 per case	1 per case

3M[™] Automotive Welding Personal Protective Products

3M™ Welding Respirators

	07001	07002	07003	07182
Description	The 3M™ 6291 Half Facepiece Respirator Assembly includes the 3M™ Half Facepiece Respirator 6200 and 3M™ P100 Particulate Filters 2091. Helps provide respira- tory protection in environments containing certain oil and non-oil based particles.	NIOSH approved for environments containing certain oil and non-oil based particles.	NIOSH approved for environments containing certain oil and non-oil based particles.	3M recommended for use in brake and clutch repair where asbestos exposures may be found.
Part Number	07001	07002	07003	07182
UPC	5-00-51131-07002-3	5-00-51131-07003-0	5-00-51131-07001-6	0-00-51131-07182-7
Product Name	3M [™] Half Facepiece Respirator Assembly 6291	3M [™] Half Facepiece Respirator Assembly 6391	3M [™] Half Facepiece Reusable Respirator Assembly 6191	3M [™] Half Facepiece Respirator Packout
Packaging	24 per case	24 per case	24 per case	20 per case

3M[™] Welding Respirators (continued)

	07183	07187	07189	
		A		
Description	3M recommended for use in brake and clutch repair where asbestos exposures may be found.	Provides a minimum filter efficiency of 95% against non-oil based particles. This product's features provide comfortable and durable respiratory protection.	Is designed to help provide com- fortable, reliable worker protection for applications such as welding, soldering, cutting, grinding, and sanding.	
Part Number	07183	07187	07189	
UPC	0-00-51131-07183-4	0-00-51131-07187-2	5-00-51131-07189-1	
Product Name	3M [™] Half Facepiece Respirator Packout	3M™ Particulate Respirator	3M [™] Particulate Welding Respirator 8515	
Packaging	20 per case	80 per case	80 per case	

Welding - 3M[™] Speedglas[™] FlexView with 3M[™] Adflo[™] Powered Air Purifying Respirator

	37124	37125	37126	37127
	ENRIGHER			
Description	Replacement sweatband in plastic for 3M [™] Speedglas [™] Helmets 9000 Series, FlexView, ProTop and ClearView.	Replacement sweatband in leather for 3M [™] Speedglas [™] Helmets 9000 Series, FlexView, ProTop and ClearView.	Headcover with Velcro® Fasteners attaches to 3M [™] Speedglas [™] Helmets 9000 Series, FlexView, AP, APC and XL. Made from FR cotton.	Throat protector with Velcro® Fasteners attaches to 3M™ Speedglas™ Helmets 9000 Series, FlexView, ProTop, AP, APC, and XL. Made from FR cotton.
Part Number	37124	37125	37126	37127
UPC	0-00-51131-37124-8	0-00-51131-37125-5	0-00-51131-37126-2	0-00-51131-37127-9
Product Name	3M [™] Speedglas [™] Sweatband 02- 0024-00	3M [™] Speedglas [™] Replacement Sweatband 02-0024-01	3M [™] Speedglas [™] Headcover 02- 0645-00	3M [™] Speedglas [™] Throat Protector 02-0690-00
Packaging	1 per case	1 per case	1 per case	1 per case
	37129	37137	37140	37141
				Replacement mounting hardware
Description	Replacement "S" stop (right side) for helmet/headband for 3M™ Speedglas™ Helmets Utility, 9000 Series and FlexView.	Replacement batteries for 3M [™] Speedglas [™] Filters Utility and 9000 Series. Batteries are type CR2032.	Replacement headband, complete with mounting hardware. For use with 3M™ Speedglas™Helmets Utility and 9000 Series.	for headband for 3M [™] Speedglas [™] Helmets Utility and 9000 Series. Includes 2 pivot posts, 2 nuts, 1 washer and 1 "S" stop.
Description Part Number	for helmet/headband for 3M [™] Speedglas [™] Helmets Utility, 9000	Speedglas™ Filters Utility and 9000 Series. Batteries are type	with mounting hardware. For use with 3M™ Speedglas™Helmets	for headband for 3M TM Speedglas TM Helmets Utility and 9000 Series. Includes 2 pivot posts,
· 	for helmet/headband for 3M™ Speedglas™ Helmets Utility, 9000 Series and FlexView.	Speedglas™ Filters Utility and 9000 Series. Batteries are type CR2032.	with mounting hardware. For use with 3M™ Speedglas™Helmets Utility and 9000 Series.	for headband for 3M [™] Speedglas [™] Helmets Utility and 9000 Series. Includes 2 pivot posts, 2 nuts, 1 washer and 1 "S" stop.
Part Number	for helmet/headband for 3M™ Speedglas™ Helmets Utility, 9000 Series and FlexView.	Speedglas™ Filters Utility and 9000 Series. Batteries are type CR2032.	with mounting hardware. For use with 3M™ Speedglas™Helmets Utility and 9000 Series.	for headband for 3M [™] Speedglas [™] Helmets Utility and 9000 Series. Includes 2 pivot posts, 2 nuts, 1 washer and 1 "S" stop.

Welding & Spark Protection

3M[™] Automotive Welding Personal Protective Products

Welding - 3M[™] Speedglas[™] FlexView with 3M[™] Adflo[™] Powered Air Purifying Respirator (continued)

	37142	37143	37144	37146
				OAM!
Description	Replacement spark arrestor for 3M TM Adflo TM Powered Air Purifying Respirator (PAPR). Installs into Adflo turbo filter cover.	Replacement rubber breathing tube assembly for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Connects helmet assembly to turbo unit.	Replacement particulate prefilter for 3M TM Adflo TM Powered Air Purifying Respirator (PAPR). Installs into the Adflo turbo filter cover, between the spark arrestor and the High Efficiency particulate filter.	Replacement battery for 3M [™] Adflo [™] Powered Air Purifying Respirator (PAPR). Environmentally- friendly NiMH battery charges in less than 3 hours. Battery can be removed or installed in turbo unit during charging.
Part Number	37142	37143	37144	37146
UPC	5-00-51131-37142-7	0-00-51131-37143-9	5-00-51131-37144-1	0-00-51131-37146-0
Product Name	3M [™] Adflo [™] Spark Arrestor 15- 0009-99X02	3M [™] Adflo [™] Breathing Tube Assembly 15-0099-10	3M [™] Adflo [™] Prefilter 15-0099- 99X06	3M [™] Adflo [™] Powered Air Purifying Respirator (PAPR) Battery
Packaging	2 per case	1 per case	6 per case	1 per case
	37147	37148		
Description	Replacement kit includes 2 high efficiency particulate filters, 6 pre-filters and 2 spark arrestors. For 3M TM Adflo TM Powered Air Purifying Respirator (PAPR).	Throat and side protectors made in leather for helmets for 3M™ Speedglas™ Fresh-air (FA) PA & SA (APC style helmet).		
Part Number	37147	37148		
UPC	0-00-51131-37147-7	0-00-51131-37148-4		
Product Name	3M [™] Adflo [™] High Efficiency Starter Kit 15-1101-99	3M™ Speedglas™ Welding Helmet Throat and Side Protector		
Packaging	1 per case	1 per case		

3M™ Welding Respirator Replacement Filters

	07000	07184	29113	37173
	1 20 4 5 0 5 4 5 0 5 4 5 0 5 4 5 0 5 4 5 0 5 4 5 0 5 4 5 0 5 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		A. A. C.
Description	This NIOSH-approved P100 particulate filter helps provide respiratory protection in environments containing certain oil and non-oil based particles when combined with 3MTM Half and Full Facepiece Respirators according to NIOSH approvals.	P100 particulate filter helps provide respiratory protection in environments containing certain oil and non-oil based particles. 3M recommended for nuisance level organic vapor relief. Use with 3M™ Half and Full Facepieces according to NIOSH approvals.	Replacement part for 3M™ Full Facepieces 7800S. Use to attach 3M™ Filters 2000 Series, 3M™ Filter 7093, 3M™ Cartridges 6000 Series or 3M™ Dual Airline Systems.	This cartridge/ filter is NIOSH approved and provides the highest level of protection against oil and non-oil based particles. Use with 3M™ Half and Full Facepiece Respirators 6000 Series, Half Facepiece Respirator 7500 Series and Full Facepiece Respirator 7800 Series with bayonet filter holders.
Part Number	07000	07184	29113	37173
UPC	5-00-51131-07000-9	5-00-51131-07184-6	5-00-51138-29113-1	5-00-51131-37173-1
Product Name	3M™ Particulate Filter 2091	3M [™] Particulate Filter 2097	3M™ Cartridge/Filter Adapter 701	3M™ Cartridge/Filter 7093C
Packaging	100 per case	100 per case	20 per case	60 per case
	46465	46467	54187	
		10101	04101	
Description	NIOSH approved against certain organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	
Description Part Number	organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge	NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style car-	NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style car-	
·	organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	
Part Number	organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. 46465	NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.	NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. 54187	

Welding - 3M[™] Speedglas[™] Welding Filters and Replacement Parts

	37122	37124	37125	37126
		EEMENHEEFE F		
Description	Extra large 4.09 in x 2.13 in (104 mm x 54 mm) viewing area. Handles variety of arc welding processes, including low amp TIG. Helmet has four exhaust vents for reduced stuffiness. Shade 5 SideWindows increase peripheral view.	Replacement sweatband in plastic for 3M™ Speedglas™ Helmets 9000 Series, FlexView, ProTop and ClearView.	Replacement sweatband in leather for 3M™ Speedglas™ Helmets 9000 Series, FlexView, ProTop and ClearView.	Headcover with Velcro® Fasteners attaches to 3M™ Speedglas™ Helmets 9000 Series, FlexView, AP, APC and XL. Made from FR cotton.
Part Number	37122	37124	37125	37126
UPC	0-00-51131-37122-4	0-00-51131-37124-8	0-00-51131-37125-5	0-00-51131-37126-2
Product Name	3M [™] Speedglas [™] Welding Helmet 9000 with SideWindows and Auto- Darkening Filter 9002X	3M [™] Speedglas [™] Sweatband 02- 0024-00	3M [™] Speedglas [™] Replacement Sweatband 02-0024-01	3M [™] Speedglas [™] Headcover 02- 0645-00
Packaging	1 per case	1 per case	1 per case	1 per case
	37127	37129	37130	37131
Description	Throat protector with Velcro® Fasteners attaches to 3M [™] Speedglas [™] Helmets 9000 Series, FlexView, ProTop, AP, APC, and XL. Made from FR cotton.	Replacement "S" stop (right side) for helmet/headband for 3M™ Speedglas™ Helmets Utility, 9000 Series and FlexView.	Replacement "S" stop (left side) for helmet/headband for 3M™ Speedglas™ FlexView System.	Replacement helmet silver front panel for 3M™ Speedglas™ Helmets Utility, 9000 Series, ProTop System and 9000HWR assembly.
Part Number	37127	37129	37130	37131
UPC	0-00-51131-37127-9	5-00-51131-37129-8	5-00-51131-37130-4	0-00-51131-37131-6
Product Name	3M [™] Speedglas [™] Throat Protector 02-0690-00	3M [™] Speedglas [™] Pivot (S) Stop 04-0026-00	3M [™] Speedglas [™] FlexView Headband 04-0126-00	3M™ Speedglas™ Silver Front Panel
Packaging	1 per case	10 per case	10 per case	1 per case
	37132	37134	37135	37136
Description	Replacement protection plate for 3M TM FlexView Systems. Clear polycarbonate.	Scratch resistant outside protection plate for 3M™ Speedglas™ Filters Utility and 9000 Series.	Replacement inside protection plates for 3M™ Speedglas™ Filters 9002X and 9000X/XF/Xi.	Replacement inside protection plates for 3M™ Speedglas™ Filters Utility and 9000V/F.
Part Number	37132	37134	37135	37136
UPC	5-00-51131-37132-8	5-00-51131-37134-2	5-00-51131-37135-9	5-00-51131-37136-6
Product Name	3M™ Speedglas™ FlexView	3M [™] Speedglas [™] Outside	3M [™] Speedglas [™] Welding Helmet	3M [™] Speedglas [™] Welding Helmet
Troduct Harris	Welding Helmet Protection Plate	Protection Plate	Inside Protection Plate	Inside Protection Plate

Welding - 3M[™] Speedglas[™] Welding Filters and Replacement Parts (continued)

	37137	37138	37139	37140
				6
Description	Replacement batteries for 3M [™] Speedglas [™] Filters Utility and 9000 Series. Batteries are type CR2032.	Replacement accessory kit includes 10 outside protection plates, 5 Inside protection plates and 2 bat- teries. For 3M™ Speedglas™ Filters 9002X and 9000X/XF/Xi.	Replacement accessory kit includes 10 outside protection plates, 5 Inside protection plates and 2 bat- teries. For 3M™ Speedglas™ Filters 9000V/F.	Replacement headband, complete with mounting hardware. For use with 3M™ Speedglas™Helmets Utility and 9000 Series.
Part Number	37137	37138	37139	37140
UPC	5-00-51131-37137-3	0-00-51131-37138-5	0-00-51131-37139-2	0-00-51131-37140-8
Product Name	3M [™] Speedglas [™] Welding Helmet Battery	3M [™] Speedglas [™] Accessory Kit 9000 X/XF	3M [™] Speedglas [™] Accessory Kit 9000V/F	3M [™] Speedglas [™] Welding Helmet Headband and Mounting Hardware
Packaging	1 per case	1 per case	1 per case	1 per case
	37141	37149	37165	37172
		9000 Series welding halmet with		The Speedulas 9100Y dark shados
Description	Replacement mounting hardware for headband for 3M™ Speedglas™ Helmets Utility and	9000 Series welding helmet with headband. Helmet has four exhaust vents for reduced stuffiness. Two shade 5 side filters increase periph- eral viewing area by 100%. No	To be used with the 3M [™] Welding Auto-Darkening Filter WS- 020/37156(AAD) and the 3M [™] Welding Shield with Auto-Darkening	The Speedglas 9100X, dark shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch cutting modes. All new head-
	9000 Series. Includes 2 pivot posts, 2 nuts, 1 washer and 1 "S" stop.	auto-darkening filter. Accepts all 3M™ Speedglas™ Filters Utility and 9000 Series.	Filter WS-320/37154(AAD). Replacement part for WS-Series welding helmets.	gear makes this helmet extremely comfortable and versatile. Viewing area 9.12 sq in.
Part Number	37141	37149	37165	37172
UPC	0-00-51131-37141-5	0-00-51131-37149-1	5-00-51131-37165-6	0-00-51131-37172-9
Product Name	3M [™] Speedglas [™] Headband Mounting Hardware 9000	3M [™] Speedglas [™] Helmet Hard Hat 9000 with SideWindows	3M [™] Auto-Darkening Welding Filter Inside Protection Plate WS- 363	3M [™] Speedglas [™] Welding Helmet 9100 with Auto Darkening Filter 9100X
Packaging	1 per case	1 per case	5 per case	1 per case
	98559			
Description	Scratch-resistant and silver-painted outside protection plate for 3M [™] Speedglas [™] Filter SL.			
Part Number	98559			
UPC	5-00-51131-98559-4			
Product Name	3M [™] Speedglas [™] Outside Protection Plate SL 05-0250-01			
Packaging	5 per case			
	- ·			

Welding & Spark Protection

3M[™] Automotive Welding Personal Protective Products: 3M[™] Speedglas[™] 100 Welding Shields and Spare Parts

Welding - 3M[™] Speedglas[™] 100 Full Helmet Assemblies

	37191	37230	37231	37232
				°C
Description	The Speedglas 9100XX, dark shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch cutting modes. All new headgear makes this helmet extremely comfortable and versatile. Viewing area 12.11 sq in.	The Speedglas 100 Black Helmet with Auto-Darkening Filter 100S-10, is good for Stick, MIG and most TIG welding processes. It provides outstanding optical clarity. Factoryset dark shade 10 and viewing area of 6.05 sq.in. Light state shade 3.	The Speedglas 100 Black Helmet with Auto-Darkening Filter 100S-11, is good for Stick, MIG and most TIG welding processes. It provides outstanding optical clarity. Factoryset dark shade 11 and viewing area of 6.05 sq.in. Light state shade 3.	The Speedglas 100 Black Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.
Part Number	37191	37230	37231	37232
UPC	0-00-51131-37191-0	0-00-51131-37230-6	0-00-51131-37231-3	0-00-51131-37232-0
Product Name	3M [™] Speedglas [™] Welding Helmet 9100 with Auto Darkening Filter 9100XX	3M [™] Speedglas [™] Black Welding Helmet 100 with Auto-Darkening Filter 100S-10	3M [™] Speedglas [™] Black Welding Helmet 100 with Auto-Darkening Filter 100S-11	3M [™] Speedglas [™] Black Welding Helmet 100 with Auto-Darkening Filter 100V
Packaging	1 per case	1 per case	1 per case	1 per case
	02000			
	37233	37234	37235	37236
	3/233	37234	37235	37236
Description	The Speedglas 100 blazed welding helmet with 100V auto-darkening filter delivers outstanding protection, comfort and performance for Stick, MIG and most TIG welding processes. Its distinct design and adjustable shade can help increase welding performance.	The Speedglas 100 Tribal Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 Chrome Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 Mechanical Skull Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.
Description Part Number	The Speedglas 100 blazed welding helmet with 100V auto-darkening filter delivers outstanding protection, comfort and performance for Stick, MIG and most TIG welding processes. Its distinct design and adjustable shade can help increase	The Speedglas 100 Tribal Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is	The Speedglas 100 Chrome Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is	The Speedglas 100 Mechanical Skull Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light
·	The Speedglas 100 blazed welding helmet with 100V auto-darkening filter delivers outstanding protection, comfort and performance for Stick, MIG and most TIG welding processes. Its distinct design and adjustable shade can help increase welding performance.	The Speedglas 100 Tribal Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 Chrome Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 Mechanical Skull Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.
Part Number	The Speedglas 100 blazed welding helmet with 100V auto-darkening filter delivers outstanding protection, comfort and performance for Stick, MIG and most TIG welding processes. Its distinct design and adjustable shade can help increase welding performance. 37233	The Speedglas 100 Tribal Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 Chrome Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 Mechanical Skull Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.

3M[™] Automotive Welding Personal Protective Products: 3M[™] Speedglas[™] 100 Welding Shields and Spare Parts

Welding - 3M[™] Speedglas[™] 100 Full Helmet Assemblies (continued)

	37237	37238	37239	89356
Description	The Speedglas 100 Aces High Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 American Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 100 Trojan Warrior Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.	The Speedglas 9100X with sidewindows, shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versatile. Viewing area 9.12 sq in.
Part Number	37237	37238	37239	89356
UPC	0-00-51131-37237-5	0-00-51131-37238-2	0-00-51131-37239-9	0-00-51135-89356-2
Product Name	3M [™] Speedglas [™] Aces High Welding Helmet 100 with Auto- Darkening Filter 100V	3M [™] Speedglas [™] American Pride Welding Helmet 100 with Auto- Darkening Filter 100V	3MTM SpeedglasTM Trojan Warrior Welding Helmet 100 with Auto- Darkening Filter 100V 07-0012- 31TW	3M [™] Speedglas [™] Welding Helme 9100 with Auto Darkening Filter 9100X
Packaging	1 per case	1 per case	1 per case	1 per case
	89387	92988	93271	98564
Description	The Speedglas 9100XX with sidewindows, shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versatile. Viewing area 12.11 sq in.	The 9002V ("V" for "Variable" dark shades) is a highly versatile autodarkening filter able to handle a variety of arc welding processes, including extremely stable, low amp TIG. Helmet has four exhaust vents for reduced stuffiness.	Complete helmet assembly (except for auto-darkening filter). The 3M TM Speedglas TM Helmet 9000HWR-FV (FlexView) connects to 3M TM Adflo TM Powered Air Purifying Respirator (PAPR) or to 3M TM Speedglas TM Fresh-air II Supplied Air Respirator (SAR) 9000.	Be the featherweight champ with the 3M™ Speedglas™ SL. At only 12.6 oz. (including filter), it's 25% lighter than our current auto-dark- ening welding helmets. New head suspension increases adjustability. ADF shades 8-12 and 4 sensitivity levels.
Part Number	89387	92988	93271	98564
UPC	0-00-51135-89387-6	0-00-51131-92988-3	0-00-51131-93271-5	0-00-51131-98564-3
UPG			3M™ Speedglas™ Helmet	
Product Name	3M [™] Speedglas [™] Welding Helmet 9100 with Auto Darkening Filter 9100XX	3M [™] Speedglas [™] Welding Helmet 9000 with Auto-Darkening Filter 9002V	Assembly 9000HWR-FV with SideWindows 15-1699-35SW	3M [™] Speedglas [™] Welding Helmet SL with Auto-Darkening Filter

Welding & Spark Protection

3M[™] Automotive Welding Personal Protective Products: 3M[™] Speedglas[™] 100 Welding Shields and Spare Parts

Welding - 3M[™] Speedglas[™] 100 Spare Parts and Accessories

	17157	17158	17159	17195
Description	The Speedglas 100 silver front frame is a replaceable spare part for use if the original helmet is in need of replacement.	The Speedglas 100 black front frame is a replaceable spare part for use if the original helmet is in need of replacement.	The Speedglas 100 chrome front frame is a replaceable spare part for use if the original helmet is in need of replacement.	The Speedglas 100 magnifying lens holder is an accessory that allows users to be able to insert magnification plates into their Speedglas™ Welding Helmet 100 Series.
Part Number	17157	17158	17159	17195
UPC	0-00-51131-17157-2	0-00-51131-17158-9	0-00-51131-17159-6	5-00-51131-17195-9
Product Name	3M [™] Speedglas [™] Silver Front Frame 100	3M [™] Speedglas [™] Black Front Frame 100	3M [™] Speedglas [™] Chrome Front Frame 100	3M [™] Speedglas [™] Magnifying Lens Holder
Packaging	1 per case	1 per case	1 per case	2 per case
	17196	17232	37174	37175
Description	The Speedglas sweatband is designed to help absorb sweat and provide a comfortable interface for the headgear. To be used with welding helmets SL and 100 Series.	The Speedglas 100 black matte front frame is a replaceable spare part for use if the original helmet is in need of replacement.	The Speedglas 9100 standard outside protection plate is designed to protect the filter from spark and spatter. Failure to use an outside protection plate with the filter voids the warranty if spark or spatter contaminates the glass.	The Speedglas 9100 sweatband is designed to help absorb sweat and provide a comfortable interface for the headgear.
Part Number	17196	17232	37174	37175
UPC	5-00-51131-17196-6	0-00-51131-17232-6	5-00-51131-37174-8	5-00-51131-37175-5
Product Name	3M [™] Speedglas [™] Sweatband Fleece 07-0024-02	3M [™] Speedglas [™] Black Matte Front Frame 100	3M [™] Speedglas [™] Welding Helmet Outside Protection Plate 9100	3M™ Speedglas™ Sweatband 9100
Packaging	2 per case	1 per case	10 per case	3 per case
	37176	37177	37178	37179
Description	The Speedglas 9100X inside protection plate is designed to protect the inside surface of the filter from spark and spatter. Failure to use an inside protection plate with the filter voids the warranty if spark or spatter cause damage to the glass.	The Speedglas 9100XX inside protection plate is designed to protect the inside surface of the filter from spark and spatter. Failure to use an inside protection plate with the filter voids the warranty if spark or spatter cause damage to the glass.	The Speedglas 9100 Silver Front Panel is a replaceable spare part for use if the original panel becomes damaged or contaminated from weld spark and spatter.	The Speedglas 9100 Headband is a replaceable part for use if the original headband becomes worn or damaged during use.
Part Number	37176	37177	37178	37179
UPC	5-00-51131-37176-2	5-00-51131-37177-9	0-00-51131-37178-1	0-00-51131-37179-8
Product Name	3M™ Speedglas™ Inside Protection Plate 9100X	3M [™] Speedglas [™] Inside Protection Plate 9100XX	3M™ Speedglas™ Silver Front Panel 9100	3M [™] Speedglas [™] Headband 9100 including Assembled Parts
Packaging	5 per case	5 per case	1 per case	1 per case

3M[™] Automotive Welding Personal Protective Products: 3M[™] Speedglas[™] 100 Welding Shields and Spare Parts

Welding - 3M[™] Speedglas[™] 100 Spare Parts and Accessories (continued)

		-		
	37180	37188	37189	37190
Description	The Speedglas 9100 Pivot Mechanism are replaceable spare parts for the headgear for use if the original pivots become worn or damaged during use.	The Speedglas 9100 Headband Front Part is a replaceable spare part replacing only the front portion of the headband if the original parts become worn or damaged during use.	The Speedglas 9100 Headband Back Part is a replaceable spare part replacing only the back portion of the headband if the original parts become worn or damaged during use.	The Speedglas 9100 Battery Holder is a replaceable spare part for use if the original battery holder becomes worn or damaged during use.
Part Number	37180	37188	37189	37190
UPC	0-00-51131-37180-4	0-00-51131-37188-0	0-00-51131-37189-7	5-00-51131-37190-8
Product Name	3M™ Speedglas™ Pivot Mechanism 9100 Headband for Left and Right Side	3M [™] Speedglas [™] Headband 9100 Front Part	3M [™] Speedglas [™] Headband 9100 Back Part/3M [™] Versaflo [™] Ratchet 06-0400-54/M-953	3M™ Speedglas™ Battery Holder 9100
Packaging	1 per case	1 per case	1 per case	2 per case
	37240	37241	37242	37243
Description	The Speedglas Auto-Darkening Filter 100S-10, is good for Stick, MIG and most TIG welding processes. It provides excellent optical clarity. Factory-set dark shade 10 and viewing area of 6.05 sq.in. Filter only. Fits 3M™ Speedglas™ Helmets 100 Series.	The Speedglas Auto-Darkening Filter 100S-11, is good for Stick, MIG and most TIG welding processes. It provides outstanding optical clarity. Factory-set dark shade 11 and viewing area of 6.05 sq.in. Filter only. Fits 3M™ Speedglas™ Helmets 100 Series.	The Speedglas Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. It provides outstanding optical clarity, user selectable dark shades 8 through 12, and sensitivity adjust- ment. Viewing area of 6.05 sq.in.	The Speedglas 100 standard outside protection plate is designed to protect the filter from spark and spatter. Failure to use an outside protection plate with the filter voids the warranty if spark or spatter contaminates the glass. This option is standard.
Part Number	37240	37241	37242	37243
UPC	0-00-51131-37240-5	0-00-51131-37241-2	0-00-51131-37242-9	5-00-51131-37243-1
Product Name	3M [™] Speedglas [™] Auto-Darkening Filter 100S-10	3M [™] Speedglas [™] Auto-Darkening Filter 100S-11	3M [™] Speedglas [™] Auto-Darkening Filter 100V 07-0000-31	3M [™] Speedglas [™] Outside Protection Plate 100
Packaging	1 per case	1 per case	1 per case	10 per case
	37244	37245	89380	89381
Description	The Speedglas 100 scratch resist- ant outside protection plate is hard- coated and available for use in demanding environments to help resist scratching, abrasion and spark and spatter.	The Speedglas 100 high temperature outside protection plate is formulated from an engineered resin to resist higher heat applications. This is recommended for use in high amperage welding or conditions where long weld beads may generate radiant heat.	The 1.5X Magnifier is used for magnifying object 1.5X's the normal power. Can be inserted into the Speedglas 9100 ADF on the inside slot.	The 2.0X Magnifier is used for magnifying object 2.0X's the normal power. Can be inserted into the Speedglas 9100 ADF on the inside slot.
Part Number	37244	37245	89380	89381
UPC	5-00-51131-37244-8	5-00-51131-37245-5	0-00-51135-89380-7	0-00-51135-89381-4
Product Name	3M™ Speedglas™ Outside Protection Plate 100	3M [™] Speedglas [™] Outside Protection Plate 100	3M [™] Speedglas [™] Magnification Plate 1.5X	3M [™] Speedglas [™] Magnification Plate 2.0X
Packaging	10 per case	10 per case	1 per case	1 per case

Welding & Spark Protection

3M[™] Automotive Welding Personal Protective Products: 3M[™] Speedglas[™] 100 Welding Shields and Spare Parts

Welding - 3M[™] Speedglas[™] 100 Spare Parts and Accessories (continued)

	89382	93014	93033	93038
		al Service		+
Description	The 2.5X Magnifier is used for magnifying object 2.5X's the normal power. Can be inserted into the Speedglas 9100 ADF on the inside slot.	MSA [™] hard hat with mounting hardware (adapter) for 3M [™] Speedglas [™] Helmets 9000 Series, AP, APC, and XL.	High temperature outside protection plate for 3M™ Speedglas™ Filters Utility and 9000 Series.	Inside protection plate with passive filter shade #1 for 3M [™] Speedglas [™] Filters Utility and 9000F.
Part Number	89382	93014	93033	93038
UPC	0-00-51135-89382-1	0-00-51131-93014-8	5-00-51131-93033-4	5-00-51131-93038-9
Product Name	3M [™] Speedglas [™] Magnification Plate 2.5X	3M [™] Speedglas [™] Hard Hat with Mounting Hardware 02-0023-00	3M [™] Speedglas [™] Welding Helmet Outside Protection Plate 9000	3M [™] Speedglas [™] Inside Protection Plate 9000F 04-0290-01
Packaging	1 per case	1 per case	5 per case	5 per case
	93039	93068	93219	98558
	Inside protection plate with passive		Replacement welding hood with	
Description	filter shade #2 for 3M™ Speedglas™ Filters Utility and 9000F, shade 10 or 11 models only (total shade level must not exceed shade #13).	Replacement outside protection plates for 3M [™] Speedglas [™] Filters AP, APC and APC-V.	pivot mechanism for 3M™ Speedglas™ ProTop System (does not include hard hat or strap). Accepts all 3M™ Speedglas™ Filters 9000 Series.	Replacement outside protection plate for 3M [™] Speedglas [™] Filter SL.
Part Number	93039	93068	93219	98558
UPC	5-00-51131-93039-6	5-00-51131-93068-6	0-00-51131-93219-7	5-00-51131-98558-7
Product Name	3M™ Speedglas™ Inside Protection Plate 9000F	3M™ Speedglas™ Outside Protection Plate	3M [™] Speedglas [™] ProTop Welding Hood with Pivot Mechanism 04- 0025-00	3M™ Speedglas™ Outside Protection Plate SL 05-0250-00
Packaging	5 per case	10 per case	1 per case	5 per case
	98561	98562	98563	
Description	Replacement headband, complete with mounting hardware. For use with 3M™ Speedglas™ Helmet SL.	Assembly parts for headband for 3M™ Speedglas™ Helmet SL.	Replacement battery holder for 3M™ Speedglas™ Filter SL.	
Part Number	98561	98562	98563	
UPC	0-00-51131-98561-2	0-00-51131-98562-9	0-00-51131-98563-6	
Product Name	3M [™] Speedglas [™] Headband and Mounting Hardware SL 05-0650-00	3M™ Speedglas™ Headband Assembly Kit SL 05-0660-00	3M [™] Speedglas [™] Battery Holder SL 05-0370-00	
Packaging	1 per case	1 per case	1 per case	

Wheel System System

Wheel Weight System

Wheel Weight System

	61403	61405	61458	61479
Description	3M™ Wheel Weights PN61403 (TN4715) are lead-free, flexible, conformable, high profile weights used to balance tires. Cut to exact length for better balance and ride, one product replaces dozens of clip on weights. Corrosion and stain free. Uses 3M Adhesive for superior performance.	3M™ Wheel Weight PN61405 (TN4023) is a 23 mm thick, high profile, lead-free, flexible, conform- able weight used to balance tires. Cut to exact length for better bal- ance and ride, one product replaces dozens of clip on weights. Corrosion and stain free. Uses 3M™ Attachment Tape for superior per- formance.	A self-contained cleaning system with citrus-based solution in a bottle with a Scotch-Brite™ scrubbing applicator tip. Used to remove grease, oil, dirt, brake dust and tape residue to prepare the wheel rim surface for the 3M™ Wheel Weight product.	3M™ Wheel Weight Universal Cutting Tool PN61479 (TN201) is used to easily cut 3M™ Wheel Weights to exact length. Easy to read scale determines exact weight in gram or 1/4 oz increments. 3 replacement blades included in the handle.
Part Number	61403	61405	61458	61479
UPC	0-00-48011-61403-8	0-00-48011-61405-2	0-00-48011-61458-8	0-00-48011-61479-3
Product Name	3M™ Wheel Weight	3M™ Wheel Weight	3M [™] Wheel Weight Surface Prep 1000	3M [™] Wheel Weight Universal Cutting Tool
Packaging	1 roll per case	1 per case	64 per case	1 per case
	- P	.	- · F - · · · · · · · · · · · · · · · ·	
	61480	61565	61581	61592
	•	•		•
Description	•	•		•
Description Part Number	3M [™] Wheel Weight Cutting Stand PN61480 (TN252) is a heavy duty, adjustable stand designed to hold one box of either size of 3M [™]	G1565 3M [™] Replacement Scale PN61565 (RR2015) provides an easy-to-read scale for measuring 3M [™] Wheel Weight PN61403 (TN4715) to the exact weight. It is designed to be used with the 3M [™] Universal	3M™ Wheel Weight System PN61581 Sales Kit (TN401) contains a 3M™ Wheel Weight Universal Cutting Tool PN61479 (TN201), 3M™ Wheel Weight Cutter Stand PN61480 (TN252), one 5-lb. box of 3M Wheel Weight PN61403 (TN4715), one 5-lb. box of 3M Wheel Weight PN61405 (TN4023)	The 3M™ Replacement Kit PN61592 (RP201) is a replacement kit containting replacement anvils and blades for 3M™ Universal
·	3M [™] Wheel Weight Cutting Stand PN61480 (TN252) is a heavy duty, adjustable stand designed to hold one box of either size of 3M [™] Wheel Weights.	3M [™] Replacement Scale PN61565 (RR2015) provides an easy-to-read scale for measuring 3M [™] Wheel Weight PN61403 (TN4715) to the exact weight. It is designed to be used with the 3M [™] Universal Cutting Tool PN61479 (TN201).	3M™ Wheel Weight System PN61581 Sales Kit (TN401) contains a 3M™ Wheel Weight Universal Cutting Tool PN61479 (TN201), 3M™ Wheel Weight Cutter Stand PN61480 (TN252), one 5-lb. box of 3M Wheel Weight PN61403 (TN4715), one 5-lb. box of 3M Wheel Weight PN61405 (TN4023) and supporting literature.	The 3M TM Replacement Kit PN61592 (RP201) is a replacement kit containting replacement anvils and blades for 3M TM Universal Cutting Tool PN61479 (TN201).
Part Number	3M [™] Wheel Weight Cutting Stand PN61480 (TN252) is a heavy duty, adjustable stand designed to hold one box of either size of 3M [™] Wheel Weights.	3M [™] Replacement Scale PN61565 (RR2015) provides an easy-to-read scale for measuring 3M [™] Wheel Weight PN61403 (TN4715) to the exact weight. It is designed to be used with the 3M [™] Universal Cutting Tool PN61479 (TN201).	3M™ Wheel Weight System PN61581 Sales Kit (TN401) contains a 3M™ Wheel Weight Universal Cutting Tool PN61479 (TN201), 3M™ Wheel Weight Cutter Stand PN61480 (TN252), one 5-lb. box of 3M Wheel Weight PN61403 (TN4715), one 5-lb. box of 3M Wheel Weight PN61405 (TN4023) and supporting literature. 61581	The 3M TM Replacement Kit PN61592 (RP201) is a replacement kit containting replacement anvils and blades for 3M TM Universal Cutting Tool PN61479 (TN201).

Wheel Weight System

Wheel Weight System (continued)

	99099	99100	99101	99427
		3M	3M	
Description	The 3M [™] Removal Tool PN99099 (TN501) is included in the 3M [™] Wheel Weight Starter Kit PN99100 (TN315) and PN99101 (TN323), and is also available in quantities of 25 per box.	The 3M TM Wheel Weight System Starter Kit PN99100 (TN315) contains a 3M TM Wheel Weight Universal Cutting Tool PN61479 (TN201), 3M TM Wheel Weight Cutter Stand PN61480 (TN252), one 5-lb. box of 3M Wheel Weight PN61403 (TN4715), one bottle of 3M TM Wheel Weight Surface Prep 1000 and a 3M TM Removal Tool PN99099 (TN501).	The 3M™ Wheel Weight System Starter Kit PN99101 (TN323) contains 3M™ Wheel Weight Universal Cutting Tool PN61479 (TN201), 3M™ Wheel Weight Cutter Stand PN61480 (TN252), one 5-lb. box of 3M™ Wheel Weight PN61405 (TN4023), one bottle of 3M™ Wheel Weight Surface Prep 1000 and a 3M™ Removal Tool PN99099 (TN501).	3M™ Mechanical Replacement Weight PN99427 (TN4014) is an adhesive-backed mechanical replacement for clip-on weights used on the wheel flange. It is pro- vided on a roll and is designed to be cut to weight to meet your precision wheel balancing requirements.
Part Number	99099	99100	99101	99427
UPC	0-00-48011-99099-6	0-00-48011-99100-9	0-00-48011-99101-6	0-00-48011-99427-7
Product Name	3M™ Removal Tool	3M™ Wheel Weight Starter Kit	3M™ Wheel Weight Starter Kit	3M™ Mechanical Replacement Weight
Packaging	25 per box	1 per case	1 per case	1 box per case
	99428	99429	99431	
		2		
Description	3M [™] Dual Box Holder Kit PN99428 (TN222) allows the 3M [™] Cutting Stand PN61480 (TN252) to hold two boxes of 3M [™] Wheel Weight PN61403 (TN4715), PN61405 (TN4023) or PN99427 (TN4014).	3M™ Dual Cutter Bracket PN99429 (TN211) allows the 3M™ Cutting Stand PN61480 (TN252) to hold two of the 3M™ Universal Cutting Tools PN61479 (TN201), which are used for the precise cutting of the 3M™ Wheel Weight products to the desired length and weight increment.	3M™ Replacement Scale PN99431 (RR4014) provides an easy-to-read scale for measuring 3M™ Mechanical Replacement Weight PN99427 (TN4014) and 3M™ Wheel Weight PN61405 (TN4023) to the exact weight. It is designed to be used with the 3M™ Universal Cutting Tool PN61479 (TN201).	
Part Number	99428	99429	99431	
UPC	0-00-48011-99428-4	0-00-48011-99429-1	0-00-48011-99431-4	
Product Name	3M™ Dual Box Holder Kit	3M™ Dual Cutter Bracket	3M™ Replacement Scale	
Packaging	1 kit per case	1 kit per case	25 per box	

Product Number	Page	Product Number	Page	Product Number	Page
00032	203-206	00914	37	01015	38
00072	326-330	00915	37	01050	23
00072*	326-330	00916	37	01055	23
00367	53-54	00917	37	01057	28
00368	53-54	00918	37	01059	28
00371	53	00919	37	01062	28
00373	53-54	00920	37	01063	28
00374	53-54	00921	37	01064	28
00377	53-54	00922	38-39	01065	28
00379	53-54	00923	38-39	01067	28
00380	53-54	00950	36	01068	23
00391	95	00951	35	01069	23
00393	95	00952	35	01070	23
00394	95	00953	35	01071	23
00399	406-410	00954	35	01072	28
00413	400-404	00955	35	01073	28
00512	33	00956	30	01075	28
00513	33	00957	30	01076	28
00515	33	00959	30	01077	28
00516	33	00961	30	01078	28
00520	34	00962	30	01079	28
00521	34	00963	30	01080	28
00522	34	00964	30	01081	28
00524	34	00965	30	01082	28
00525	34	00966	30	01083	28
00538	85	00967	30	01090	29
00539	85	00968	36	01091	29
00540	85	00969	36	01100	57
00542	85	00970	36	01101	57
00543	85	00971	36	01103	55
00612	27	00972	38-39	01104	55
00615	27	00973	38-39	01105	56
00616	27	00974	38-39	01106	56
00621	27	00975	38-39	01107	56
00624	27	00976	38-39	01108	56
00625	27	00977	38-39	01109	56
00639	83	00978	38-39	01110	56
00642	83	00979	38-39	01111	56
00907	34-35	00980	38-39	01112	56
00908	34-35	00981	38-39	01113	56
00909		00982	38-39	01114	56
00910	34-35	00983	38-39	01115	
00911	34-35	01010	37	01116	56
00912	37	01011	37	01117	56
00012		01011		01117	00

Product Number	Page	Product Number	Page	Product Number	Page
01121	203-206	01198	60	01303	44
01125	203-206	01200	68	01311	203-206
01127	203-206	01201	68	01313	292-293
01130	203-206	01202	63-64	01314	292-293
01131	203-206	01203	63-64	01317	203-206
01132	203-206	01204	63-64	01318	58
01133	26	01205	63-64	01319	58
01134	26	01206	63-64	01320	58
01135	26	01208	63-64	01321	58
01136	26	01209	63-64	01322	68
01137	26	01210	63-64	01323	68
01138	26	01211	63-64	01325	68
01139	26	01212	63-64	01326	68
01140	26	01213	63-64	01327	68
01141	26	01218	45-46	01328	68
01142	26	01219	45-46	01329	68
01143	26	01220	45-46	01330	68
01144	26	01221	45-46	01331	68
	26	01222		01332	
	26	01223	45-46	01333	
	26	01224	45-46	01343	
	26	01225		01344	
	209-210	01231		01345	
	203-206	01251		01346	
	203-206	01252		01352	
	93	01253		01353	
	93	01254		01355	
	93	01260		01356	
	93	01261		01357	
	93	01262		01358	•
	93	01263		01359	
	157-158. 209-210	01271		01360	
	45-46	01277		01361	
	45-46	01291		01362	
	45-46	01292		01363	
	45-46	01293		01372	
	60	01294		01373	
	45-46	01295		01375	
	60	01296		01377	
	45-46	01297		01378	
	60	01298		01379	
	60	01299 01300		01380 01381	
	60	01301		01382	
UI19/	60	01302	44	01383	

Product Number	Page	Product Number	Page	Product Number	Page
01391	74	01489	64	01624	49
01394	75	01490	64	01625	49
01396	74	01491	64	01626	48
01397	74	01492	64	01628	48
01398	74	01493	64	01633	50
01400	406-410	01501	54	01634	50
01401	406-410	01506	54	01635	50
01402	217-218	01520	93-94	01636	50
01403	217-218	01521	93-94	01637	50
01406	75	01522	93-94	01638	50
01407	75	01523	93-94	01639	50
01408	75	01524	93-94	01640	50
01410	72	01525	93-94	01641	49
01411	72	01526	93-94	01642	49
01417	59	01527		01643	49
01419		01528	93-94	01660	
01420		01529	93-94	01661	
01421		01530		01665	
01422		01531		01667	
01423		01532		01668	
01424		01545		01677	
01425		01546		01678	
01426		01547		01679	
01427		01548		01680	
01428		01549		01681	
01429		01550		01682	
01430		01551		01683	
01431	_	01552		01684	
01432		01561		01685	
01433		01566		01686	
01434					
01435		01569		01687 01688	
		01602 01603		01728	
01436					
01437		01604		01729	
01438		01605		01730	
01439		01606		01743	
01440		01607		01744	
01441		01608		01745	
01442		01609		01810	
01443		01610		01811	,
01459		01611		01812	
01484		01619		01813	
01485		01620		01814	
01487		01622		01815	
01488	64	01623	49	01816	42

01817 42 02000 104-105 02112 80-81 01818 42 02001 104-105 02114 80-81 01820 42 02002 104-105 02114 80-81 01820 42 02003 104-105 02115 80-81 01838 31 02005 104-105 02117 80-81 01840 31 02006 104-105 02118 80-81 01841 31 02007 104-105 02119 80-81 01842 31 02014 104-105 02119 80-81 01842 31 02014 104-105 0219 80-81 01844 25 02015 104-105 02135 78-79 01844 25 02016 104-105 02135 78-79 01848 25 02017 104-105 02136 78-79 01849 25 02017 104-105 02138 78-79	Product Number	Page	Product Number	Page	Product Number	Page
01819 42 02002 104-105 02114 80-81 01820 42 02003 104-105 02115 80-81 01839 31 02005 104-105 02117 80-81 01840 31 02006 104-105 02117 80-81 01841 31 02007 104-105 02119 80-81 01842 31 02014 104-105 02134 78-79 01844 25 02015 104-105 02134 78-79 01845 25 02016 104-105 02135 78-79 01846 25 02017 104-105 02138 78-79 01848 25 02017 104-105 02138 78-79 01850 24 02019 102-103 02145 79 01852 24 02019 102-103 02172 80 01850 91 02021 100 02174 80 01860 <th>01817</th> <th>42</th> <th>02000</th> <th>104-105</th> <th>02112</th> <th>80-81</th>	01817	42	02000	104-105	02112	80-81
01820 .42 02003 .104-105 02115 .80-81 01838 .31 02004 .104-105 02117 .80-81 01840 .31 02006 .104-105 02117 .80-81 01841 .31 02007 .104-105 02118 .80-81 01842 .31 02014 .104-105 02134 .78-79 01843 .25 02015 .104-105 02135 .78-79 01844 .25 02016 .104-105 02135 .78-79 01848 .25 02017 .104-105 02135 .78-79 01849 .25 02017 .104-105 02138 .78-79 01850 .24 02019 .102-103 02145 .79 01852 .24 02019 .102-103 02145 .79 01852 .24 02019 .102-103 02172 .80 01852 .24 02019 .102-103 02172 .80	01818	42	02001	104-105	02113	80-81
01838 31 02004 104-105 02116 80-81 01839 31 02005 104-105 02117 80-81 01841 31 02007 104-105 02119 80-81 01842 31 02014 104-105 02134 78-79 01844 25 02015 104-105 02135 78-79 01844 25 02016 104-105 02138 78-79 01848 25 02017 104-105 02138 78-79 01850 24 02018 104-105 02138 78-79 01850 24 02019 102-03 02145 79 01852 24 02019 102-03 02145 79 01853 24 02020 102-03 02172 80 01860 91 02022 100 02174 80 01860 91 02022 100 02275 80 01862 <t< td=""><td>01819</td><td>42</td><td>02002</td><td>104-105</td><td>02114</td><td>80-81</td></t<>	01819	42	02002	104-105	02114	80-81
01839 31 02005 104-105 02117 80-81 01840 31 02006 104-105 02118 80-81 01842 31 02007 104-105 02134 78-79 01844 25 02015 104-105 02135 78-79 01845 25 02016 104-105 02136 78-79 01848 25 02017 104-105 02138 78-79 01849 25 02017 104-105 02138 78-79 01850 24 02018 104-105 02139 78-79 01850 24 02019 102-103 02145 79 01852 24 02019 102-103 02172 80 01860 91 02021 100 02174 80 01862 91 02022 100 02175 80 01863 91 02023 102-103 02220 77 01866	01820	42	02003	104-105	02115	80-81
01840 31 02006 104-105 02118 80-81 01841 31 02007 104-105 02119 80-81 01842 31 02014 104-105 02134 78-79 01845 25 02016 104-105 02136 78-79 01848 25 02017 104-105 02136 78-79 01852 24 02018 104-105 02138 78-79 01852 24 02019 102-103 02145 79 01853 24 02020 102-103 02145 79 01853 24 02020 102-103 02145 79 01853 24 02020 102-103 02172 80 01860 91 020221 100 02174 80 01863 91 020223 100 02174 80 01864 91 020223 102-103 02221 77 01865 <t< td=""><td>01838</td><td>31</td><td>02004</td><td>104-105</td><td>02116</td><td>80-81</td></t<>	01838	31	02004	104-105	02116	80-81
01841 31 02007 104-105 02119 80-81 01842 31 02014 104-105 02134 78-79 01844 25 02015 104-105 02135 78-79 01846 25 02016 104-105 02136 78-79 01848 25 02017 104-105 02138 78-79 01850 24 02018 104-105 02139 78-79 01852 24 02019 102-103 02172 80 01853 24 02020 102-103 02172 80 01860 91 02021 100 02174 80 01862 91 02022 100 02175 80 01863 91 02022 100 02175 80 01864 91 02022 100 02220 77 01865 91 02033 102-103 02221 77 01866 92	01839	31	02005	104-105	02117	80-81
01842 31 02014 104-105 02134 78-79 01844 25 02015 104-105 02135 78-79 01845 25 02016 104-105 02136 78-79 01846 25 02017 104-105 02138 78-79 01850 24 02018 104-105 02139 78-79 01852 24 02019 102-103 02145 79 01853 24 02020 102-103 02172 80 01860 91 02021 100 02173 80 01862 91 02022 100 02175 80 01863 91 02023 100 02220 77 01864 91 02033 100 02220 77 01865 91 02033 102-103 02221 77 01866 92 02034 102-103 02222 77 01870 92	01840	31	02006	104-105	02118	80-81
01844 25 02015 104-105 02135 78-79 01848 25 02016 104-105 02136 78-79 01848 25 02017 104-105 02138 78-79 01850 24 02019 102-103 02145 79 01852 24 02020 102-103 02145 79 01853 24 02020 102-103 02172 80 01860 91 02021 100 02174 80 01862 91 02022 100 02175 80 01863 91 02023 100 02274 77 01864 91 02032 102-103 02221 77 01865 91 02033 102-103 02222 77 01866 91 02033 102-103 02222 77 01870 92 02034 102-103 02222 77 01871 92	01841	31	02007	104-105	02119	80-81
01845 25 02016 104-105 02136 78-79 01848 25 02017 104-105 02138 78-79 01850 24 02018 104-105 02139 78-79 01852 24 02019 102-103 02145 79-79 01853 24 02020 102-103 02172 80 01860 91 02021 100 02174 88 01862 91 02022 100 02175 80 01863 91 02023 100 02220 77 01864 91 02033 102-103 02221 77 01865 91 02033 102-103 02222 77 01866 91 02033 102-103 02222 77 01866 91 02034 102-103 02222 78 01870 92 02035 102-103 02225 78 01871 92	01842	31	02014	104-105	02134	78-79
01848 .25 02017 104-105 02138 .78-79 01850 .24 02018 .104-105 02139 .78-78 01852 .24 02019 .102-103 02145 .79 01863 .24 02020 .102-103 02172 .80 01866 .91 02021 .100 02174 .80 01862 .91 02022 .100 02175 .80 01863 .91 02023 .100 02220 .77 01864 .91 02032 .102-103 02221 .77 01865 .91 02033 .102-103 02222 .77 01866 .91 02033 .102-103 02222 .77 01868 .92 02034 .102-103 02222 .77 01869 .92 02035 .102-103 02227 .78 01870 .92 02036 .102-103 02227 .78 01	01844	25	02015	104-105	02135	78-79
01850 24 02018 104-105 02139 78-79 01852 24 02019 102-103 02145 79 01853 24 02020 102-103 02172 80 01860 91 02021 100 02175 80 01862 91 02022 100 02175 80 01863 91 02032 102-103 02221 77 01864 91 02032 102-103 02222 77 01865 91 02033 102-103 02222 77 01866 91 02033 102-103 02222 77 01868 92 02034 102-103 022225 78 01870 92 02035 102-103 02227 78 01871 92 02036 102-103 02230 95 01873 92 02037 102-103 02231 95 01914 73	01845	25	02016	104-105	02136	78-79
01852 24 02019 102-103 02145 79 01853 24 02020 102-103 02172 80 01860 91 02021 1.00 02175 80 01862 91 02022 1.00 02175 80 01863 91 02023 1.00 02220 77 01864 91 02032 102-103 02221 77 01865 91 02033 102-103 02222 77 01866 92 02034 102-103 02225 78 01870 92 02036 102-103 02227 78 01871 92 02036 102-103 02227 78 01873 92 02037 102-103 02237 95 01873 92 02037 102-103 02231 95 01914 73 02038 102-103 02232 95 01914 73	01848	25	02017	104-105	02138	78-79
01853 24 02020 102-103 02172 80 01860 91 02021 100 02174 80 01862 91 02023 100 02175 80 01863 91 02023 100 02220 77 01864 91 02033 102-103 02221 77 01866 91 02033 102-103 02222 77 01868 92 02034 102-103 02225 78 01870 92 02035 102-103 02227 78 01871 92 02036 102-103 02230 95 01873 92 02037 102-103 02231 95 01873 92 02038 102-103 02231 95 01913 73 02038 102-103 02232 95 01914 73 02039 102-103 02258 77 01915 73 020	01850	24	02018	104-105	02139	78-79
01860 91 02021 100 02174 80 01862 91 02022 100 02175 80 01863 91 02023 100 02220 77 01864 91 02032 102-103 02221 77 01865 91 02033 102-103 02222 77 01868 92 02034 102-103 02225 78 01870 92 02035 102-103 02227 78 01871 92 02036 102-103 02227 78 01873 92 02037 102-103 02230 95 01913 73 02038 102-103 02231 95 01914 73 02039 102-103 02232 95 01914 73 02039 102-103 02288 77 01915 73 02040 102-103 02260 94 01921 73 020	01852	24	02019	102-103	02145	79
01862 .91 02022 100 02175 .80 01863 .91 02023 100 02220 .77 01864 .91 02032 .102-103 02221 .77 01865 .91 02033 .102-103 02222 .77 01868 .92 02034 .102-103 02225 .78 01870 .92 02035 .102-103 02227 .78 01871 .92 02036 .102-103 022230 .95 01873 .92 02037 .102-103 02230 .95 01913 .73 02038 .102-103 02231 .95 01914 .73 02039 .102-103 02232 .95 01914 .73 02039 .102-103 02258 .77 01921 .73 02041 .102-103 02268 .94 01922 .73 02042 .102-103 02262 .94 0192	01853	24	02020	102-103	02172	80
01863 .91 02023 .100 02220 .77 01864 .91 02032 .102-103 .02221 .77 01865 .91 02033 .102-103 .02222 .77 01868 .92 02034 .102-103 .02225 .78 01870 .92 02035 .102-103 .02227 .78 01871 .92 02036 .102-103 .02230 .95 01873 .92 02037 .102-103 .02231 .95 01913 .73 02038 .102-103 .02232 .95 01914 .73 02039 .102-103 .02232 .95 01914 .73 02040 .102-103 .02266 .94 01921 .73 02041 .102-103 .02260 .94 01921 .73 02041 .102-103 .02261 .94 01922 .73 02042 .102-103 .02262 .94	01860	91	02021	100	02174	80
01864 .91 02032 .102-103 02221 .77 01865 .91 02033 .102-103 02222 .77 01868 .92 02034 .102-103 02225 .78 01870 .92 02035 .102-103 02227 .78 01871 .92 02036 .102-103 02230 .95 01873 .92 02037 .102-103 02231 .95 01913 .73 02038 .102-103 02232 .95 01914 .73 02039 .102-103 02232 .95 01915 .73 02040 .102-103 02266 .94 01921 .73 02041 .102-103 02260 .94 01922 .73 02042 .102-103 02261 .94 01923 .73 02043 .102-103 02262 .94 01923 .73 02044 .100-103 02356 .77	01862	91	02022	100	02175	80
01865 91 02033 102-103 02222 77 01868 92 02034 102-103 02225 78 01870 92 02035 102-103 02227 78 01871 92 02036 102-103 02230 95 01873 92 02037 102-103 02231 95 01913 73 02038 102-103 02232 95 01914 73 02039 102-103 02258 77 01915 73 02040 102-103 02268 94 01921 73 02041 102-103 02260 94 01922 73 02042 102-103 02261 94 01922 73 02042 102-103 02262 94 01923 73 02043 102-103 02265 77 01927 74 02044 100 02431 76 01928 74	01863	91	02023	100	02220	77
01868 92 02034 102-103 02225 78 01870 92 02035 102-103 02227 78 01871 92 02036 102-103 02230 95 01873 92 02037 102-103 02231 95 01913 73 02038 102-103 02232 95 01914 73 02039 102-103 02258 77 01915 73 02040 102-103 02260 94 01921 73 02041 102-103 02260 94 01922 73 02042 102-103 0262 94 01923 73 02042 102-103 0262 94 01923 73 02043 102-103 0262 94 01924 102-0103 0262 94 01927 74 02044 100 02431 76 01928 74 02045 100 <	01864	91	02032	102-103	02221	77
01870 92 02035 102-103 02227 78 01871 92 02036 102-103 02230 95 01873 92 02037 102-103 02231 95 01913 73 02038 102-103 02232 95 01914 73 02039 102-103 02258 77 01915 73 02040 102-103 02260 94 01921 73 02041 102-103 02261 94 01922 73 02042 102-103 02262 94 01923 73 02043 102-103 02356 77 01927 74 02044 100 02431 76 01928 74 02045 100 02432 76 01929 74 02047 22, 259-260 02433 76 01934 69 02080 22, 259-260 02469 36 01944 71	01865	91	02033	102-103	02222	77
01871 92 02036 102-103 02230 95 01873 92 02037 102-103 02231 95 01913 73 02038 102-103 02232 95 01914 73 02039 102-103 02258 77 01915 73 02040 102-103 02260 94 01921 73 02041 102-103 02261 94 01922 73 02042 102-103 02262 94 01923 73 02043 102-103 02262 94 01923 73 02043 102-103 02262 94 01927 74 02044 100 02431 76 01928 74 02045 100 02432 76 01929 74 02047 22, 259-260 02469 86 01944 71 02086 33 02470 86 01944 71	01868	92	02034	102-103	02225	78
01873 92 02037 102-103 02231 95 01913 73 02038 102-103 02232 95 01914 73 02039 102-103 02258 77 01915 73 02040 102-103 02260 94 01921 73 02041 102-103 02261 94 01922 73 02042 102-103 02262 94 01923 73 02043 102-103 02262 94 01923 73 02043 102-103 02356 77 01927 74 02044 100 02431 76 01928 74 02045 100 02432 76 01929 74 02047 22,259-260 02433 76 01934 69 02080 22,259-260 02469 86 01943 71 02085 33 02470 86 01944 71 <t< td=""><td>01870</td><td>92</td><td>02035</td><td>102-103</td><td>02227</td><td>78</td></t<>	01870	92	02035	102-103	02227	78
01913 73 02038 102-103 02232 95 01914 73 02039 102-103 02258 77 01915 73 02040 102-103 02260 94 01921 73 02041 102-103 02261 94 01922 73 02042 102-103 02262 94 01923 73 02043 102-103 02356 77 01927 74 02044 100 02431 76 01928 74 02045 100 02432 76 01929 74 02047 22,259-260 02433 76 01934 69 02080 22,259-260 02469 86 01943 71 02085 33 02470 86 01944 71 02086 103 02472 86 01951 71 02087 33,248-249 02473 86 01952 71 <td< td=""><td>01871</td><td>92</td><td>02036</td><td>102-103</td><td>02230</td><td>95</td></td<>	01871	92	02036	102-103	02230	95
01914 73 02039 102-103 02258 77 01915 73 02040 102-103 02260 94 01921 73 02041 102-103 02261 94 01922 73 02042 102-103 02262 94 01923 73 02043 102-103 02356 77 01927 74 02044 100 02431 76 01928 74 02045 100 02432 76 01929 74 02047 22, 259-260 02433 76 01934 69 02080 22, 259-260 02469 86 01943 71 02085 33 02470 86 01944 71 02086 103 02472 86 01945 71 02087 33, 248-249 02473 86 01951 71 02088 32 02497 188-189 01952 71	01873	92	02037	102-103	02231	95
01915 .73 02040 .102-103 02260 .94 01921 .73 02041 .102-103 02261 .94 01922 .73 02042 .102-103 02262 .94 01923 .73 02043 .102-103 02356 .77 01927 .74 02044 .100 02431 .76 01928 .74 02045 .100 02432 .76 01929 .74 02047 .22, 259-260 02433 .76 01934 .69 02080 .22, 259-260 02469 .86 01943 .71 02085 .33 02470 .86 01944 .71 02086 .103 02472 .86 01945 .71 02087 .33, 248-249 02473 .86 01951 .71 02088 .32 02497 .188-189 01952 .71 02090 .31 02500 .9 01953<	01913	73	02038	102-103	02232	95
01921 73 02041 102-103 02261 94 01922 73 02042 102-103 02262 94 01923 73 02043 102-103 02356 77 01927 74 02044 100 02431 76 01928 74 02045 100 02432 76 01929 74 02047 22, 259-260 02433 76 01934 69 02080 22, 259-260 02469 86 01943 71 02085 33 02470 86 01944 71 02086 103 02472 86 01945 71 02087 33, 248-249 02473 86 01951 71 02088 32 02497 188-189 01952 71 02090 31 02500 9 01953 71 02091 31, 248-249 02504 9 01987 69 <td< td=""><td>01914</td><td>73</td><td>02039</td><td>102-103</td><td>02258</td><td>77</td></td<>	01914	73	02039	102-103	02258	77
01922 .73 02042 .102-103 02262 .94 01923 .73 02043 .102-103 02356 .77 01927 .74 02044 .100 02431 .76 01928 .74 02045 .100 02432 .76 01929 .74 02047 .22,259-260 02433 .76 01934 .69 02080 .22,259-260 02469 .86 01943 .71 02085 .33 02470 .86 01944 .71 02086 .103 02472 .86 01945 .71 02087 .33, 248-249 02473 .86 01951 .71 02088 .32 02497 .188-189 01952 .71 02090 .31 02500 .9 01953 .71 02091 .31, 248-249 02504 .9 01987 .69 02094 .32 02508 137-139, 152, 341-343, 352-354, 476-478	01915	73	02040	102-103	02260	94
01923 73 02043 102-103 02356 77 01927 74 02044 100 02431 76 01928 74 02045 100 02432 76 01929 74 02047 22, 259-260 02433 76 01934 69 02080 22, 259-260 02469 86 01943 71 02085 33 02470 86 01944 71 02086 103 02472 86 01945 71 02087 33, 248-249 02473 86 01951 71 02088 32 02497 188-189 01952 71 02090 31 02500 9 01953 71 02091 31, 248-249 02504 9 01987 69 02094 32 02508 137-139, 152, 341-343, 352-354, 476-478 01988 69 02095 32 02510 9 01989 70	01921	73	02041	102-103	02261	94
01927 .74 02044 .100 02431 .76 01928 .74 02045 .100 02432 .76 01929 .74 02047 .22, 259-260 02433 .76 01934 .69 02080 .22, 259-260 02469 .86 01943 .71 02085 .33 02470 .86 01944 .71 02086 .103 02472 .86 01945 .71 02087 .33, 248-249 02473 .86 01951 .71 02088 .32 02497 .188-189 01952 .71 02090 .31 02500 .9 01953 .71 02091 .31, 248-249 02504 .9 01987 .69 02094 .32 02508 137-139, 152, 341-343, 352-354, 476-478 01988 .69 02095 .32 02510 .9 01989 .70 02096 .33 02513 .12-13	01922	73	02042	102-103	02262	94
01928 .74 02045 .100 02432 .76 01929 .74 02047 .22, 259-260 02433 .76 01934 .69 02080 .22, 259-260 02469 .86 01943 .71 02085 .33 02470 .86 01944 .71 02086 .103 02472 .86 01945 .71 02087 .33, 248-249 02473 .86 01951 .71 02088 .32 02497 .188-189 01952 .71 02090 .31 02500 .9 01953 .71 02091 .31, 248-249 02504 .9 01987 .69 02094 .32 02508 137-139, 152, 341-343, 352-354, 476-478 01988 .69 02095 .32 02510 .9 01989 .70 02096 .33 02513 .12-13	01923	73	02043	102-103	02356	77
01929 74 02047 22, 259-260 02433 76 01934 69 02080 22, 259-260 02469 86 01943 71 02085 33 02470 86 01944 71 02086 103 02472 86 01945 71 02087 33, 248-249 02473 86 01951 71 02088 32 02497 188-189 01952 71 02090 31 02500 9 01953 71 02091 31, 248-249 02504 9 01987 69 02094 32 02508 137-139, 152, 341-343, 352-354, 476-478 01988 69 02095 32 02510 9 01989 70 02096 33 02513 12-13	01927	74	02044	100	02431	76
01934 69 02080 22, 259-260 02469 86 01943 71 02085 33 02470 86 01944 71 02086 103 02472 86 01945 71 02087 33, 248-249 02473 86 01951 71 02088 32 02497 188-189 01952 71 02090 31 02500 9 01953 71 02091 31, 248-249 02504 9 01987 69 02094 32 02508 137-139, 152, 341-343, 352-354, 476-478 01988 69 02095 32 02510 9 01989 70 02096 33 02513 12-13	01928	74	02045	100	02432	76
01943 71 02085 33 02470 86 01944 71 02086 103 02472 86 01945 71 02087 33, 248-249 02473 86 01951 71 02088 32 02497 188-189 01952 71 02090 31 02500 9 01953 71 02091 31, 248-249 02504 9 01987 69 02094 32 02508 137-139, 152, 341-343, 352-354, 476-478 01988 69 02095 32 02510 9 01989 70 02096 33 02513 12-13	01929	74	02047	22, 259-260	02433	76
01944 71 02086 103 02472 86 01945 71 02087 33, 248-249 02473 86 01951 71 02088 32 02497 188-189 01952 71 02090 31 02500 9 01953 71 02091 31, 248-249 02504 9 01987 69 02094 32 02508 137-139, 152, 341-343, 352-354, 476-478 01988 69 02095 32 02510 9 01989 70 02096 33 02513 12-13	01934	69	02080	22, 259-260	02469	86
01945 71 02087 33, 248-249 02473 86 01951 71 02088 32 02497 188-189 01952 71 02090 31 02500 9 01953 71 02091 31, 248-249 02504 9 01987 69 02094 32 02508 137-139, 152, 341-343, 352-354, 476-478 01988 69 02095 32 02510 9 01989 70 02096 33 02513 12-13	01943	71	02085	33	02470	86
01951 71 02088 32 02497 188-189 01952 71 02090 31 02500 9 01953 71 02091 31, 248-249 02504 9 01987 69 02094 32 02508 137-139, 152, 341-343, 352-354, 476-478 01988 69 02095 32 02510 9 01989 70 02096 33 02513 12-13	01944	71	02086	103	02472	86
01952 71 02090 31 02500 9 01953 71 02091 31, 248-249 02504 9 01987 69 02094 32 02508 137-139, 152, 341-343, 352-354, 476-478 01988 69 02095 32 02510 9 01989 70 02096 33 02513 12-13	01945	71	02087	33, 248-249	02473	86
01953 71 02091 31, 248-249 02504 9 01987 69 02094 32 02508 137-139, 152, 341-343, 352-354, 476-478 01988 69 02095 32 02510 9 01989 70 02096 33 02513 12-13	01951	71	02088	32	02497	188-189
01987 69 02094 32 02508 137-139, 152, 341-343, 352-354, 476-478 01988 69 02095 32 02510 9 01989 70 02096 33 02513 12-13	01952	71	02090	31	02500	9
01988 69 02095 32 02510 9 01989 70 02096 33 02513 12-13	01953	71	02091	31, 248-249	02504	9
01989	01987	69	02094	32	02508 137-139, 152, 341-3	43, 352-354, 476-478
	01988	69	02095	32	02510	9
	01989	70	02096	33	02513	12-13
01990	01990	70	02103	80-81	02514	9
01991	01991	70	02104	80-81	02516	248-249

Product Number	Page	Product Number	Page	Product Number	Page
02530 137-139, 152, 341-343, 352-354,	476-478	02625	101	03045	274
02536	82-83	02637	92	03046	274
02537	82-83	02638	92	03050	265
02538	82-83	02639	92	03051	265
02539	82-83	02640	85	03058	265
02540	82-83	02641	92	03059	265
02541	82-83	02689	99	03064	266-268
02542	82-83	02691	99	03065	75-76, 271-273
02543	82-83	02693	99	03066	75-76, 271-273
02544	82-83	02694	99	03067	75-76, 271-273
02545	82-83	02695	99	03068	277
02546	82-83	02698	99	03069	277
02547	82-83	02700	84	03070	277
02548	82-83	02701	84	03076	75-76, 266-268
02549	82-83	02702			75-76, 266-268
02551		02704	84		75-76, 266-268
02552		02705			213
02553	82	02706	84	03110	269-270
02554		02707			269-270
02567	81	02708		03112	269-270
02568		02876			269-270
02569		02895			269-270
02570		03001			269-270
02575		03002			269-270
02576137-139, 152, 216, 341-344,		03003			192-193
476-478, 487-488	002 00 1,	03004			276
02589	98	03005			276
02590		03006			276
02591		03007			269-270
02593		03008			275, 302-305
02594		03013			275
02595		03015			265
02596		03017			265
02597		03018			276
02598		03019			276
02599		03020			276
02600		03021			213
02601		03022			219, 275
02602		03024			275
02604		03025			266-268
02606		03026			183
02621		03020			381
02622		03035			183
02623		03038			183
02624		03039			183
UZUZ4	101	ບວບວອ	200-200	00012	183

Product Number	Page	Product Number	Page	Product Number	Page
03319	183	03984	323	05026	129
03320	183	04134	186-187	05027	129
03331	165-166	04218	326-330	05028	129
03332	165-166	04240	145-146, 155	05029	129
03335	165-166	04247	145-146, 155	05030	129
03337	165-166	04258	194-195	05042	129
03410	299	04274	490-491	05044	129
03420	299	04301	123	05046	129
03424	413-414	04303	121	05047	129
03430	297-299, 414-415	04305	123	05048	129
03431	297-299	04309	124	05049	129
03432	297-299, 414-415	04311	124	05050	129
03433	297-299	04313	124	05071	122
03435	297-299	04319	121, 124	05072	122
03439	301-302		125	05073	122
	301-302	04333	125-126	05095	
03442	301-302	04334	125-126	05096	214-215
03450	301-302	04335	125-126	05098	214-215
	296		125-126	05099	
	296		125-126	05163	
	301-302		121	05207	
	300-301		126	05208	
	300-301		122	05209	
	300-301		122	05215	
	300-301		122	05216	
	300-301		122	05440	
	300-301		191	05441	
	300-301		145-146, 155	05442	
	283		279-280, 472-473	05444	
	279-280		154	05448	
	146-147, 278		154	05450	
	300		127-128	05452	
	134		127-128	05457	
	300		127-128	05517	
	300		127-128	05518	
	300		127-128	05519	
	277		127-128	05520	
	297-299		127-128	05522	
	297-299		127-128	05523	
	297-299		127-128	05526	
	297-299		127-128	05527	
	326-330		129	05528	
	323		129	05530	
	194-195		129	05531	
U39UU	283-285, 295-296	U3UZ3	129	05532	115

Product Number	Page	Product Number	Page	Product Number	Page
05533	10-11	05741	17-18	05846	139, 216, 344, 553-554
05538	10-11	05742	17-18	05847	139, 216, 344
05539	10-11	05744	17-18	05848	17-18
05540	10-11	05746	17-18	05854	201-203, 348-350
05541	10-11	05748	17-18	05855	13-16
05546	19-20	05750	17-18	05857	213, 216
05551	13-16	05751	257	05858	13-16
05555	19-20	05752	247	05859	203-206, 216
05556	19-20	05753	254-255	05860	201-203, 348-350
05568	19-20	05755	13-16	05861	201-203, 348-350
05575	19-20	05756	13-16	05862	213, 216
05576	19-20	05759	248-249, 254-255	05863	203-206, 216
05579	19-20	05760	256-257	05865	13-16
05581	19-20	05761	247	05868	203-206
05582	19-20	05766	211-212	05870	203-206
05585	21	05768	13-16	05871	203-206
05586	21	05771	13-16, 248-249	05877	157-158, 209-210, 216
05591	21	05775	13-16	05883	156
05618	297-299	05776	13-16	05885	156, 159-161
05620	297-299	05777	13-16	05887	156
05637	10-11	05778	13-16	05888	154
	19-20		13-16		156
05655	19-20	05780	17-18	05895	156
	19-20		13-16		156
	255		13-16		17-18
	255		13-16		17-18
	257		17-18		154
	254-255		17-18		224-226, 229-231, 233
	256-257		203-206		224-226, 229-231, 233
	256-257		203-206		140, 344, 576
	247		203-206		576
	255		203-206		224-226, 229-231, 576
	257		157-158, 209-210		576
	247		157-158, 209-210		100
	247		214-215		10-11, 21
	254-255		213		254
	254-233		213		253
	255		211-212		253
			158-159, 217-218		
	257				251
	248-249, 256-257		158-159, 217-218		251
	258		158-159, 211-212		250
	256-257		158-159, 217-218		250
	254-255		158-159, 217-218		250
	256-257		9, 201-203, 344, 348-350		252-253
05/40	17-18	05844140, 154, 158-15	9, 201-203, 344, 348-350	05996	252-253

Page	Product Number	Page	Product Number	Page	Product Number
420-422	06301	325	06150	252-253	06000
420-422	06302	331	06152	310	06005
420-422	06303	331	06153	310	06006
420-422	06305	331	06154	106-107	06013
420-422	06306	325-326	06165	261	06016
420-422	06307	197	06192	261	06017
420-422	06308	197	06195	261	06018
420-422	06314	197	06196	261	06020
330	06319	322	06200	247	06059
415-416	06330	322	06201	249-250	06060
415-416	06334	322	06202	249-250	06061
415-416	06336	322	06203	251-252	06064
415-416	06338	322	06204	251-252	06065
415-416	06340	321	06205	251-252	06068
415-416	06341	322	06207	251-252	06069
419	06342	319	06220	254, 260	06084
415-416	06343	320-321	06224	249-250	06085
415-416	06344	320-321	06225	249-250	06086
419	06345	320-321	06226	254, 260	06088
	06347		06227	323	06106
	06348		06228		06107
	06349		06232		06118
	06356		06234		06119
	06375		06240		06120
	06376		06243		06122
	06377		06248		06123
	06378		06249		06126
	06380		06250		06127
	06381		06251		06128
	06382		06252		06129
	06383		06256		06130
	06384		06258		06132
	06385		06264	•	06132*
	06386		06267		06132**
	06387		06270		06133
	06388		06271		06134
	06389		06272		06135
	06390		06273		06138
	06391		06274		06141
	06392		06275		06143
	06394		06277		06143*
	06395		06293		06143**
	06396		06297		06143***
	06397		06298		06144
100-107	06398		06300		06147

Product Number	Page	Product Number	Page	Product Number	Page
06399	174	06542	414	06845	423-424
06415	192-193	06543	414	06846	423-424
06420	192-193	06544	414	06847	428
06421	192-193	06545	414-415	06848	423-424
06423	192-193	06547	414-415	06849	423-424
06424	192-193	06548	414-415	06851	428
06425	192-193	06632	187	06854	428
06450	181-182	06650	185	06855	428
06451	181-182	06651	185	06856	428
06452	181-182	06652	297-299, 413-414	06857	428
06453	181-182	06653	413-414	06860	423-424
06454	181-182	06654	413-414	06864	427
06455	181-182	06656	413-414	06865	427
06456	181-182	06681	195-196	06866	427
06457	181-182	06696	425	06875	194-195
06458	181-182	06697	425	06888	186-187
06463	463	06706	425-426	06893	179-180
06464	471	06712	425-426	06894	179-180
06465	471	06718	425-426	06895	179-180
06466	192-193	06723	423	06896	179-180
06467	192-193	06724	423	06897	179-180
06468	192-193	06725	423	06898	179-180
06469	192-193	06727	422	06908	190
06470	192-193	06728	422	06909	190
06480	472-473	06732	425-426	06910	190, 417
06481	471	06736	425-426	06923	190-191
06483	463	06738	425-426	06924	190-191
06484	463	06742	422	06925	190
06488	471	06780	427	06927	165-166
06491	165-166	06781	427	06930	194
06492	165-166	06787	424	06935	194
06493	165-166	06788	424	06937	179
06506	426-427	06794	424	06938	179
06512	426-427	06795	424	06939	179
06518	426-427	06800	418	06941	195-196
06524	426-427	06802	424	06943	195-196
06532	416	06804	424	06944	190-191
06534	416	06817	417	06947	186-187
06535	416	06818	417	06951	184, 189
06536	426-427	06819	417	06953	190
06537	426	06820	417	06954	186-187
06538	426	06821	195-196	06964	190-191
06539	426	06837	430	06965	190-191
06540	426	06839	430	06969	172-173
06541	414	06840	430	06970	172-173

Product Number	Page	Product Number	Page	Product Number	Page
06971	172-173	07142	366-367	07443	109
06975	172-173	07143	366-367	07445	106-107
06976	170	07144	366-367	07447	106-107
06980	172-173	07145	366-367	07448	106-107
06984	172-173	07147	376-380	07449	316
06993	188-189	07148	376-380	07450	118
06994	188-189	07152	376-380	07451	118
06996	188-189	07153	368-375	07453	117
06997	188-189	07154	368-375	07455	118
07000	385, 579	07155	376-380	07456	118
07001	383, 576-577	07156	376-380	07457	117
07002	383, 576-577	07157	376-380	07459	117
07003	383, 576-577	07158	376-380	07460	109
07006	368-375	07162	364-365	07461	113
07008	368-375	07163	364-365	07463	195-196
07009	368-375	07164	359-361	07466	111
07010	368-375	07165	359-361	07467	113
07012	368-375	07166	359-361	07468	113
07023		07167	359-361	07470	
07024		07168	359-361	07471	110
07025			359-361	07476	
07026			359-361	07480	
07031			359-361	07481	
07033			359-361	07482	
07034			364-365	07483	
07035			364-365	07485	
07036			383. 576-577	07486	
07037		• • • • • • • • • • • • • • • • • • • •	381-383, 576-577	07491	
07038			381-382, 385, 579	07492	
07039			362-363	07493	
07041			381	07494	
07042			383, 576-577	07496	
07043			383, 576-577	07498	
07044			368	07499	
07045			364-365	07500	
07046			364-365	07501	,
07047			364-365	07502	
07048			366-367	07504	
07054			366-367	07505	
07063			368-375	07506	
07065			316	07507	
07130			110	07508	
07139			110	07509	
07140			106-107	07511	
07141			106-107	07512	
U/ 141	504-300	UI 442	100-107	U/ U/ U / L	110

er I	Page	Product Number	Page	Product Number		Page
	115	07HS-PR02	450-451	08201137-138, 14	1-142, 341-342,	346-347,
	115	07HS-PR03	450-451	352-354, 476-478		
	114	07HS-PR04	450-451	08202137-138, 14	1-142, 341-342,	346-347,
	114	07HS-PR05	450-451	352-354, 476-478		
134,	, 495	07HS-PR06	450-451	08203137-138, 14	1-142, 341-342,	346-347,
	108	08001	146-147, 278	352-354, 476-478		
	108	08002	146-147, 278	08204137-138, 14	1-142, 341-342,	346-347,
	108	08008	146-147, 278	352-354, 476-478		
	120	08011	146-147	08205137-138, 14	1-142, 341-342,	346-347,
	120	08019	482	352-354, 476-478		
	121	08031	147	08206141-142, 34	16-347, 352-354,	476-478
	121	08051	143-144	08214		.145-146
	120	08061	147, 281, 405-406	08217		.145-146
	121	08063	147	08219	153,	159-161
	120	08069	147	08223		.145-146
	120	08073	405-406	08224		.145-146
	120	08074	143-144	08227		.159-161
	119	08075	280-281	08235		155
	119	08079	280-281	08237	155,	159-161
	119	08088	143-144, 280-282	08239		155
	119	08090	143-144, 280-282	08243		.159-161
	119	08091	405-406	08270		.159-161
	119	08101	145-146, 405-406	08271		.159-161
	112	08107	145-146	08272	153,	159-161
	112	08107*	145-146	08273	153,	159-161
	112	08110137-138, 34	41-342, 352-354, 476-478	08274	153,	159-161
	116	08115	153, 159-161	08275		.159-161
	116	08116	153	08277		.159-161
	116	08117137-138, 152	2, 154, 157, 341-342, 352-	08280139, 15	2, 157, 342-343,	553-554
	116	354, 476-478, 553-554		08284139, 15	2, 157, 342-343,	553-554
	116	08118	355	08300		.479-480
259-260,	, 558	08121	280-281	08301		.479-480
247, 259-260,	, 558	08122	280-281	08302		.479-480
259	-260	08155	149	08307		481
259-260,	, 558	08159	323	08308		481
259-260,	, 558	08179	294-295	08310		481
106		08180	294-295	08318		.280-282
106	-107	08187140-141, 14	18, 345, 352-354, 476-478	08323		481
106	-107	08188141-142, 148	8, 346-347, 352-354, 476-	08329		481
	113	478, 487-488		08360	478-479,	490-491
106	-107		52-355, 476-478, 487-488	08361		
			2, 154, 157, 341-343, 352-	08364		
	9	355, 476-478, 487-488		08369		
12,	, 219		2, 154, 157, 341-343, 352-	08370		
450		354, 476-478, 487-488		08374		

Product Number Page	Product Number	Page	Product Number	Page
08398140-142, 148, 345-347, 352-354, 476-	08695	151	08997143, 223, 226-231	, 233-234, 347, 351,
478, 553-554	08700	482	355, 487-488, 553-554	
08399140-142, 148, 345-347, 352-354, 476-	08704	482	08998143, 223, 226-22	7, 229-231, 347, 351
478, 553-554	08730	146-147	09230	323
08405479-480	08731	146-147	09231	323
08458490	08749	281	09346	494
08463490	08752	149, 281	09347	494
08475483	08801143, 223, 227-233, 34	7, 351, 355, 487-	09368	336-337
08476483	488, 553-554		09369	336-337
08500479-480	08804227-2	29, 232, 488-489	09370	336-337
08505479-480	08812	294-295	09371	336-337
08509149	08813	294-295	09372	336-337
08531479-480	08814	294-295	09373	336-337
08551149, 282	08820	294-295	09374	336-337
08564151	08821	294-295	09375	336-337
08566151	08840	490-491	09376	336-337
08571137-138, 152, 154, 341-342, 352-354,	08864		09377	336-337
476-478, 553-554	08866		09378	336-337
08578483, 490-491	08874226-227, 229-2		09404	336
08579	08880		09423	
08580292-293	08881		09424	
08581	08882	•	09425	
08609151	08883	•	09426	
08610150, 484	08888		09427	
08611	08889224-2		09428	
08612150, 484	08891		09429	
08620	08892	,	09430	
08621150, 484	08898	-,	09431	
08622	08899		09458	
08625150, 484	08907		09930137-138, 152, 154	
08641149	089081		354, 476-478, 553-554	, 107, 011 012, 002
08650	08949		100	302-305
08651	08963	,	1004	
08656	08964		1009	
08661	08966143, 223, 227-233, 34		101	
08662482	488	7, 001, 000, 407	1014	
08663	089781	24 140 244 405	1015	
08664	08983		1016	
08672	08984		1017	
08681	08987		102	
08682	08991140-142, 148, 345-3	+1, 302-300, 410-	1022	
08688140, 148, 150, 344	478, 487-488, 553-554	DEO DEA 470 470	1024	
08689	08992140-141, 345, 3		1026	
08690	08993140-141, 148, 345, 3	52-354, 4/6-4/8,	1027	
08693151	553-554		1028	207-209

Product Number	Page	Product Number	Page	Product Numbe	r Page
103	201-203, 302-305, 348-350	11440	393-400	14619	181-182
10307	326-330	11444	393-400	14667	181-182
10356	326-330	11446	393-400	14668	181-182
10364	326-330	11471	393-400	14736	10-11
105	201-203, 302-305, 348-350	11472	393-400	14861	325
106	201-203, 348-350	11473	393-400	14879	325
107	201-203, 302-305, 348-350	11474	393-400	15025	326-330
108	201-203, 348-350	11475	393-400	15100	393-400
10810	326-330	11476	393-400	15200	393-400
10828	326-330	11524	393-400	15204	393-400
10836	326-330	11732	393-400	15250	393-400
10836*	326-330	11733	393-400	15682	165-166
10836**	326-330	11735	393-400	15872	185
10844	326-330	11737	393-400	16000	223, 226-229, 234, 351, 448
10844*	326-330	11778	393-400	16001	223, 226-227, 234, 351, 443
10851	326-330	11780	393-400	16003	445-446
10851*	326-330	11781	393-400	16005	445-446
10851**	326-330	11900	330	16006	445-446
10869	326-330	11960	331	16007	445-446
10885	326-330	12001	214-215	16008	445-446
10885*	326-330	12002	406-410	16010	444
10885**	326-330	12006	214-215	16015	445-446
109	201-203, 302-305, 348-350	12011	213	16016	445-446
1091	213	12013	406-410	16017	445-446
1092	214-215	12017	406-410	16018	445-446
1093	214-215	12063	406-410	16019	444
1097	213	12077	406-410	16022	223, 226-229, 234, 351, 445-446
10GP-PR01	450-451, 458	12083	406-410	16023	234, 443
10GP-PR02	450-451, 458	12085	406-410	16024	448
10GP-PR03	450-451, 458	12086	406-410	16028	448
10GP-PR04	450-451, 458	121	302-305	16046	445-446
10GP-PR05	450-451, 458	12174	337	16049	359-361
10GP-PR06	450-451, 458	12193	401-404	16050	359-361
10G-PR01	450-451, 458	122	302-305	16051	359-361
10G-PR02	450-451, 458	125	302-305	16053	445-446
10G-PR03	450-451, 458	128	302-305	16054	359-361, 445-446
11011	406-410	130	201-203, 348-350	16055	439-443
11033	406-410	13407	393-400	16056	439-443
11059	406-410	13441	10-11, 21	16057	439-443
111	201-203, 348-350	13442	10-11	16058	439-443
11228	393-400	13633	393-400	16059	439-443
113	201-203, 348-350	13752	393-400	16060	439-443
11326	393-400	13753	393-400	16061	439-443
11328	393-400	13760	319	16062	439-443
114	201-203, 348-350	14558	181-182	16064	439-443

Page	Product Number	 Page	Product Number	Page	Product Number
449-450	16612	443	16121	439-443	16065
449-450	16613	444	16123	439-443	16066
393-400	16644	443	16124	439-443	16067
186-187	17063	445-446	16125	439-443	16068
401-404	17094	445-446	16126	439-443	16072
401-404	17102	445-446	16127	439-443	16073
390-392, 584-586	17157	445-446	16128	439-443	16074
390-392, 584-586	17158	445-446	16129	439-443	16075
390-392, 584-586	17159	445-446	16130	439-443	16076
390-392, 584-586	17195	445-446	16131	439-443	16077
390-392, 584-586	17196	445-446	16132	439-443	16078
390-392, 584-586	17232	445-446	16135	439-443	16079
359-361	17596	445-446	16136	439-443	16080
406-410	18000	445-446	16137	439-443	16081
406-410	18002	445-446	16138	439-443	16082
406-410	18003	445-446	16139	439-443	16083
10-11	18696	449	16199	439-443	16084
112	18698	449	16200	439-443	16085
112	18706	449	16201	439-443	16086
112	18732	449	16202	439-443	16087
190	19008	449	16203	439-443	16088
406-410	19063	444	16236	439-443	16090
406-410	19066	444	16237	439-443	16091
570	19216	444	16238	439-443	16092
570			16300		16093
570	19219		16301	439-443	16094
570	19220	447-448	16314	439-443	16095
570	19221	234, 447-448	16324	444	16098
401-404			16325		16099
	19223		16328		16102
570			16396		16103
570		447	16398		16104
570	19236	447	16399	445-446	16105
570			16400		16106
570			16414		16109
568			16415		16110
568			16433		16111
568	19281		16570		16113
568			16571		16114
568			16572		16115
568			16573		16116
568			16577		16117
568			16600		16118
568			16610		16119
572			16611		16120

Page	Product Number	Page	Product Number	Page	Product Number
13-16	20352	563	20216	572	19293
13-16	20353	563	20217	572	19294
13-16	20355	563	20218	572	19296
13-16	20356	563	20221	572	19297
201-203, 348-350	20380	563	20222	572	19298
201-203, 348-350	20382	149	20227	572	19299
201-203, 348-350	20395	237	20231	572	19300
13-16	20427	237	20232	572	19301
555	20430	237	20234	569	19303
555	20431	237	20238	569	19304
559	20451	237	20240	569	19305
560	20452	237	20242	569	19315
560	20453	556	20250	569	19316
559	20466	555	20251	569	19317
559	20467	556-557	20252	569	19318
573	20559	556	20253	569	19319
573	20583	555	20254	572	19321
406-410	21011	556-557	20255	572	19322
143-144	21180	563	20256	572	19323
143-144	21181	13-16	20278	572	19324
143-144	21182	201-203, 348-350	20311	572	19325
143-144	21183	556	20314	572	19326
143-144	21187	555	20315	572	19327
401-404	21294	556-557	20316	572	19328
401-404	21297	556	20317	567	19339
401-404	21303	555	20318	567	19340
401-404	21306	556-557	20319	567	19341
401-404	21340	556	20320	126-127	19776
401-404	21421	555	20321	126-127	19777
401-404	21584	556-557	20322	126-127	19778
401-404	21585	556	20324	126-127	19779
401-404	21587	556	20325	126-127	19780
405-406	22004	555	20326	126-127	19781
173	22058	556-557	20327	126-127	19782
177-178	22494	556	20328	127-128	19790
177-178	22495	555	20329	127-128	19791
177-178	22497	556-557	20330	128	19798
177-178	22498	555	20331	128	19799
178	22499	560	20338	128	19800
177	22500	561-562	20340	405-406	20006
178	22649	561-562	20341	13-16	20206
178	22650	562	20342	556-557	20208
177-178	22653	562	20343	559	20209
177-178	22657	562	20344	555	20213
177	22661	13-16	20350	564	20215

Product Number	Page	Product Number	Page	Product Number	Page
22662	177	26422	570	301	211-212
22663	177	2643	240	30260	41, 248-249
22773	172-173	265	285-287	30261	41
230GP-PR01	457-458	267	285-287	30272	41, 248-249
230GP-PR02	457-458	272	288-291	30273	41
230G-PR01	457-458	274	288-291	30275	41
230G-PR02	457-458	27500	86	30277	41
23194	466	27501	86	30278	41
233	285-287	27503	86	30279	41
23322	573	27504	86	30280	41
23725	464	27505	86	30281	41
23748	573	27603	108	30282	41
23749	573	27605	108	30283	41
23750	573	27606	108	30324	561-562
23764	573	280	292-293	304	211-212
23766	573	2811	135, 224-226, 235	30439	561-562
23930	184		135, 235	30440	561-562
23GP-PR01	457-458	2813	135, 235	30441	561-562
23GP-PR02	457-458		561-562	30442	
23G-PR01	457-458	28302	561-562	30445	
23G-PR02			560	30460	
240GP-PR01			561-562	30461	
240GP-PR02			554	30472	
240G-PR01			248-249, 557-558	30473	
240G-PR02			248-249, 557-558	30475	
25119			259-260, 554, 558	30477	
260			560	30478	
2600			560	30479	
261			560	30480	
2610			554	30481	
2612		28393		30482	
262			400-404	30483	
26332			359-361	30567	
26334			359-361	30568	
26336			359-361	30569	
26338			359-361	30570	
26340			406-410	30571	
26341			406-410	30667	
26343			359-361	30668	
26344			339-301	30669	
26417			393-400	30670	
26418			393-400	30671	
26419			368-375	30684	
26420				30685	
26421			405-406	30686	
۵۳۵۱	070	JUUU I	400-400	30000	0

Product Number	Page	Product Number	Page	Product Number	Page
30687	30	30784	24	32044	271-273
30695	29	30785	24	321	201-203, 217-218, 348-350
307	211-212	30786	24	32115	271-273
30700	87-90	30787	24	32220	274
30701	87-90	308	211-212	32221	274
30702	87-90	309	211-212	32222	274
30703	87-90	310	285-287	32230	274
30705	87-90	310-1001	406-410	32231	274
30706	87-90	31015	176	32232	274
30707	87-90	31019	174	324	207-209
30708	87-90	31031	176	32541	271-273
30709	87-90	31100	203-206	32591	188-189
30710	87-90	31110	201-203, 348-350	326	207-209
30711	87-90	311-1101	406-410	33003	214-215
30712	87-90	311-1252	406-410	33010	214-215
30713	87-90	31129	203-206	33274	256
30714	87-90	31133	157-158, 209-210	33275	258
30715	87-90	31135	203-206	33279	254-255
30716	87-90	31177	203-206	33280	256
30724	87-90	31179	203-206	33281	256
30725	87-90	31180	213	33282	258
30726			203-206		258
30727	87-90	312	285-287	34240	145-146, 155
30729	87-90	312-1252	406-410	34274	490-491
30730			203-206		201-203, 348-350
30731			269-270		568
30732			269-270		
30733	87-90		269-270	34731	568
30734			269-270		
30735			269-270		224-226, 236, 242
30736		31443			242
30737			269-270		242
30738			269-270		201-203, 348-350
30739			269-270		19-20
30740			275		302-305
30748			285-287		201-203, 348-350
30753			185		201-203, 340-330
30759			271-273		156
30760			271-273		302-305
30761			271-273		133
30767			271-273		454-455
30768			271-273		
30769			271-273		224-226, 236, 239
					201-203, 348-350
30770			271-273		420-422
30771	25	32043	271-273	პხ4სხ	420-422

Product Number	Page	Product Number	Page	Product Number	Page
36408	420-422	37017	376-380	37165	386-387, 580-581
36409	420-422	37018	368-375	37172	386-387, 580-581
36592	333-334	37019	368-375	37173	385, 579
36593	333-334	37020	368-375	37174	390-392, 584-586
36594	333-334	37021	362-363	37175	390-392, 584-586
36595	333-334	37022	362-363	37176	390-392, 584-586
36596	333-334	37023	359	37177	390-392, 584-586
36597	333-334	37027	368-375	37178	390-392, 584-586
36598	333-334	37077	364-365	37179	390-392, 584-586
366	201-203, 348-350	37078	364-365	37180	390-392, 584-586
36618	335	37079	364-365	37188	390-392, 584-586
36619	335	37080	366-367	37189	390-392, 584-586
36620	335	37081	364-365	37190	390-392, 584-586
36621	335	37082	364-365	37191	388-389, 582-583
36622	335	37083	364-365	37230	388-389, 582-583
36623	335	3711	135, 224-226, 235	37231	388-389, 582-583
368	201-203, 302-305, 348-350	37117	368-375	37232	388-389, 582-583
36851	429	3712	135, 235	37233	388-389, 582-583
36852	429	37122	386-387, 580-581	37234	388-389, 582-583
36853	429	37124383-384, 38	6-387, 577-578, 580-581	37235	388-389, 582-583
36856	429	37125383-384, 38	6-387, 577-578, 580-581	37236	388-389, 582-583
36861	429		6-387, 577-578, 580-581	37237	388-389, 582-583
36862	429	37127383-384, 38	6-387, 577-578, 580-581	37238	388-389, 582-583
36863	429		6-387, 577-578, 580-581	37239	388-389, 582-583
36865	429		135, 235		390-392, 584-586
36900	431	37130	386-387, 580-581	37241	390-392, 584-586
36901	431	37131	386-387, 580-581	37242	390-392, 584-586
36902	431	37132	386-387, 580-581	37243	390-392, 584-586
36903	431	37133	386-387	37244	390-392, 584-586
36905	431	37134	386-387, 580-581	37245	390-392, 584-586
37000	366-367	37135	386-387, 580-581	37301	400-404
	376-380	37136	386-387, 580-581	37302	401-404
37004	366-367	37137383-384, 38	6-387, 577-578, 580-581	37677	332
37005	366-367		386-387, 580-581	37712	309
	366-367		386-387, 580-581	37716	309
37007	366-367		6-387, 577-578, 580-581	37717	309
37008	368-375	37141383-384, 38	6-387, 577-578, 580-581	37718	309
37009	376-380	37142	383-384, 577-578	37720	309, 444
37010	376-380	37143	383-384, 577-578	37721	309
	376-380		383-384, 577-578	38052	311, 313
	376-380		383-384, 577-578	38070	314
	376-380		383-384, 577-578	38079	313
37014	376-380		383-384, 577-578	38080	312
37015	376-380		386-387, 580-581	38081	312
	376-380		406-410		312

1985 1987 312 39015	Product N	lumber Page	Product Number	Page	Product Number	Page
38105	38087	312	39014	291-292	40726	393-400
3811 224-226, 236, 239 39017 291-292 41-11 450-454 38113 310 3006 283-285 412 211-212, 240 38116 310 39030 283-285 412 211-212, 240 3812 239 3906 283-285 417 255-326 38124 315 39040 283-285 4174 255-326 38125 315 39042 283-285 4194 292-40 38126 315 39044 295-296 41937 300-321 38127 315 39045 291-292 41941 300-321 38128 315 39049 291-292 41941 300-321 38129 315 39053 283-285 41943 300-321 38191 137, 343, 352-354, 74-76, 487-488 39066 283-285, 265-266 41948 300-321 3821 224-226, 236, 239 3961 248-296 41952 203-321 3821 232-354, 74-76, 487-488	38088	312	39015	261	41076	393-400
38113 310 38026 283-285 412 211-212 240 38114 310 3004 283-285 412 455-484 38116 310 3004 283-285 413 211-212 240 3812 299 3908 283-285 4171 325-326 38124 315 3904 283-285 4179 252-326 38125 315 3904 283-285 41997 320-321 38126 315 39044 295-296 41987 320-321 38127 315 39045 291-292 41989 320-321 38129 315 39033 283-285 4194 320-321 38191 317, 343, 352-364, 76-478, 487-488 3906 283-285, 295-296 41948 320-321 38193 37, 343, 352-364, 76-478, 487-488 3906 248-294, 255-22 41977 322 3820 3818 391 392 248-295 41952 320-32 3821 224-256, 2	38105	310	39016	261	411	211-212, 217-218
38114 310 39030 283-285 41-22 453-454 38116 310 3904 283-285 413 211-212, 240 38124 315 39040 283-285 41754 353-363 38124 315 39040 283-285 41754 353-363 38125 315 39044 295-296 41937 30-221 38126 315 39045 291-292 41989 30-23-21 38127 315 39049 291-292 41941 30-03-21 38129 315 39049 291-292 41941 30-03-21 38129 315 39055 282-852-85-296 41948 30-03-21 38191 137,343,352-354,476-478,487-488 39060 282-852-36-296 41948 30-03-21 38193 137,743,352-354,476-478,487-488 39060 246-290 41978 30-03-21 38194 137,343,352-354,476-478,487-488 39060 246-29,215-22 41979 30-24 3821 </td <td>3811</td> <td>224-226, 236, 239</td> <td>39017</td> <td>291-292</td> <td>41-11</td> <td>453-454</td>	3811	224-226, 236, 239	39017	291-292	41-11	453-454
38116 310 39034 283-285 413 211-212, 240 3812 239 39036 283-285 41717 325-326 38124 315 39040 283-285 41794 219, 240 38125 315 39042 283-285 419 219, 240 38126 315 39044 295-296 41937 320-321 38127 315 39045 291-292 41939 300-321 38129 315 39053 283-285 41943 320-321 38191 137, 343, 352-355, 476-478, 407-488 39060 283-285, 295-296 41943 320-321 38191 137, 343, 352-354, 476-478, 407-488 39060 244-250 41952 320-321 3821 224-226, 236, 239 39061 248-249, 251-252 4197 322-33 38300 136, 311 39062 251-252 4197 32-24-288-291 38301 136, 311 39063 251-252 4197 32-28-291 3830	38113	310	39026	283-285	412	211-212, 240
3812 239 39036 283-285 41717 325-326 38124 315 39040 283-285 41754 325-326 38125 315 39042 283-285 419 219-240 38127 315 39044 296-266 41937 320-321 38127 315 39045 291-292 41941 320-321 38129 315 39049 291-292 41941 320-321 38129 315 39065 283-285 41943 320-321 38119 137, 343, 352-354, 476-478, 487-488 39066 283-285, 285-286 41943 320-321 3813 137, 343, 352-354, 476-478, 487-488 39060 248-250 41952 320-321 3821 224-226, 236, 239 39061 248-2450 41977 322 38300 136, 311 39062 251-252 41978 320-321 38315 136, 311 39062 251-252 41978 320-321 38316 481	38114	310	39030	283-285	41-22	453-454
38124 315 39040 283-285 417.54 325-326 38125 315 39042 283-285 419 219, 240 38126 315 39044 295-296 41939 320-321 38127 315 39043 291-292 41941 320-321 38128 315 39043 291-292 41941 320-321 38129 315 39053 283-285 41943 320-321 38191 1,37, 343, 352-356, 476-478, 487-488 39060 283-285, 295-296 41948 320-321 3821 224-226, 266, 239 39061 248-249, 251-252 41977 322 38300 136, 311 39062 251-252, 254, 259-260 420 288-291 38315 153, 159-161 39071 251-252, 254, 259-260 420 288-291 38327 314 391-100 406-410 431 288-291 38328 344 391-100 406-410 432 288-291 38327	38116	310	39034	283-285	413	211-212, 240
38125 315 39042 283-285 419 219,240 38126 315 39044 295-296 41937 320-321 38127 315 39045 291-292 41939 320-321 38128 315 39049 291-292 41941 320-321 38129 315 39053 283-285 41943 320-321 38191 137, 343, 352-355, 476-478, 487-488 39066 283-285, 285-296 41948 320-321 3821 224-226, 236, 239 39061 248-250 41952 320-321 38300 136, 311 39062 251-252 41978 32-23 38308 481 39063 251-252, 284, 269-260 420 288-291 38327 481 391-100 406-410 430 288-291 38328 314 391-100 406-410 431 288-291 38329 136, 311, 313 391-100 406-410 432 288-291 38378 136, 311, 313 </td <td>3812</td> <td>239</td> <td>39036</td> <td>283-285</td> <td>41717</td> <td>325-326</td>	3812	239	39036	283-285	41717	325-326
38126 315 39044 295-296 41937 320-321 38127 315 39045 291-292 41939 320-321 38128 315 39049 291-292 41941 320-321 38129 315 39053 282-85 41948 320-321 38191 137, 343, 352-355, 476-478, 487-488 39060 248-250 41952 30-321 3821 224-226, 236, 239 39061 248-250 41977 322 38300 136, 311 39062 251-252 41977 322 38300 136, 311 39063 251-252 41978 320-321 38301 155, 159-161 39071 295-296 420 288-291 38327 314 391-100 406-410 430 288-291 38350 136, 311, 313 391-1001 406-410 431 288-291 3837 136 391, 313 391-1001 406-410 432 288-291 38326 136	38124	315	39040	283-285	41754	325-326
38127 315 39045 291-292 41939 320-321 38128 315 39049 291-292 41941 320-321 38129 315 39053 2828-285 41943 320-321 38191 137, 343, 352-355, 476-478, 487-488 39056 283-285, 295-296 41948 320-321 38193 137, 343, 352-354, 476-478, 487-488 39060 248-250 41952 320-321 3821 224-226, 236, 239 39061 248-249, 251-252 41977 322 38300 136, 311 39062 251-252, 254, 259-260 420 288-291 38338 481 3906 251-252, 254, 259-260 420 288-291 38327 314 391-100 406-410 430 288-291 38328 314 391-100 406-410 431 288-291 38327 313 391-101 406-410 432 288-291 38351 136, 311, 313 391-101 406-410 432 288-291 <t< td=""><td>38125</td><td>315</td><td>39042</td><td>283-285</td><td>419</td><td>219, 240</td></t<>	38125	315	39042	283-285	419	219, 240
\$8128	38126	315	39044	295-296	41937	320-321
38129 .315 39053 .283-285 41943 .320-321 38191 .137, 343, 352-355, 476-478, 487-488 39066 .283-285, 295-296 41948 .320-321 38193 .137, 343, 352-354, 476-478, 487-488 39060 .248-250 41952 .320-321 3821 .224-226, 236, 239 39061 .248-249, 251-252 41978 .320-321 38300 .136, 311 39062 .251-252 41978 .320-321 38308 .481 39063 .251-252, 254, 259-260 420 .288-291 38315 .153, 199-161 39071 .295-296 420T .288-291 38323 .481 391-1000 .406-410 430 .288-291 38326 .314 391-1001 .406-410 431 .288-291 38328 .314 391-1001 .406-410 432 .288-291 38351 .136, 311, 313 392 .207-209 45027 .462 38377 .136, 313 394 .207-209 45083	38127	315	39045	291-292	41939	320-321
38191 137, 343, 352-355, 476-476, 487-488 39056 283-285, 295-296 41948 320-321 38193 .137, 343, 352-354, 476-478, 487-488 39060 .248-250 41952 .320-321 38201 .224-226, 256, 239 39061 .248-249, 251-252 41977 .322 38300 .136, 311 39062 .251-252, 254, 259-260 420 .288-291 38315 .153, 159-161 39071 .295-296 420T .288-291 38327 .314 391-1000 .406-410 430 .288-291 38328 .314 391-1001 .406-410 430 .288-291 38328 .314 391-1001 .406-410 430 .288-291 38328 .314 391-1010 .406-410 432 .288-291 38350 .136, 311, 313 392 .207-209 45027 .462 38377 .136, 313 394 .207-209 45083 .172-173 38378 .136, 313 395-2 .209-209 45287	38128	315	39049	291-292	41941	320-321
38193 137, 343, 352-354, 476-476, 487-488 39060 248-250 41952 320-321 3821 224-226, 236, 239 39061 248-249, 251-252 41977 322 38300 136, 311 39062 251-252 41978 320-321 38308 481 39063 251-252, 254, 259-260 420 288-291 38315 153, 159-161 39071 295-296 420T 288-291 38323 481 391 287 422 288-291 38327 314 391-1000 406-410 430 288-291 38350 136, 311, 313 391-1010 406-410 432 288-291 38351 136, 311, 313 392 207-209 45027 462 38377 136, 313 392 207-209 45027 462 38378 136, 313 392 207-209 45027 17-173 38378 136, 313 39524 185 45090 10-11 38399 136, 311<	38129	315	39053	283-285	41943	320-321
3821 224-226, 236, 239 39061 248-249, 251-252 41977 322 38300 136, 311 39062 251-252 41978 320-321 38308 481 39063 251-252, 254, 269-260 420 288-291 38315 .153, 159-161 39071 295-296 420T 288-291 38223 .481 391 267 422 288-291 38326 .314 391-1000 406-410 430 288-291 38328 .314 391-1001 406-410 431 288-291 38350 .136, 311, 313 391-1010 406-410 432 288-291 38377 .136, 313 391-1010 406-410 432 288-291 38378 .36, 313 395-4 207-209 45087 462 38379 .136, 311 395-2 207-209 45083 172-173 38399 .136, 311 395-2 283-285 45091 10-11 38441 .333-334	38191	137, 343, 352-355, 476-478, 487-488	39056	283-285, 295-296	41948	320-321
38300 136, 311 39062 251-252 41978 320-321 38308 481 39063 251-252, 254, 259-260 420 288-291 38315 153, 159-161 39071 295-296 420T 288-291 38323 481 391 287 422 288-291 38327 314 391-1000 406-410 431 288-291 38328 314 391-1001 406-410 431 288-291 38350 136, 311, 313 391-1010 406-410 432 288-291 38377 136, 311, 313 392 207-209 45027 462 38378 136, 313 395-2 207-209 45083 172-173 38389 136, 311 39526 283-285 45090 10-11 38399 136, 311 39526 283-285 45091 10-11 38441 333-334 3960 207-209 45287 136 38442 333-334 3960 2	38193	137, 343, 352-354, 476-478, 487-488	39060	248-250	41952	320-321
38308 481 39063 251-252, 254, 259-260 420 288-291 38315 153, 159-161 39071 295-296 420T 288-291 38323 481 391 287 422 288-291 38327 314 391-1000 406-410 430 288-291 38328 314 391-1001 406-410 431 288-291 38350 136, 311, 313 391-1010 406-410 432 288-291 38351 136, 311, 313 392 207-209 45027 462 38377 136, 313 394 207-209 45083 172-173 38378 136, 311 39526 288-285 45090 10-11 38399 136, 311 39526 288-285 45091 10-11 38441 333-334 39609 252-253 45456 192 38442 333-334 40001 406-410 46079 467 38808 279 401 288-291	3821	224-226, 236, 239	39061	248-249, 251-252	41977	322
38315 .153, 159-161 39071 .295-296 420T .288-291 38323 .481 391 .287 .422 .288-291 38327 .314 .391-1000 .406-410 .430 .288-291 38328 .314 .391-1001 .406-410 .431 .288-291 38350 .136, 311, 313 .391-1010 .406-410 .432 .288-291 38377 .136, 311, 313 .391-1010 .406-410 .432 .288-291 38351 .136, 311, 313 .392 .207-209 .45027 .462 38378 .136, 313 .394 .207-209 .45083 .172-173 38399 .136, 311 .39526 .283-285 .45091 .10-11 38441 .333-334 .396 .207-209 .45287 .187 38442 .333-334 .39009 .252-253 .45456 .192 38443 .333-34 .4001 .406-410 .45603 .924 38808 .279<	38300	136, 311	39062	251-252	41978	320-321
38315 .153, 159-161 39071 .295-296 420T .288-291 38323 .481 391 .287 .422 .288-291 38327 .314 .391-1000 .406-410 .430 .288-291 38328 .314 .391-1001 .406-410 .431 .288-291 38350 .136, 311, 313 .391-1010 .406-410 .432 .288-291 38351 .136, 311, 313 .391-1010 .406-410 .432 .288-291 38377 .136, 313 .394 .207-209 .45027 .462 38378 .136, 313 .394 .207-209 .45083 .172-173 38399 .136, 311 .39526 .283-285 .45091 .10-11 38441 .333-334 .396 .207-209 .45287 .187 38442 .333-334 .39099 .252-253 .45456 .192 38443 .333-34 .4001 .406-410 .45603 .192 38808 .279	38308	481	39063	251-252, 254, 259-260	420	288-291
38327 314 391-1000 406-410 430 288-291 38328 314 391-1001 406-410 431 288-291 38350 136, 311, 313 391-1010 406-410 432 288-291 38377 136, 311, 313 392 207-209 45027 462 38378 136, 313 39524 185 45090 10-11 38399 136, 311 39526 283-285 45091 10-11 38441 333-334 396 207-209 45087 187 38442 333-334 396 207-209 45091 10-11 38443 333-334 396 207-209 45081 17-11 38444 333-334 39809 252-253 45456 192 38443 333-334 40001 466-410 45603 192 38444 332 40003 406-410 46079 467 38808 279 401 288-291 46286	38315	153, 159-161	39071	295-296	420T	288-291
38328 314 391-1001 .406-410 431 288-291 38350 136, 311, 313 391-1010 .406-410 432 .288-291 38351 136, 311, 313 392 .207-209 .45027 .462 38377 136, 313 394 .207-209 .45083 .172-173 38378 136, 311 39524 .185 .45090 .10-11 38399 136, 311 39526 .283-285 .45091 .10-11 38441 .333-334 3960 .207-209 .45287 .187 38442 .333-334 39809 .252-253 .4566 .192 38443 .333-334 40001 .406-410 .45603 .192 38444 .332 40003 .406-410 .46079 .467 38983 .133 .402 .288-291 .4628 .359-361 38984 .133 .402T .288-291 .46284 .3417 38987 .133 .402T <t< td=""><td>38323</td><td>481</td><td>391</td><td>287</td><td>422</td><td>288-291</td></t<>	38323	481	391	287	422	288-291
38350 136, 311, 313 391-1010 .406-410 432 288-291 38351 136, 311, 313 392 .207-209 45027 .462 38377 136, 313 394 .207-209 45083 .172-173 38378 136, 313 39524 .185 45090 .10-11 38399 136, 311 39526 .283-285 45091 .10-11 38441 .333-334 396 .207-209 45287 .187 38442 .333-334 39809 .252-253 45456 .192 38443 .333-334 40001 .406-410 45603 .192 38444 .332 40003 .406-410 46079 .467 38808 .279 401 .288-291 462 .209-210 38984 .133 402 .288-291 46286 .359-361 38987 .133 402T .288-291 46334 .417 39000 .283-285 404 .288-291 <td>38327</td> <td>314</td> <td>391-1000</td> <td>406-410</td> <td>430</td> <td>288-291</td>	38327	314	391-1000	406-410	430	288-291
38351 136, 311, 313 392 207-209 45027 462 38377 136, 313 394 207-209 45083 172-173 38378 136, 313 39524 185 45090 10-11 38399 136, 311 39526 283-285 45091 10-11 38441 333-334 396 207-209 45287 187 38442 333-334 39809 252-253 45456 192 38443 333-334 40001 406-410 45603 192 38444 332 40003 406-410 46079 467 38808 279 401 288-291 462 209-210 38983 133 402 288-291 46286 359-361 38984 133 402T 288-291 46334 417 39900 283-285 404 288-291 464 209-210 39002 283-285, 295-296 404Z 288-291 4646 <	38328	314	391-1001	406-410	431	288-291
38377 136, 313 394 207-209 45083 172-173 38378 136, 313 39524 185 45090 10-11 38399 136, 311 39526 283-285 45091 10-11 38441 333-334 396 207-209 45287 187 38442 333-334 39809 252-253 45456 192 38443 333-334 40001 406-410 45603 192 38444 332 40003 406-410 46079 467 38808 279 401 288-291 462 209-210 38983 133 402 288-291 46286 359-361 38984 133 402T 288-291 46334 417 38987 133 402Z 288-291 46338 417 39000 283-285 404 288-291 464 209-210 3901 283-285, 295-296 404Z 288-291 46464 363 <td>38350</td> <td>136, 311, 313</td> <td>391-1010</td> <td>406-410</td> <td>432</td> <td>288-291</td>	38350	136, 311, 313	391-1010	406-410	432	288-291
38378 136, 313 39524 185 45090 10-11 38399 136, 311 39526 283-285 45091 10-11 38441 333-334 396 207-209 45287 187 38442 333-334 39809 252-253 45456 192 38443 333-334 40001 406-410 45603 192 38444 332 40003 406-410 46079 467 38808 279 401 288-291 462 209-210 38983 133 402 288-291 46286 359-361 38984 133 402T 288-291 46334 417 38987 133 402Z 288-291 46338 417 39000 283-285 404 288-291 46464 209-210 39002 283-285, 295-296 404Z 288-291 46464 363 39003 253 40677 465 46465 385, 579	38351	136, 311, 313	392	207-209	45027	462
88399 136, 311 39526 283-285 45091 1.0-11 38441 333-334 396 207-209 45287 1.87 38442 333-334 39809 252-253 45456 1.92 38443 333-334 40001 406-410 45603 1.92 38444 332 40003 406-410 46079 467 38808 279 401 288-291 462 209-210 38983 133 402 288-291 46286 359-361 38984 133 402T 288-291 46334 417 38987 133 402Z 288-291 46338 417 39000 283-285 404 288-291 464 209-210 39002 283-285 404 288-291 4664 363 39003 253 40677 465 4664 385,579 39004 251 40698 393-400 46526 401-404	38377	136, 313	394	207-209	45083	172-173
38441 333-334 396 207-209 45287 187 38442 333-334 39809 252-253 45456 192 38443 333-334 40001 406-410 45603 192 38444 332 40003 406-410 46079 467 38808 279 401 288-291 462 209-210 38983 133 402 288-291 46286 359-361 38984 133 402T 288-291 46334 417 38987 133 402Z 288-291 46338 417 39000 283-285 404 288-291 464 209-210 39002 283-285, 295-296 404Z 288-291 46464 363 39003 253 40677 465 46465 385, 579 39004 251 40698 393-400 46467 385, 579 39006 283-285 40709 393-400 46526 401-404	38378	136, 313	39524	185	45090	10-11
38442 333-334 39809 252-253 45456 192 38443 333-334 40001 406-410 45603 192 38444 332 40003 406-410 46079 467 38808 279 401 288-291 462 209-210 38983 133 402 288-291 46286 359-361 38984 133 402T 288-291 46334 417 38987 133 402Z 288-291 46338 417 39000 283-285 404 288-291 464 209-210 39002 283-285,295-296 404Z 288-291 46464 363 39003 253 40677 465 46465 385,579 39004 251 40698 393-400 46526 401-404 39007 252-253 40711 393-400 46545 385,579 39008 291-292 40715 393-400 46545 414-415 </td <td>38399</td> <td>136, 311</td> <td>39526</td> <td>283-285</td> <td>45091</td> <td>10-11</td>	38399	136, 311	39526	283-285	45091	10-11
38443 333-334 40001 406-410 45603 192 38444 332 40003 406-410 46079 467 38808 279 401 288-291 462 209-210 38983 133 402 288-291 46286 359-361 38984 133 402T 288-291 46334 417 38987 133 402Z 288-291 4638 417 39000 283-285 404 288-291 464 209-210 39002 283-285, 295-296 404Z 288-291 46464 363 39003 253 40677 465 46465 385, 579 39004 251 40698 393-400 46467 385, 579 39006 283-285 40709 393-400 46546 401-404 39007 252-253 40711 393-400 46545 414-415 39009 252-253 40719 393-400 46547 414	38441	333-334	396	207-209	45287	187
38444 332 40003 406-410 46079 467 38808 279 401 288-291 462 209-210 38983 133 402 288-291 46286 359-361 38984 133 402T 288-291 46334 417 38987 133 402Z 288-291 46338 417 39000 283-285 404 288-291 464 209-210 39002 283-285, 295-296 404Z 288-291 46464 363 39003 253 40677 465 46465 385, 579 39004 251 40698 393-400 46467 385, 579 39006 283-285 40709 393-400 46526 401-404 39007 252-253 40711 393-400 46545 414-415 39009 252-253 40719 393-400 46547 414-415 39009 252-253 40719 393-400 472	38442	333-334	39809	252-253	45456	192
38808 279 401 288-291 462 209-210 38983 133 402 288-291 46286 359-361 38984 133 402T 288-291 46334 417 38987 133 402Z 288-291 46338 417 39000 283-285 404 288-291 464 209-210 39002 283-285, 295-296 404Z 288-291 46464 363 39003 253 40677 465 46465 385, 579 39004 251 40698 393-400 46526 401-404 39007 252-253 40711 393-400 46545 414-415 39008 291-292 40715 393-400 46547 414-415 39009 252-253 40719 393-400 472 209-210	38443	333-334	40001	406-410	45603	192
38983 133 402 288-291 46286 359-361 38984 133 402T 288-291 46334 417 38987 133 402Z 288-291 46338 417 39000 283-285 404 288-291 464 209-210 39002 283-285, 295-296 404Z 288-291 46464 363 39003 253 40677 465 46465 385, 579 39004 251 40698 393-400 46467 385, 579 39006 283-285 40709 393-400 46526 401-404 39007 252-253 40711 393-400 46545 414-415 39008 291-292 40715 393-400 46547 414-415 39009 252-253 40719 393-400 472 209-210	38444	332	40003	406-410	46079	467
38984 133 402T 288-291 46334 417 38987 133 402Z 288-291 46338 417 39000 283-285 404 288-291 464 209-210 39002 283-285, 295-296 404Z 288-291 46464 363 39003 253 40677 465 46465 385, 579 39004 251 40698 393-400 46467 385, 579 39006 283-285 40709 393-400 46526 401-404 39007 252-253 40711 393-400 46545 414-415 39008 291-292 40715 393-400 46547 414-415 39009 252-253 40719 393-400 472 209-210	38808	279	401	288-291	462	209-210
38987 133 402Z 288-291 46338 417 39000 283-285 404 288-291 464 209-210 39002 283-285, 295-296 404Z 288-291 46464 363 39003 253 40677 465 46465 385, 579 39004 251 40698 393-400 46467 385, 579 39006 283-285 40709 393-400 46526 401-404 39007 252-253 40711 393-400 46545 414-415 39008 291-292 40715 393-400 46547 414-415 39009 252-253 40719 393-400 472 209-210	38983	133	402	288-291	46286	359-361
39000 283-285 404 288-291 464 209-210 39002 283-285, 295-296 404Z 288-291 46464 363 39003 .253 40677 .465 46465 385, 579 39004 .251 40698 393-400 46467 385, 579 39006 .283-285 40709 393-400 46526 401-404 39007 .252-253 40711 393-400 46545 414-415 39008 .291-292 40715 393-400 46547 414-415 39009 .252-253 40719 393-400 472 209-210	38984	133	402T	288-291	46334	417
39002 283-285, 295-296 404Z 288-291 46464 363 39003 253 40677 465 46465 385, 579 39004 251 40698 393-400 46467 385, 579 39006 283-285 40709 393-400 46526 401-404 39007 252-253 40711 393-400 46545 414-415 39008 291-292 40715 393-400 46547 414-415 39009 252-253 40719 393-400 472 209-210	38987	133	402Z	288-291	46338	417
39003 253 40677 .465 46465 .385, 579 39004 .251 40698 .393-400 46467 .385, 579 39006 .283-285 40709 .393-400 46526 .401-404 39007 .252-253 40711 .393-400 46545 .414-415 39008 .291-292 40715 .393-400 46547 .414-415 39009 .252-253 40719 .393-400 472 .209-210	39000	283-285	404	288-291	464	209-210
39004 251 40698 393-400 46467 385, 579 39006 283-285 40709 393-400 46526 401-404 39007 252-253 40711 393-400 46545 414-415 39008 291-292 40715 393-400 46547 414-415 39009 252-253 40719 393-400 472 209-210	39002	283-285, 295-296	404Z	288-291	46464	363
39006 283-285 40709 393-400 46526 401-404 39007 252-253 40711 393-400 46545 414-415 39008 291-292 40715 393-400 46547 414-415 39009 252-253 40719 393-400 472 209-210	39003	253	40677	465	46465	385, 579
39007 252-253 40711 393-400 46545 414-415 39008 291-292 40715 393-400 46547 414-415 39009 252-253 40719 393-400 472 209-210	39004	251	40698	393-400	46467	385, 579
39008 291-292 40715 393-400 46547 414-415 39009 252-253 40719 393-400 472 209-210	39006	283-285	40709	393-400	46526	401-404
39009						
	39008	291-292	40715	393-400	46547	414-415
	39009	252-253	40719	393-400	472	209-210
	39010	291-292	40721	393-400	474	209-210

Product Number	Page	Product Number	Page	Product Number	Page
477	288-291	54143	362-363	56469	171
487	288-291	54145	401-404	56470	171
488	288-291, 302-305	54146	401-404	56533	143-144
4911	224-226, 239	54159	401-404	570	479-480
4912	239	54187	385, 579	58598	325-326
492	207-209	54203	359-361	591	213
493	207-209	54257	401-404	592	214-215
49341	165-166	54258	401-404	593	214-215
494	207-209	54259	401-404	59437	571
495	207-209	54285	362-363	59443	571
49517	337	5433	241	59446	567
49518	337	54371	362-363	59447	567
49519	337	544	227-231	59501	569
496	207-209	5463	241	59505	572
49656	297, 326-330	550	479-480	59507	572
498	288-291	5512	241	59509	572
49828	170	5513	241	59512	571
49829	170	552	479-480	59513	569
49830	170	5523	241	59515	571
49831	170	55385	326-330	59517	569
49832	170	5544	237-238	59681	188-189
49833	170	5545	237-238	60417	393-400
499	288-291, 302-305	5551	237-238	60418	393-400
49912	59	5552	237-238	60-5433030	454-455
502	292-293	5553	237-238	60825	319
50211	326-330	5554	237-238	609	211-212
50254	172-173	5555	243	61-2344030	454-455
50727	326-330	5556	243	61273	406-410
50863	362	55563	194-195	61403	589-590
5111	224-226, 236, 242	55566	194-195	61405	589-590
5112	242	5557	243	61458	589-590
5113	242	5558	237-238	61479	589-590
52512	359	5559	237-238	61480	589-590
52750	362-363	5562	237-238	61565	589-590
52754	401-404	5563	237-238	61581	589-590
52755	401-404	5564	237-238	61592	589-590
52789	400-404	5565	237-238	62034	393-400
52799	401-404	55764	13-16	62038	393-400
52845	406-410	55916	332	62040	362
53851	171	55918	332	62041	362
53916	171	55919	332	62058	393-400
53918	171	56106	468	62059	393-400
53920	171	5611	135, 224-226, 235	62060	393-400
53922	171	56313	184	62062	393-400
			171	62063	

Product Number	Page	Product Number	Page	Product Number	Page
62064	393-400	64293	472-473	68709	500-501
62070	393-400	64294	472-473	68710	500-501
62071	393-400	644	209-210	68717	500-501
62084	393-400	650	214-215	68719	500-501
62112	393-400	651	214-215	68724	500-501
62113	393-400	6546	227-231	68728	500-501
62114	393-400	65613	470	68750	500-501
62169	393-400	65615	470	68773	500-501
62198	393-400	65619	470	68778	500-501
62206	393-400	65621	470	68779	500-501
62207	393-400	65812	462	68797	500-501
62211	393-400	65813	462	688	217-218
62222	393-400	65817	461	690	217-218
62224	393-400	66098	401-404	6900DIN	368-375
62226	393-400	66104	190-191	692	217-218
62227	393-400	66124	376-380	694	217-218
62235	393-400	66155		69602	519-520
62245	393-400	66254	376-380	69603	519-520
62269	393-400	66297	362-363	69604	519-520
62282	393-400	66375	376-380	69605	519-520
62301	393-400	667		69615	
62302		6700DIN		69619	
62321		67133		69641	
62328		67533		69650	
62329		67535		69663	
62331		67537		69685	
62341		67635		699	
62342		67636		70101	
62343		67638		70102	
62367		67639		70103	
62369		67714		70104	
62380		67764		70105	
62382		67816		70106	
62386		67823		70107	
		67824		70108	
62390 62544		67825		70109	
		67826		70110	
62547		67827		70119	
62559					
62949		67828		70120	
6404		6800DIN		70123	
6405		68701		70150	
6408		68702		70163	
6409		68703		70166	
642		68705		70167	
64284	4/2-4/3	68706	500-501	70168	520-521

Product Number	Page	Product Number	Page	Product Number	Page
70176	520-521	70368	523-524	71302	503-505
70193	520-521	70376	523-524	71303	503-505
70201	521-522	70383	523-524	71304	503-505
70202	521-522	70385	523-524	71305	503-505
70203	521-522	70393	523-524	71306	503-505
70204	521-522	70501	524-525	71307	503-505
70205	521-522	70502	524-525	71308	503-505
70206	521-522	70503	524-525	71309	503-505
70207	521-522	70504	524-525	71310	503-505
70208		70505		71314	
70209	521-522	70508	524-525	71316	503-505
70210		70509		71317	
70212		70510		71319	
70214		70520		71320	
70220		70550		71321	
70223		70563		71323	
70250		70576		71324	
70263		70701		71325	
70266		70702		71331	
70267		70703		71350	
70268		70704		71356	
70269		70705		71360	
70273		70706		71363	
70276		70707		71365	
70283		70708		71366	
70285		70709		71367	
70293		70710		71370	
70301		70720		71373	
70302		70750		71374	
70303	523-524	70763	501-502	71376	503-505
70304	523-524	70785	501-502	71378	503-505
70305	523-524	71001	502-503	71379	503-505
70306	523-524	71002	502-503	71383	503-505
70307	523-524	71003	502-503	71385	503-505
70308	523-524	71004	502-503	71397	503-505
70309	523-524	71005	502-503	71399	503-505
70310	523-524	71006	502-503	71601	494
70314	523-524	71007	502-503	71602	494
70317	523-524	71009	502-503	71603	494
70320	523-524	71010	502-503	71607	494
70323	523-524	71020	502-503	71608	494
70350	523-524	71050	502-503	71609	494
70363	523-524	71063	502-503	72001	506-508
70366	523-524	71085	502-503	72002	506-508
70367	523-524	71301	503-505	72003	506-508

Product Number	Page	Product Number	Page	Product Number	Page
72004	506-508	72107	508-509	72304	511-513
72005	506-508	72109	508-509	72305	511-513
72006	506-508	72110	508-509	72306	511-513
72007	506-508	72114	508-509	72307	511-513
72008	506-508	72128	508-509	72308	511-513
72009	506-508	72150	508-509	72309	511-513
72010	506-508	72163	508-509	72310	511-513
72012	506-508	72165	508-509	72312	511-513
72014	506-508	72166	508-509	72314	511-513
72016	506-508	72176	508-509	72316	511-513
72017	506-508	72183	508-509	72317	511-513
72019	506-508	72185	508-509	72319	511-513
72020	506-508	72201	509-511	72320	511-513
72021	506-508	72202	509-511	72321	511-513
72023	506-508	72203	509-511	72323	511-513
72024	506-508	72204	509-511	72324	511-513
72025	506-508	72205	509-511	72325	511-513
72028	506-508	72206	509-511	72328	511-513
72031	506-508	72207	509-511	72331	511-513
72041	506-508	72209	509-511	72341	511-513
72050	506-508	72210	509-511	72350	511-513
72051	506-508	72212	509-511	72351	511-513
72056	506-508	72214	509-511	72356	511-513
72060	506-508	72216	509-511	72360	511-513
72063	506-508	72220	509-511	72363	511-513
72065	506-508	72223	509-511	72365	511-513
72066	506-508	72224	509-511	72366	511-513
72069	506-508	72225	509-511	72367	511-513
72070	506-508	72228	509-511	72368	511-513
72073	506-508	72250	509-511	72369	511-513
72074	506-508	72256	509-511	72370	511-513
72076	506-508	72260	509-511	72373	511-513
72078	506-508	72263	509-511	72374	511-513
72079	506-508	72265	509-511	72376	511-513
72083	506-508	72266	509-511	72378	511-513
72085	506-508	72273	509-511	72379	511-513
72093	506-508	72274	509-511	72383	511-513
72097	506-508	72276	509-511	72385	511-513
72099	506-508	72278	509-511	72393	511-513
72101	508-509	72283	509-511	72397	511-513
72102	508-509	72285	509-511	72399	511-513
72103	508-509	72297	509-511	72401	514-515
72104	508-509	72301	511-513	72402	514-515
72105	508-509	72302	511-513	72403	514-515
72106	508-509	72303	511-513	72404	514-515

Product Number	Page	Product Number	Page	Product Number	Page
72405	514-515	72520	516-517	72667	525-527
72406	514-515	72523	516-517	72668	525-527
72407	514-515	72528	516-517	72669	525-527
72408	514-515	72550	516-517	72670	525-527
72409	514-515	72560	516-517	72674	525-527
72410	514-515	72563	516-517	72676	525-527
72412	514-515	72565	516-517	72678	525-527
72414	514-515	72566	516-517	72679	525-527
72416	514-515	72570	516-517	72683	525-527
72417	514-515	72574	516-517	72685	525-527
72419	514-515	72576	516-517	72699	525-527
72420	514-515	72578	516-517	727	292-293
72423	514-515	72583	516-517	72701	527-529
72425	514-515	72585	516-517	72702	527-529
72428	514-515	72599	516-517	72703	527-529
72431	514-515	726	292-293	72704	527-529
72441	514-515	72601	525-527	72705	527-529
72450	514-515	72602	525-527	72706	527-529
72451	514-515	72603	525-527	72707	527-529
72456	514-515	72604	525-527	72708	527-529
72460	514-515	72605	525-527	72709	527-529
72463	514-515	72606	525-527	72710	527-529
72465	514-515	72607	525-527	72712	527-529
72466	514-515	72608	525-527	72714	527-529
72469	514-515	72609	525-527	72716	527-529
72470	514-515	72610	525-527	72717	527-529
72474	514-515	72612	525-527	72719	527-529
72476	514-515	72614	525-527	72720	527-529
72478	514-515	72616	525-527	72721	527-529
72483	514-515	72617	525-527	72723	527-529
72485	514-515	72619	525-527	72724	527-529
72499	514-515	72620	525-527	72725	527-529
72501	516-517	72621	525-527	72728	527-529
72502	516-517	72623	525-527	72731	527-529
72503	516-517	72624	525-527	72741	527-529
72504	516-517	72625	525-527	72750	527-529
72505	516-517	72628	525-527	72751	527-529
72506	516-517	72631	525-527	72756	527-529
72507	516-517	72641	525-527	72760	527-529
72508	516-517	72650	525-527	72763	527-529
72509	516-517	72656	525-527	72765	527-529
72510	516-517	72660	525-527	72766	527-529
72512	516-517	72663	525-527	72767	527-529
72514	516-517	72665	525-527	72768	
72517	516-517	72666	525-527	72769	527-529

Product Number	Page	Product Number	Page	Product Number	Page
7277	234	72904	532-533	73051	533-535
72770	527-529	72905	532-533	73056	533-535
72773	527-529	72906	532-533	73060	533-535
72774	527-529	72907	532-533	73063	533-535
72776	527-529	72908	532-533	73065	533-535
72778	527-529	72909	532-533	73066	533-535
72779	527-529	72910	532-533	73067	533-535
72783	527-529	72914	532-533	73068	533-535
72785	527-529	72916	532-533	73069	533-535
72793	527-529	72920	532-533	73070	533-535
72797	527-529	72950	532-533	73074	533-535
72799	527-529	72956	532-533	73076	533-535
72801	530-531	72963	532-533	73078	533-535
72802	530-531	72965	532-533	73083	533-535
72803	530-531	72966	532-533	73085	533-535
72804	530-531	72968	532-533	73093	533-535
72805	530-531	72969	532-533	73097	533-535
72806	530-531	72970	532-533	73099	533-535
72807	530-531	72974	532-533	73101	536-537
72808	530-531	72976	532-533	73102	536-537
72809	530-531	72983	532-533	73103	536-537
72810	530-531	72985	532-533	73104	536-537
72812	530-531	73001	533-535	73105	536-537
72814	530-531	73002	533-535	73107	536-537
72820	530-531	73003	533-535	73108	536-537
72823	530-531	73004	533-535	73109	536-537
72831	530-531	73005	533-535	73110	536-537
72841	530-531	73006	533-535	73120	536-537
72850	530-531	73007	533-535	73150	536-537
72851	530-531	73008	533-535	73163	536-537
72860	530-531	73009	533-535	73165	536-537
72863	530-531	73010	533-535	73166	
72865	530-531	73012	533-535	73167	536-537
72866	530-531	73014	533-535	73168	536-537
72867	530-531	73017	533-535	73169	
72868	530-531	73019	533-535	73176	536-537
72869	530-531	73020	533-535	73201	517-519
72870	530-531	73021	533-535	73202	517-519
72874	530-531	73023	533-535	73203	517-519
72876	530-531	73024	533-535	73204	
72885	530-531	73025	533-535	73205	517-519
72893	530-531	73028	533-535	73206	517-519
72901	532-533	73031	533-535	73207	517-519
72902	532-533	73041		73209	
72903	532-533	73050	533-535	73210	517-519

Product Number	Page	Product Number	Page	Product Number	Page
73212	517-519	73605	539	74810	497-498
73214	517-519	73810	498	74811	497-498
73216	517-519	73831	498	74814	497-498
73219	517-519	73860	498	74816	497-498
73220	517-519	74006	498	74825	497-498
73221	517-519	74040	498	74826	497-498
73223	517-519	74101	500	74828	497-498
73225	517-519	74102	500	74829	497-498
73250	517-519	74108	500	74830	497-498
73251	517-519	74122	500	74865	497-498
73256	517-519	74262	466	751	285-287
73260	517-519	74379	461	752	285-287
73263	517-519	74601	496	75906	494
73270	517-519	74605	496	75951	494
73276	517-519	74608	496	76051	494
73278	517-519	74615	496	762	288-291
73285	517-519	74617	496	764	288-291
73301	537-538	74618	496	76499	362-363
73302	537-538	74624	496	76567	401-404
73303	537-538	74625	496	76624	401-404
73304	537-538	74626	496	76902	542-543
73305	537-538	74633	496	76904	542-543
73306	537-538	74635	496	76905	542-543
73308	537-538	74650	496	76909	542-543
73309	537-538	74653	496	76912	542-543
73310	537-538	74660	496	76914	542-543
73350	537-538	74750	499	76916	542-543
73356	537-538	74751	499	76920	542-543
73363	537-538	74754	499	76925	542-543
73366	537-538	74756	499	76928	542-543
73376	537-538	74759	499	76931	542-543
73383	537-538	74761	499	76941	542-543
73385	537-538	74764	499	76950	542-543
73402	538	74766	499	76956	542-543
73403	538	74776	499	76963	542-543
73404	538	74780	499	76966	542-543
73405	538	74782	499	76974	542-543
73450	538	74801	497-498	76985	542-543
73463	538	74802	497-498	77001	543-545
73476	538	74803	497-498	77002	543-545
73485	538	74804	497-498	77003	543-545
73601	539	74806	497-498	77004	543-545
73602	539	74807	497-498	77005	543-545
73603	539	74808	497-498	77006	
73604	539	74809	497-498	77007	543-545

Product Number	Page	Product Number	Page	Product Number	Page
77008	543-545	77109	539-541	77366	546-547
77009	543-545	77110	539-541	77367	546-547
77010	543-545	77114	539-541	77369	546-547
77012	543-545	77116	539-541	77383	546-547
77014	543-545	77120	539-541	77385	546-547
77016	543-545	77121	539-541	77393	546-547
77017	543-545	77124	539-541	77399	546-547
77019	543-545	77125	539-541	77401	541-542
77020	543-545	77131	539-541	77402	541-542
77021	543-545	77141	539-541	77403	541-542
77023	543-545	77150	539-541	77404	541-542
77024	543-545	77156	539-541	77405	541-542
77025	543-545	77163	539-541	77407	541-542
77028	543-545	77165	539-541	77408	541-542
77031	543-545	77166	539-541	77409	541-542
77041	543-545	77167	539-541	77410	541-542
77050	543-545	77168	539-541	77431	541-542
77051	543-545	77169	539-541	77450	541-542
77056	543-545	77170	539-541	77456	541-542
77060	543-545	77174	539-541	77463	541-542
77063	543-545	77176	539-541	79901	547-550
77065	543-545	77183	539-541	79902	547-550
77066	543-545	77185	539-541	79903	547-550
77067	543-545	77193	539-541	79904	547-550
77068	543-545	7721	316	79905	547-550
77069	543-545	7723	316	79907	547-550
77070	543-545	77301	546-547	79908	547-550
77073	543-545	77302	546-547	79921	547-550
77074	543-545	77303	546-547	79922	547-550
77076	543-545	77304	546-547	79923	547-550
77078	543-545	77305	546-547	79924	547-550
77079	543-545	77307	546-547	79925	547-550
77083	543-545	77308	546-547	79927	547-550
77085	543-545	77309	546-547	79928	547-550
77093	543-545	77310	546-547	79931	547-550
77097	543-545	77316	546-547	79932	547-550
77099	543-545	77319	546-547	79933	547-550
77101	539-541	77320	546-547	79934	547-550
77102	539-541	77325	546-547	79935	547-550
77103	539-541	77328	546-547	79937	547-550
77104	539-541	77331	546-547	79938	547-550
77105	539-541	77341	546-547	79941	547-550
77106	539-541	77350	546-547	79942	547-550
77107	539-541	77356	546-547	79943	547-550
77108	539-541	77363	546-547	79944	547-550

Product Number	Page	Product Number	Page	Product Number	Page
79945	547-550	83306	472-473	86807	359-361
79947	547-550	83307	472-473	86848	172-173, 296
79948	547-550	83308	472-473	87297	466
79961	547-550	83314	472-473	87314	466
79962	547-550	83678	57	87590	461
79963	547-550	83735	393-400	88228	186
79964	547-550	84100	165-166	89158	393-400
79965	547-550	84701	435-436	89164	393-400
79967	547-550	84706	435-436	89356	388-389, 582-583
79968	547-550	84712	435-436	89380	390-392, 584-586
79971	547-550	84718	435-436	89381	390-392, 584-586
79972	547-550	84724	435-436	89382	390-392, 584-586
79973	547-550	84748	435-436	89387	388-389, 582-583
79974	547-550	84802	435-436	90028	401-404
79975	547-550	84804	435-436	90028-00000	401-404
79978	547-550	84806	435-436	90030	401-404
79981	547-550	84808		901	292-293
79982	547-550	84812	435-436	90525-80025	393-400
79983	547-550	84818	435-436	90537-00002	405-406
79984	547-550	84824	435-436	90540-00000	405-406
79985		84830	435-436		393-400
79987		84836			405-406
79988		84848			405-406
800		84850		90579-00000	406-410
801		84901			406-410
802		84904			406-410
80-983		84905			406-410
81076		84906			393-400
81078		84911			287
81081		85078			393-400
812		86243		90970-80002	
813		86245			393-400
820		86247			406-410
823		86252			454
82460		86255			454
82461		86277			454-455
82466		86278			454-455
82467		86279			452
82468					452
82469		86282 86285			452
					452
82471		86286			452
82701 82783		86309 86377			279-280
82900		86378			455
83005	494	86526	1/9	91-107-028/4	455

Product Number	Page	Product Number	Page	Product Number	Page
91-107-036/4	455	93-103	454-455	97-247	453-454
91-107-043/4	455	932	302-305	97-257	453-454
91-107-051/4	455	93219	390-392, 584-586	97-258	453-454
91-107-061/4	455	93271	388-389, 582-583	97-262/2	453
91-107-072/4	455	937	287	97-284	453-454
91-107-084/4	455	94-034/4	453	97317-00000	406-410
91-107-110/4	455	94-049/3	453	97-501	452-453
9113	279-280	94-064/3	453	97-502	452-453
91-143-021/DT	456	94-084/4	453	97-503	452-453
91-143-028/DT	456	94728	331	98011	172-173
91-143-036/DT	456	94739	331	98015	406-410
91-143-043/DT	456	94742	331	98-076-35	454-455
91-143-051/DT	456	94758	331	98-077-35	454-455
91-143-061/DT	456	952	302-305	98212	172-173
91-143-072/DT	456	953	302-305	98558	390-392, 584-586
91-143-084/DT	456	954	302-305	98559	386-387, 580-581
91-143-110/DT	456	956	302-305	98561	390-392, 584-586
912	288-291	97-009-704	452	98562	390-392, 584-586
913	288	97-009-705	452	98563	390-392, 584-586
91-470	454	97-009-706	452	98564	388-389, 582-583
91-502	452-453	97-009-707	452	98706	359-361
91-503	452-453	97-009-708	452	99099	589-590
91-504	452-453	97-019-728/4	455	99100	589-590
91-505	452-453	97-019-736/4	455	99101	589-590
91-506	452-453	97-019-743/4	455	994	292-293
91764	185	97-019-751/4	455	99427	589-590
91765	185	97-019-761/4	455	99428	589-590
92104	297-299	97-019-772/4	455	99429	589-590
92106	297-299	97-019-784/4	455	99431	589-590
92-171	454	97-020	455	99837	172-173, 296
92-172	454	97-044	453-454	CB-1000	368-375
92228	188-189	97-049	454	GVP-1	368
92229	188-189	97-050-751	456	GVP-100	368-375
92-254	454	97-050-761	456	GVP-101	376-380
92-255	454	97-050-772	456	GVP-110	368-375
92387	188-189	97-050-784	456	GVP-112	368-375
92-500	454-455	97-077-725	452	GVP-113	368-375
928	288	97-077-726	452	GVP-115	368-375
92988	388-389, 582-583	97-079-728	456	GVP-116	376-380
930	287	97-079-736	456	GVP-117	376-380
93014	390-392, 584-586	97-079-743	456	GVP-119	368-375
93033	390-392, 584-586	97-079-751	456	GVP-122	368-375
93038	390-392, 584-586	97-079-761	456	GVP-123	368-375
93039	390-392, 584-586	97-079-772	456	GVP-128	368-375
93068	390-392, 584-586	97-233/2	453	GVP-1U	368

Product Number	Page
GVP-401	368-375
GVP-402	
GVP-403	368-375
GVP-404	368-375
GVP-405	368-375
GVP-440	368-375
GVP-442	368-375
GVP-443	368-375
GVP-444	368-375
GVP-445	368-375
GVP-CB	368-375
H10B	405-406
H6B/V	405-406
H7A	405-406
L-112-2	401-404
L-114-2	376-380
L-117-2	376-380
L-120-5	376-380
L-123-2	376-380
L-124-5	376-380
L-125-2	376-380
L-126-2	376-380
L-127	376-380
L-128-2	376-380
L-129-2	376-380
L-132-10	376-380
L-134-10	376-380
L-136	376-380
L-140-10	376-380
L-142-2	376-380
L-145-10	376-380
L-146	376-380
L-147-2	376-380
L-149-10	376-380
L-150	376-380
L-152-5	376-380
L-153	376-380
L-156	368-375
L-162-2	376-380
L-163	376-380
L-165	376-380
L-181	
L-182	376-380
L-184	401-404
L-191-2	

Product Number	Page
L-503	368-375
L-505	368-375
L-550	376-380
L-701	368-375
L-703	368-375
L-705	368-375
L-750	376-380
L-905	368-375
L-950	401-404
LFG-465	454-455
LG-27/5	454-455
P1300	406-410
P1301	406-410
P3000	406-410
UH-1405/10	454-455
W281110	368-375
W3012	368-375
W30134	368-375
W3018	368-375
W3020100	368-375
W302050	368-375
W943550	368-375

For product information or additional questions call:

1-877-MMM-CARS (1-877-666-2277)

Material Safety Data Sheets

Fax On Demand (For five or less individual Material Safety Data Sheets) **1-800-305-0419** (in the U.S. and Canada) For a complete set of Material Safety Data Sheets call: **1-877-MMM-CARS** (1-877-666-2277)

Internet

www.3MCollision.com

Visit our website for more information concerning 3M's products and solutions to your repair problems.

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is soley responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty, Limited Remedy, and Disclaimer: Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

3M, Active, Accuspray, Adflo, Airlite, ALL WHEEL, ALUM-A-FILL II, Automix, Avagard, Black Satin, Body Schutz, Body-Light, BODYTECH, BONDO, Bx, CENTURION, Clean-Up, COLORX, CRYSTAL BAY, Cubitron, CUT 'N SHINE, DEEP CRYSTAL, Diamond Grade, DIAMONDSHEEN, DRIP-CHEK, Dual Lock, Duramix, Dyna-Glaze, Dyna-Hair, DYNA MAXX, DYNALITE, DYNA-PLUS, Dyna-Pro, DYNATRON, DYNA-WELD, E-A-R, E-A-R BUDS, E-A-R Caps, E-A-R CLASSIC, E-A-Rflex, E-A-R SOFT, EASY FINISH, ENDURANCE, EPOXSTEEL, E.V.P., Express, FABRICUT, Fast N Firm, Fast-bond, FECTOGGLES, Finesse-It, Flexiclear, FRE-CUT, FX, GOGGLEGEAR, Golden Extra, Green Corps, Hand-Masker, Highland, Hookit, Imperial, Kut-Down, KX, Labelgard, LEXA, LIGHT VISION, LUMBERJACK, MAR-GLASS, MAR-HYDE, MAXIM, METALIKS, NASSAU PLUS, Nexcare, Nomad, No-T\ouch, NUVO, O-Cel-O, ONE-STEP, OPTIME, One Touch, OX, PELTOR, Perfect-It, Pistonz, PLATINUM, Pod Plugs, Post-it, PPS, Production, Push-Ins, QUIKSAND, QX, Refine, Regalite, Resinite, ROCKER GARD, Rocker Schutz, Roloc, Safety-Walk, SCOTCH, Scotchblok, Scotch-Blue, Scotch-Brite, SCOTCHCAL, ScotchCode, SCOTCHGARD, Scotchlite, Scotchlok, Scotchmate, Scotch-Mount, SCUFF-IT, SEEPRO, Skull Screws, Single Stage, Smart Lens, SMOOTHIE AND DESIGN, SOFTBACK, Speedglas, Stikit, STOW-A-WAY, SUN GUN, Super 33+, Superbuff, Super-Clear, SuperFit, Swerve, TAL-STRIP, TAPERFIT, Tartan, TOUR-GUARD III, Trizact, TRI-M-ITE, Tri-Flange, TRUCK GUARD, Twist-Lok, Tychem, ULTIMATE AND DESIGN, ULTRAFIT, Ultra-Grip, UltraLite, Ultrapro, Underseal, Versaflow, VHB, VIRTUA, Wetordry, WHITE LIGHTNIN, Whitecap, Windo-Weld, X.SPORT, X-FACTOR, XTRA, ZORA are trademarks of 3M Company. Marson is a trademark of Alcoa. ORANGE COUNTY CHOPPERS, O.C.C., and the O.C.C. LOGO and related indicia are trademarks of Orange County Design Properties, L.L.C., used under license.

