

PIG® Oily Water Filter Mat in Vac-Pack

MAT1206 Space-Saving & Portable, 36" x 36", 5 pads

Extra-large Filter Pads absorb oils and fuels but let water pass through. Outdoor cleanups are fast and efficient!

- Clean up oily leaks, drips and spills on land - rain or shine
- Absorbent pads allow water to pass through as they capture oils
- Mats absorb diesel, gasoline, kerosene, transformer oil, hydraulic fluid, motor oil and other oil-based liquids
- High performance mats for demanding tasks and large-volume cleanups
- Ideal for stormwater applications and general filtration of oily water
- Great for use near storm drains, pipes, outflows, storage tanks, roll-offs, vehicles and other oily equipment; can also be used as a pour-through filter for mop buckets and other containers of oily water
- UV resistant and perfect for outdoor use
- Includes five individually packaged 36" x 36" pads, folded and vac-packed for compact storage on your vehicle or inside a spill kit
- Contains 85% recycled fibers; ideal where green products are desired or required
- Can be incinerated after use to reduce waste or for fuels blending
- Mats take on the properties of absorbed liquids
 - always take proper precautions when handling saturated absorbents



Specifications

Static-Dissipative	No
Indoor/Outdoor	Indoor Use; Long-Term Outdoor Use
Floating	No
UV Resistance Time	Up to 12 months
Incinerable	Yes
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Oils, Filters Water

Style	Oil, Water Separator
Color	Gray
Dimensions	36" W x 36" L
Mat Weight	Heavyweight
Recycled Content	85% Post-Consumer Recycled Synthetic Fibers
Absorbency	Up to 16 gal. per case
Absorbency per	Up to 3.2 gal. per pad
Brand	PIG
Perforated	No
Substance Filtered	Oil
Sold as	5 pads (5 packages of 1 each)
Weight	9.8 lbs.
# per Pallet	40
Composition	Polyester and Polypropylene
Application	Space-Saving & Portable
UNSPSC	47101514
UV Resistant	Yes
Pigalog® Page Number	Page N5

Metric Equivalent

Absorbency per	Up to 12.1 L per pad
Absorbency	Up to 60.6 L per case
Dimensions	91.4cm W x 91.4cm L
Weight	4.4 kg

Technical Information

Technical Documents

[PIG® Oily Water Filter Mat Pads](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

Disclaimers

Corrosive Liquids Notice

Not recommended for acids, bases or other corrosive liquids.

Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.

