



# LiftAll

## TUFF-EDGE® III

**30% more resistant to edge damage than our Tuff-Edge® II webbing**

**New EDL The first visual Edge Damage Limit out-of-service marker**

**Superior Edge Cut and Abrasion Performance**

**Soft Twill Weave Body  
No coated edge yarns**

**Easy to identify by the blue tubular edges and EDL marker**

## Wider Widths Now Available

The patented design changes to the body and edge of our new *Tuff-Edge*® III translates to a softer web with increased abrasion and edge-cut resistance. Tubular edge design with damage-resistant core helps protect the body fibers from cutting, keeping the integrity of the sling intact without compromising its strength.

The new Edge Damage Limit (EDL) out-of service marker both simplifies the inspection process and also extends the life of the web slings, saving you money.

Whenever sling damage is concentrated along the edge of the webbing, the sling may continue to remain in service until the damage has reached the EDL black line marker, assuming the sling is otherwise in good operating condition.

### WEB EDGE CUT PERFORMANCE CHART

Webbing Design	Edge Construction	Comparative Web Edge Cut Test Performance Rating				
		Poor				Superior
<i>Tuff-Edge</i> ® III	Tubular with Reinforced Core	[Bar chart showing superior performance]				
<i>Tuff-Edge</i> ® II	Polymer Edge	[Bar chart showing moderate performance]				
<i>Webmaster</i> ™ 1600 Polyester	Standard	[Bar chart showing poor performance]				



**Sewn in the USA**



**800-909-1964**

**ORDER TODAY!**

**www.lift-all.com**