

## Specification & Rating Report

---

Item Number: **3M778D**

Specification Number: **1**

Model Number: **JA2P281**

Sample Number:

Customer Specification  
Number:

Customer Model **3M778D**  
Number:

Catalog Number:

Agency Type:

CE:

CE Number:

CSA:

CSA Number:

UL:

UL Number:

UL Explosion Proof Rating:

Cubic Feet Per Minute:

F2 Assembly:

UPC Model Number: **786674041104**

UPC Catalog Number: **786674041104**

Nameplate Drive  
Bearing Type:

Label Drive Bearing **SLEEVE**  
Type:

Nameplate Opposite  
Drive Bearing Type:

Label Opposite Drive  
Bearing Type:

Capacitor:

Capacitor Included:

Capacitor Rating MFD:

Capacitor Rating VAC:

Control Code:

Design Status:

DC Design Number:

Features:

Form Factor:

Connection Diagram:

Installation Diagram:

Lubrication Label  
Diagram:

Warning Label  
Diagram:

Outline Diagram:

Outline Graphic: **006**

## Specification & Rating Report

---

Ambient Temperature:	Insulation Class: <b>"B"</b>
Protector: <b>AUTO</b>	Thermal Protection:
Nameplate Overload:	Label Overload:
Nameplate Enclosure:	Label Enclosure: <b>OAO</b>
Frame Length:	Frame Length UOM:
Frame Diameter:	Frame Diameter UOM:
Frame Size:	
Frame Material:	End Frame Material:
Operator Instruction Manual:	
Nameplate Mounting:	Label Mounting:
Base Height:	Base Height UOM:
Ring Diameter:	RingDiameterUOM:
Nameplate:	Carton Label:
Nameplate Location <b>B</b> Format:	
Brake:	Tachometer:
Layer Quantity:	Pallet Quantity:
Phase:	CurrentType:
DC Pole:	
Poles:	
Speeds:	
Duty:	
Shaft Diameter:	Shaft Diameter UOM:
Shaft Extension: <b>5/16 X 2</b>	Shaft Extension UOM:
Shaft Material:	Rotation: <b>CWSE</b>
Shaft Type:	
Motor Type:	
Motor Use:	
Nameplate 1:	
Nameplate 2:	
Nameplate Text 1:	

## Specification & Rating Report

---

Nameplate Text 2:

Nameplate Text 3:

Nameplate Text 4:

Label Text 1:

Label Text 2:

Label Text 3: **PH: 1**

Label Text 4:

Brand Line:

Vendor Line:

Motor Weight:

Motor Weight UOM:

Shipping Weight:

Shipping Weight UOM:

Armature Field  
Winding:

Core Length:

Core Length UOM:

Winding Code:

Winding Specification:

Nameplate Only  
Instructions:

Nameplate & Label  
Instructions:

Label Only  
Instructions:

## Specification & Rating Report

---

Rating Number: **1**

Horsepower: **1/20**

Volts: **115**

Hertz: **60**

Field Current:

Revolutions Per **1550**  
Minute:

Service Factor:

Service Factor Amps:

NEMA Code:

NEMA Design:

Customer Nameplate Number:

Kilowatts:

Amps: **1.8**

Maximum Amps:

Armature Current:

Power Factor:

Service Factor Volts:

NEMA Nominal Efficiency:

NEMA Guaranteed Efficiency: