

Absorb-&-Lock® Oil Absorbent

#PLP500 - Absorbs Oil-based Liquids But Not Water • 4 - 2 lb. Containers



Solidifies absorbed oil and locks it into the material for easier cleanup.

- Permanently solidifies to "lock" in absorbed liquids; won't leak or revert to liquid state when handled or placed under pressure
- Allows easier, less expensive recovery and cleanup; may help you comply with EPA requirements when used to solidify waste prior to shipment or landfilling
- Environmentally friendly product absorbs oils and oil-based liquids, including fuels, solvents and paints (will not absorb water)
- High BTU value produces less than 0.1% ash content when burned; ideal for fuels blending and incineration
- Shaker bottle with handle makes it easy to apply absorbent directly onto the spill area



New Pig

By Phone:
1-855-493-HOGS

Online:
newpig.com

Email:
hothogs@newpig.com

One Pork Avenue • Tipton PA 16684-0304

© 2014 New Pig Corporation. All rights reserved.
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PLP500 - Pg 1 of 2

PLP500 Specifications

Color:	White
Fluids Absorbed:	Oil-based Liquids But Not Water
Absorbency:	Up to 8 gal. per box
Absorbency per:	Up to 2 gal. per container
Volume:	2 lb. Container
Sold as:	4 containers per box
Weight:	11 lbs.
Composition:	Proprietary Blend of Oil-Absorbent Co-Polymers
UNSPSC:	47131902

PLP500 Metric Equivalent

Absorbency:	Up to 30.3 L per box
Absorbency per:	Up to 7.6 L per container
Weight:	5 kg

Technical Information

Warnings & Restrictions:

There are no known warnings and restrictions for this product.

Regulations and Compliance:

40 CFR 122.26 - When applying for a National Pollutant Discharge Elimination System (NPDES) permit, facilities must have a plan in place that describes actions, procedures, control techniques, management practices and equipment available to prevent illegal discharge of pollutants into waterways.

40 CFR 112.7 - SPCC planning requirements state that facilities subject to these regulations must have written plans in place discussing the products, countermeasures and procedures that are in place, or will be taken by the facility to prevent discharge of oil into waters of the United States.

Technical Documents:

(Available at newpig.com)
Product Data Sheet (PDS)
Safety Data Sheet (SDS)



By Phone:
1-855-493-HOGS

Online:
newpig.com

Email:
hothogs@newpig.com

New Pig

One Pork Avenue • Tipton PA 16684-0304
© 2014 New Pig Corporation. All rights reserved.
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PLP500 - Pg 2 of 2