



PIG® SpillBlocker® Tabletop Dike

#PLR229 - 1" x 4' x 0.75"



Contain small spills on workbenches or in labs with this liquid-proof, low-profile mini-barrier.

- Contains benchtop spills without absorbing; ideal for small spills on smooth work surfaces
- Polyurethane material resists water, oils and many chemicals
- High-visibility yellow color draws attention to spill for increased safety
- Reusable dike cleans easily with soap and water
- Comes in compact storage box for easy transport
- Cut to any length for a custom fit
- Can also be used to form an edge on workbenches to keep bolts, bearings and other small parts from rolling off



New Pig

By Phone:
1-855-493-HOGS

Online:
newpig.com

Email:
hothogs@newpig.com

One Pork Avenue • Tipton PA 16684-0304
© 2014 New Pig Corporation. All rights reserved.
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PLR229 - Pg 1 of 2

PLR229 Specifications

Style:	Standard
Color:	Yellow
Dimensions:	1" W x 4' L x 0.75" H
Intended For:	Smooth Surface
Max liquid temp exposure:	225°F for up to 30 minutes
Storage Temp Range:	0° — 120°F
Temperature Limit:	0° — 160°F up to 12 months
Sold as:	1 each
Weight:	2 lbs.
New Pig Patent:	5,236,281
# per Pallet:	750
Composition:	Polyurethane
UNSPSC:	24101907

PLR229 Metric Equivalent

Dimensions:	2.5cm W x 121.9cm L x 1.9cm H
Weight:	.9 kg

Technical Information

Warnings & Restrictions:

Urethane Notice

Due to the nature of softer urethane, the physical properties of these products may change over time with exposure to certain environmental conditions like temperature, humidity, and UV radiation. Typical life expectancy is 5 years. Please inspect the stored product regularly to ensure it is in a usable state. For more details and for chemical compatibility, please call Technical Services.

Regulations and Compliance:

40 CFR 122.26 - When applying for a National Pollutant Discharge Elimination System (NPDES) permit, facilities must have a plan in place that describes actions, procedures, control techniques, management practices and equipment available to prevent illegal discharge of pollutants into waterways.

40 CFR 112.7 - SPCC planning requirements state that facilities subject to these regulations must have written plans in place discussing the products, countermeasures and procedures that are in place, or will be taken by the facility to prevent discharge of oil into waters of the United States.

Technical Documents:

(Available at newpig.com)

Product Data Sheet (PDS)

Safety Data Sheet (SDS)

Chemical Compatibility (CCG)



By Phone:
1-855-493-HOGS

Online:
newpig.com

Email:
hothogs@newpig.com

New Pig

One Pork Avenue • Tipton PA 16684-0304
© 2014 New Pig Corporation. All rights reserved.
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PLR229 - Pg 2 of 2