

PANDUIT®

building a smarter, unified business foundation

Connect. Manage. Automate.

Surface Raceway Applications

Facility and IT network teams are being challenged to build up or remodel their enterprise buildings. Surface raceway products provide maximum flexibility for routing, protecting, and concealing high-performance copper, voice, video, fiber optic, and electrical wiring within any enterprise environment to:

- · Provide an innovative and satisfying office environment
- · Maintain the vision to allow for future business growth
- · Enable new smart devices
- · Conserve limited resources



Education

Surface mount raceway can be found inside educational facilities; such as classrooms, laboratories, libraries, auditoriums, dorm rooms, and administrative offices.



Government/Military

Government buildings, as well as state and local municipalities, utilize raceway in administrative offices and open work areas. Military installations, such as U.S. Air Force bases, utilize raceway throughout their locations.



Healthcare

Healthcare offices including facilities, individual workstations, laboratories, and patient care areas employ raceway.

Features and Benefits of Pan-Way® Surface Raceway



- Durable PVC construction
- Lightweight
- Easy to transport
- Simple one-person installation
- Reduces overall installer fatigue



- · Will not chip, rust, or corrode
- No special tools required for cutting
- Can be cut with standard saws and blades
- No sharp burrs or rough edges to file



- · RoHS compliant
- UL94V-0 flammability rating
- Meets applicable international, UL, and customer standards
- Fittings maintain TIA/EIA bend radius control




- Provides power, data, or both in the same raceway
- Large output of power and/or data access points
- Tamper resistant
- Wide range of sizes and profiles

Unique Features of Pan-Way® Surface Raceway

Pan-Way® Fast-Snap™/Snap-On Technology


Pan-Way® Fast-Snap™ Surface Mount Boxes assemble without the use of screws or additional hardware and can accommodate both power and communication applications. Fast-Snap™ Boxes can accept any standard NEMA 70mm screw-on faceplate. Pan-Way® Snap-On Faceplates attach directly to Fast-Snap™ Boxes, any 70mm raceway, Cove, or Pan-Pole™ device without the use of screws or additional hardware.



| | Components Required | | | | | | | |
|---|---|--|--|--|--|--|--|--|
| А | Snap-on vertical sloped communication faceplate – 2-port (T70FV2) | | | | | | | |
| В | Mini-Com® Modules | | | | | | | |
| С | Fast-Snap [™] Double Gang power rated (JBP2FS) | | | | | | | |

Unique 70mm Raceway (T-70, Twin-70, and TG-70)


70mm channel opening allows multiple inline access points for space optimization and aesthetic installation, while supporting Pan-Way® Snap-On Faceplates. This unique raceway also supports any NEMA standard screw-on faceplate with use of device bracket and can reduce to smaller profile raceway (T-45 or LD raceway).




Modular Divider Wall (T-70, Twin-70, TG-70, and T-45)

This modular divider wall allows channel configuration flexibility.









Aesthetically Pleasing Design

T-70, Twin-70, TG-70 and T-45 is designed with a beveled profile to help blend in to existing décor. Cove raceway is designed to resemble crown molding.









T-70 Profile Raceway

- Two-piece design
- Multi channel (with divider wall)









Single Gang Rectangular Electrical/ Communication Snap-On Faceplate (T70PG**)



T-70 Divider Wall (T70DW)



Ultimate ID® Sloped Horizontal Snap-On Faceplate (UIT70FH2**)



LD2P10 Raceway (LD2P10**)



T-70 Right Angle Fitting (T70RA**)



T-70 End Cap Fitting (T70EC**)



T-70 Entrance End Fitting (T70EE**)



T-70 Transition Fitting (T70TR**)



Fast-Snap[™] **Double Gang Power Rated Surface Mount Outlet Box** (JBP2FS**)



T-70 Tee Fitting (T70T**) T-70 Tee Divider (T70TD)



Vertical Sloped Communication Snap-On Faceplate (T70FV2**)



T-70 Outside Corner Fitting (T70OC**)



T-70 Device Bracket (T70DB-X)



T-70 Base Coupler Fitting (T70BC**)



Single Gang Rectangular Screw-On Faceplate (CPG**)



T-70 Cover Coupler Fitting (T70CC**)



T-70 Backfeed Fitting (T70BF**)



T-70 Workstation Outlet Center™ Offset Box for Snap-On Faceplates (T70WC2**)



20 A Rectangular Electrical Outlet (ERU20**)




T-70 Inside Corner Fitting (T70IC**)



3-Sided Hanging Box (T70HB3-X)

Twin-70 Profile Raceway

- Three-piece design
- Independent dual channel
- Further division of channels (with divider wall)







Twin-70 Raceway Base and Cover (T702B**, T70C**)





T-70 Cover Coupler Fitting (T70CC**)





T-45 Raceway Base and Cover (T45B**, T45C**)



Twin-70 Tee Fitting (T702T**)





T-70 Raceway Base and Cover (T70B**, T70C**)



Twin-70 Inside Corner Fitting (T702IC**)





Twin-70 End Cap Fitting (T702EC**)



Twin-70 Transition Fitting (T702TR**)





Twin-70 Transition Fitting (T702TRL**)



T-70 Right Angle Fitting (T70RA**)





Single Gang Rectangular Electrical/Communication Snap-On Faceplate (T70PG**)





T-70 End Cap Fitting (T70EC**)





Vertical Sloped Communication Snap-On Faceplate (T70FV2**)





Fast-Snap™ Double Gang Power Rated Surface Mount Outlet Box (JBP2FS**)



Ultimate ID® Sloped Horizontal Snap-On Faceplate (UIT70FH4**)





20 A Rectangular Electrical Outlet (ERU20**)





Twin-70 Right Angle Fitting (T702RA**)





Twin-70 Outside Corner Fitting (T702OC**)





Twin-70 Entrance End Fitting (T702EE**)





Twin-70 Base Coupler Fitting (T702BC**)






T-70 Device Mounting Bracket (T70DB-X**)

TG-70 Profile Raceway

- Two-piece design
- Multi channel (with divider wall)
- X-Large internal area







TG-70 Raceway Base and Cover (TG-70**)





TG-70 Outside Corner Fitting (TGOC**)





TG-70 Raceway Divider Wall (TGDW)



TG-70 Tee Fitting (TGT**)





Raceway (LD2P10**)



TG Tee Divider (TGTD)





TG-70 End Cap (TGEC**)



TG-70 Backfeed Fitting (TGBF**)



TG-70 Transition Fitting (TGTR**)



TG-70 Inside Corner Fitting (TGIC**)



Fast-Snap™ Double Gang Power Rated Surface Mount Box (JBP2FS**)



TG-70 Hanging Box with Divider Wall (TG70HB3-X)





Single Gang Rectangular **Electrical/Communication** Snap-On Faceplate (T70PG**)



Ultimate ID® Sloped Horizontal Snap-On Faceplate (UIT70FH4**)





Vertical Sloped Communication Snap-On Faceplate (T70FV2**)



S

TG-70 Right Angle Fitting (TGRA**)





20 A Rectangular Electrical Outlet (ERU20**)



Single Gang Rectangular Power and Communication Faceplate (CPG**)





TG-70 Base Couplers (TG70BC**)





T-70 Device Mounting Bracket (T70DB-X)





T-70 Cover Couplers (T70CC**)






TG-70 Entrance End Fitting (TGEE**)

T-45 Profile Raceway

- Two-piece, hinged design
- Multi channel (with divider wall)







T-45 Raceway Base and Cover (T45B**, T45C**)





Single Gang Rectangular **Electrical/Communication** Screw-On Faceplate (CPG**)





T-45 Divider Wall (T45DW**)





T-45 Inside Corner Fitting (T45IC**)





LDPH Raceway (LDPH10**)



T-45 Offset Box for Screw-On **Faceplates/Receptacles** (T45WC**)





T-45 End Cap Fitting (T45EC**)



Single Gang Rectangular Electrical/ **Communication Snap-On Faceplate** (T70PG**)





T-45 Tee Fitting and Divider (T45T** and T45TD)



T-45 Offset Box for Snap-On Faceplates (T45WC2**)





Fast-Snap[™] Double Gang Power **Rated Surface Mount Outlet Box** (JBP2FS**)





Ultimate ID® Sloped Horizontal Snap-On Faceplate (UIT70FH4)**





Ultimate ID® Sloped Vertical Snap-On Faceplate (UIT70FV2**)



T-45 Right Angle Fitting (T45RA**)





T-45 Snap-On Hinged Data Bracket (T45HDB**)



T-45 Electrical Bracket (T45HEGB**)





T-45 Outside Corner Fitting (T45OC**)





20 A Rectangular Electrical Outlet (ERU20**)





T-45 Reducer Fitting (T45RLD**)






Power Rated Single Gang Two-Piece Box (JBP1**)




T-45 Entrance End Fitting (T45EE**)

LD Profile Raceway

- One-piece, hinged design
- Single channel






Outside Corner Fitting (OCF10)**

(DCF10**)

Drop Ceiling/Entrance End Fitting

LDPH Profile Raceway

- Two-piece, hinged design
- Single channel
- Power rated









Power Rated Outside Corner Fitting (OCFC10**)



Raceway (LDPH5**)



Power Rated/1 Inch Bend Radius Coupler Fitting (CFX10**)



Power Rated/1 Inch Bend Radius **End Cap Fitting (ECFX10**)**



Power Rated/1 Inch Bend Radius **Right Angle Entrance End Fitting** (RAEFX**)



Power Rated Tee Fitting (TFX10**)



Power Rated Inside Corner Fitting (ICFX10**)



Power Rated/1 Inch Bend Radius Reducer Fitting (RFX105**)



Power Rated Double Gang Two-Piece Box (JBP2**)



Power Rated Single Gang Two-Piece Box (JBP1**)



Double Gang Rectangular Screw-On Faceplates (CPG**-2G)



Single Gang Rectangular Screw-On Faceplate (CPG**)



Power Rated Right Angle Fitting (RAFX10**)




20 A Rectangular Electrical Outlet (ERU20**)



Power Rated/1 Inch Bend Radius **Drop Ceiling Entrance End Fitting** (DCEFX**)

LD2P10 Profile Raceway

- One-piece, hinged design
- Dual channel









Double Gang Rectangular Screw-On Faceplate (CPG-2G)**



Power Rated End Cap Fitting (ECFX10**)



Power Rated Inside Corner Fitting (ICFX10**)



1 Inch Bend Radius Tee Fitting (TFXD10**)



Power Rated Single Gang Two-Piece Box (JBP1**)



Power Rated Double Gang Two-Piece Divided Box (JBP2S**)



Single Gang Rectangular Screw-On Faceplate (CPG**)



Double Gang Rectangular Electrical and Two Communication Insert Faceplate (FP2RC**)



Power Rated Coupler Fitting (CFX10**)



20 A Rectangular Electrical Outlet (ERU20**)



Single Gang Two-Piece Deep Box (JBP1D**)



1 Inch Bend Radius Outside Corner Fitting (OCFX10**)



Single Gang Pass Through Divider for LD2P10 Raceway (JBD1)



Power Rated Double Gang Two-Piece Deep Box (JBP2D**)



Power Rated Right Angle Fitting R (RAFX10**)




JBD2 - Double Gang Pass **Through and Divider for** LD2P10 Raceway





Power Rated/1 Inch Bend Radius S **Entrance End Fitting (EEFX**)**

Cove Raceway

- Two-piece design
- Multi channel (with divider wall)
- Designed for corner applications









Cove Raceway Divider Wall (WCM35DW)



LDPH10 Raceway (LDPH10**)



T-45 Raceway Base and Cover (T45B**, T45C**)



T-45 Raceway Divider Wall (T45DW)



T-70 Raceway Base and Cover (T70B**, T70C**)



T-70 Raceway Divider Wall (T70DW) D



Cove Raceway End Cap (WCM35ECIW)



Cove Raceway Low Profile Transition Fitting for LD/LDPH10 Raceway (WCM35TR10IW)



Power Rated Single Gang Two-Piece G **Box (JBP1**)**



20 A Rectangular Outlet (ERU20**)



Single Gang Rectangular Electrical/ **Communication Screw-On Faceplate** (CPG**)



Cove Raceway Inside Corner Fitting (WCM35ICIW)



Cove Raceway Transition Fitting for T-45 and LD Series Raceways (WCM35TRIW)



Fast-Snap[™] Double Gang Power **Rated Surface Mount Outlet Box** (JBP2FS**)



Ultimate ID® Sloped Vertical Snap-On Faceplate (UIT70FV4**)



Single Gang Rectangular Electrical/ **Communication Snap-On Faceplate** (T70PG**)



Cove Raceway Outside Corner Fitting (WCM35OCIW)



Cove Raceway Cover Coupler Fitting (WCM35CCIW)



Cove Raceway Tee Fitting (WCM35TIW)



Cove Raceway Tee Fitting Insert (WCM35TI)



Cove Raceway Low Profile Transition Fitting for T-70 Raceway (WCM35TR70IW)



T-70 Workstation Outlet Center™ Offset Box for Snap-On Faceplates (T70WC2**)



Ultimate ID® Horizontal Snap-On Faceplate (see SA-NCCB51) (UIT70FH2**)



T70 Raceway End Cap Fitting (T70EC**)



Double Gang Rectangular Electrical and Communication Faceplate (FP2RC**)



Cove Raceway Device Box and Faceplate Adapter (WCM35DBFIW)



Ultimate ID® Horizontal Snap-On Faceplate (UIT70FH4**)


Office Furniture Raceway

- One-piece, hinged design
- Single channel
- Designed to run on top of office furniture partitions



Note: Office furniture raceway is designed to blend with its environment. Shown in white on office slate furniture for illustration purposes only.

- 1 Choose Raceway Profile
- 2 Choose Fittings
- 3 Choose Accessories



Additional Pan-Way® Surface Raceway Offerings

Pan-Way® LDS Surface Raceway System:




- Single channel
- · Solid-piece design
- Non-metallic raceway; bendable to route around and over obstructions in low-voltage applications

Pan-Pole[™] Power and Communication Poles:

- Available in 11 or 13 foot lengths
- Extension kits can increase height of poles to 16 or 22 feet
- Pan-Pole[™] Power Pole: dual-channel aluminum pole with non-metallic cover; pre-terminated with two 20 A factory-installed electrical outlets
- Pan-Pole[™] Communication Pole: single-channel aluminum pole with non-metallic cover for routing low-voltage communication cabling only



Pan-Pole[™] Communication Pole



| | Components Required | | | | | | |
|---|--|--|--|--|--|--|--|
| Α | Single gang vertical sloped communication snap-on faceplate (UIT70FV2**) | | | | | | |
| В | Mini-Com® Modules | | | | | | |
| С | Communication pole (PCPA**) | | | | | | |



Surface Raceway Cutting Tool:

 Hand-held tool designed to cut all LD Profile raceway



Foam Tape:

- Acrylic foam tape has a high-temperature rating and is generally used where exposure to ultraviolet light will occur
- Rubber foam tape is generally used in applications where moderate temperatures are involved



Pan-Way® Snap-On Faceplates and Surface Mount Outlet Boxes:

- Available for both power and communication applications.
- Fast-Snap boxes and snap-on faceplates assemble without the use of screws.
- Snap-on communication faceplates are available in horizontal or vertical sloped outlet configurations.

Pan-Way® Surface Raceway Selection Chart/Summary

| | Description | Application | | | Internal Area | | | | |
|--|---|--|---|---|---|------------------------|-----------------------|--------------------------|-------------|
| Product | | Data/ Communication Cabling Only | | | Small | Medium (2 – 4 ln.²) | Large (4 – 7 ln.²) | X-Large (Over 7 In.²) | Page No. |
| T-70 | Two-piece design Multi-channel (with divider wall) | х | Х | Х | | | Х | | 4, 5 |
| Twin-70 | Three-piece designDual channelFurther division of channels (with divider wall). | Х | x | x | | | | Х | 6, 7 |
| TG-70 | Two-piece design Multi-channel (with divider wall) X-Large internal area | X | Х | X | | | | Х | 8, 9 |
| T-45 | Two-piece, hinged designMulti-channel (with divider wall) | X | Х | X | | X | | | 10, 11 |
| LD | One-piece, hinged design Single channel | X | | | Х | | | | 12,13 |
| LDPH | Two-piece, hinged design Single channel Power-rated | х | Х | | Х | | | | 14, 15 |
| LDS | One-piece, solid design Single channel | х | Х | | Х | | | | 22 |
| LD2P10 | One-piece, hinged design Dual channel | X | Х | Х | Х | | | | 16, 17 |
| Cove | Two-piece design Multi-channel Designed for corner applications (wall-to-wall; ceiling-to-wall) | Х | x | x | | | Х | | 18, 19 |
| Office Furniture | One-piece, hinged design Single channel Designed to run on top of office furniture partitions | × | | | | Х | | | 20, 21 |
| Pan-Pole™ Power and Communication Poles | Provides floor-to-ceiling cable routing | x x x | | | Internal area is one size only for all Pan-Poles™ | | | | 22 |
| Surface Raceway Cutting Tool | Hand-held tool designed to cut all LD profile raceway | N/A | | | N/A | | | | 22 |
| Foam Tape | Offered in acrylic and rubber | N/A | | | N/A | | | | 22 |

Real-World Solutions

With a proven reputation for excellence and innovation, Panduit and our partners work with you to overcome challenges and implement real-world solutions that create a competitive business advantage. Panduit offers the broadest range of solutions, from data centers and intelligent buildings to manufacturing operations, to help you build a **smarter**, **unified business foundation**.



Technology Leadership

Panduit develops innovative physical infrastructure solutions that meet the rapidly changing needs of our clients, from hardware and software to advisory services. This commitment is supported by investment in advanced research, solutions-focused product development, world-class manufacturing, and collaboration with customers at the forefront of technology.



Partner Ecosystem

Our best-in-class partner ecosystem offers a comprehensive portfolio of services that span the project lifecycle, from planning and design to delivery, deployment, maintenance, and operation. Panduit business partners – distributors, and certified architects, consultants, engineers, designers, system integrators, and contractors – are qualified to help you achieve your objectives and realize predictable and measurable results.



Strategic Alliances

Panduit cultivates long-term strategic alliances with industry leaders, including Cisco Systems, EMC, IBM, and Rockwell Automation, to develop, optimize, and validate solutions for our customers. This investment in people and resources helps solve our customers' greatest business challenges.



Global Business Commitment

Panduit is committed to delivering a consistently high level of quality and service the world over. With a presence in more than 100 countries, local Panduit sales representatives and technical specialists offer guidance and support that bring value to your business. Our global supply chain, which includes manufacturing, customer service, logistics, and distribution partners, provides prompt response to your inquiries and streamlines delivery to any worldwide destination.



Sustainability

With a commitment to environmental sustainability, Panduit develops and implements solutions that protect, replenish, and restore the world in which we live. This commitment is demonstrated by Panduit's LEED Gold certified World Headquarters, leveraging the Unified Physical InfrastructureSM approach to enable convergence of critical building systems to drive energy efficiency and ongoing operational improvement.

