



# Harmony XB5R wireless rope pull switch for automatic door control

## Maximize freedom of movement

Looking for an easier way to operate your automatic door? Harmony™ XB5R is a complete range of wireless, batteryless push buttons, including the wireless rope pull switch, designed specifically for this application. Now you can open and close automatic doors from a distance, making passage safer and more convenient for forklifts and walking personnel.

### Benefits

#### Save time

- Easily install a new control device on an automatic door without additional cost

#### Save money

- Energy efficient push buttons transmitter
- Eliminate wiring and conduit/cable tray costs

#### Minimize maintenance

- With the new wireless, batteryless Harmony XB5R push buttons and the rope pull switch ZBRP1, you eliminate lengthy wiring from the operating device to the cabinet
- No battery to recharge, replace, or recycle



### Applications

- > Industrial doors
- > Docks
- > Distribution centers
- > Warehouses
- > Plant traffic control
- > Docks

Make the most of your energy<sup>SM</sup>

**Schneider**  
Electric™

# Harmony XB5R wireless and batteryless range



## Characteristics

- 1 Harmony 22 mm push buttons (ZB5RTA3)**
  - Complete spring return push buttons with transmitter
  - Choice of head color cap
- 2 Harmony receiver (ZBRRD)**
  - Two relays output type RT 3A
  - Configurable output function (momentary/maintained)
  - Voltage: 24 – 240 V AC/DC
- 3 Harmony rope pull switch (ZBRP1)**
  - Panel mounting or between two ropes
  - High degree of protection IP66/NEMA® 4X outdoor rated
- 4 Harmony mushroom head push buttons (ZB5RTC2)**
  - Complete spring return mushroom head with transmitter
  - 40 mm black head



In addition to push buttons, the range includes a new wireless, batteryless rope pull switch for easy operation of automatic doors:

- This switch can be either mounted directly on the panel or between two ropes close to the automatic door
- This enables a forklift driver or a pedestrian to open and close the door by pulling the rope and generating mechanical energy that is transmitted as a radio message to the receiver in the control panel

For more information, visit  
[www.schneider-electric.com/us](http://www.schneider-electric.com/us)  
and enter key code **y820v**.

Enter key code

> OK



### Schneider Electric USA, Inc.

8001 Knightdale Blvd.  
Knightdale, NC 27545  
1-888-778-2733  
[www.schneider-electric.com/us](http://www.schneider-electric.com/us)

### Schneider Electric Canada, Inc.

5985 McLaughlin Road  
Mississauga, ON L5R 1B8  
Tel: 1-800-565-6699  
[www.schneider-electric.com/ca](http://www.schneider-electric.com/ca)