

Regulatory Compliance Guide For Healthcare

- Power Strip and Surge Suppressor solutions for the entire facility
- Meet regulatory code requirements



Patient Care Area Solutions

Mobile Application Solutions

Administrative Area Solutions

Operating Room Solutions




TRIPP-LITE Healthcare Power Outlet Strips

DO YOU KNOW IF YOUR **POWER STRIPS ARE UP TO CODE?** YOUR REGULATORY **AUTHORITY WILL!**

Implement a power strip compliance plan before you are cited for code violations!

The governing bodies that monitor electrical power inside healthcare facilities base their regulations on Article 517 of NFPA 70 and NFPA 99. Tripp Lite Healthcare Power Outlet Strips are designed and manufactured in accordance with Article 517 and certified to meet UL standards to ensure regulatory code compliance, avoid hazardous conditions and provide a safe environment for patients, staff and visitors. Use this simple guide to make sure you are up to code in every part of your facility.



MOBILE APPLICATIONS

Do you need additional outlets mounted on mobile carts, IV poles and other movable equipment?

If so, your solution must meet **UL 1363A**, the standard required for power strips mounted as components of movable equipment assemblies.

Tripp Lite Solutions: PS-615-HG-OEM, PS-415-HG-OEM, PS-410-HGOEMCC, PS410HGOEMX

- For use inside and outside patient care areas
- Permanently mounted in application
- Hospital-grade plug and outlets



PS-615-HG-OEM (5DLJ3)

PS-415-HG-OEM (5DLJ2)


ADMINISTRATIVE AREAS

Do you use surge suppressors throughout your administrative and business offices?

Are they ever moved from one room to another? If so, your solution must meet **UL 1449** and have hospital-grade outlets. This ensures safety when strips are transferred between locations.

Tripp Lite Solutions: ISOBAR6ULTRAHG, SPS-615-HG, SPS-606HGRA, SPS-610HGRA

- Up to 3,330 joules of surge protection
- For use outside patient care areas
- Hospital-grade plug and outlets




OPERATING ROOMS

Do you need a power strip that is compatible with the isolated power systems found in operating rooms?

If so, your solution must meet **UL 1363A** and have hospital-grade outlets. This ensures that critical operating room equipment remains operational.

Tripp Lite Solutions: PS-615-HG-OEM, PS-415-HG-OEM, PS-410-HGOEMCC, PS410HGOEMX

- For use with isolated power systems
- Will not interrupt the operation of vital O.R. equipment
- Also for use outside patient care areas
- Hospital-grade plug and outlets



PS-615-HG-OEM (5DLJ3)

PS-415-HG-OEM (5DLJ2)

FEATURES



- A UL 60601-1 Compliance and Patented Site Wiring Fault Protection (internal)
- B Hospital-Grade AC Input Plug
- C Hospital-Grade AC Outlets
- Outlet Safety Covers
- Diagnostic LED
- Metal Housing
- Mounting Keyholes and Flanges
- ① Circuit Breaker
- Mounting Clamps Fit 34-inch to 214-inch Diameter Poles
- Included CordManagement System
- **(**Signal Drip Shield)
- PSCLAMP fits Any Tripp Lite Medical-Grade or OEM Series Power Strip (sold separately)
- **W** UL 1363A Compliance

	cat	

Specifications									
Model	Grainger Part #	UL Certification	Outlets	Surge Suppression	Cord Length				
Medical-Grade Power Strips for Patient Care Areas									
PS-415-HGULTRA	2GZR4	UL 60601-1 (1)	4	_	15 ft.				
SPS415HGULTRA	6RHV9	UL 60601-1 (1)	4	1,410 joules	15 ft.				
OEM-Series Power Strips for Mobile Applications									
PS-615-HG-0EM	5DLJ3	UL 1363A	6	_	15 ft.				
PS-415-HG-0EM	5DLJ2	UL 1363A	4	_	15 ft.				
PS-410-HG0EMCC	15F826	UL 1363A	4	_	3 to 10 ft. (2)				
PS410HG0EMX	25D145	UL 1363A	4	_	10 ft.				
PSCLAMP	25D146	Mounting clamps fit a diameter from 3/4" to 21/4"							
Hospital-Grade Surge Suppressors for Administrative Areas ^(3, 5)									
ISOBAR6ULTRAHG	5JJ97	UL 1449	6	3,330 joules	15 ft.				
SPS-615-HG	3TA12	UL 1449	6	1,050 joules	15 ft.				
SPS606HGRA	19N899	UL 1449	6	1,050 joules	6 ft. ⁽⁴⁾				
SPS610HGRA	19N901	UL 1449	6	1,050 joules	10 ft. ⁽⁴⁾				
Hospital-Grade Power Strips for Operating Rooms (3)									
PS-615-HG-0EM	5DLJ3	UL 1363A	6	_	15 ft.				
PS-415-HG-0EM	5DLJ2	UL 1363A	4	_	15 ft.				
PS-410-HG0EMCC	15F826	UL 1363A	4	-	3 to 10 ft. (2)				
PS410HG0EMX	25D145	UL 1363A	4	_	10 ft.				
PSCLAMP	25D146	Mounting clamps fit a diameter from ¾" to 2¼"							

All models have nominal 120 V input/output, hospital-grade plug and hospital-grade outlets. UL certifications are shown; additional certifications vary by model. (1) Also certified to UL 60950-1, a standard that regulates the use of electrical and IT equipment in medical environments. (2) Coiled cord. (3) Also suitable for use in other areas outside patient care areas. (4) Right-angle plug. (5) The models listed here are suggestions. Any hospital-grade solution in this guide can be used in Administrative Areas

For more information contact your Grainger Representative or visit Grainger.com



Copyright © 2013 Tripp Lite. All trademarks are the property of their owners. Photos and illustrations may differ from actual products. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.